aineva.it

Friday 11.04.2025

Updated 11 04 2025, 16:40



1	2	3	4	5
low	moderate	considerable	high	very high

Friday 11.04.2025

Updated 11 04 2025, 16:40

Danger Level 2 - Moderate



Tendency: Constant avalanche danger
on Saturday 12 04 2025

Persistent weak layer

Snowpack stability: fair
Frequency: few
Avalanche size: large

Wet snow

Snowpack stability: fair
Frequency: few
Avalanche size: medium

Weak layers exist in the snowpack on north facing slopes. As a consequence of warming during the day moist avalanches are possible.

Weak layers in the old snowpack can still be released in very isolated cases by winter sport participants. These avalanche prone locations are to be found in particular on extremely steep shady slopes above approximately 2500 m.
The mostly small wind slabs can be released in isolated cases especially on very steep shady slopes.
In steep terrain there is a danger of falling on the hard crust.

Snowpack

Weak layers exist in the old snowpack in particular on shady slopes. The surface of the snowpack has frozen to form a strong crust and will soften during the day.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Saturday 12 04 2025

Wet snow

Snowpack stability: fair
Frequency: few
Avalanche size: medium

The surface of the snowpack has frozen to form a strong crust and will soften during the day.

As a consequence of warming during the day and solar radiation small and medium-sized moist avalanches are possible. The avalanche prone locations are clearly recognisable to the trained eye. In many places there is a danger of falling on the hard snow surface.

Snowpack

As a consequence of rising temperatures and solar radiation a crust formed on the surface. The snowpack will become moist as the day progresses.