Sunday 13.04.2025

Published 12 04 2025, 17:00

AM



PM



1	2	3	4	5
low	moderate	considerable	high	very high

Sunday 13.04.2025

Published 12 04 2025, 17:00

Danger Level 3 - Considerable

AM:



Tendency: Constant avalanche danger
on Monday 14 04 2025

Wet snow



Snowpack stability: poor
Frequency: few
Avalanche size: medium

PM:



Tendency: Constant avalanche danger
on Monday 14 04 2025

Wet snow

Snowpack stability: very poor
Frequency: some
Avalanche size: medium

Further increase in danger of wet avalanches. From late morning danger level 3 (considerable) will be reached.

The danger of wet avalanches will already increase in the late morning. This applies in all aspects below approximately 2600 m. In particular on very steep west, north and east facing slopes more frequent wet slab avalanches are possible as the penetration by moisture increases, in the regions exposed to rain especially. Avalanches can release the saturated snowpack and reach medium size.

Snowpack

Danger patterns dp.3: rain | dp.10: springtime scenario

Outgoing longwave radiation during the night will be severely restricted. The surface of the snowpack will only just freeze and will already be soft in the early morning. The high humditiy will give rise as the day progresses to increasing and thorough wetting of the snowpack below approximately 2600 m. Up to high altitudes rain will fall in some regions. The rain will give rise to a loss of strength within the snowpack especially on west, north and east facing slopes.

Tendency

Wet snow represents the main danger.

Sunday 13.04.2025

Published 12 04 2025, 17:00

Danger Level 2 - Moderate



1800m

Tendency: Constant avalanche danger
on Monday 14 04 2025

Wet snow

1800m

Snowpack stability: very poor
Frequency: few
Avalanche size: medium

Low avalanche danger will prevail. The danger of moist and wet avalanches will increase during the day.

As a consequence of warming during the day individual moist snow slides and avalanches are possible, but they will be mostly small. The avalanche prone locations are to be found in particular on very steep shady slopes above approximately 1800 m.

Snowpack

Danger patterns dp.10: springtime scenario

The snowpack will be subject to considerable local variations.

Tendency

The avalanche danger will persist.