


Danger Level 2 - Moderate



The danger of moist and wet avalanches will increase a little during the day. Fresh wind slabs require caution. In isolated cases the avalanches can be released in deep layers of the snowpack.


As a consequence of warming and solar radiation, the activity of moist and wet avalanches will only slowly increase. In the event of prolonged bright spells this applies in particular in the vicinity of peaks. Most and wet avalanches can in isolated cases be released by a single winter sport participant. Avalanches can penetrate down to the ground. The wind slabs must be evaluated with care and prudence especially on steep shady slopes. The new snow and wind slabs must be evaluated with care and prudence in all aspects in high Alpine regions.

Snowpack

The rain gave rise to increasing moistening of the snowpack below approximately 2700 m. The snowpack will become gradually moist. The new snow and wind slabs must be evaluated with care and prudence in all aspects in high Alpine regions.



Danger Level 1 - Low



Tendency: Constant avalanche danger →
on Wednesday 23 04 2025



Wet snow



Snowpack stability: **fair**
Frequency: **few**
Avalanche size: **medium**

As a consequence of warming and solar radiation, the natural avalanche activity will increase.

Wet avalanches can be released, mostly by large loads in isolated cases. Avalanches can in very isolated cases release the saturated snowpack and reach medium size. As a consequence of warming during the day small and medium-sized moist and wet avalanches are possible above approximately 1700 m.

Snowpack

The rain gave rise to moistening of the snowpack.

