Saturday 05.04.2025

Published 04 04 2025, 17:00



1	2	3	4	5
low	moderate	considerable	high	very high

Saturday 05.04.2025

Published 04 04 2025, 17:00

Danger Level 2 - Moderate





1700m

Tendency: Constant avalanche danger
on Sunday 06 04 2025

Wet snow

1700m

Snowpack stability: very poor
Frequency: some
Avalanche size: medium

Wind slab

2200m

Snowpack stability: poor
Frequency: some
Avalanche size: medium

Increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.

Small and medium-sized wet and gliding avalanches are possible as a consequence of warming during the day and solar radiation. This applies in particular on very steep sunny slopes below approximately 2800 m. They can in some cases release the saturated snowpack and reach large size in isolated cases. Restraint should be exercised because avalanches can sweep people along and give rise to falls.
The wind slabs are to be evaluated with care and prudence in particular on very steep shady slopes above approximately 2200 m. They can be released, mostly by large loads and reach medium size, in particular adjacent to ridgelines. As a consequence of warming during the day and the solar radiation, the likelihood of slab avalanches being released will increase gradually.
Gliding avalanches can also occur. Caution is to be exercised on grassy slopes below approximately 2400 m.

Snowpack

Danger patterns dp.10: springtime scenario

Avalanche prone weak layers exist in the old snowpack especially on little used west, north and east facing slopes.
The surface of the snowpack will only just freeze and will soften earlier than the day before. Sunshine and high temperatures will give rise to increasing and thorough wetting of the snowpack over a wide area in particular on sunny slopes.

Tendency

As a consequence of warming during the day and solar radiation more medium-sized and, in isolated cases, large moist and wet avalanches are possible.