



AM




PM



Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Monday 07 04 2025



Wind slab




Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

PM:



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wet snow



Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

The danger of moist and wet avalanches will increase during the day, reaching danger level 2 (moderate).

The fresh and older wind slabs can be released in isolated cases, but mostly only by large additional loads, in particular on very steep shady slopes and at elevated altitudes.

In particular in starting zones where no previous releases have taken place more small and, in isolated cases, medium-sized gliding avalanches and moist snow slides are possible as a consequence of warming during the day. Backcountry tours and ascents to alpine cabins should be started and concluded early.

Snowpack

Danger patterns

dp.10: springtime scenario

5 to 15 cm of snow, and even more in some localities, fell on Tuesday above approximately 2000 m. As a consequence of a sometimes moderate southeasterly wind, rather small wind slabs formed adjacent to ridgelines and in gullies and bowls as well as in high Alpine regions.

Tendency

The weather conditions will foster a substantial strengthening of the snowpack in particular at low and intermediate altitudes. As a consequence of falling temperatures, the natural avalanche activity will appreciably decrease.



Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Monday 07 04 2025



Wind slab




Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

PM:



Wet snow

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

Moist and wet avalanches are still possible.

The wind slabs can be released in isolated cases in particular on very steep shady slopes above approximately 2500 m. Medium-sized avalanches are still not ruled out.

In particular in starting zones where no previous releases have taken place medium-sized gliding avalanches and moist snow slides are possible as a consequence of warming during the day. Backcountry tours should be started and concluded early.

Snowpack

Danger patterns

dp.10: springtime scenario

Over a wide area 15 to 20 cm of snow, and even more in some localities, fell on Tuesday above approximately 1800 m. As a consequence of northeasterly wind, soft wind slabs formed. The more recent wind slabs are bonding only slowly with the old snowpack on steep shady slopes at elevated altitudes. The surface of the snowpack will freeze to form a strong crust and will soften during the day.

Tendency


The weather conditions will foster a substantial strengthening of the snowpack in particular at low and intermediate altitudes. As a consequence of falling temperatures, the natural avalanche activity will appreciably decrease.

Some snow will fall from the afternoon.



Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Monday 07 04 2025



Wind slab




Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

PM:



Tendency: Constant avalanche danger →
on Monday 07 04 2025



Wet snow



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**



Wind slab



Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **medium**

The natural activity of small and medium moist and wet avalanches will gradually increase.

The fresh wind slabs can still be released in some cases in particular on near-ridge shady slopes and generally at elevated altitudes. Medium-sized avalanches are possible. Avalanches can in isolated cases be triggered in the old snowpack and reach large size.

In particular on steep sunny slopes and in starting zones where no previous releases have taken place more medium-sized gliding avalanches and moist snow slides are possible as a consequence of warming during the day. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

Backcountry tours and ascents to alpine cabins should be started and concluded early.

Snowpack

Danger patterns

dp.10: springtime scenario

Over a wide area 30 to 50 cm of snow, and even more in some localities, fell on Tuesday above approximately 1800 m. The wind slabs are bonding only slowly with the old snowpack on shady slopes at elevated altitudes.

The surface of the snowpack will freeze, but a strong crust will not form and will soften during the day. Weak layers exist in the old snowpack in particular on shady slopes.

Tendency



The weather conditions will foster a substantial strengthening of the snowpack in particular at low and intermediate altitudes. As a consequence of falling temperatures, the natural avalanche activity will appreciably decrease.

Some snow will fall from the afternoon.

