


Danger Level 3 - Considerable



Treeline

Tendency: Constant avalanche danger
on Tuesday 25 03 2025



New snow



Treeline

Snowpack stability: **poor**

Frequency: **some**

Avalanche size: **large**



Wet snow



Treeline

Snowpack stability: **fair**

Frequency: **some**

Avalanche size: **medium**

Considerable avalanche danger will prevail. In the regions exposed to heavier precipitation the avalanche prone locations are more prevalent.

The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. In particular in the regions exposed to heavier precipitation large and, in isolated cases, very large avalanches are possible. The wind slabs must be evaluated with care and prudence. Gliding avalanches can also occur.

The avalanches can be released by small loads.

Snowpack


As a consequence of new snow and wind, wind slabs formed. The weather conditions gave rise to increasing and thorough wetting of the snowpack in particular at low and intermediate altitudes.

Tendency

Over a wide area precipitation.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Tuesday 25 03 2025



Wet snow



^
Treeline

Snowpack stability: **fair**

Frequency: **some**

Avalanche size: **medium**

At high altitude the avalanche prone locations are more prevalent.

The avalanche prone locations are to be found in particular at the base of rock walls and behind abrupt changes in the terrain and adjacent to ridgelines and in gullies and bowls. Gliding avalanches can also occur.

The avalanches can be released by large loads.

Snowpack

In particular at high altitude wind slabs will form. Below the tree line a little snow is lying.

Tendency

Over a wide area precipitation.

