


Danger Level 2 - Moderate



Tendency: Constant avalanche danger →

on Sunday 25 01 2026



Persistent
weak layer



Weakly bonded old snow represents the main danger.

Fresh and older wind slabs are prone to triggering. These can be released in the weakly bonded old snow, even by a single winter sport participant. Avalanches can reach medium size. The avalanche prone locations are to be found in particular on west to north to east facing aspects above approximately 2200 m. Individual avalanche prone locations are to be found also on steep south facing slopes above approximately 2600 m. Caution is to be exercised in particular in gullies and bowls, and behind abrupt changes in the terrain, as well as on wind-loaded slopes. The avalanche prone locations are barely recognisable.

Whumpfung sounds and the formation of shooting cracks when stepping on the snowpack can indicate the danger.

Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

Snowpack

Danger patterns

dp.5: snowfall after a long period of cold

dp.6: cold, loose snow and wind

Some snow will fall, especially in the south. As a consequence of new snow and a moderate southerly wind, mostly small wind slabs will form.

The fresh and older wind slabs are lying on top of a weakly bonded old snowpack. They are bonding only slowly with the old snowpack. Distinct weak layers exist in the old snowpack. The old snowpack consists of faceted crystals.


The snowpack will be generally subject to considerable local variations. Steep sunny slopes: As a consequence of solar radiation a crust formed on the surface during the last few days. Only a small amount of snow is lying for the time of year in all altitude zones.

Tendency

Some snow will fall. Slight increase in avalanche danger. The fresh and older wind slabs can be released by a single winter sport participant.



Danger Level 2 - Moderate



Tendency: Constant avalanche danger →

on Sunday 25 01 2026



Wind slab



Wind slabs are to be avoided.

Fresh and older wind slabs remain in some cases prone to triggering. These can be released in the weakly bonded old snow by a single winter sport participant.

The avalanche prone locations are to be found in particular on west to north to east facing aspects above approximately 2400 m and adjacent to ridgelines and in gullies and bowls. Such avalanche prone locations are clearly recognisable to the trained eye. In very isolated cases avalanches are medium-sized.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Snowpack

Danger patterns

dp.6: cold, loose snow and wind

Some snow will fall. As a consequence of new snow and a moderate southerly wind, mostly small wind slabs will form. The wind slabs are prone to triggering. They are bonding only slowly with the old snowpack. The old snowpack consists of faceted crystals.


The snowpack will be generally subject to considerable local variations. Steep sunny slopes: As a consequence of solar radiation a crust formed on the surface during the last few days. Only a small amount of snow is lying for the time of year in all altitude zones.

Tendency

Some snow will fall. Slight increase in avalanche danger. Wind slabs are to be avoided. The avalanche prone locations are to be found in particular in steep terrain at elevated altitudes.




Danger Level 1 - Low



Tendency: Increasing avalanche danger
on Sunday 25 01 2026



Wind slab



Wind slabs require caution.

Wind slabs can in isolated cases be released. Caution is to be exercised in particular on very steep shady slopes, as well as adjacent to ridgelines and in gullies and bowls above approximately 2200 m. Mostly avalanches are small.

Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

Snowpack

Some snow will fall. As a consequence of new snow and a moderate southerly wind, mostly small wind slabs will form. The wind slabs are lying on unfavourable layers at elevated altitudes. The old snowpack consists of faceted crystals.

The snowpack will be generally subject to considerable local variations. Steep sunny slopes: As a consequence of solar radiation a crust formed on the surface. Only a small amount of snow is lying for the time of year in all altitude zones.

Tendency

Some snow will fall. In some localities increase in avalanche danger.

