# Friday 02.05.2025

Published 01 05 2025, 17:00

## AM




## PM




| 1 | 2 | 3 | 4 | 5 |
|---|---|---|---|---|
| low | moderate | considerable | high | very high |

## Danger Level 2 - Moderate

**AM:**




**Tendency: Constant avalanche danger**
on Saturday 03 05 2025

Wet snow


**2200m**

Snowpack stability: fair
Frequency: few
Avalanche size: small

**PM:**






**2400m**

**Tendency: Constant avalanche danger**
on Saturday 03 05 2025

Wet snow


**2400m**

Snowpack stability: fair
Frequency: few
Avalanche size: medium

A clear night will be followed in the early morning by quite favourable conditions over a wide area, but the danger of wet avalanches will increase later.

The surface of the snowpack will freeze to form a strong crust and will soften earlier than the day before.

As a consequence of warming during the day and solar radiation the avalanche prone locations will become more prevalent from midday. In particular at intermediate and high altitudes and on steep sunny slopes small and, in isolated cases, medium-sized moist and wet avalanches are possible as the moisture increases.

Backcountry tours should be started and concluded early.

### Snowpack

**Danger patterns** dp.10: springtime scenario

The old snowpack remains generally stable. Sunshine and high temperatures will give rise as the day progresses to significant moistening of the old snowpack over a wide area. Below approximately 2000 m a little snow is lying.

### Tendency

The surface of the snowpack will freeze to form a strong crust and will soften earlier than the day before.

# Friday 02.05.2025

Published 01 05 2025, 17:00

## Danger Level 2 - Moderate

**AM:**




**Tendency: Constant avalanche danger**
on Saturday 03 05 2025

Wind slab



Snowpack stability: fair
Frequency: few
Avalanche size: small

**PM:**






**Tendency: Constant avalanche danger**
on Saturday 03 05 2025

Wet snow



Snowpack stability: fair
Frequency: some
Avalanche size: small

Wind slab



Snowpack stability: fair
Frequency: few
Avalanche size: small

A clear night will be followed in the early morning by quite favourable conditions over a wide area, but the danger of wet avalanches will increase later. Old wind slabs above approximately 3000 m.

The surface of the snowpack will freeze to form a strong crust and will soften earlier than the day before.

As a consequence of warming during the day and solar radiation the avalanche prone locations will become more prevalent from midday. In particular at intermediate and high altitudes and on steep sunny slopes medium-sized moist and wet avalanches are possible as the moisture increases.

In addition the mostly small wind slabs of last week especially at high altitudes and in high Alpine regions are capable of being triggered in isolated cases still.

Backcountry tours should be started and concluded early.

### Snowpack

**Danger patterns** dp.10: springtime scenario | dp.6: cold, loose snow and wind

In particular below approximately 2800 m,: The snowpack will be generally well bonded.

In some cases new snow and wind slabs are lying on the smooth surface of an old snowpack, in particular on extremely steep shady slopes above approximately 3000 m.

Below approximately 2000 m a little snow is lying.

## Tendency

The surface of the snowpack will freeze to form a strong crust and will soften earlier than the day before.