Saturday 02.05.2026

Published 01 05 2026, 17:00

AM



PM



1	2	3	4	5
low	moderate	considerable	high	very high

Danger Level 2 - Moderate





2200m



Wet snow





2200m

The danger of wet and gliding avalanches will increase during the day, reaching danger level 2 (moderate).

Snowpack

Danger patterns dp.10: springtime scenario

The snowpack is moist and its surface has a melt-freeze crust that is strong in many cases. The surface of the snowpack will soften during the day. Sunshine and high temperatures will give rise as the day progresses to a loss of strength within the snowpack in some places in all aspects. This applies in particular on steep sunny slopes at high altitudes and in high Alpine regions.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger
on Sunday 03 05 2026



Persistent weak layer





2800m

PM:



2600m

Tendency: Constant avalanche danger
on Sunday 03 05 2026





Wet snow





2600m



Persistent weak layer





2800m

Weak layers in the old snowpack necessitate caution. Wet snow is to be evaluated critically.

As the day progresses as a consequence of warming there will be a gradual increase in the avalanche danger. On very steep slopes the moist avalanches can be released naturally and reach medium size in isolated cases.
As a consequence of new snow and wind, wind slabs formed in the last few days at high altitudes and in high Alpine regions. Individual avalanche prone locations are to be found on very steep shady slopes above approximately 2600 m.
Avalanches can be released, mostly by large loads and reach medium size.

Snowpack

Danger patterns dp.10: springtime scenario

Below approximately 2500 m a little snow is lying. The spring-like weather conditions will give rise to rapid moistening of the snowpack. The surface of the snowpack will freeze to form a strong crust and will soften quickly.
Steep northwest, north and northeast facing slopes above approximately 2500 m: Faceted weak layers exist in the bottom section of the old snowpack.

Tendency

> A clear night will be followed in the early morning by favourable conditions generally. Increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger →
on Sunday 03 05 2026

PM:





Tendency: Constant avalanche danger →
on Sunday 03 05 2026



Wet snow





The danger of moist and wet avalanches will increase during the day.

The Avalanche Warning Service currently has only a small amount of information, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

The surface of the snowpack has frozen to form a strong crust will soften during the day. As the day progresses as a consequence of warming during the day and solar radiation there will be a gradual increase in the avalanche danger. Individual wet snow slides and avalanches are possible. This applies in particular on very steep sunny slopes in high Alpine regions.

Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls. Backcountry tours should be started and concluded early.

Snowpack

Danger patterns dp.10: springtime scenario

Above approximately 3300 m, shady slopes: The snowpack is dry and its surface consists of loosely bonded snow lying on a crust that is strong in many cases. This applies in particular in the early morning. Below approximately 2800 m: The snowpack is fairly homogeneous and its surface has a melt-freeze crust. After a clear night this applies in particular.
Sunshine and high temperatures will give rise as the day progresses to increasing moistening of the snowpack.
In particular on steep sunny slopes below approximately 2500 m only a little snow is lying.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger
on Sunday 03 05 2026



Wet snow



PM:



Tendency: Constant avalanche danger
on Sunday 03 05 2026





Wet snow





Wet snow



Moist and wet avalanches are the main danger.

The Avalanche Warning Service currently has only a small amount of information, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.
The spring-like weather conditions gave rise to significant moistening of the snowpack in all aspects below approximately 2900 m.
From early morning the weather will be cloudy in particular along the border with France. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will soften during the day.
Uncertain surface refreezing of snow is possible. This will be localized and influenced by the thickness and altitude of clouds overnight. This variable could impact hiking.
The danger of moist and wet avalanches will increase a little during the day. As a consequence of warming during the day more wet snow slides and avalanches are possible as the day progresses, even medium-sized ones, caution is to be exercised in particular on extremely steep north facing slopes below approximately 3100 m, and on very steep east, south and west facing slopes at intermediate and high altitudes.

Snowpack

Danger patterns dp.10: springtime scenario

Thursday: 0 to 2 cm of snow has fallen above approximately 2800 m. Up to 2800 m rain has fallen. The high humditiy gave rise to rapid settling of the snowpack over a wide area.
In the last few days the weather was mild. This situation gave rise to increasing moistening of the snowpack below approximately 2900 m. Until Sunday the weather will be partly cloudy.

As a consequence of highly fluctuating temperatures the snowpack consolidated. This applies in particular on steep sunny slopes at high altitude, and in all aspects at intermediate altitudes.
Hardly any more avalanches were reported.
The amount of snow is subject to significant local variations.
Especially on sunny slopes below approximately 2600 m no snow is lying. On shady slopes below the tree line hardly any snow is lying. On shady slopes above the tree line snow depths vary greatly, depending on the infuence of the wind.
Individual weak layers exist in the bottom section of the snowpack in particular in high Alpine regions.

Tendency

The weather will be partly cloudy. The surface of the snowpack will freeze to form a strong crust only at high altitudes and will soften quickly. Slight increase in danger of moist avalanches as a consequence of warming during the day.

Danger Level 2 - Moderate

AM:



Tendency: Constant avalanche danger
on Sunday 03 05 2026 →



Persistent weak layer





2800m



Wet snow





2500m

PM:





2800m

Tendency: Constant avalanche danger
on Sunday 03 05 2026 →

Persistent weak layer





2800m



Wet snow





2500m

The surface of the snowpack will freeze to form a strong crust and will soften during the day. Isolated avalanche prone weak layers exist in the bottom section of the snowpack on shady slopes.

The avalanche prone locations for dry avalanches are to be found on steep shady slopes above approximately 2800 m.
As a consequence of warming during the day and the solar radiation, the likelihood of wet avalanches being released will increase in particular on steep shady slopes below approximately 2800 m.
Medium-sized avalanches are possible.

Snowpack

Danger patterns dp.1: deep persistent weak layer | dp.10: springtime scenario

The surface of the snowpack will soften during the day.
Steep shady slopes above approximately 2800 m: Isolated avalanche prone weak layers exist in the bottom section of the old snowpack.
Below approximately 2200 m from a snow sport perspective, in most cases insufficient snow is lying.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Sunday 03 05 2026



Wet snow

As a consequence of warming during the day and solar radiation the avalanche prone locations will become more prevalent as the day progresses.

The danger of wet avalanches will increase during the day. The avalanche prone locations are to be found in particular at the base of rock walls, and in gullies and bowls. Individual wet and gliding avalanches are possible.

Snowpack

Snow cover is absent or patchy in many areas, up to the highest altitudes on the southern slopes; in general, the snowpack is increasingly thinning. Outgoing longwave radiation during the night will be quite good. The weather conditions as the day progresses will give rise to increasing and thorough wetting of the snowpack. In very isolated cases weak layers exist in the snowpack on shady slopes.

Tendency

The weather will be sunny. Continuous warming.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Sunday 03 05 2026

The snowpack will be generally stable.

The Avalanche Warning Service currently has only a small amount of information, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Also high altitudes and the high Alpine regions: As a consequence of highly fluctuating temperatures the snowpack consolidated. Slight increase in danger of moist and wet snow slides as a consequence of warming during the day and solar radiation.
Backcountry tours should be concluded timely.

Snowpack

Danger patterns dp.10: springtime scenario

The snowpack is fairly homogeneous and its surface has a strong melt-freeze crust. In the event of a clear night this applies in particular in the early morning.
Sunshine and high temperatures will give rise as the day progresses to increasing moistening of the snowpack in particular at intermediate and high altitudes.
On steep sunny slopes below approximately 2500 m only a little snow is lying.

Danger Level 1 - Low



1

Tendency: Constant avalanche danger
on Sunday 03 05 2026

Only a little snow is lying.

Hardly any more wet avalanches are possible. Caution is to be exercised on extremely steep shady slopes. Avalanches are only small.

Snowpack

Danger patterns dp.3: rain dp.10: springtime scenario

The surface of the snowpack is frozen, but not to a significant depth and will soften quickly.
Only a little snow is now lying.

Tendency

Low avalanche danger will prevail.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Sunday 03 05 2026 →



Wet snow



Slight increase in danger of wet avalanches in the course of the day.

As the day progresses as a consequence of warming during the day and solar radiation there will be only a slight increase in the danger of wet avalanches. Wet avalanches can in isolated cases be released by people, especially on very steep sunny slopes above approximately 2500 m, this also applies on very steep shady slopes below approximately 2500 m in gullies and bowls. In isolated cases avalanches are medium-sized.

Weak layers in the old snowpack can be released in isolated cases and mostly by large additional loads in particular on very steep shady slopes, in particular above approximately 2500 m.

Snowpack

Danger patterns dp.10: springtime scenario | dp.1: deep persistent weak layer

Outgoing longwave radiation during the night will be good over a wide area. The surface of the snowpack will freeze to form a strong crust and will soften during the day.

Shady slopes above approximately 2500 m: Faceted weak layers exist in the bottom section of the old snowpack at elevated altitudes.

Below approximately 2000 m no snow is lying. Between approximately 2000 and 2500 m only a little snow is now lying.

Tendency

A clear night will be followed in the early morning by favourable conditions generally. Slight increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.

Danger Level 1 - Low



1

Tendency: Constant avalanche danger
on Sunday 03 05 2026

Wet snow

N S

2300m

The surface of the snowpack will freeze to form a strong crust only at high altitudes and will already soften in the late morning.

The surface of the snowpack will only just freeze and will soften during the day.
In isolated cases the avalanches are small.

Snowpack

Danger patterns dp.10: springtime scenario

As a consequence of mild temperatures the snowpack consolidated. As a consequence of warming during the day there will be an increase in the danger of moist and wet avalanches.

Danger Level 1 - Low



Tendency: Constant avalanche danger
on Sunday 03 05 2026



Wet snow





1800m

Wet and gliding snow require caution.

In particular in starting zones where no previous releases have taken place more small and, in isolated cases, medium-sized gliding avalanches and wet snow slides are possible especially at high altitude.

Snowpack

Danger patterns dp.10: springtime scenario

Below approximately 1800 m only a little snow is lying. In gullies and bowls at high altitude there is still a very large amount of snow. The spring-like weather conditions will give rise to increasing moistening of the snowpack.

Danger Level 1 - Low



1

Tendency: Constant avalanche danger
on Sunday 03 05 2026

Low avalanche danger will prevail.

The danger of moist and wet avalanches will already exist in the early morning. From origins in starting zones where no previous releases have taken place individual wet avalanches are possible, but they will be mostly small.
Caution is to be exercised on extremely steep shady slopes.

Snowpack

Danger patterns dp.10: springtime scenario

Above approximately 2000 m thus far only a little snow is lying. This applies in gullies and bowls on shady slopes. Outgoing longwave radiation during the night will be barely evident over a wide area. The surface of the snowpack will soften quickly.

Tendency

Low avalanche danger will prevail.