



Avalanche danger

updated on 7.5.2026, 17:00

Morning




As the day progresses




region A

Considerable (3=) Dry avalanches, whole day



New snow, Persistent weak layers

Avalanche prone locations



Danger description

The new snow and wind slabs of the last few days are prone to triggering. Single winter sport participants can release avalanches. Dry avalanches can additionally be released in deeper layers also. Mostly avalanches are medium-sized. Experience in the assessment of avalanche danger is required.
The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Moderate (2) Wet-snow avalanches, as the day progresses


Wet snow

As a consequence of warming during the day natural wet avalanches are possible. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. In addition as the day progresses loose snow avalanches are to be expected.
Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.




region B

Moderate (2=) Dry avalanches, whole day



Wind slab, Persistent weak layers

Avalanche prone locations



Danger description

Dry avalanches can in some cases be released in near-surface layers and reach medium size. In addition the wind slabs of the last few days are prone to triggering in some cases still. These avalanche prone locations are to be found in particular in gullies and bowls, and behind abrupt changes in the terrain. The wind slabs are to be evaluated with care and prudence in steep terrain.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Moderate (2) Wet-snow avalanches, as the day progresses


Wet snow

As a consequence of warming during the day natural wet avalanches are possible. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. In addition as the day progresses loose snow avalanches are to be expected.

Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

region C

Moderate (2-) Dry avalanches, whole day



No distinct avalanche problem

Avalanche prone locations



Danger description

Dry avalanches can in some cases be released in near-surface layers. Mostly the avalanches are small. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.

The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Moderate (2) Wet-snow avalanches, as the day progresses

Wet snow


As a consequence of warming during the day natural wet avalanches are possible. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized.

Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.




region D

Low (1) Dry avalanches, whole day



No distinct avalanche problem

Avalanche prone locations



Danger description

Dry avalanches can in isolated cases be released in near-surface layers. This applies in particular on extremely steep north facing slopes. Mostly the avalanches are small. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.
The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.


Moderate (2) Wet-snow avalanches, as the day progresses

Wet snow

As a consequence of warming during the day natural wet avalanches are possible. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized.
Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

region E

Low (1)



Wet snow, Gliding snow

As a consequence of warming during the day and solar radiation individual wet and gliding avalanches are possible, in particular on steep north facing slopes. Restraint should be exercised because avalanches can sweep people along and give rise to falls.



Snowpack and weather

updated on 7.5.2026, 17:00

Snowpack

In the high alpine regions, the larger amounts of new snow from the last four days and the drifted snow are still prone to triggering in some cases. In addition, weak layers are embedded in the near-surface layers of the old snowpack, especially on steep north-facing slopes. Avalanche observations from recent days confirm that these weak layers are prone to triggering.

A crust has formed beneath the new snow. Below this, the old snowpack is moist up to high altitudes. As a consequence of solar radiation, loose snow avalanches are to be expected on very steep slopes, especially in the regions with a lot of fresh snow. Wet snow avalanches, which can sweep away the entire snowpack, are possible in isolated cases, especially as the day progresses. This applies particularly to north-facing slopes between 2200 and 2600 m, where the snowpack is becoming saturated for the first time.

Weather review for Thursday

During the night into Thursday, precipitation continued to fall, mainly in Ticino and Grisons. During the day, there were sunny spells between residual cloud and cumulus clouds. Valais, Ticino and southern Grisons saw the most sun.

Fresh snow

From Wednesday afternoon to Thursday afternoon with a snowfall level of 1700 to 2000 m:

- from Avers via Val Bregaglia to the Bernina region: 20 to 40 cm
- from the Aletsch region via Goms to the Rheinwald region and south of there: 10 to 20 cm
- elsewhere a widespread 5 to 10 cm

This means that over the four days from Sunday afternoon to Thursday afternoon, altitudes above approximately 2800 m saw the following snowfall:

- Lower Valais on the border with France, Aletsch region to Susten region, Main Alpine Ridge from Monte Rosa to the Bernina region and south of there: mostly 30 to 60 cm
- rest of Valais: 15 to 30 cm
- Less elsewhere

Temperature

At midday at 2000 m, between +2 °C in the northeast and +7 °C from the Visp valleys to western Ticino

Wind

Southwesterly

- During the night into Thursday, often moderate at high altitudes
- Easing during the day

Weather forecast to Friday

Skies will mostly be clear overnight to Friday. During the day, it will be quite sunny with cumulus clouds and isolated showers and thunderstorms as the day progresses.

Fresh snow

-

Temperature

At midday at 2000 m, around +6 °C

Wind

Mostly light from southerly directions, moderate at times in the high alpine regions

Outlook to Sunday

The night into Saturday will be mostly clear. During the day, it will be quite sunny on the southern flank of the Alps, otherwise mostly sunny with cumulus clouds and isolated showers as the day progresses. During the night into Sunday, cloud cover will increase from the southwest. On the southern flank of the Alps, it will be very cloudy with showers as early as the late morning. On the central and eastern parts of the northern flank of the Alps and in northern Grisons, there will be a foehn wind and it will still be partly sunny at first. Cloud cover will increase here as well later on. The zero-degree level will be around 3000 m on both days.

The danger of dry avalanches will decrease. Caution is still required in particular on steep north- and east-facing slopes in regions with a lot of fresh snow at high altitudes. On Saturday, the danger of wet avalanches will change in the course of the day; on Sunday, it will increase even in the early morning, especially on the southern flank of the Alps. Otherwise it will increase as the day progresses. Isolated wet avalanches which sweep away the entire snowpack are possible, especially on north-facing slopes between 2200 and 2600 m.