Saturday 04.04.2026

Updated 03 04 2026, 17:16

AM



PM



1	2	3	4	5
low	moderate	considerable	high	very high

Danger Level 2 - Moderate

AM:





2300m

Tendency: Increasing avalanche danger
on Sunday 05 04 2026

Wind slab

2300m

PM:



Tendency: Increasing avalanche danger
on Sunday 05 04 2026

Wind slab

2300m

Wet snow

3000m

The danger of moist and wet avalanches will increase during the day.

As a consequence of warming and solar radiation, the natural activity of small and medium moist and wet avalanches will gradually increase, in particular on very steep sunny slopes. This also applies at the base of rock walls.

Wind slabs can be released by a single winter sport participant in some cases, this also applies at a distance from ridgelines, caution is to be exercised on very steep slopes at transitions from a shallow to a deep snowpack, when entering gullies and bowls for example.
Where the wind was less strong, soft, but not very visible, slabs formed. Shooting cracks when stepping on the snowpack can indicate the danger.
In isolated cases the dry avalanches can be released in deep layers of the snowpack and reach medium size.

Snowpack

Danger patterns dp.6: cold, loose snow and wind

In some localities 5 to 20 cm of snow fell on Tuesday above approximately 2000 m.
The wind was strong to storm force.
At higher altitudes, snow cover becomes thinner and patchy; it is better at mid-altitudes, which are less exposed to the wind.
The surface snowpack changes rapidly depending on the aspect and gradient: crusts of various types and thicknesses alternate. In steep terrain there is a danger of falling on the hard crust, especially adjacent to

ridgelines and in pass areas.
Weak layers exist in the snowpack in particular on steep shady slopes.
The solar radiation will give rise to increasing consolidation of the snowpack.

Tendency

The danger of moist and wet avalanches will increase.
The weather conditions will facilitate a strengthening of the snow drift accumulations.