



Avalanche danger

updated on 9.5.2026, 17:00

Morning



As the day progresses




region A

Considerable (3-) Dry avalanches, whole day



Persistent weak layers

Avalanche prone locations



Danger description

Dry avalanches can in some places be released in near-surface layers by a single winter sport participant. Mostly avalanches are medium-sized. Whumpung sounds can indicate the danger. Backcountry touring calls for careful route selection. Experience in the assessment of avalanche danger is required. The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Moderate (2) Wet-snow avalanches, as the day progresses


Wet snow

The surface of the snowpack will cool hardly at all during the overcast night. As a consequence of warming during the day individual natural wet avalanches are possible. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.




region B

Considerable (3-) Dry avalanches



Persistent weak layers

Avalanche prone locations



Danger description

Dry avalanches can in some places be released in near-surface layers by a single winter sport participant. Mostly avalanches are medium-sized. Whumpfung sounds can indicate the danger. Backcountry touring calls for careful route selection. Experience in the assessment of avalanche danger is required. The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.


Moderate (2) Wet-snow avalanches

Wet snow

The surface of the snowpack will cool hardly at all during the overcast night. As a consequence of the precipitation wet avalanches are possible from the early morning. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

region C

Moderate (2=) Dry avalanches, whole day



Persistent weak layers

Avalanche prone locations



Danger description

Dry avalanches can in isolated cases be released in near-surface layers and reach medium size. Isolated whumpfung sounds can indicate the danger. Careful route selection is recommended. The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Moderate (2) Wet-snow avalanches, as the day progresses


Wet snow

The surface of the snowpack will cool hardly at all during the overcast night. As a consequence of warming during the day individual natural wet avalanches are possible. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.




region D

Moderate (2=) Dry avalanches



Persistent weak layers

Avalanche prone locations



Danger description

Dry avalanches can in isolated cases be released in near-surface layers and reach medium size. Isolated whumping sounds can indicate the danger. Careful route selection is recommended. The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.


Moderate (2) Wet-snow avalanches

Wet snow

The surface of the snowpack will cool hardly at all during the overcast night. As a consequence of the precipitation wet avalanches are possible from the early morning. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.

region E

Moderate (2-) Dry avalanches, whole day



No distinct avalanche problem

Avalanche prone locations



Danger description

Dry avalanches can in isolated cases be released in near-surface layers. Mostly the avalanches are small. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls. The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Moderate (2) Wet-snow avalanches, as the day progresses


Wet snow

The surface of the snowpack will cool hardly at all during the overcast night. As a consequence of warming during the day individual natural wet avalanches are possible. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.




region F

Moderate (2-) Dry avalanches



No distinct avalanche problem

Avalanche prone locations



Danger description

Dry avalanches can in isolated cases be released in near-surface layers. Mostly the avalanches are small. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.
The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.


Moderate (2) Wet-snow avalanches

Wet snow

The surface of the snowpack will cool hardly at all during the overcast night. As a consequence of the precipitation wet avalanches are possible from the early morning. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.


region G

Low (1) Dry avalanches, whole day



No distinct avalanche problem

Avalanche prone locations



Danger description

Dry avalanches can in isolated cases be released in near-surface layers. This applies in particular on extremely steep north facing slopes. Mostly the avalanches are small. Apart from the danger of being buried, restraint should be exercised in particular in view of the danger of avalanches sweeping people along and giving rise to falls.
The Avalanche Warning Service currently has only a small amount of information that has been collected in the field, so that the avalanche danger should be investigated especially thoroughly in the relevant locality.

Moderate (2) Wet-snow avalanches, as the day progresses


Wet snow

The surface of the snowpack will cool hardly at all during the overcast night. As a consequence of warming during the day individual natural wet avalanches are possible. This applies in particular on steep north facing slopes between approximately 2200 and 2600 m, but in isolated cases also on very steep east and west facing slopes between approximately 2500 and 3000 m. Mostly avalanches are medium-sized. Apart from the danger of being buried, restraint should be exercised as well in view of the danger of avalanches sweeping people along and giving rise to falls.



region H

Low (1)



Wet snow, Gliding snow
As a consequence of warming during the day and solar radiation individual wet and gliding avalanches are possible, in particular on steep north facing slopes. Restraint should be exercised because avalanches can sweep people along and give rise to falls.

Snowpack and weather

updated on 9.5.2026, 17:00

Snowpack

In high Alpine regions, last week's fresh and drifted snow is lying primarily on steep north-facing slopes on weak layers in the upper part of the old snowpack. Avalanche reports from recent days confirm that these weak layers are in some cases prone to triggering.

Further saturation of the snowpack is currently scarcely progressing. Wet snow avalanches that can sweep away the entire snowpack are therefore relatively rare. The most critical areas are north-facing slopes between 2200 and 2600 m.

Weather review for Saturday

Overnight to Saturday, some heavy showers and storms passed through in the north, but in southern Valais, Grisons and Ticino, the night sky was often clear. During the day, conditions were very sunny with some denser patches of cloud, especially in the east.

Fresh snow

A few centimetres on the northern Alpine ridge in high Alpine regions

Temperature

At midday at 2000 m, around +8 °C

Wind

Light southerly, sometimes moderate overnight

Weather forecast to Sunday

There will be mostly cloudy skies overnight to Sunday. In the morning, there will be precipitation especially in the south, but also in the west during the day. The snowfall level will be around 2400 m. The east will remain mostly dry with brighter intervals.

Fresh snow

On the main Alpine ridge and south of there above 2800 m, up to 10 cm, elsewhere less or dry

Temperature

At midday at 2000 m, +6 °C in the west, +4 °C in the south and +8 °C in the east

Wind

Increasingly moderate southwesterly wind during the day

Outlook to Tuesday

There will be widespread precipitation until Tuesday morning. The snowfall level on Monday will be around 2100 m, dropping during the night to Tuesday to 1800 m, and as low as 1400 m in the northeast. On the northern Alpine ridge and in westernmost Lower Valais, a total of 20 to 40 cm of snow will fall at high altitudes, with 15 to 30 cm in Grisons. During the daytime on Tuesday conditions will be very sunny in the south and in Valais, while elsewhere cloudy intervals will continue. On Monday, there will be a moderate westerly wind, which will become increasingly strong from the afternoon onwards, reaching storm-force at times in high Alpine regions. On Tuesday the wind will ease off as the day progresses. The fresh snow and strong winds will create snowdrift accumulations that are prone to triggering. The danger of dry avalanches will increase, especially in high Alpine regions. In addition, with the sunshine on Tuesday the fresh snow is expected to produce loose snow avalanches and wet snow slides.