Saturday 28.02.2026

Published 27 02 2026, 17:00

AM



PM



1	2	3	4	5
low	moderate	considerable	high	very high

Danger Level 2 - Moderate

AM:



2300m

Tendency: Decreasing avalanche danger
on Sunday 01 03 2026



Persistent weak layer

2300m



Gliding snow

2400m

PM:

Tendency: Decreasing avalanche danger
on Sunday 01 03 2026



Wet snow

2700m

Persistent weak layer

2300m



Gliding snow

2400m

In particular very steep sunny slopes base of rock walls: The danger of moist and wet avalanches will increase a little during the day.

Early morning: In steep terrain there is a danger of falling on the hard snow surface. The surface of the snowpack has frozen to form a strong crust and will soften during the day.
In particular very steep sunny slopes and base of rock walls: Medium-sized wet and gliding avalanches are to be expected below approximately 2700 m.
They can penetrate even deep layers. This applies in particular on very steep grassy slopes. In their paths avalanches can entrain the wet snow.
Backcountry tours should be concluded early.

In addition the wind slabs of recent weeks in particular above the tree line are prone to triggering in isolated cases still. They are easy to recognise and can be released by large loads in particular, caution is to be exercised in particular at transitions from a shallow to a deep snowpack, when entering gullies and

bowls for example.
Weak layers exist in the centre of the snowpack. In particular here the avalanches can be released in the old snow and reach quite a large size.

Snowpack

Danger patterns dp.10: springtime scenario dp.1: deep persistent weak layer

Outgoing longwave radiation during the night will be good. The surface of the snowpack will freeze to form a strong crust. The spring-like weather conditions will give rise to increasing moistening of the snowpack in particular on steep sunny slopes below approximately 2700 m.
The weather conditions fostered a stabilisation of the snow drift accumulations in particular on sunny slopes.
In its middle, the snowpack is unfavourably layered.
Adjacent to ridgelines and in pass areas snow depths vary greatly, depending on the infuence of the wind.
There are large frames on the crest.
Numerous medium-sized to large moist and wet avalanches have been released in the last few days.

Tendency

As the temperature drops only isolated moist and wet avalanches are to be expected.