


Problem		Slopes	Measurement	Overload	Trend	
		 	 	 	 	 
		 	 	 	 	 
		 	 	 	 	 



The conditions are spring-like. As the penetration by moisture increases more small to medium-sized moist and wet avalanches are possible. Caution is to be exercised in areas with glide cracks. Gliding avalanches can also occur at any time. This applies in particular in case of starting zones that still retain some snow. The avalanche danger will persist.

The snowpack will be moist. Outgoing longwave radiation during the night will be severely restricted. The spring-like weather conditions will give rise to rapid moistening of the snowpack. Areas with glide cracks are to be avoided. Backcountry tours should be started and concluded very early.


North zone					Center area					South zone				
		Snow thickness					Snow thickness					Snow thickness		
Snowpack		1500m	2000m	2500m	Snowpack		1500m	2000m	2500m	Snowpack		1500m	2000m	2500m
N	2000 m	0 cm	70 cm	150 cm	N	2000 m	0 cm	50 cm	100 cm	N	2000 m	0 cm	50 cm	100 cm
S	2400 m	0 cm	0 cm	100 cm	S	2400 m	0 cm	0 cm	70 cm	S	2400 m	0 cm	0 cm	70 cm




EAWS
EUROPEAN AVALANCHE WARNING SERVICES

Aquest butlletí ha estat elaborat seguint les normes i recomanacions de l'European Avalanche Warning Services, del qual el Servei meteorològic Nacional n'és membre

The snow cover is becoming more and more precarious. The night frost is neither good nor effective and the humidification is reaching the entire thickness of the mantle.



The snow is generally soft. Attention to the ice bridges above the torrents, as they are weakened by the increase in river flow and the weakening of the snow cover.



The moisture is reaching the deepest layers of the mantle favoring a cycle of natural wet snow avalanches and basal slides. We only find continuous snow at high altitudes.



EAWS
EUROPEAN AVALANCHE WARNING SERVICES

Aquest butlletí ha estat elaborat seguint les normes i recomanacions de l'European Avalanche Warning Services, del qual el Servei meteorològic Nacional n'és membre

BUTLLETÍ DEL PERILL D'ALLAUS DEL PRINCIPAT D'ANDORRA

Thick snow in recent days (last 24 hours measured at 06:00 UTC)

	28/04/2026	29/04/2026	30/04/2026	01/05/2026
FEDA (Central)	0 cm	0 cm	0 cm	0 cm
Aixàs	0 cm	0 cm	0 cm	0 cm
Engolasters - FEDA	0 cm	0 cm	0 cm	0 cm
Ransol - FEDA	0 cm	0 cm	0 cm	0 cm
Fontverd	0 cm	0 cm	1 cm	1 cm
Setúria	0 cm	0 cm	0 cm	0 cm
Coll Ordino	0 cm	0 cm	0 cm	0 cm
Bony de les Neres	0 cm	0 cm	0 cm	0 cm
Grau Roig - FEDA	0 cm	0 cm	0 cm	0 cm
Caborreu	0 cm	0 cm	0 cm	0 cm
Sorteny	0 cm	0 cm	0 cm	0 cm
Coll Pa	0 cm	0 cm	0 cm	0 cm
Perafita	0 cm	0 cm	0 cm	0 cm
Tossa Espiolets	0 cm	0 cm	0 cm	0 cm
La Solana	0 cm	0 cm	0 cm	0 cm
Vall del Riu FEDA	0 cm	0 cm	0 cm	0 cm
Envalira Antenes	0 cm	0 cm	0 cm	0 cm
Les Fonts d'Arinsal	0 cm	0 cm	0 cm	0 cm



Govern d'Andorra



Aquest butlletí ha estat elaborat seguint les normes i recomanacions de l'European Avalanche Warning Services,
del qual el Servei meteorològic Nacional n'és membre