Monday 06.04.2026

Updated 06 04 2026, 08:00

AM



PM



1	2	3	4	5
low	moderate	considerable	high	very high

Danger Level 2 - Moderate



Tendency: Constant avalanche danger
on Tuesday 07 04 2026

Persistent weak layer

2200m

Wet snow

2600m

The danger of moist and wet avalanches will already increase in the late morning. Weak layers in the upper part of the snowpack can be released in some places by people.

The danger of moist and wet avalanches will already be elevated in the early morning. This applies in all aspects at low and intermediate altitudes.
High altitudes: As the day progresses the likelihood of dry and wet avalanches being released will increase. In the event of prolonged bright spells this applies in particular. Avalanches can in particular be released in near-surface layers and reach medium size. Avalanche prone locations are to be found in particular on very steep west, north and east facing slopes between approximately 2200 and 2800 m. The avalanche prone locations are difficult to recognise. Whumpfing sounds and the formation of shooting cracks when stepping on the snowpack can indicate the danger. Avalanches can in isolated cases penetrate near-ground layers of the snowpack and reach large size.

Snowpack

Danger patterns dp.10: springtime scenario | dp.4: cold following warm / warm following cold

Outgoing longwave radiation during the night will be reduced. The surface of the snowpack will already soften in the late morning.
Isolated avalanche prone weak layers exist in the top section of the old snowpack, especially on west, north and northeast facing slopes between approximately 2200 and 2800 m, and on sunny slopes in high Alpine regions.
Towards its base, the snowpack consists of faceted crystals, in particular on west, north and east facing slopes at elevated altitudes.

Tendency

Outgoing longwave radiation during the night will be good over a wide area. The avalanche danger will increase a little during the day.

Danger Level 2 - Moderate

AM:





2200m

Tendency: Constant avalanche danger
on Tuesday 07 04 2026

Persistent weak layer

2200m

PM:

Tendency: Constant avalanche danger
on Tuesday 07 04 2026



Persistent weak layer

2200m

Wet snow

2800m

Weakly bonded old snow requires caution. As the day progresses the likelihood of wet avalanches being released will increase.

Dry avalanches can in some cases be released in the old snowpack, this applies even in case of a single winter sport participant in isolated cases. They can penetrate down to the ground and reach medium size. Caution is to be exercised in particular on very steep west, north and east facing slopes above approximately 2200 m, and on south facing slopes in high Alpine regions. Especially transitions from a shallow to a deep snowpack are unfavourable.
Avalanche prone locations are to be found in particular in gullies and bowls, and behind abrupt changes in the terrain.

As the day progresses the likelihood of wet avalanches being released will increase especially on extremely steep east and west facing slopes. Wet avalanches can occur in particular in starting zones where previous releases have taken place. In some cases these are medium-sized and can be released easily also by a single winter sport participant. Backcountry tours should be concluded timely.

Snowpack

Danger patterns dp.7: snow-poor zones in snow-rich surrounding | dp.10: springtime scenario

Hard wind slabs are lying on top of a weakly bonded old snowpack in particular on west, north and east facing slopes above approximately 2200 m. The snowpack will be subject to considerable local variations.

Outgoing longwave radiation during the night will be quite good at times. The surface of the snowpack will freeze to form a strong crust. In steep terrain there is a danger of falling on the hard snow surface. On extremely steep sunny slopes the snowpack will soften rapidly. Sunshine and high temperatures will give rise as the day progresses to increasing and thorough wetting of the snowpack.

On steep sunny slopes at low and intermediate altitudes hardly any snow is lying.

Tendency

Some starting zones have released the snow, in particular on sunny slopes.

Danger Level 1 - Low



1

Tendency: Decreasing avalanche danger
on Tuesday 07 04 2026

Low danger will prevail.

Avalanches can in very isolated cases penetrate near-ground layers of the snowpack and reach medium size in isolated cases.

Snowpack

Danger patterns dp.10: springtime scenario

In steep terrain there is a danger of falling on the hard snow surface. The snowpack will be subject to considerable local variations. In particular on steep sunny slopes at low and intermediate altitudes hardly any snow is lying. The weather conditions will give rise to moistening of the snowpack.

Tendency

Low danger will prevail.