Thursday 23.04.2026

Published 22 04 2026, 17:00



1	2	3	4	5
low	moderate	considerable	high	very high

Danger Level 1 - Low



1

Tendency: Increasing avalanche danger
on Friday 24 04 2026

Individual avalanche prone locations are to be found in high Alpine regions.

Currently there are favourable conditions mostly. In these regions the avalanche prone locations are rare. This applies in particular on extremely steep shady slopes in high Alpine regions. As a consequence of warming during the day and solar radiation there will be only a very slight increase in the avalanche danger. These weather conditions will give rise to moistening of the snowpack in some cases at intermediate and high altitudes. In steep terrain there is a danger of falling on the hard snow surface.

Snowpack

Danger patterns dp.10: springtime scenario

Below approximately 2800 m: The snowpack is fairly homogeneous and its surface has a melt-freeze crust. Above approximately 3300 m, shady slopes: The snowpack is dry and its surface consists of loosely bonded snow lying on a crust that is strong in many cases.

As a consequence of highly fluctuating temperatures the snowpack consolidated. This applies in particular on steep sunny slopes at high altitude, and in all aspects at intermediate altitudes.

Below approximately 2300 m only a little snow is lying on south facing slopes.

Tendency

Further warming. Gradual increase in danger of moist and wet avalanches in the course of the day.

Danger Level 1 - Low



1

Tendency: Increasing avalanche danger
on Friday 24 04 2026

The conditions are mostly favourable.

Currently there are favourable conditions mostly. In these regions the avalanche prone locations are rare. As a consequence of warming during the day and solar radiation there will be only a very slight increase in the avalanche danger. These weather conditions will give rise to slight moistening of the snowpack at intermediate and high altitudes. In steep terrain there is a danger of falling on the hard snow surface. This applies in particular in the early morning.

Snowpack

Danger patterns dp.6: cold, loose snow and wind

As a consequence of highly fluctuating temperatures the snowpack consolidated. This applies in particular on steep sunny slopes at high altitude, and in all aspects at intermediate altitudes. The snowpack is fairly homogeneous and its surface has a melt-freeze crust. This applies in particular in the early morning. Below approximately 2200 m only a little snow is lying on south facing slopes.

Tendency

Further warming. Gradual increase in danger of moist and wet avalanches in the course of the day.