




AM




PM



**Danger Level 2 - Moderate**

**AM:**



**Tendency: Constant avalanche danger** →  
on Sunday 03 05 2026





Persistent  
weak layer



2800m

**PM:**



**Tendency: Constant avalanche danger** →  
on Sunday 03 05 2026



Wet snow



2600m



Persistent  
weak layer



2800m

Weak layers in the old snowpack necessitate caution. Wet snow is to be evaluated critically.

As the day progresses as a consequence of warming there will be a gradual increase in the avalanche danger. On very steep slopes the moist avalanches can be released naturally and reach medium size in isolated cases.

As a consequence of new snow and wind, wind slabs formed in the last few days at high altitudes and in high Alpine regions. Individual avalanche prone locations are to be found on very steep shady slopes above approximately 2600 m.

Avalanches can be released, mostly by large loads and reach medium size.

**Snowpack**

**Danger patterns** dp.10: springtime scenario

Below approximately 2500 m a little snow is lying. The spring-like weather conditions will give rise to rapid moistening of the snowpack. The surface of the snowpack will freeze to form a strong crust and will soften quickly.

Steep northwest, north and northeast facing slopes above approximately 2500 m: Faceted weak layers exist in the bottom section of the old snowpack.


**Tendency**



A clear night will be followed in the early morning by favourable conditions generally. Increase in danger of wet avalanches as a consequence of warming during the day and solar radiation.



## Danger Level 1 - Low



**Tendency: Constant avalanche danger** →  
on Sunday 03 05 2026

### Low avalanche danger will prevail.

The danger of moist and wet avalanches will already exist in the early morning. From origins in starting zones where no previous releases have taken place individual wet avalanches are possible, but they will be mostly small.

Caution is to be exercised on extremely steep shady slopes.

### Snowpack

#### Danger patterns

dp.10: springtime scenario

Above approximately 2000 m thus far only a little snow is lying. This applies in gullies and bowls on shady slopes. Outgoing longwave radiation during the night will be barely evident over a wide area. The surface of the snowpack will soften quickly.

### Tendency

Low avalanche danger will prevail.

