

 DEPLOY • AI ASSISTANT

Let your AI deploy for you.

Set up once, then deploy by typing a sentence. Thirteen small steps, each with a picture. Works with Cursor, Claude Code, Codex, Windsurf, and Antigravity.

-
- | | | |
|----|---------|-------------|
| 01 | Sign in | STEPS 01-04 |
|----|---------|-------------|
-
- | | | |
|----|------------------------|-------------|
| 02 | Turn on the MCP server | STEPS 05-07 |
|----|------------------------|-------------|
-
- | | | |
|----|--------------|-------------|
| 03 | Make a token | STEPS 08-12 |
|----|--------------|-------------|
-
- | | | |
|----|-----------------------|---------|
| 04 | Tell your AI about it | STEP 13 |
|----|-----------------------|---------|
-

What is this, in one line?

MCP is just a doorway that lets your AI tool talk to ZopDay safely.

You flip one switch, copy one token, and paste both into your AI tool. After that, “deploy my repo” is something your AI can actually do. You need three things:

- **A zop.dev account** where you are the admin of your organisation.
- **An AI coding tool.** Cursor, Claude Code, Codex, Windsurf, or Antigravity.
- **Your app's code on GitHub.** Public link, or a private repo you have connected to ZopDay.

THE PLAN

PART 01 Sign in Open zop.dev and log in.	PART 02 Flip the switch Turn on the MCP server in Settings.	PART 03 Make a token Like a password for your AI.	PART 04 Ask “Deploy my repo.” Done.
--	---	---	---


How long does it take?

About five minutes of setup. You only ever do it once.

01

Open zop.dev


Type `zop.dev` in your browser. Or search for **zopdev** and click the first result.



02

Click Sign In


It is in the top right corner.



03

Choose “Sign in to zopday”


ZopDay is the one that deploys apps. Click the orange card.



04

Log in


Pick any option. Here we use **Continue with Google**.



05

Click “Settings”


It is at the bottom of the left sidebar.



06

Turn on “MCP SERVER”


Find the switch on the right side of the card. Flip it. The label goes from Inactive to **Active**.



07

Set “Write access” to “Irreversible changes”

This dropdown decides how much your AI is allowed to change. **Irreversible changes** is the full-power setting used in this guide.



What do the four options mean?

Read-only: the AI can only look. **Metadata only**: small edits to records, nothing real changes. **Reversible changes**: it can deploy and undo. **Irreversible changes**: it can also delete things. Deploying only needs “Reversible changes”, so pick that if you want a safer setup. You can change this anytime.


One more thing to know

Once you allow a level, the AI acts without asking “are you sure?”. Start low if that makes you more comfortable.

08

Click your profile, then “Developer Settings”


Your profile picture is at the bottom left.



09

Click “Create Token”


A token is like a password your AI will use to act as you.



10

Give it a name and an expiry


Any name works, like `deploy-website`. 90 days is a good expiry.



11

Tick all the boxes, click “Create Token”


The ticks decide what this token may change. Tick them all so your AI can create and deploy. No ticks means the token can only read.



12

Copy both values somewhere safe

You get a **Token** (starts with `zn_pat_`) and a **Server URL**. Copy both. Your AI needs the pair in the next step.



Important: you see the token only once

After you close this panel, ZopDay never shows it again. If you lose it, just delete the token and make a new one.

13

Paste the URL and token into your AI tool, then ask

Below are the two most common tools. Put your own token where it says `zn_pat_YOUR_TOKEN`.

CURSOR

CLAUDE CODE

CODEX

WINDSURF

ANTIGRAVITY

● ● ● using claude code • paste one command

```
$ claude mcp add zop https://api.zop.dev/mcp-server \
  -t http -H "Authorization: Bearer zn_pat_YOUR_TOKEN"
```

● ● ● using cursor • settings, tools & mcp, new mcp server

```
{
  "mcpServers": {
    "zop": {
      "url": "https://api.zop.dev/mcp-server",
      "headers": { "Authorization": "Bearer zn_pat_YOUR_TOKEN" }
    }
  }
}
```

● ● ● then type this in the chat

```
> Use the zop MCP server. Deploy github.com/<you>/<repo>
  and give me the live link.
✓ live • https://<service>.zopcloud.zop.dev
```

That's the whole trick

The AI creates the project, deploys the code, waits for it to finish, and hands you the link. Not sure it connected? First ask it: "List my organisations".

From now on, just ask.

Setup is done forever. Deploying is now one sentence in your AI tool.