

The diagram illustrates the decomposition of a 3D tensor γ into a sum of products of 1D and 2D tensors. On the left, a 3D cube labeled γ is shown. This is followed by an equals sign and a sum of three terms. Each term consists of a 1D vertical bar (labeled T_{11} , T_{12} , and T_{1K} respectively) and a 2D horizontal bar (labeled T_{21} , T_{22} , and T_{2K} respectively). These two bars are connected at a vertex by a diagonal line (labeled T_{31} , T_{32} , and T_{3K} respectively). The terms are separated by plus signs, with an ellipsis indicating the sum continues.

$$\gamma = T_{11} T_{21} T_{31} + T_{12} T_{22} T_{32} + \dots + T_{1K} T_{2K} T_{3K}$$

The diagram illustrates the decomposition of a 3D volume element into a sum of 2D surface elements. On the left, a 3D cube is shown with a Greek letter γ on its front face. This cube is followed by an approximation symbol $\approx$. To the right of the symbol is a sum of three terms, each representing a 2D surface element. Each term consists of a vertical rectangle, a horizontal rectangle, and a diagonal rectangle. The vertical rectangle is labeled T_{11} , T_{12} , and T_{1K} from left to right. The horizontal rectangle is labeled T_{21} , T_{22} , and T_{2K} from left to right. The diagonal rectangle is labeled T_{31} , T_{32} , and T_{3K} from left to right. The terms are separated by plus signs, with an ellipsis $\dots$ between the second and third terms.

$$\begin{array}{c}
 \gamma \\
 \approx \\
 \begin{array}{c}
 T_{31} \\
 \text{diagonal rectangle} \\
 T_{21} \\
 \text{horizontal rectangle} \\
 T_{11} \\
 \text{vertical rectangle}
 \end{array}
 +
 \begin{array}{c}
 T_{32} \\
 \text{diagonal rectangle} \\
 T_{22} \\
 \text{horizontal rectangle} \\
 T_{12} \\
 \text{vertical rectangle}
 \end{array}
 + \dots +
 \begin{array}{c}
 T_{3K} \\
 \text{diagonal rectangle} \\
 T_{2K} \\
 \text{horizontal rectangle} \\
 T_{1K} \\
 \text{vertical rectangle}
 \end{array}
 \end{array}$$