

ROLLPACK

Self-supporting cast iron roller




www.razol.fr

ROLLPACK

Self-supporting cast iron roller

Strong points



Standard equipments

- CHASSIS steel beam 100 x 100 x 10 mm
- 2 SIDE ELEMENTS steel beams 100 x 100 x 8 mm (Rollpack 5,25 and 6,25 m)
- 2 SIDE ELEMENTS steel beams 150 x 100 x 8 mm (Rollpack 7,25 and 8,25 m)
- DRAWBAR steel beams 150 x 100 x 8 mm
- HITCH RING fixed Ø51 adjustable 4 positions
- LOAD TRANSFER steel beams 150 x 100 x 8 mm
- 2 WHEELS 260/70 - 15.3 FL+
- HYDRAULIC FOLDING 2DA controlled from the tractor
- BEARING with self-aligning bearings
- LOCKING of side elements in transport mode
- LED LIGHTING as standard

Hydraulic connection : 2 DA output

Good weight distribution

Land's shape monitoring

Transport width 2,45 m

3 elements

The heavy self-supporting roller ROLLPACK has been designed for tamping, crumbling and soil levelling. It is especially made to improve soil-seed contact after sowing or soil-root after a frost, to avoid evaporation and erosion, to crumble soil after plowing or between two seedbed preparations.

+ HITCH

Fixed ring adjustable 4 positions.
Optional raised ring.

+ CROSSING AXLE

Square of 60 mm.

+ WHEELS 260/70 - 15.3 FL+

Or wheels 300/80 - 15.3 FL+ in option.

+ ARRAYS

1 fixed middle element and 2 side elements to better suit the land's shape.
Adjustable rollers' tightening rings.

+ MECHANICAL LIFT

Or hydraulic with a hand pump in option.

+ TRANSPORT MODE

Safe. The lifters stay in place in the cradle thanks to an anchor.

ROLLPACK				
Working width	5,25 m	6,25 m	7,25 m	8,25 m
Power	80 to 100 cv	90 to 110 cv	100 to 130 cv	120 to 150 cv


Roller

CAMBRIDGE Ø520 mm	Weight	2 650 kg	3 050 kg	3 500 kg	3 800 kg
CORRUGATED-CAMBRIDGE Ø520 mm	Weight	2 500 kg	2 900 kg	3 300 kg	3 600 kg
CROSSKILL Ø550 mm	Weight	2 650 kg	3 000 kg	3 500 kg	3 800 kg
CORRUGATED Ø500 mm	Weight	2 550 kg	2 850 kg	3 300 kg	3 650 kg

Options and accessories :

- Stone bins
- Hectare counter
- Wheels 300/80 - 15,3 FL+
- Wheels 13.0/55 R 16 - 14 ply
- Raised ring Ø41 (for exportation only)
- Retractable hydraulic lift
- Wheels chocks

ROLLER



CAST IRON ROLLERS



+ CAMBRIDGE Ø520 mm 5 YEARS WARRANTY

Its aggressive shape can make effective soil crumbling during seedbed preparation. With a weight of more than 500 kg per meter, it offers excellent quality tamping.


Suitable for heavy and sticky soils.



+ CORRUGATED-CAMBRIDGE Ø520 mm 5 YEARS WARRANTY

The alternation between Cambridge and Corrugated elements makes it highly versatile.


Suitable for work in clay land or spring tamping.



+ CORRUGATED Ø500 mm 5 YEARS WARRANTY

This type of wheel can make furrow in the soil, which limits soil slaking.

Suitable for post-sowing tamping and spring rolling.



+ CROSSKILL Ø550 mm 5 YEARS WARRANTY

This type of cast iron is perfect for light soils and seedbed preparation.



Devices **with INDEPENDENT DISCS**

SKYRON fixed independent disc harrow
SKYRON folding independent disc harrow
SKYRON self-supporting independent disc harrow



Devices **with DISCS X**

ORBYS self-supporting X combining sprayer
ZÉNITH RGH self-supporting X combining sprayer
ZÉNITH RZH self-supporting X combining sprayer
ZÉNITH RJH self-supporting X combining sprayer
PHÉNIX TGX self-supporting X sprayer
PHÉNIX TBX self-supporting X sprayer



Devices **with DISCS V**

CWH - CWHR super heavy self-supporting V Cover Crop
SYNCHRONIC CIN self-supporting V Cover Crop
CLH - CVH heavy self-supporting V Cover Crop
CIH - CJH self-supporting V Cover Crop



Devices **with SUPPORTED DISCS**

VITICROP mounted X sprayer
VINIDISC mounted disc harrow
TXL mounted X sprayer
TRW heavy-duty mounted reversible sprayer
CCW - CCU mounted reversible sprayer



Devices **for ROLLING**

ROLLPACK self-supporting cast iron roller
TORO - RVH self-supporting cast iron roller
RVH EVO self-supporting steel smooth roller



Devices **with TINES**

KILIS - KILIS R combined cultivator with flexible tines
TÉOS - TÉOS R stubble cultivator with curved tines 3 rows



Devices **for LOOSENING**

ARASOL AVLE supported subsoiler
ARASOL AVS - AVR supported subsoiler
ARAPLOW ACV supported decompactor
ARAPLOW ACM - ACMH supported decompactor
ARAMULCH ADM - ADMH supported decompactor
DVV supported subsoiler for vineyard and orchards



Devices **for SPRING**

BLI - BMI - BSI folding and fixed mounted cultivator