Combined Capability Map — TMF eTOM v25.5 OSS Layer

Service + Resource Domains × both Lifecycle Areas (S2R + Operations)
47 stable heat-map anchors total · 33 in-scope L2 process groups · 14 H5 sub-capabilities
Phase 3 final state — 2026-05-12

STRATEGY-TO-READINESS LIFECYCLE AREA

GB991 §1.1.2.1 — what-to-build / how-to-deliver · 16 L2 + 6 H5 = 22 anchors

	SERVICE DOMAIN GB991 §1.1.1.5	RESOURCE DOMAIN GB991 §1.1.1.6
STRATEGY MGMT	**1.4.1** **Service Strategy Management** v24.0 rename cap-service-strategy **Test management strategy** ⇄ Test row L3 1.4.1.8 + 1.4.1.9 cap-service-strategy-test	**1.5.1** **Resource Strategy Management** v24.0 rename cap-resource-strategy **Test management strategy** ⇄ Test row L3 1.5.1.8 + 1.5.1.9 cap-resource-strategy-test
CAPABILITY MGMT	**1.4.2** **Service Capability Delivery** cap-service-capability-delivery **1.4.12** **Service Capacity Management** net-new v25.5 cap-service-capacity **1.4.16** **Service Catalog Planning Mgmt** net-new v25.5 ⇄ Catalog 4-L2 cap-service-catalog-planning **1.4.19** **Service Specification Mgmt** net-new v25.5 cap-service-specification	**1.5.2** **Resource Capability Delivery** cap-resource-capability-delivery **1.5.14** **Resource Capacity Management** net-new v25.5 cap-resource-capacity **1.5.18** **Resource Catalog Planning Mgmt** net-new v25.5 ⇄ Catalog 4-L2 cap-resource-catalog-planning **1.5.19** **Resource Specification Mgmt** net-new v25.5 cap-resource-specification
BUSINESS VALUE DEV.	**1.4.3** **Service Specification Lifecycle Mgmt** R20.5 lineage · v24.0 rename cap-service-specification-lifecycle **Test catalogue dev & retirement** ⇄ Test row L3 1.4.3.8 (new in v25.5) cap-service-specification-lifecycle-test **Service end-of-life management** L3 1.4.3.7 (narrative-only) cap-service-specification-lifecycle-exit **1.4.13** **Service Catalog Lifecycle Mgmt** net-new v25.5 ⇄ Catalog 4-L2 cap-service-catalog-lifecycle **1.4.17** **Service Anomaly Lifecycle Mgmt** net-new v25.5 ⇄ Anomaly pair cap-service-anomaly-lifecycle	**1.5.3** **Resource Specification Lifecycle Mgmt** R20.5 lineage · v24.0 rename cap-resource-specification-lifecycle **Test catalogue dev & retirement** ⇄ Test row L3 1.5.3.8 (new in v25.5) cap-resource-specification-lifecycle-test **Resource end-of-life management** L3 1.5.3.7 (4 L4s — PSR-asymm) cap-resource-specification-lifecycle-exit **1.5.15** **Resource Catalog Lifecycle Mgmt** net-new v25.5 ⇄ Catalog 4-L2 cap-resource-catalog-lifecycle **1.5.20** **Resource Anomaly Lifecycle Mgmt** net-new v25.5 ⇄ Anomaly pair cap-resource-anomaly-lifecycle

OPERATIONS LIFECYCLE AREA

GB991 §1.1.2.1 — day-to-day customer operations · 17 L2 + 8 H5 = 25 anchors

SERVICE DOMAIN
GB991 §1.1.1.5

RESOURCE DOMAIN
GB991 §1.1.1.6

OPS READINESS & SUPPORT

1.4.4
Service Support Management
v23.5 / v24.0 renames
cap-service-support

- **Security & risk responsibilities**
  L2 responsibilities block
  cap-service-support-security
- **Inventory management**
  L3 1.4.4.1 (4 L4s)
  cap-service-support-inventory
- **Test management** ⇄ Test row
  L3 1.4.4.6
  cap-service-support-test

1.4.14
Service Catalog — Operational Readiness
⇄ Catalog 4-L2
cap-service-catalog-operational-readiness

1.4.15
Service Catalog — Content
⇄ Catalog 4-L2
cap-service-catalog-content

1.5.4
Resource Support Management
v23.5 / v24.0 renames
cap-resource-support

- **Security & risk responsibilities**
  L2 responsibilities block
  cap-resource-support-security
- **Workforce management (establishment)**
  L3 1.5.4.8 Manage Field Workforce
  cap-resource-support-workforce
- **Inventory management**
  L3 1.5.4.5 (3 L4s — PSR-asymm)
  cap-resource-support-inventory
- **Test management** ⇄ Test row
  L3 1.5.4.9
  cap-resource-support-test

1.5.7*
Resource Data Management
v23.5 rename
multi-vertical
cap-resource-data

1.5.16
Resource Catalog — Operational Readiness
⇄ Catalog 4-L2
cap-resource-catalog-operational-readiness

1.5.17
Resource Catalog — Content
⇄ Catalog 4-L2
cap-resource-catalog-content

FULFILLMENT

1.4.5
Service Activation Management
v24.0 rename
cap-service-activation

1.5.5*
Resource Order Management
R20.5 rename
multi-vertical
cap-resource-order

- **Workforce-related work orders (execution)**
  L3 1.5.5.7 Manage Resource Work Order
  cap-resource-order-workforce

ASSURANCE

1.4.6
Service Problem Management
cap-service-problem

1.4.7
Service Performance Management
v23.5 rename
cap-service-performance

1.4.18
Service Anomaly Management
⇄ Anomaly pair
cap-service-anomaly

1.5.8
Resource Trouble Management
cap-resource-trouble

1.5.9
Resource Performance Management
cap-resource-performance

1.5.21
Resource Anomaly Management
⇄ Anomaly pair
cap-resource-anomaly

BILLING	1.4.8 Service Guiding & Mediation `cap-service-guiding-and-mediation`	1.5.10 Resource Mediation & Reporting `cap-resource-mediation-and-reporting`

Legend

- L2 capability anchor — S2R area (16)
- L2 capability anchor — Operations area (17)
- H5 sub-capability (14 total — Test ×6, Exit ×2, Security ×2, Workforce ×2, Inventory ×2)
- Net-new in v25.5 (Original PID = None)
- R20.5 lineage
- Renamed in v23.5 / v24.0 / R20.5
- Multi-vertical L2 (placed under primary vertical)

* 1.5.5 spans Fulfillment + ORS; 1.5.7 spans all four OFAB verticals.

Cross-Lifecycle composability — three patterns

- **3-stage × 2-PSR Test maturity row** — six cells marked ⇄ Test row form a 6-cell heat-map row spanning Strategy → Lifecycle → Operations × Service / Resource. Strongest cross-Lifecycle composability story.
- **Two-L2 Anomaly pattern** — cells marked ⇄ Anomaly pair. BVD governs (1.4.17 / 1.5.20: closed-loop lifecycle); Operations executes (1.4.18 / 1.5.21: predict / detect / assess / mitigate / learn).
- **Four-L2 Catalog lifecycle** — cells marked ⇄ Catalog 4-L2. Spans Capability Mgmt (Planning) → BVD (Lifecycle) → ORS (Operational Readiness + Content) on each PSR side. Eight catalog anchors across both halves.

Inventory totals

S2R L2 anchors	**16**
S2R H5 anchors	**6**
Operations L2 anchors	**17**
Operations H5 anchors	**8**
Total stable heat-map anchors	**47**

Source: `wiki/views/capability-map.md` + `wiki/views/capability-map-s2r.md`. Both view pages share `cap-<layer>-<kebab-name>` anchor convention. Practitioner overlay file in `project/` (security boundary — Claude does not read) wikilinks these anchors.