Search operations

Export
GET (tenant)/exports/bookings
GET (tenant)/exports/customers
GET (tenant)/exports/customers/contacts
GET (tenant)/exports/leads
GET (tenant)/exports/locations
GET (tenant)/exports/locations/contacts

Booking Provider Tags
GET (tenant)/booking-provider-tags
POST (tenant)/booking-provider-tags
PATCH (tenant)/booking-provider-tags/{id}
GET (tenant)/booking-provider-tags/{id}

Bookings
GET (booking_provider)/bookings
POST (booking_provider)/bookings
PATCH (booking_provider)/bookings/{id}
GET (booking_provider)/bookings/{id}
GET (booking_provider)/bookings/{id}/contacts
POST (booking_provider)/bookings/{id}/contacts
PATCH (booking_provider)/bookings/{id}/contacts/{contactId}
DEL (booking_provider)/bookings/{id}/contacts/{contactId}
POST (booking_provider)/bookings/{id}/dismiss
GET (tenant)/bookings
GET (tenant)/bookings/{id}
GET (tenant)/bookings/{id}/contacts

BulkTags
DEL (tenant)/tags
PUT (tenant)/tags

ContactMethods
GET (tenant)/contacts/{contactId}/contact-methods
POST (tenant)/contacts/{contactId}/contact-methods
PATCH (tenant)/contacts/{contactId}/contact-methods/{contactMeth...
PUT (tenant)/contacts/{contactId}/contact-methods/{contactMeth...
GET (tenant)/contacts/{contactId}/contact-methods/{contactMeth...
DEL (tenant)/contacts/{contactId}/contact-methods/{contactMeth...

ContactPreferences
GET (tenant)/contacts/{contactId}/contact-methods/{contactMeth...
PATCH (tenant)/contacts/{contactId}/contact-methods/{contactMeth...
GET (tenant)/contacts/{contactId}/contact-methods/{contactMeth...

Contacts
GET (tenant)/contacts
POST (tenant)/contacts
GET (tenant)/contacts/contact-methods
GET (tenant)/contacts/preferences
GET (tenant)/contacts/relationships/relationshipId
GET (tenant)/contacts/relationships
DEL (tenant)/contacts/{contactId}/relationships/{relatedEntityId}/...
POST (tenant)/contacts/{contactId}/relationships/{relatedEntityId}/...
PATCH (tenant)/contacts/{id}
PUT (tenant)/contacts/{id}
GET (tenant)/contacts/{id}
DEL (tenant)/contacts/{id}

Customers
GET (tenant)/customers
POST (tenant)/customers
GET (tenant)/customers/contacts
GET (tenant)/customers/custom-fields
PATCH (tenant)/customers/{id}
GET (tenant)/customers/{id}
GET (tenant)/customers/{id}/contacts
POST (tenant)/customers/{id}/contacts
PATCH (tenant)/customers/{id}/contacts/{contactId}
DEL (tenant)/customers/{id}/contacts/{contactId}
GET (tenant)/customers/{id}/notes
POST (tenant)/customers/{id}/notes
DEL (tenant)/customers/{id}/notes/{noteId}
DEL (tenant)/customers/{id}/tags/{tagTypeId}
POST (tenant)/customers/{id}/tags/{tagTypeId}

Leads
GET (tenant)/leads
POST (tenant)/leads
POST (tenant)/leads/form
PATCH (tenant)/leads/{id}
GET (tenant)/leads/{id}
POST (tenant)/leads/{id}/dismiss
POST (tenant)/leads/{id}/follow-up
GET (tenant)/leads/{id}/notes
POST (tenant)/leads/{id}/notes

Locations
GET (tenant)/locations
POST (tenant)/locations
GET (tenant)/locations/contacts
GET (tenant)/locations/custom-fields
PATCH (tenant)/locations/{id}
GET (tenant)/locations/{id}
GET (tenant)/locations/{id}/contacts
POST (tenant)/locations/{id}/contacts
PATCH (tenant)/locations/{id}/contacts/{contactId}
DEL (tenant)/locations/{id}/contacts/{contactId}
GET (tenant)/locations/{id}/notes
POST (tenant)/locations/{id}/notes
DEL (tenant)/locations/{id}/notes/{noteId}
GET (tenant)/locations/{id}/preferredtechnician
POST (tenant)/locations/{id}/preferredtechnician/{preferredTechn...
DEL (tenant)/locations/{id}/tags/{tagTypeId}
POST (tenant)/locations/{id}/tags/{tagTypeId}

CRM

API definition

Locations_GetContactList

Gets a list of contacts for the specified location

Request

Production Environment
```
GET https://api.servicetitan.io/crm/v2/tenant/{tenant}/locations/{id}/contacts?page|&pageSize|&includeTotal|
```
Integration Environment
```
GET https://api-integration.servicetitan.io/crm/v2/tenant/{tenant}/locations/{id}/contacts?page|&pageSize|&includeTotal|
```

Request parameters

Name	In	Required	Type	Description
id	template	true	integer	
tenant	template	true	integer	Tenant ID
page	query	false	integer	The logical number of page to return, starting from 1
pageSize	query	false	integer	How many records to return (50 by default)
includeTotal	query	false	boolean	Whether total count should be returned

Response: 200 OK

The request has succeeded

application/json

PaginatedResponse_Of_Crm.V2.LocationContactResponse

Represents paginated API response.

{ }

Name	Required	Type	Description
page	true	integer (int32)	From which page this output has started
pageSize	true	integer (int32)	Page size for this query (i.e. how many records were requested to return)
hasMore	true	boolean	True if there are more records in the query than returned in this result
totalCount	false	integer (int32)	Total count of records for this query (can optionally be populated)
data	true	Crm.V2.LocationContactResponse[]	The collection of result items, will never have more than PageSize items

default

DEFAULT JSON Copy

```
{
    "page": 0,
    "pageSize": 0,
    "hasMore": true,
    "totalCount": 0,
    "data": [{
        "id": 0,
        "type": {},
        "value": "string",
        "modifiedOn": "string",
        "phoneSettings": {
            "phoneNumber": "string",
            "doNotText": true
        },
        "modifiedOn": "string",
        "createdOn": "string",
        "preferences": {
            "jobRemindersEnabled": true,
            "marketingUpdatesEnabled": true,
            "invoiceStatementNotification": true
        }
    }]
}
```

Response: 400 Bad Request

The request cannot be processed, check validation errors or request format

application/json

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).

{ }

Name	Required	Type	Description
type	true	string	A URI reference that identifies the problem type
title	true	string	A short, human-readable summary of the problem type
status	true	integer (int32)	The HTTP status code generated by server
traceId	true	string	Internal trace ID for advanced diagnostics
errors	true	object	Provides more details about errors occurred, which can potentially be used for visual display
data	true	object	Provides additional data, intended for programmatical usage

default

DEFAULT JSON Copy

```
{
    "type": "string",
    "title": "string",
    "status": 0,
    "traceId": "string",
    "errors": {},
    "data": {}
}
```

Response: 404 Not Found

The requested entity was not found

application/json

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).

{ }

Name	Required	Type	Description
type	true	string	A URI reference that identifies the problem type
title	true	string	A short, human-readable summary of the problem type
status	true	integer (int32)	The HTTP status code generated by server
traceId	true	string	Internal trace ID for advanced diagnostics
errors	true	object	Provides more details about errors occurred, which can potentially be used for visual display
data	true	object	Provides additional data, intended for programmatical usage

default

DEFAULT JSON Copy

```
{
    "type": "string",
    "title": "string",
    "status": 0,
    "traceId": "string",
    "errors": {},
    "data": {}
}
```

Response: 409 Conflict

Some conflict occurred while executing the request

application/json

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).

{ }

Name	Required	Type	Description
type	true	string	A URI reference that identifies the problem type
title	true	string	A short, human-readable summary of the problem type
status	true	integer (int32)	The HTTP status code generated by server
traceId	true	string	Internal trace ID for advanced diagnostics
errors	true	object	Provides more details about errors occurred, which can potentially be used for visual display
data	true	object	Provides additional data, intended for programmatical usage

default

DEFAULT JSON Copy

```
{
    "type": "string",
    "title": "string",
    "status": 0,
    "traceId": "string",
    "errors": {},
    "data": {}
}
```

Definitions

Name	Description
ApiErrorResponse	Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).
Crm.V2.ContactType	
Crm.V2.Customers.PhoneSettings	
Crm.V2.Customers.ContactPreferencesResponse	
PaginatedResponse_Of_Crm.V2.LocationContactResponse	Represents paginated API response.
Crm.V2.LocationContactResponse	

ApiErrorResponse

Detailed error response, following RFC 7807 recommendations (https://tools.ietf.org/html/rfc7807).

{ }

Name	Required	Type	Description
type	true	string	A URI reference that identifies the problem type
title	true	string	A short, human-readable summary of the problem type
status	true	integer (int32)	The HTTP status code generated by server
traceId	true	string	Internal trace ID for advanced diagnostics
errors	true	object	Provides more details about errors occurred, which can potentially be used for visual display
data	true	object	Provides additional data, intended for programmatical usage

Crm.V2.ContactType

{ }

Type	Values
string	Phone , Phone , Email , Fax , MobilePhone

Crm.V2.Customers.PhoneSettings

{ }

Name	Required	Type	Description
phoneNumber	true	string	Phone Number
doNotText	true	boolean	If the phone number has opted-out from notifications.

Crm.V2.Customers.ContactPreferencesResponse

{ }

Name	Required	Type	Description
jobRemindersEnabled	true	boolean	Job Reminders Enabled
marketingUpdatesEn...	true	boolean	Marketing Updates Enabled
invoiceStatementNoti...	true	boolean	Invoice Statement Notification

PaginatedResponse_Of_Crm.V2.LocationContactResponse

Represents paginated API response.

{ }

Name	Required	Type	Description
page	true	integer (int32)	From which page this output has started
pageSize	true	integer (int32)	Page size for this query (i.e. how many records were requested to return)
hasMore	true	boolean	True if there are more records in the query than returned in this result
totalCount	false	integer (int32)	Total count of records for this query (can optionally be populated)
data	true	Crm.V2.LocationContactResponse[]	The collection of result items, will never have more than PageSize items

Crm.V2.LocationContactResponse

{ }

Name	Required	Type	Description
id	true	integer (int64)	Id of contact
type	true	One of Crm.V2.ContactType	Type of contact
value	true	string	Value of contact
memo	false	string	Memo of contact
phoneSettings	true	One of Crm.V2.Customers.PhoneSettings	Phone settings of the location contact
modifiedOn	true	string (date-time)	Datetime (in UTC) the contact was last modified
createdOn	true	string (date-time)	Datetime (in UTC) the contact was created
preferences	false	One of Crm.V2.Customers.ContactPreferencesResponse	Contact Preferences