

# WS-Schema Validation Policy Usage Scenarios

**SOA** | software™



## Copyright

Copyright © 2014 SOA Software, Inc. All rights reserved.

## Trademarks

SOA Software, Policy Manager, Portfolio Manager, Repository Manager, Service Manager, Community Manager, SOA Intermediary for Microsoft and SOLA are trademarks of SOA Software, Inc. All other product and company names herein may be trademarks and/or registered trademarks of their registered owners.

## SOA Software, Inc.

SOA Software, Inc.

12100 Wilshire Blvd, Suite 1800

Los Angeles, CA 90025

(866) SOA-9876

[www.soa.com](http://www.soa.com)

[info@soa.com](mailto:info@soa.com)

## Disclaimer

The information provided in this document is provided “AS IS” WITHOUT ANY WARRANTIES OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. SOA Software may make changes to this document at any time without notice. All comparisons, functionalities and measures as related to similar products and services offered by other vendors are based on SOA Software’s internal assessment and/or publicly available information of SOA Software and other vendor product features, unless otherwise specifically stated. Reliance by you on these assessments / comparative assessments is to be made solely on your own discretion and at your own risk. The content of this document may be out of date, and SOA Software makes no commitment to update this content. This document may refer to products, programs or services that are not available in your country. Consult your local SOA Software business contact for information regarding the products, programs and services that may be available to you. Applicable law may not allow the exclusion of implied warranties, so the above exclusion may not apply to you.

Contents

WS-Schema Validation Policy Usage Scenarios..... 4

    Scenario 1: Runtime with "LAX" ..... 4

    Scenario 2: Runtime with "Strict" (Valid Schema is not Selected)..... 7

    Scenario 3: Runtime with "Strict" (Valid Schema is Enabled)..... 8

    Scenario 4: Runtime with "Strict" (Child Elements included in SOAP Request)..... 11

    Scenario 5: Runtime with "LAX" (Child Elements included in SOAP Request) ..... 14

Notes..... 15

# WS-Schema Validation Policy Usage Scenarios


This document provides a list of common WS-Security Schema Validation Policy usage scenarios.

## Scenario 1: Runtime with "LAX"

- 1 Create a physical service

<http://10.7.20.21/EchoSan/Echo.asmx?wsdl>

- 2 Virtualize and host it on Network Director (Example service name: **Vs1**).
- 3 Configure a Ws-Schema Validation Policy.



- 4 Attach the **Detailed Auditing** and **Ws-Schema Validation** policies to **Vs1** service.
- 5 Create a project in client (SOAP UI) using **Vs1** WSDL URL.

### Actual Soap Request:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:tem="http://tempuri.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s?</tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>
```

### Update SOAP Rrequest with Ws-Addressing Elements:

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:tem="http://tempuri.org/"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soapenv:Header>
    <wsa:Action><wsa:Address></wsa:Address></wsa:Action>
  </soapenv:Header>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s>?</tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>

```

- 6 Send request from client (SOAP UI). The request will be processed success fully.
- 7 Navigate to Vs1 service → Monitoring → Logs.

### Request Message:

Below is a list of the SOAP messages associated with the Usage record summarized above. Click on any record to see the corresponding message.

Message Date/Time	Record Name	Type
01/14/2014 09:04:57	APPLICATION	Complete request
01/14/2014 09:04:57	APPLICATION	Complete response

**Message Details** Raw Format (Includes HTTP Headers): ☒ ☐

```

POST /E1 HTTP/1.1
Host: RGRANDHI-E6420.soa.local:6900
SOAPAction: "http://tempuri.org/Echo"
Content-Length: 416
Content-Type: text/xml; charset=UTF-8
User-Agent: Apache-HttpClient/4.1.1 (java 1.5)
Connection: keep-alive

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:tem="http://tempuri.org/" xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soapenv:Header>
    <wsa:Action><wsa:Address></wsa:Address></wsa:Action>
  </soapenv:Header>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s>?</tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>

```

### Response Message:

SOA Software Policy Manager - Usage Data Details - Mozilla Firefox

localhost:9900/ms/per\_usagedata\_nav\_frameset.jsp?eventId=280&selectedRow=0&serviceKey=uddi:6433c88a-7cca-11e-

Usage Detail Recorded Messages Transaction Events

Below is a list of the SOAP messages associated with the Usage record summarized above. Click on any record to see the corresponding message.

Message Date/Time	Record Name	Type
01/14/2014 09:04:57	APPLICATION	Complete request
01/14/2014 09:04:57	APPLICATION	Complete response

**Message Details** Raw Format (Includes HTTP Headers): ☒ ☒

HTTP/1.1 200 OK  
 Date: Tue, 14 Jan 2014 03:30:39 GMT  
 Server: Microsoft-IIS/6.0  
 X-Powered-By: ASP.NET  
 X-AspNet-Version: 2.0.50727  
 Cache-Control: private, max-age=0  
 Content-Type: text/xml; charset=utf-8  
 Content-Length: 329

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><EchoResponse xmlns="http://tempuri.org/"><EchoResult?></EchoResult></EchoResponse></soap:Body></soap:Envelope>
```

Snipping Tool

Drag the cursor around the area you want to capture.

Help < > Close

## Scenario 2: Runtime with "Strict" (Valid Schema is not Selected)

- 1 Create a physical service.  
http://10.7.20.21/EchoSan/Echo.asmx?wsdl
- 2 Virtualize and host it on Network Director (Example service name: **Vs1**).
- 3 Configure a Ws-Schema Validation Policy.

The screenshot shows the Network Director console with a tree view on the left and a configuration pane on the right. The tree view includes categories like Processes, Scripts, Services, Contracts, Policies, and QoS Policies. Under Policies, the 'WS-Schema Validation Policy' is selected. The configuration pane on the right shows the policy details:

- Type:** WS-Schema Validation Policy
- Policy Name:** WS-Schema Validation Policy
- Description:** (urn:uuid:0b2a8f4d-7c3b-11e3-9c58-9b48c15f59)
- WS-Schema Validation Policy** (selected)
- Options | Modify**
- Additional schemas loaded:**
- Validation Mode:** Strict

- 4 Attach the **Detailed Auditing** and **WS-Schema Validation** policies to **Vs1** service
- 5 Create a project in client (SOAP UI) using **Vs1** WSDL URL.

### Actual Soap Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:tem="http://tempuri.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s?></tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>
```

### Update SOAP Request with WS-Addressing Elements

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:tem="http://tempuri.org/" xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soapenv:Header>
    <wsa:Action></wsa:Action>
  </soapenv:Header>
```

```

<soapenv:Body>
  <tem:Echo>
    <!--Optional:-->
    <tem:s>?</tem:s>
  </tem:Echo>
</soapenv:Body>
</soapenv:Envelope>

```

- 6 Send request from client (SOAP UI). Request will fail.
- 7 Navigate to Vs1 Service → Monitoring → Logs

### Request Message:

### Error Message:

XML is not valid [cvc-complex-type.2.4.c: The matching wildcard is strict, but no declaration can be found for element 'wsa:Action'.]


Note: Valid schema is not selected.

## Scenario 3: Runtime with "Strict" (Valid Schema is Enabled)

Schema Name: <http://schemas.xmlsoap.org/ws/2004/08/addressing>

- 1 Create a physical service.  
<http://10.7.20.21/EchoSan/Echo.asmx?wsdl>
- 2 Virtualize and host it on Network Director (Example service name: **Vs1**).
- 3 Configure a Ws-Schema Validation Policy.





- 4 Attach the **Detailed Auditing** and **Ws-Schema Validation** policies to **Vs1** service.
- 5 Create a project in client (SOAP UI) using **Vs1** WSDL URL.

#### Actual SOAP Request:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:tem="http://tempuri.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s?></tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>
```

#### Update SOAP Request with WS-Addressing Elements

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:tem="http://tempuri.org/" xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soapenv:Header>
    <wsa:Action></wsa:Action>
  </soapenv:Header>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s?></tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>
```

- 6 Send request from client (SOAP UI). Request will be processed successfully).
- 7 Navigate to **Vs1** Services → Monitoring → Logs.

#### SOAP Request:

SOA Software Policy Manager - Usage Data Details - Mozilla Firefox

localhost:9900/ms/per\_usagedata\_nav\_frameset.jsp?eventId=303&selectedRow=0&serviceKey=uddi:6433c88a-7cca-11e1-8080-000000000000

Usage Detail Recorded Messages Transaction Events

Below is a list of the SOAP messages associated with the Usage record summarized above. Click on any record to see the corresponding message.

Message Date/Time	Record Name	Type
01/14/2014 09:43:51	APPLICATION	Complete request
01/14/2014 09:43:51	APPLICATION	Complete response

**Message Details** Raw Format (Includes HTTP Headers): ☒ ☒

```

POST /E1 HTTP/1.1
Host: RGRANDHI-E6420.soa.local:6900
SOAPAction: "http://tempuri.org/Echo"
Content-Length: 389
Content-Type: text/xml; charset=UTF-8
User-Agent: Apache-HttpClient/4.1.1 (java 1.5)
Connection: keep-alive

<?xml version='1.0' encoding='utf-8'>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:tem="http://tempuri.org/" xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soapenv:Header>
    <wsa:Action></wsa:Action>
  </soapenv:Header>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s>?</tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>

```

Help < > Close

**SOAP Response:**

SOA Software Policy Manager - Usage Data Details - Mozilla Firefox

localhost:9900/ms/per\_usagedata\_nav\_frameset.jsp?eventId=303&selectedRow=0&serviceKey=uddi:6433c88a-7cca-11e1...

Usage Detail | Recorded Messages | Transaction Events

Below is a list of the SOAP messages associated with the Usage record summarized above. Click on any record to see the corresponding message.

Message Date/Time	Record Name	Type
01/14/2014 09:43:51	APPLICATION	Complete request
01/14/2014 09:43:51	APPLICATION	Complete response

**Message Details** Raw Format (Includes HTTP Headers): ☒

HTTP/1.1 200 OK  
 Date: Tue, 14 Jan 2014 04:09:33 GMT  
 Server: Microsoft-IIS/6.0  
 X-Powered-By: ASP.NET  
 X-AspNet-Version: 2.0.50727  
 Cache-Control: private, max-age=0  
 Content-Type: text/xml; charset=utf-8  
 Content-Length: 329

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><EchoResponse xmlns="http://tempuri.org/"><EchoResult>
```

Help < > Close

## Scenario 4: Runtime with "Strict" (Child Elements included in SOAP Request)

Schema Name: <http://schemas.xmlsoap.org/ws/2004/08/addressing>

- 1 Create a physical service.  
<http://10.7.20.21/EchoSan/Echo.asmx?wsdl>
- 2 Virtualize and host it on Network Director (Example Service Name: **Vs1**).
- 3 Configure a Ws-Schema Validation Policy.

The Registry tree on the left shows the following structure:

- Registry
  - 1
  - Discovered Services
  - Processes
  - Scripts
  - Services
  - Contracts
  - Policies
    - Compliance Policies
    - Operational Policies
    - WS-Schema Validation Policy**
    - QoS Policies
  - Containers
  - SOA Software Policy Manager
  - Processes

The Policy Overview for the WS-Schema Validation Policy shows the following details:

- Policy Overview**
  - Information** | Modify
    - Type: WS-Schema Validation Policy
    - Policy Name: WS-Schema Validation Policy  
(urn:uuid:0b2a8f4d-7c3b-11e3-9c58-9b48c15f595a)
    - Description:
  - WS-Schema Validation Policy**
    - Options** | Modify
      - Additional schemas loaded: http://schemas.xmlsoap.org/ws/2004/08/addressing
      - Validation Mode: Lax

4 Attach the **Detailed Auditing** and **Ws-Schema Validation** policies to **Vs1** service.

The Registry tree on the left shows the following structure:

- Registry
  - 1
  - Discovered Services
  - Processes
  - Scripts
  - Services
  - Contracts
  - Policies
    - Compliance Policies
    - Operational Policies
    - WS-Schema Validation Policy**
    - QoS Policies
  - Containers
  - SOA Software Policy Manager
  - Processes
  - Scripts

The Policy Overview for the WS-Schema Validation Policy shows the following details:

- Policy Overview**
  - Information** | Modify
    - Type: WS-Schema Validation Policy
    - Policy Name: WS-Schema Validation Policy  
(urn:uuid:0b2a8f4d-7c3b-11e3-9c58-9b48c15f595a)
    - Description:
  - WS-Schema Validation Policy**
    - Options** | Modify
      - Additional schemas loaded: http://schemas.xmlsoap.org/ws/2004/08/addressing
      - Validation Mode: Strict

5 Create a project in client (SOAP UI) using **Vs1** WSDL URL.

#### Actual SOAP Request:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:tem="http://tempuri.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s?</tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>
```

#### Update SOAP Request with WS-Addressing Elements.

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:tem="http://tempuri.org/" xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soapenv:Header>
    <wsa:Action><wsa:Address></wsa:Address></wsa:Action>
  </soapenv:Header>
  <soapenv:Body>
    <tem:Echo>
```

```

<!--Optional:-->
<tem:s>?</tem:s>
</tem:Echo>
</soapenv:Body>
</soapenv:Envelope>

```

- 6 Send request from client (SOAP UI). Request will fail.
- 7 Navigate to **Vs1 Service** → **Monitoring** → **Logs**.

#### SOAP Request:

SOA Software Policy Manager - Usage Data Details - Mozilla Firefox

localhost:9900/ms/per\_usagedata\_nav\_frameset.jsp?eventId=304&selectedRow=0&serviceKey=uddi:6433c88a-7cca-11e1-...

Usage Detail Recorded Messages Transaction Events

Container: ND1 (ND1)

Container transaction Unique ID: 7b54ec60-7cfd-11e3-bc8e-b6591a874312

Client Host: 10.7.20.52

Request Date/Time: 01/14/2014 14:53:08.898

Response Time: 1329 ms

Bound Request Message Size: 416 bytes

Bound Response Message Size:

WSDL Request Message Size:

WSDL Response Message Size:

Next Hop URL:

Time Taken for Next Hop: 0 ms

Is Soap Fault by Next Hop: false

Is Soap Fault by Container: true

Listener URL: http://RGRANDHI-E6420.soa.local:6900/E1

End-User Identity:

Consumer Identity:

Service Key: uddi:6433c88a-7cca-11e3-bc7c-8a10774d0e74

Operation Name: EchoService\_vs0.Echo

Contract Name:

Contract Key:

Custom Field 1:

Error Category: 0

Error Message: XML is not valid [cvc-complex-type.2.2: Element 'wsa:Action' must have no element [children], and the value must be valid.]

Error Details:

Help < > Close

Snipping Tool

Drag the cursor around the area you want to capture.

#### Error Message:

XML is not valid [cvc-complex-type.2.2: Element 'wsa:Action' must have no element [children], and the value must be valid.]

## Scenario 5: Runtime with "LAX" (Child Elements included in SOAP Request)

Schema Name: <http://schemas.xmlsoap.org/ws/2004/08/addressing>

- 1 Create a physical service.  
<http://10.7.20.21/EchoSan/Echo.asmx?wsdl>
- 2 Virtualize and host it on Network Directory (Example service name: **Vs1**).
- 3 Configure a Ws-Schema Validation Policy.
- 4 Attach the **Detailed Auditing** and **Ws-Schema Validation** policies to **Vs1** service.
- 5 Create a project in client (SOAP UI) using Vs1 WSDL URL.

### Actual SOAP Request:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:tem="http://tempuri.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s>?</tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>
```

### Update SOAP Request with WS-Addressing Elements

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:tem="http://tempuri.org/" xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soapenv:Header>
    <wsa:Action><wsa:Address></wsa:Address></wsa:Action>
  </soapenv:Header>
  <soapenv:Body>
    <tem:Echo>
      <!--Optional:-->
      <tem:s>?</tem:s>
    </tem:Echo>
  </soapenv:Body>
</soapenv:Envelope>
```

- 6 Send request from client (SOAP UI). Request will fail.
- 7 Navigate to **Vs1** Service → Monitoring → Logs

### SOAP Request:

SOA Software Policy Manager - Usage Data Details - Mozilla Firefox

localhost:9900/ms/per\_usagedata\_nav\_frameset.jsp?eventId=304&selectedRow=0&serviceKey=uddi:6433c88a-7cca-11e3-...

Usage Detail | Recorded Messages | Transaction Events

Container: ND1 (ND1)

Container transaction Unique ID: 7b54ec60-7cfd-11e3-bc8e-b6591a874312

Client Host: 10.7.20.52

Request Date/Time: 01/14/2014 14:53:08.898

Response Time: 1329 ms

Bound Request Message Size: 416 bytes

Bound Response Message Size:

WSDL Request Message Size:

WSDL Response Message Size:

Next Hop URL:

Time Taken for Next Hop: 0 ms

Is Soap Fault by Next Hop: false

Is Soap Fault by Container: true

Listener URL: http://RGRANDHI-E6420.soa.local:6900/E1

End-User Identity:

Consumer Identity:

Service Key: uddi:6433c88a-7cca-11e3-bc7c-8a10774d0e74

Operation Name: EchoService\_vs0.Echo

Contract Name:

Contract Key:

Custom Field 1:

Error Category: 0

Error Message: XML is not valid [cvc-complex-type.2.2: Element 'wsa:Action' must have no element [children], and the value must be valid.]

Error Details:

Help < > Close

Snipping Tool

Drag the cursor around the area you want to capture.

**Error Message:**

XML is not valid [cvc-complex-type.2.2: Element 'wsa:Action' must have no element [children], and the value must be valid.]

## Notes

- Lax
  - If corresponding schema is not added to policy, the tags will be ignored by parser.
  - If corresponding schema is added to policy, the tags will be validated by parser.
- Strict

- If corresponding schema is not added to policy, an error will occur saying schema should be added to the policy.
- If corresponding schema is added to policy, the tags will be validated by parser.