

Assignment 5.2

Problem Statement 1:

Using the following data, perform a oneway analysis of variance using $\alpha=.05$. Write up the results in APA format.

[Group1: 51, 45, 33, 45, 67]

[Group2: 23, 43, 23, 43, 45]

[Group3: 56, 76, 74, 87, 56]

Solution

Step 1: Define the Null and Alternate Hypotheses.

Null Hypothesis H_0 : $\text{Mean}(\text{Group1}) = \text{Mean}(\text{Group2}) = \text{Mean}(\text{Group3})$

Alternate Hypothesis H_1 : Mean of all groups are not equal.

Step 2: State the significance level (alpha).

Significance Level $\alpha=.05$

Step 3: Calculate degree of freedom.

Numbers in each group; $n= 5$

Total numbers in all groups; $N = 15$

Total levels; $a = 3$

$df\text{-between} = a - 1 = 2$

$df\text{-within} = N - a = 15 - 3 = 12$

$df\text{-total} = N - 1 = 15 - 1 = 14$

Step 4: State decision rule.

To look up critical value, we need to use two different degree of freedom; df-between and df-within.

(2, 12)

If F is greater than 3.89, reject H0.

Step 5: Calculate test statistics

Sample means for the groups: = 48.2, 35.4, 69.8

Intermediate steps in calculating the group variance

[[1]]

value mean deviations sq deviations

1	51	48.2	2.8	7.84
2	45	48.2	-3.2	10.24
3	33	48.2	-15.2	231.04
4	45	48.2	-3.2	10.24
5	67	48.2	18.8	353.44

[[2]]

value mean deviations sq deviations

1	23	35.4	-12.4	153.76
2	43	35.4	7.6	57.76
3	23	35.4	-12.4	153.76
4	43	35.4	7.6	57.76
5	45	35.4	9.6	92.16

[[3]]

value mean deviations sq deviations

1	56	69.8	-13.8	190.44
---	----	------	-------	--------

2	76	69.8	6.2	38.44
3	74	69.8	4.2	17.64
4	87	69.8	17.2	295.84
5	56	69.8	-13.8	190.44

Sum of squared deviations from the mean (SS) for the groups:

612.8 515.2 732.8

$$\text{Var1} = 612.8 / (5-1) = 153.2$$

$$\text{Var2} = 515.2 / (5-1) = 128.8$$

$$\text{Var3} = 732.8 / (5-1) = 183.2$$

$$\text{MSerror} = (153.2 + 128.8 + 183.2) / 3 = 155.07$$

Calculating the remaining error (or within) terms for the ANOVA table:

$$\text{dferror} = 15 - 3 = 12$$

$$\text{SSerror} = (155.07) (15 - 3) = 1860.8$$

Intermediate steps in calculating the variance of the sample means:

$$\text{Grand mean } (\bar{x} \text{ grand}) = 48.2 + 35.4 + 69.83 = 51.13$$

group mean grand mean deviations sq deviations

48.2	51.13	-2.93	8.58
35.4	51.13	-15.73	247.43
69.8	51.13	18.67	348.57

$$\text{Sum of squares (SSmeans)} = 604.58$$

$$\text{Varmeans} = 604.583 - 1 = 302.$$

$$\text{MSbetween} = (302.29)(5) = 1511.$$

Calculating the remaining between (or group) terms of the ANOVA table:

$$\text{dfgroups} = 3 - 1 = 2$$

$$\text{SSgroup} = (1511.45)(3 - 1) = 3022.$$

Test statistic and critical value

$$F=1511.45155.07=9.75$$

$$F_{\text{critical}}(2, 12)=3.89$$

Decision: reject H0 Decision: reject H0

ANOVA table

Source	SS	df	MS
Group	3022.9	2	1511.45
Error	1860.8	12	155.07
Total	4883.7		

Effect size

$$\eta^2=3022.9/4883.7=0.62$$

APA writeup

$$F(2, 12)=9.75, p < 0.05, \eta^2=0.62.$$