

TCMax® Asset Management Suite

Installation and Operating Manual



Table of contents:

Getting Started

-  Requirements and Recommendations
-  Installing TCMa[®] Version 9.X
-  Opening TCMa[®] for the First Time
-  Adding Yourself to TCMa[®]
-  Adding and Deleting Items in TCMa[®]
-  Adding and Deleting Courses in TCMa[®]

Requirements and Recommendations

- Minimum Requirements
- Recommended Requirements
- Feature Requirements

Installing TCMa[®] Version 9.X

Opening TCMa[®] for the First Time

- Database Setup
 - Standalone Installs
 - Shared Network Install Using Microsoft SQL Server[®]
- Demo Data

Licensing Software

First TCMa[®] Login

Adding Yourself to TCMa[®]

- Assign a Password and Permissions
- Login to TCMa[®] as Yourself

Adding and Deleting Items in TCMa[®]

- Parent-Child Relationships with Items or Kitting
 - Child Overdue or Missing Warnings
- Deleting Items

Adding and Deleting Courses in TCMa[®]

- Adding Courses
- Deleting Courses

TCMa[®] Main Screen

-  Main Screen Familiarization
-  TCMa[®] Dashboard

Main Screen Familiarization

Data Entry Section

- Upper Left Quadrant

Item Information Section

- Upper Right Quadrant
 - Shop Code
 - Barcode Id
 - Parent Barcode Id
 - Item Name
 - Storage Location
 - NSN
 - Part Number
 - Calibration Due Date
 - Days to Calibrate
 - Adding/Updating Item's Calibration Due Date
 - Serial Number

Detailed Item Information Section

- Lower Right Quadrant

Quantity and Status Tab

- Quantity Settings
 - Multiple Items with the Same Barcode Number
 - Issue Multiple Items with a Single Scan
 - Consumable Items
 - Expendable Items
 - Qty on Hand
 - Qty Available
 - Available by Part Number
 - Cost
 - Vendor
 - Do Not Reorder
 - Max In Stock
 - Reorder Qty
 - Qty In Unit
 - Sold As
- Status Settings
 - Broken
 - Unserviceable
 - Deactivated
 - Lost

Inspections Tab

- [Creating Inspections](#)
- [Inspection Types](#)
 - [Generic Inspections](#)
 - [Pre-Use Inspections](#)
 - [Stop Go Inspections](#)
 - [Supervisor Review Inspections](#)
 - [WRM Inspections](#)
 - [ATC Inspections](#)
 - [Inventory Inspections](#)
 - [Post Use Inspections](#)
- [Inspection Schedules](#)
 - [Odometer](#)
 - [Hours](#)
 - [Times Used](#)
- [Updating Inspections](#)
- [Removing / Deleting Inspections](#)

[Additional Details Tab](#)

- [Notes](#)
- [Item Type](#)
 - [Item](#)
 - [Aerospace Coating](#)
 - [Facility Keys](#)
 - [Hazmat](#)
 - [Hose](#)
 - [Rags](#)
- [Manufacturer](#)
- [Manufacturer P/N](#)
- [Date Received](#)
- [Contract Number](#)
- [Mobility Increment](#)
- [Length](#)
- [Width](#)
- [Height](#)
- [Weight](#)
- [CACRL](#)
 - [CACRL Value](#)
- [Local Manufacture](#)

- Needs Chit for Issue
- Password Required for Issue
- Precious Metal
- Requires Charging
 - Charge Duration (minutes)
- Requires Control Number
- Shelf Life
- Spare
- Technical Order
- TMDE
 - TMDE Value
- Warranty
 - Warranty Expiration

Hazmat Tab

- Disposable
- Not Weighed
- ABMix Ratio
- Application Method
- Coating Category
- Current Weight
- Hazmat Weight
- SDS
- Solvent Vp
- VOCContent As Applied

Hose Tab

- Hose Length
- Hose Size
- Test Date
- Hydro Due Date
- Purchase Date
- Status
- Test Pressure

Certified User Tab

- Adding Users to the Certified User List
- Modifying a Users Certification Expiration Date
- Removing Users from the Certified User List

Children Tab

Custom Tab

Pictures Tab

- [Applying a Picture to an Item](#)
- [Removing a Picture from an Item](#)

Attachments Tab

- [Adding Attachments to an Item](#)
 - [Part Number Based Attachments](#)
 - [Barcode Number Based Attachments](#)
- [Removing Attachments from Items](#)

Log Notes Tab

User Information and Event Log

- [Lower Left Quadrant](#)
 - [Event Logs](#)
 - [User's Issued Items](#)
 - [User's Expendables](#)
 - [User Attachments](#)
 - [Adding an Attachment to a User](#)
 - [Removing an Attachment from a User](#)

TCMax® Dashboard

- [Displaying the Dashboard](#)
- [Status Trackers Tab](#)
 - [Organizing the Status Trackers](#)
 - [Displaying Data for the Status Trackers](#)
- [Custom Status Trackers Tab](#)
- [Data Visualization Tab](#)

File Menu

-  [Basics](#)
-  [Import/Export Records](#)
-  [Printer Settings](#)
-  [Backup and Database Maintenance](#)
-  [Deployment Connection Options](#)
-  [Deployment Data Manager](#)

Basics

- [Log In/Out](#)
- [Log Out](#)
- [New Item](#)
- [New User](#)

- [Exit](#)

[Import/Export Records](#)

- [Version 9 to 9 Copy](#)
 - [Copy Options](#)
- [Excel Import](#)
- [Migrations](#)
 - [Migrate from SQL Server](#)
 - [Migrate from Microsoft® Access](#)
 - [Transfer Access Database to SQL Server](#)
 - [If There Are Errors](#)
 - [Migrate Special Options Data](#)

[Printer Settings](#)

- [Printer Settings](#)
 - [Modify Label Definitions](#)
 - [Label Definition](#)
 - [Page Layout](#)
 - [Barcode / Label](#)
 - [Label Details](#)
- [Print Item Label](#)
- [Print User Label](#)
- [Print Current Work Location Label](#)

[Backup and Database Maintenance](#)

- [Backup Options](#)
- [Database Maintenance](#)
 - [Backup Database](#)
 - [Change Database Connections](#)
 - [Demo Data](#)
 - [Migrations](#)
 - [Database Tools](#)
 - [Shop Codes](#)
 - [Sites](#)
 - [Asset History Tracking](#)
 - [Auto Load Preset](#)

[Asset History Tracking](#)

[Deployment Connection Options](#)

- [Importing Deployment Data/Connecting to a Deployment Database](#)
 - [New Database Connection](#)

- [Merge Deployment Data](#)
- [Copy Current Database](#)
- [Sample Deployment Scenario](#)

[Deployment Data Manager](#)

- [Importing and Exporting Deployment](#)
- [Preparing for Deployment](#)
- [Enabling Deployments](#)
- [Importing a Deployment](#)
- [Exporting a Deployment](#)

[Modes of Operation](#)

-  [Issue/Turn-In](#)
-  [Receive Inventory](#)
-  [Update](#)
-  [Display Only](#)
-  [Training Completion](#)
-  [Add/Remove Training](#)

[Issue/Turn-In](#)

- [Issuing Items](#)
 - [Step 1: Enter the User Id of the User Receiving the Items](#)
 - [Step 2: Enter Location \(Optional\)](#)
 - [Step 3: Enter Item Barcodes](#)
 - [Step 4: Clear User from Main Screen](#)
- [Turning Items In](#)

[Receive Inventory](#)

- [Exiting Receive Inventory Mode](#)

[Update](#)

- [Inspection Update](#)
- [Odometer Update](#)
- [Hourmeter Update](#)
- [Exiting Update Mode](#)

[Display Only](#)

- [Exiting Display Only Mode](#)

[Training Completion](#)

- [Setting Up Training Requirements](#)
 - [Creating a Course](#)
 - [Creating a Child Course](#)
- [Completing Training Requirements](#)

- [Part Numbers to Certify](#)
- [Exiting Training Completion Mode](#)

[Add/Remove Training](#)

- [Setting Up Training Requirements](#)
 - [Creating a Course](#)
 - [Creating a Child Course](#)
- [Assigning a Training](#)
- [Removing a Training](#)
- [Exiting Add/Remove Training Mode](#)

[Other Functions](#)

-  [Item QuickTurn @ Shift Change](#)
-  [Show Issued Items](#)
-  [Item Search](#)

[Item QuickTurn @ Shift Change](#)

[Show Issued Items](#)

- [Filtering Users](#)
- [Filtering Locations/Statuses](#)
- [Marking Items with a Status](#)
- [Utilizing Filter Status](#)
 - [Filter Status: Disabled](#)
 - [Filter Status: Reversed](#)
 - [Filter Status: Enabled](#)

[Item Search](#)

- [Menu Options](#)
 - [File](#)
 - [Reports](#)
 - [Search Options](#)
 - [Export to Excel](#)
 - [Help](#)
- [Utilizing the Search Parameters](#)
- [Other Options within Item Search](#)
 - [Display Selected Item on Main Screen](#)
 - [Print Item Label](#)
 - [Total Items and Total Value](#)
- [Editable Item Search](#)
 - [Editing Items](#)
 - [Deleting Items](#)

Reports

-  [Report Tools](#)
-  [Activity Reports](#)
-  [Calibration and Inspection Reports](#)
-  [Checkbox Reports](#)
-  [Custom Field Reports](#)
-  [Historical Reports](#)
-  [Inventory Mode Reports](#)
-  [Inventory Reports](#)
-  [Issue Status Reports](#)
-  [Item Ordering Reports](#)
-  [Status Reports](#)

Report Tools

- [Report Path](#)
- [Set Favorite Reports](#)
- [Report Options](#)
- [Signature Pad](#)

Activity Reports

- [Activity from Log](#)
- [Lean Report](#)
- [Login/Logout Records](#)
- [Login/Logout Records \[grouped by user\]](#)
- [New Items Added](#)
- [New Users Added](#)
- [Number of Times Users were scanned on the Main Screen](#)
- [Screen Access by User](#)
- [Shop Code Transfer](#)

Calibration and Inspection Reports

- [Calibrated Item Staging](#)
- [Calibration](#)
- [Calibration and Inspections Combined](#)
- [Current Odometer/Hourmeter Inspection Status](#)
- [History of Calibration Updates](#)
- [History of Inspection Updates](#)
- [Inspections](#)
- [Odometer/Hourmeter Inspection](#)

Checkbox Reports

- CACRL
- Consumable
- Local Manufacture
- Precious Metal
- Shelf Life
- TMDE
- Warranty

Custom Field Reports

- Custom Fields
- User_CheckBox1
- User_CheckBox2
- User_CheckBox3
- User_CheckBox4

Historical Reports

- Hazmat Usage Log
- Historical records of the issue quantity restriction overrides
- Issue History of Expendable Items
- Issue History of Expendable Items Grouped by Shop, then Name
- Issue History of Expendable Items Grouped by User
- Issue History of Expendable Items Grouped by User with Subtotals
- Issue History of Non-Expendable Items
- Issue/Turn-in History by Item
- Issue/Turn-in History by Location
- Issue/Turn-in History by User
- Log Notes History
- Maintenance History
- Number of Items Issued to Individual Users

Inventory Mode Reports

- Inventory History Report
- Inventory Not Found
- Inventory Report
- Physical Inventory and Inventory Mode Discrepancies
- Physical Inventory and Inventory Mode Discrepancy History Report
- Physical Inventory Kit Completion
- Shift Inventory Completion
- Shift Inventory Mode Discrepancies

Inventory Reports

- [Item Inventory](#)
- [Item Inventory of Expendable Items Only](#)
- [Item Inventory, Grouped by Vendor](#)
- [Item Inventory, Separate Page per Parent](#)
- [Item Inventory, Separate Page per Storage Location](#)
- [Item Inventory, Without Parents](#)
- [Min/Max Report](#)
- [Parent and Child Relationships](#)
- [Parent Listing](#)
- [Tool Chits](#)

[Issue Status Reports](#)

- [Issued Items](#)
- [Issued Items to a Particular Location, Grouped by User](#)
- [Issued Items to a Particular Location, Grouped by User \(Simplified\)](#)
- [Issued Items to a Particular Organization, Grouped by User](#)
- [Issued Items to a Particular User, Grouped by Location](#)
- [Issued Items, Grouped by User Id](#)
- [Items that are not Currently Issued](#)
- [Overdue Return Date](#)

[Item Ordering Reports](#)

- [Inventory Received](#)
- [Reorder](#)

[Status Reports](#)

- [Broken](#)
- [Broken Item History](#)
- [Broken Length of Time](#)
- [Certified Items](#)
- [Deactivated](#)
- [Deactivated Item History](#)
- [Deactivated Length of Time](#)
- [Found](#)
- [Items that have not been Available](#)
- [Lost](#)
- [Lost and Broken Item History](#)
- [Lost and/or Broken](#)
- [Lost Item History](#)
- [Maintenance Procedure Availability](#)

- [Maintenance Procedure List](#)
- [Unserviceable](#)
- [Unserviceable Item History](#)
- [Unserviceable Length of Time](#)

[U.S. Military, Civil Services, and Training Reports](#)

- [!\[\]\(c8dce68b26731c7aa5915072fc9d68dd_img.jpg\) \[U.S. Air Force\]\(#\)](#)
- [!\[\]\(76b3245de86167eba9fcdc9cc9f32aa4_img.jpg\) \[U.S. Army\]\(#\)](#)
- [!\[\]\(13db7587f50867332e5bedc6a161739d_img.jpg\) \[U.S. Navy and Marines\]\(#\)](#)
- [!\[\]\(7be5ea91065783fbb69e41ba5d9680f7_img.jpg\) \[Civil Services\]\(#\)](#)
- [!\[\]\(20b6116a35a537c491fe1e2cc04e020e_img.jpg\) \[Training Reports\]\(#\)](#)

[U.S. Air Force](#)

- [U.S. Air Force Report Options](#)
 - [Set Report Versions](#)
 - [Set 1297 Captions](#)
 - [Set 2005 Captions](#)
 - [Set AF55 PPE](#)
 - [Set AF55 Display Details](#)
 - [Set MIL Captions](#)
 - [Set MIL Options](#)
- [Air Force Reports](#)
 - [AF 143](#)
 - [AF 1473](#)
 - [AF 2005](#)
 - [AF 310](#)
 - [AF 55 Current](#)
 - [AF 55 Historical](#)
 - [AF IMT 2411](#)
 - [AF IMT 2432 \(Key Issue Log\)](#)
 - [CTK inventory and control log \(ACC 140\)](#)
 - [CTK inventory and control log \(AFRC 177\)](#)
 - [Inspection History \(AFTO 244\)](#)
 - [Inspection history for T.O.s](#)
 - [Lost item history \(AFRC IMT 174\)](#)
 - [OC-ALC form 135 \(Surface Coating Log\)](#)
 - [Spare Inventory](#)
 - [T.O. Report](#)
 - [Tool kit discrepancy](#)

- [Top Secret 703](#)
- [Top Secret 703 C](#)
- [Master Inventory List \(MIL\) Reports](#)
 - [MIL for items not in a kit](#)
 - [MIL for Kits](#)
- [Air Force Reports Not on the Report Screen](#)
 - [AF 1297](#)
 - [AF 1348-6](#)

U.S. Army

- [U.S. Army Report Options](#)
 - [Set Report Versions](#)
 - [Set 2062 Options](#)
 - [Set Commander Information](#)
- [Army Reports](#)
 - [Army SC](#)
 - [CCAD Form 5220-E](#)
 - [Change document \[issue\]](#)
 - [Change document \[turn-in\]](#)
 - [DA Form 5519-R](#)
 - [Issue or turn-in form DA 3161](#)
- [Hand Receipts](#)
 - [Hand Receipt DA Form 2062 with 2062 Settings](#)
 - [Simplified Hand Receipt](#)
- [Unit Specific Reports](#)
 - [Consumable usage](#)

U.S. Navy and Marines

- [U.S. Navy/Marines Report Options](#)
 - [Set Squadron Information](#)
- [Marines Reports](#)
 - [Inventory Sheet](#)
 - [Tool Log](#)
- [Navy Reports](#)
 - [Aerospace Coating Log](#)
 - [Form 306](#)
 - [Hazmat usage log](#)
 - [NAVAIR Broken/Worn Tool Report \(BTR\)](#)
 - [NAVAIR Compliant Issued Items](#)

- [NAVAIR Missing Tool Report \(MTR\)](#)
- [Tool room tool log](#)

Civil Services

- [DHS Reports](#)
 - [Item Inventory](#)
 - [Total Inventory](#)
- [Fire Department Reports](#)
 - [Firefighter Turnout Gear](#)
 - [Hoses](#)
 - [Hydro Due Date](#)
- [U.S. Border Patrol Reports](#)
 - [Issued Items \(U.S. Border Patrol\)](#)

Training Reports

- [All Training Requirements](#)
- [All Training Requirements \[with individuals assigned\]](#)
- [Completed courses by course](#)
- [Individual Training Requirements](#)

Tools

-  [Consume by Control Number](#)
-  [Inventory](#)
-  [Restock](#)
-  [Log Search](#)
-  [Catalog Setup](#)
-  [Vendor Setup](#)
-  [Kit Builder](#)
-  [Maintenance History](#)
-  [Maintenance Procedure/Bulk Issue Setup](#)
-  [Shop Code Transfer](#)
-  [Temporary Item Transfer/Deploy](#)
-  [Configure Quick Functions](#)
-  [Set Work Location Status](#)
-  [Label Maker](#)
-  [PPC Sync](#)
-  [Chart Designer](#)
-  [Custom Tracker Builder](#)
-  [Report Designer](#)
-  [Package Builder](#)

Consume by Control Number

- [Consume by Control Number Example](#)
- [Utilizing the Control Number Feature](#)
 - [Utilizing the Control Number Filter](#)

Inventory

General Inventory

- [Utilizing General Inventory](#)
 - [Inventorying Items](#)
 - [Inventory Not Found Records](#)
 - [Add Log Note During Inventory](#)
 - [Applying Conditions](#)
 - [Option 1](#)
 - [Option 2](#)
 - [Applying Statuses](#)
 - [Reporting](#)

Physical Inventory

- [Utilizing Physical Inventory](#)
 - [Conducting a Physical Inventory](#)
 - [Updating Inspections During Inventories](#)
 - [Applying Conditions](#)
 - [Applying Statuses](#)
 - [Discrepancies](#)
 - [Notes](#)
 - [Remove from Kit](#)
 - [Completing the Physical Inventory](#)

Shift Inventory

- [Utilizing Shift Inventory](#)
 - [Conducting the Shift Inventory](#)
 - [Applying Statuses](#)
 - [Discrepancies](#)
 - [Notes](#)
 - [Completing the Shift Inventory](#)

Deployment Inventory

- [Utilizing Deployment Inventory](#)
 - [Conducting a Deployment Inventory](#)
 - [Applying Conditions](#)
 - [Applying Statuses](#)

- [Discrepancies](#)
- [Notes](#)
- [Completing the Deployment Inventory](#)

[Generating Condition Barcodes](#)

- [Creating Condition Barcodes](#)
 - [Excellent Condition](#)
 - [Good Condition](#)
 - [Fair Condition](#)
 - [Poor Condition](#)
 - [No Condition](#)
- [Using Condition Barcodes with Inventories](#)

[Restock](#)

- [Load from Stock](#)
- [Load from Previous Inventories](#)
- [Inventory Restock](#)
- [Receipts](#)

[Log Search](#)

- [Menu Options](#)
 - [File](#)
 - [Export to Excel](#)
 - [Print](#)
 - [Search Options](#)
 - [Help](#)
- [Utilizing Log Search](#)
- [Log Search Examples](#)
 - [Utilizing the Search Text Boxes](#)
 - [Utilizing the Filters Section](#)

[Catalog Setup](#)

- [Pushing Out Changes To Existing Items](#)

[Catalog Setup, Continued](#)

- [Part-Specific Features](#)
 - [Restrict Quick Turn](#)
 - [Create Individual Issue Records for all Available Children when Issuing a Kit](#)
- [New Items and the Catalog](#)
- [Print Template Barcode](#)
- [Item Creation Prompts](#)
- [Quantity](#)

- [Additional Details](#)
- [Custom](#)
- [Pictures](#)
- [Generic Notes](#)
- [Inspections](#)

[Vendor Setup](#)

- [Adding a New Vendor](#)
- [Editing a Vendor](#)
- [Deleting a Vendor](#)
- [Assigning a Vendor](#)
 - [Main Screen from the Quantity and Status Tab](#)
 - [Catalog Setup Screen](#)

[Kit Builder](#)

- [File Menu](#)
 - [Add a New Item to the Selected Item/Kit](#)
 - [Print Labels for Selected Item/Kit](#)
 - [Close](#)
- [Create/Display Kit to Build](#)
 - [Creating a New Kit](#)
 - [Selecting an Already Existing Kit](#)
 - [Adding Items to a New/Existing Kit](#)
- [Configure Barcode Format](#)
- [Create New Item](#)
- [Duplicate Item\(s\) from Inventory](#)
- [Move Item\(s\) from Inventory](#)
- [Removing Items from a Kit](#)
 - [Option 1](#)
 - [Option 2](#)
- [View Selected Item Details](#)
- [Adjust the Kit Layout](#)

[Maintenance History](#)

- [Menu Options](#)
 - [File](#)
 - [Settings](#)
 - [Print Work Order History](#)
- [Creating a Maintenance History](#)
- [Load Existing Work Order](#)

Maintenance Procedure/Bulk Issue Setup

- Maintenance Procedures
- Utilizing Maintenance Procedures
 - Creating Maintenance Procedures
 - Selecting a Maintenance Procedure
 - Viewing Items that are Assigned to a Maintenance Procedure
 - Adding Items to a Maintenance Procedure
 - Deleting Items from a Maintenance Procedure
 - Deleting Maintenance Procedures
- Bulk Issues
- Utilizing Bulk Issues
 - Creating Bulk Issues
 - Selecting a Bulk Issue
 - Viewing Items that are Assigned to a Bulk Issue
 - Adding Items to a Bulk Issue
 - Deleting Items from a Bulk Issue
 - Deleting Bulk Issues

Shop Code Transfer

- Utilizing Shop Code Transfer
 - Step 1: Select Shops
 - Step 2: Choose Transfer Method
 - Exiting the Shop Code Transfer Screen

Temporary Item Transfer/Deploy

Temporarily Transferring Items

- Sending Items to a Temporary Transferred Location
- Returning Items from a Temporary Transferred Location

Deployment Databases

- Overview of Deployment

Creating Deployments

- Creating a Deployment from Home-Station

Exporting Deployments

- (Legacy) Exporting for Deployment
- Exporting for Deployment

Establishing Deployment Database

- (Legacy) Establishing Your Deployed Database
- Establishing Your Deployed Database

Returning Deployments

- [\(Legacy\) Returning from Deployment at Home Station](#)
- [Returning from Deployment at Home Station](#)

[What Information Comes Back to the Home Station?](#)

[Configure Quick Functions](#)

- [Setting Up Quick Functions](#)
- [Quick Function Categories](#)
- [Broken, Unserviceable, and Deactivated](#)
 - [Broken, Unserviceable, and Deactivated Subcategories](#)
- [Return to Service](#)
 - [Return to Service Subcategories](#)
- [Transfer](#)
 - [Transfer Subcategories](#)
- [Arrival / Departure](#)
 - [Arrival / Departure Subcategories](#)
- [User Certification Revoking](#)
 - [User Certification Revoking Subcategories](#)
 - [Setting up a Part Number List for Revoking Certifications](#)
- [Using Structured Barcodes](#)

[Set Work Location Status](#)

- [Adding a New Work Location](#)
- [Blocking and Unblocking Work Locations](#)
 - [Blocking](#)
 - [Unblocking](#)
- [Deleting Unused Work Locations](#)

[Label Maker](#)

- [Utilizing Label Maker](#)
- [Label Data Tab](#)
 - [Tools](#)
 - [Data Files](#)
 - [Label Types](#)
 - [Custom Message](#)
- [Print Tab](#)
 - [Modify Label Definition](#)
 - [Modify Label Details](#)
 - [Printer](#)
 - [Print](#)
 - [Label Configuration](#)

- [Label Definition](#)
- [Page Layout](#)
- [Barcode/Label](#)
- [Configure Label Details](#)
 - [Example: Item Label Details](#)
 - [Example: Course Label Details](#)
 - [Example: User Label Details](#)

[Course Label Type](#)

- [Utilizing Course Label Type](#)

[Generic Label Type](#)

- [Utilizing Generic Label Type](#)

[Item Label Type](#)

- [Utilizing Item Label Type](#)

[Template Label Type](#)

- [Utilizing Template Label Type](#)

[User Label Type](#)

- [Utilizing User Label Type](#)

[PPC Sync](#)

- [Utilizing PPC Sync](#)
 - [Purge PPC Database](#)
 - [Shop Code Selection](#)
 - [PPC Sample Usage Scenario](#)
 - [Typical Use](#)

[Chart Designer](#)

- [Step 1: Graph and Series](#)
 - [Selected Graph](#)
 - [Series](#)
- [Step 2: Axes](#)
- [Step 3: Design](#)

[Custom Tracker Builder](#)

[Report Designer](#)

- [Using Custom Reports in TCMax®](#)
- [Familiarizing Yourself With Report Designer](#)
 - [Designer Screen](#)
 - [Preview Screen](#)

[Modifying an Existing Report](#)

[Starting a New Report from Scratch](#)

- Design the Report
- Query Builder
- Parameters

Help Menu Option

Parameter Prefixes

- p\{ParameterName\}
- pReq_\{ParameterName\}
- opt_\{ParameterName\}
- sigPad_\{ParameterName\}
- pSort_\{ParameterName\}
- pRdo_\{ParameterName\}

Preconfigured Parameters

- excel_Unformatted
- pDateFrom & pReq_DateFrom
- pDateTo & pReq_DateTo
- pSite & pReq_Site
- pSiteId & pReq_SiteId
- pShopCode & pReq_ShopCode
- pShopCodeId & pReq_ShopCodeId
- pSingleShopCode & pReq_SingleShopCode
- pSingleShopCodeId & pReq_SingleShopCodeId
- pUsername & pReq_Username
- pUserShop & pReq_UserShop
- pUserOrg & pReq_UserOrg
- pOrganization & pReq_Organization
- pParentBarcodeId & pReq_ParentBarcodeId
- pMaintenanceProc & pReq_MaintenanceProc
- pCustomCombo1 & pReq_CustomCombo1
- pCustomCombo2 & pReq_CustomCombo2
- pCourseName & pReq_CourseName
- pTaskId & pReq_TaskId
- pClassNumber & pReq_ClassNumber
- pRoomNumber & pReq_RoomNumber
- pHideCost & pReq_HideCost

Script Functions

- TCMax.AddSignature(string base64String)
- TCMax.AF55SearchCriteria(int ShopCodeId)

- [TCMax.AllCaption\(\)](#)
- [TCMax.CommaSeparatedSelectedShops\(\)](#)
- [TCMax.CreateContext\(\)](#)
- [TCMax.ExcelBuilderSave\(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters\)](#)
- [TCMax.ExcelBuilderSetup\(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters\)](#)
- [TCMax.ExcelDetailBuilder\(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters, GrapeCity.ActiveReports.SectionCollection sections, string detailSectionName = "Detail"\)](#)
- [TCMax.ExcelHeaderBuilder\(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters, GrapeCity.ActiveReports.SectionCollection sections, bool newSheetOnPageStart = false, string headerSectionName = "PageHeader", string detailSectionName = "Detail"\)](#)
- [TCMax.GetDateSummary\(SoaringServices.DataAccess.Models.ComplexTypes.Schedule schedule, DateTime dueDate\)](#)
- [TCMax.InCourseRequirementMode\(\)](#)
- [TCMax.LoadSubReport\(string reportResource\)](#)
- [TCMax.LoadSubReport\(string reportName, string shopCode\)](#)
- [TCMax.LoggedInUser](#)
- [ReturnDataset\(string sSql, List<System.Data.SqlClient.SqlParameter> sqlParameters = null\)](#)
- [TCMax.SelectedShopIds\(\)](#)
- [TCMax.SelectedShops](#)
- [TCMax.SetReportCaptions\(GrapeCity.ActiveReports.SectionReportModel.Label labelControl\)](#)
- [TCMax.SplitCamelCase\(string str\)](#)

Database Enumerations

Package Builder

- [Importing](#)
- [Exporting](#)

Settings

- [!\[\]\(511a36c244659513b679df9c639945de_img.jpg\) Sites and Shops](#)
- [!\[\]\(2c0783baf87a2728b2fe49eb1c34c456_img.jpg\) User Options](#)
- [!\[\]\(7cfb20e3a97beaa6243bf39ce8dc849f_img.jpg\) User Profile Setup](#)
- [!\[\]\(4ec82d7d2c97e7458ec11741fc48dcdc_img.jpg\) User Site Assignments](#)
- [!\[\]\(8a3eeabae8fd8c34f983be60adf65fec_img.jpg\) Chit Manager](#)
- [!\[\]\(f8c4514865ca6cc7d15601f5b468a267_img.jpg\) Shift Setup](#)
- [!\[\]\(3e3a16082679d4e25573352df409eccd_img.jpg\) User Preferred Items Configuration](#)
- [!\[\]\(9b1df3f6f95a7aa10cbc22e7842da063_img.jpg\) IUID Item Field Configuration](#)
- [!\[\]\(7936f9bcfbfb218ad8be8ab6d2aa8317_img.jpg\) Dashboard Limits](#)

-  Email Options
-  Options
-  Lock Configuration
-  Serial Event Configuration

Sites and Shops

- Utilizing Sites and Shops
 - Adding a New Site
 - Adding a New Shop Code
 - Selecting a Primary Shop

User Options

Account Security Policy (formally known as Password Enforcement Policy)

- Enabling Password Policies
- Password Enforcement Policy
- Account Lockout

Permissions

- User Permissions
 - Add/Edit/Delete User Accounts
 - Allow Deactivating Users on Profile Configuration
 - Allow Profile Assignment Outside of User Options
 - Deactivated
- Item Permissions
 - Allow Adding New Items
 - Allow Deleting of Items
 - Allow Editing of Items
 - Receive Custody of Deactivated Items
 - Allow Override of Constraints
 - Manage calibrations and allow receiving custody of items with overdue calibrations
 - Edit Item Status
 - Manage Inspections and allow receiving custody of items with overdue inspections
 - Complete Inspections
- Screen Access Permissions
 - Access Catalog Setup
 - Access Course Modes
 - Access Database Maintenance
 - Access Designers (Reports, Custom Trackers, Charts)
 - Access Email Setup
 - Access Import/Export

- [Access Reports](#)
- [Access Shop Code Transfer](#)
- [Access Sites and Shops](#)
- [Access TCMAX, Lock, and Dashboard Options](#)
- [Edit User Permissions/User Profiles](#)
- [Allow Mode Switching](#)
- [System Permissions](#)
 - [Allow Blocking/Unblocking of Locations](#)
 - [Ignore Shop Code Filters](#)
- [User Password](#)
 - [Force Password Reset At Next Login](#)
 - [Password](#)
 - [Confirm Password](#)
 - [Remove Password](#)
- [User Email Address](#)
- [User Picture](#)

[Group Setup](#)

- [Creating a New Group](#)
- [Adding Users to a Group](#)
- [Removing Users from a Group](#)
- [Deleting a Group](#)

[User List](#)

- [Modifying User Data](#)
- [Deleting a User](#)
 - [Option 1](#)
 - [Option 2](#)

[Register Fingerprint](#)

- [Adding a Fingerprint](#)
- [Removing a Fingerprint](#)

[User Profile Setup](#)

- [Utilizing User Profile Setup](#)
 - [Creating Profiles](#)
 - [Assigning Profiles a Password/Permissions](#)
 - [Deleting Profiles](#)
- [Assigning Profiles to Users](#)
 - [Option 1](#)
 - [Option 2](#)

User Site Assignments

- Utilizing User Site Assignments
 - Users
 - Sites

Chit Manager

- Utilizing Chit Manager
 - Creating Chits
 - Deleting Chits

Shift Setup

- Utilizing Shift Setup
 - Creating Shifts
 - Deleting Shifts
 - Adding Users to Shifts
 - Removing Users from Shifts

User Preferred Items Configuration

- Utilizing User Preferred Items Configuration
 - Assigning Users Preferred Items
 - Removing Users Preferred Items

IUID Item Field Configuration

- Configuring IUID Barcodes
 - Mapping IUID Regions
 - Validating an IUID Barcode
- Deleting a Configured IUID Data Qualifier

Dashboard Limits

- Changing Captions
- Changing Warning Limits
- How Dashboard Limits Work

Email Options

- Accessing Emailer
- Email Settings
 - Recipient Message Settings
 - Choosing Recipients
 - Adding New Emails
- Options
 - Part Numbers
 - Schedule
- Categories

- [Lost](#)
- [Broken](#)
- [Unserviceable](#)
- [Long Term](#)
- [Reorder](#)
- [Issued Items At End of Shift](#)
- [Calibration](#)
- [Inspection](#)
- [Transfer Alert](#)
- [Secure Inventory](#)
- [Custom Reports](#)

Options

General Options Tab

- [Calibration and Inspection Options](#)
 - [Ask for Date Calibration or Inspection was Actually Performed for Reports](#)
 - [Do Not Check Grandchildren for Overdue Calibrations and Inspections](#)
 - [Set Lead Time for Calibration Warning](#)
 - [Set Lead Time for Inspection Warning](#)
- [Course Options](#)
 - [Ask for Date Expired When Course Interval is 0](#)
 - [Set Lead Time for Imminent Courses](#)
- [Dashboard Options](#)
 - [Disable Dashboard](#)
 - [Display Dashboard on Startup](#)
 - [Display Mini Tracker Pane on Startup](#)
 - [Play 'Attention' Audio for Status Trackers that have Exceeded their Threshold](#)
 - [Startup Page](#)
- [Display Options](#)
 - [Display User Preferred Assets when a User is Brought Up on the Main Screen](#)
 - [Enable Color Prompts for Issue and Turn-in Mode](#)
 - [Exclude Temporarily Transferred Items on Screens](#)
 - [Filter the Issued Items View on Main Screen with the Same Filters in Issued Items](#)
 - [Hide All Input Entered into Main Input Box](#)
 - [Hide Cost for All Items on Screen and in Reports](#)
 - [Load the Issued Items Screen Only Showing Filtered Items](#)
 - [Load the Issued Items Screen with Filters Disabled](#)
 - [Only Show Temporarily Transferred Items in Screens](#)

- Default the Issued Items Tab to Show on the Main Screen When TCMa^x® Starts
- Default the Pictures Tab to Show on the Main Screen
- Default the Log Notes Tab to Show on the Main Screen
- Show “Item Quick Turn” Menu
- Display Logo by Default Instead of EventLog Grid
- Picture and Attachment Path
- Hardware and Third-Party Service Options
 - Biometrics
 - Enable Fingerprint Scanner
 - Match Threshold
 - Spoof Detection Level
 - Usage Type
 - Use Fingerprint Authentication for Issue Turn-In
 - Barcode Scanners
 - Serial Port Barcode Scanner is Connected On
 - Scales
 - Display Weight in Metric Units
 - Signature Pad
 - Automatically Clear Users Off the Screen After a Signature is Captured
 - Signature Pad Message
 - Snap-On ATC Configuration
 - Show ATC Items Status in the TCMa^x® Dashboard
- Inventory Options
 - Default Receive Inventory Mode to Update Quantities Based on Unit Quantity
- Issue Options
 - Ask for Expected Return Date when in Issue/Turn-in Mode
 - Ask for a Control Number when in Issue/Turn-in Mode
 - Allow the Issue of Chargeable Items that have not been Fully Charged
 - Restrict the Issue of Items that are Overdue an Inspection
 - Limit the Number of Items a User can have Issued at One Time
 - Limit the Number of Items (of a particular Part Number) a User can have Issued at One Time
 - Force Users to Scan a Linked Chit after Each Item that is Issued
 - Facility Keys Require Password for Issue and Turn-in Functions
 - Do Not Allow Children to be Issued or Turned In
 - Do Not Allow a Parent to be Issued if it has Missing/Overdue Children
- Item Options
 - Restrict Duplicating Barcodes that Exists Across the Database when Adding a New Item

- Item Quantity Options
 - Default Newly Created Items to a Quantity Zero
 - Default New Items to have the 'Multiple Issue with a Single Scan' Option Checked
 - Default New Items to have the 'Multiple Items with This Same Barcode Number' Option Checked
 - Do Not Allow Issue when there are Not Enough in Stock
 - Default to the Issue Input Box on the Multiple Quantity Screen if Issuing is Available
- Login and User Options
 - Allow Users to Set Item Status Without Being Logged In
 - Clear Main Screen When Same User Id is Entered Twice
 - Close TCMax® When the Windows User Account is Locked
 - Display User Organization and Shift
 - Display Login Prompt at Startup
 - Do Not Allow Access to Log Search Screen Without Logging In
 - Hide User Id Field on Main Screen
 - Link Windows IDs to TCMax® User Accounts
 - Require Someone to be Logged in Before You Can Perform an Issue or Turn-In
 - Restrict Reports to Those With Permission Only
 - Automatically Log User Off After Selected Number of Minutes
 - Automatically Clear User on Main Screen After Selected Number of Minutes
 - Password Options
- Printer Options
 - Print 2 Copies of a Receipt
 - Print Receipt at End of the Issue and Turn-In Actions
 - Include Barcodes on the Receipts
 - Include a Barcode to Return All Items at Once on that Barcode
 - Include a Message on All Receipts
 - Hide Long Term Items on Receipt
 - Ask for Quantity of Labels When Printing Item Labels
- Report Options
 - Automatically Print an AF 1297 at the End of the Issue/Turn-In Process
 - Automatically Print an Issued Items Report at the End of the Issue/Turn-In Process
 - Automatically Print a DA 2062 Report at the End of the Issue/Turn-In Process
- Transfer Options
 - Auto Transfer Items to the Currently Selected Shop Code
- Turn-In Options
 - Ask for Current Miles/Hours When an Item is Turned in with Miles/Hours Greater Than Zero
 - Use Issued Location for Turn-In

- Use the Currently Displayed User on the Main Screen for Turn-In Records
- The User Logged in Cannot Turn-In Their Own Items
- Prompt Before Turning in Another User's Items
- Only the User Who Took an Item Can Turn it Back in
- If an Item is Turned in Within One Minute of Being Issued, Delete the Log Records for that Transaction
- Facility Keys Require 2nd User for Turn-In
- Do Not Display User Selection When Turning in a Multiple Quantity Item That Does Not Allow the Issue of More Than One at a Time
- Do Not Allow Turn-In Actions to be Performed Unless Someone is Logged In
- Do Not Allow a Parent to be Turned In if it is Missing Children
- Check to Require a Username and Location Before a Turn-In can be Performed
- Check if a Second User is Required to Turn-In Items
- Ask For the Number of Times an Item was Actually Used When the Times Used is Greater Than Zero
- Ask for Items Marked as Chargeable, if the Item Needs to be Charged
- Work Location Options
 - Display Location Buttons
 - Location Buttons
 - Do Not Allow Location to be Blank
 - Do Not Ask for a Location When Issuing Items
 - Show Button and Enable Setting of Default Location for Individual Users
 - Check to Make Sure Location are not Existing User or Item Barcodes

User and Item Barcodes Tab

- Barcode Id Configuration
 - Example Scenarios of Barcode Id Configuration
- User Id Configuration
 - User Id Length 1, User Id Length 2, User Id Length 3, User Id Length 4
 - Use first 15 digits of Id card only, U.S. Military
 - Use 2 – 15 digits of Id card only
 - Any Barcode Starting with the User Prefix will be Treated as a User
- Differentiate Item/User Based on Leading Character
- Check Barcode Length

Captions and Presets Tab

- Custom Captions
- Preset Options
- Custom Option Presets

Custom Captions Tab

Audio Prompts

- [Example of Customizing Wave Files for Certain Items](#)

Lock Configuration

- [Hardware Selection](#)
- [Snap-On Locks](#)
- [ekPROTRACK Lock](#)
 - [Lock Setup Tab](#)
 - [User Access Tab](#)
 - [A\) - Lock Type](#)
 - [B\) - Individual User](#)
 - [C\) - All Users](#)

Serial Event Configuration

- [Utilizing Serial Event Configuration](#)
 - [Creating Serial Event Configurations](#)
 - [Available Events](#)
 - [Selecting a Serial Event Configuration](#)
 - [Deleting a Serial Event Configuration](#)

Help

-  [Resources](#)

Resources

- [Existing User Data Migration Manual](#)
- [Issue/Turn-In Instructions](#)
- [Shortcuts \(F1\)](#)
- [User Manual](#)
- [About](#)
 - [Build Date](#)
 - [Product Version and Database Version](#)
 - [Licensed To](#)
 - [Support Id](#)
 - [Status Code](#)
 - [Data Source](#)
 - [Database](#)
 - [Connected By](#)
 - [Database Location](#)
- [Visit TCMax Online](#)

Getting Started



Requirements and Recommendations

Minimum Requirements



Installing TCMax® Version 9.X

To install the TCMax® software, the person logged into the machine must have administrative privileges that allo...



Opening TCMax® for the First Time

2 items



Adding Yourself to TCMax®

By default, TCMax® differentiates between a user and an asset based on the length, or character count of the Bar...



Adding and Deleting Items in TCMax®

There are two ways that Data can be added into the TCMax® Database. The first method is entering the Data man...



Adding and Deleting Courses in TCMax®

Adding Courses

Version: 9.x

Requirements and Recommendations

Minimum Requirements

Processor: 1.5 GHz

Memory: 4 GB RAM

Operating System: Windows 11 64-bit

.NET Framework: 4.8

Resolution: 1024 x 768

Other Software: Microsoft SQL Server® 2016 Service Pack 2 (including Local DB) or an Azure SQL database (requires persistent internet connection)

Other Hardware: Keyboard and mouse required.

Recommended Requirements

Processor: 2 GHz Dual-Core

Memory: 4 GB RAM

Operating System: Windows 11 64-bit

.NET Framework: 4.8

Resolution: 1024 x 768 or higher

Other Software: Microsoft SQL Server® 2016 Service Pack 2 or above, or an Azure SQL database (requires a persistent internet connection)

Other Hardware: Keyboard and mouse required, barcode scanner and printer are highly recommended.

Feature Requirements

Report Printing: Page printer. Reports can also be saved as a PDF within the software.

Integrated Report Designer: Create and modify reports from within TCMMax®.

Integrated Emailing: Email server settings. Report email settings can be controlled within TCMMax® and sent while TCMMax® is running.

Label Printing: Label printer or a pass-through page printer with the correct settings.

Digital Signature Capture: Signature Pad. Signature printed directly on report.

Fingerprint Reading: Fingerprint hardware (Lumidigm) and 64-bit Operating System.

Installing TCMMax® Version 9.X

NOTE

To install the TCMMax® software, the person logged into the machine must have administrative privileges that allow them to write to/modify the computer's registry entries.


[Version 9.9 and Newer](#)

[Version 9.8 and Older](#)


Upon launching the TCMMax® installer you will see the following screen:




Select the **Next** button.




Fully read the Software License Agreement and if you agree to its terms, select "I accept the agreement" and press the **Next** button.



Verify the installation directory and select **Next**.




On this screen, you will need to select the type of install you want:



Choosing **Install All Features** will install TCMax®, the TCMax® Dashboard, Microsoft® SQL Server Local DB.


Choosing **Choose Features** will allow you to select only the components you wish to install.

Below is a screenshot of the custom install screen:




Choose the type of install and select **Next**.


You will be asked if you would like to include Desktop Shortcuts. This includes the TCMMax® Asset Management Software and the standalone TCMMax® Dashboard.




The installer is now ready, select **Next** to install.




Depending on your computer's User Account Control (UAC) Settings, you may see this window. If you do, select **Yes** to continue.



The TCMMax® installation process will begin, you should see the screen below with a progress bar.



When TCMMax® has been successfully installed, you will see the following screen:



Select the **Finish** button.

! INFO

Due to the intricacies of Windows' security settings, if the installation stops or fails during the above steps you may need to run the installer as an administrator by right clicking the TCMMax®

Setup icon and selecting Run As Administrator. You may need to do so even if you have logged into the machine with an administrator's account.

Opening TCMMax® for the First Time

The first time you run TCMMax®, you will need to provide connection information for your Database. For users that are upgrading from Version 8, TCMMax® no longer supports Microsoft® Access as a primary Database. This new replacement is called Microsoft SQL Server® LocalDB, which can be run on an individual computer. Microsoft SQL Server® LocalDB cannot be shared over a network. For networked installations, you will need to use Microsoft SQL Server®. The following sections will walk you through connecting to whichever Database type you chose.

Database Setup

Standalone Installs

When TCMMax® is first launched, you will be asked to provide Database connection information. If this is a stand-alone install you can select the **OK** button and TCMMax® will attempt to connect to the Local Database file.

Connection Properties ? X

Data source:
Microsoft SQL Server (SqlClient) Change...

Server name:
\\localhost\\MSSQLLocalDB Refresh

Log on to the server

☒ Use Windows Authentication

☐ Use SQL Server Authentication

User name:

Password:

☐ Save my password

Connect to a database

☐ Select or enter a database name:


☒ Attach a database file:
C:\\Users\\Public\\Documents\\TCMax\\TCS.mdf Browse...

Logical name:
TCS

Advanced...

Test Connection OK Cancel

If there is not a Local Database in the location specified, you will receive the following message:



Select **Continue** and TCMMax® will create the Database files in the appropriate location. To proceed with the setup, you can skip to the [Demo Data](#) section of this guide.

Shared Network Install Using Microsoft SQL Server®

TIP

You may need to contact your IT department or your DBA to provide you with the information necessary to connect to the Microsoft SQL Server® instance.

Connection Properties

Data source:
Microsoft SQL Server (SqlClient) Change...

Server name:
[Server Name] Refresh

Log on to the server

☐ Use Windows Authentication

☒ Use SQL Server Authentication

User name: Username

Password: [Masked Password]

☐ Save my password

Connect to a database

☒ Select or enter a database name:
TCS

☐ Attach a database file:
[Empty Field] Browse...

Logical name:
[Empty Field]

Advanced...


Test Connection OK Cancel

If you would like to change your connection to an existing Microsoft SQL Server® Database, you can select the drop-down arrow for the **Server Name** and choose from the list of servers your computer can detect. If you're using a named instance you need to include the name of the instance as part of the Server Name. If you're using a default instance (SQLEXPRESS or MSSQLSERVER, depending on your license of SQL) you may leave the instance out. You will then want to select the proper authentication mode and Database for that Server. It is not necessary to check the "Save my password" box.

If the drop-down arrow to "Select or enter a database name" appears empty, there is likely an issue with the way the server is configured. The bottom line is the connection cannot find any Databases at that "server\instance" location that the supplied credentials have access to read. If you select the drop-down arrow and see your desired Database then the Server has already accepted your credentials. Select your Database and hit **Test Connection**. Once the connection has succeeded, press **OK** on the message box then select **OK** on the Connection Properties window to allow TCMa[®] to continue.

Demo Data

If the Database you have connected to has no Data in it, you will be asked if you would like to include Demo Data. The Demo Data contains a variety of item types and a few users to allow new TCMMax® users to familiarize themselves with the software in a test environment.




You will then be prompted with a box asking if you want to apply your software license.

For users that are new to TCMMax®, having the Demo Data in the Database will allow you to familiarize yourself with the TCMMax® functionality before going live with your own Data. The Demo Data can easily be deleted or disabled when you are ready to start using TCMMax® with your own Data.

Licensing Software

TIP


To run the Soaring License Manager, the user logged into the machine must have full administrative permissions as the application makes entries to the machine's registry.



If you click **Continue**, the TCMax® login screen will appear and you can license the software later.

NOTE

If the software is not licensed before the 90-day trial expiration, you will be presented with the message box below and TCMax® will not open until a valid license has been applied.



If you click **License**, the License Manager window will appear.

License Manager



	Application	Support Id	License Key	Deauthorize

[Coming from version 8? Click Here!](#)

Add / Modify

Close

You will need to click the **Add / Modify** button which will display the window where you enter your licensing information.

License Manager - TCMax



Company Name: Soaring Software Solutions, Inc.

Support Id: 14-000001

License Key: 1234-5678-9012-3456-7890-1234-5678-9012-3456-7890



Select License

Activate

Cancel


Once you have entered all the criteria, you should see a green checkmark to the right of the **License Key** field. If it is a red "X" then something has been entered incorrectly.

MISSING LICENSE INFORMATION

If you do not have the required information for this screen or do not have the 25-digit License Key, please contact Soaring Software Solutions, Inc.

If everything was entered correctly click the **Activate** button. Now that your license has been applied, you can click **Close**.

You should then be presented with a message box that says there are "No Shop Codes Selected."



Selecting **OK** will display the Sites and Shop Codes screen. If you installed Demo Data, you can select the TCMMax Demo Shop. If you did not install the Demo Data, you will need to type at least one shop code into the "Create a new shop code" field and click the **Create Shop Code** button. After adding a shop code, you can click **Save** and then the Login screen will appear.

 **Sites and Shop Codes**

Selected Site:

A site is used to narrow the scope of shop codes and users that can be viewed on this computer. This is helpful when the database you are using is shared across multiple facilities within your organization.

Please select an existing site to join, or create a new site below.

Site to Join:

Default

OR

Create a new site:

Create Site

Selected Shop Codes:

Shop codes are used to keep your assets organized between separate locations within the same facility.

Shop codes may be assigned to only one site, or may be left unassigned if multiple sites require access to the assets within a particular shop.

Shop codes may be assigned or unassigned to the site you have selected on the left using the arrows below. Please select or create the shop code(s) you wish to access on this machine from the below lists.

Selected Shops to Access:

Shop Code(s) Unassigned a Site		Shop Code(s) Assigned to Selected Site
☒ TCMMax Demo Shop	>> <<	

OR

Create a new shop code:

Create Shop Code (Unassigned)

Create Shop Code (Site)

Primary Shop Code:

Your primary shop code will be automatically selected when TCMMax starts.

In addition, newly created assets will be placed in your primary shop code when a specific shop code has not been selected. Searches will return assets within your primary shop code when multiple shops contain the same searched barcode id.

Please select your primary shop below.

Primary Shop Code:

TCMMax Demo Shop

☐ When launching TCMMax, start by viewing all of your selected shop codes.


Example Site and Shop Diagram

Save


Cancel

First TCMMax® Login

If you chose to include the Demo Data, you can login using the built-in admin user. The User Id is “01” without the quotes, and the User Password is also “01” without the quotes.


A screenshot of a 'Login' dialog box. It features a small icon of three wavy lines to the left of the title 'Login'. Below the title are two text input fields: 'User Id:' and 'User Password:'. At the bottom of the dialog are two buttons: 'OK' and 'Cancel'.

If you successfully logged in you should see “Richard A Lederman [Demo Admin] Logged In” if you used the 01 User Id/Password.



! INFO

If you did not include the Demo Data and if the Database you are connected to does not have an admin user added to the users table already, you will be prompted to create an admin user before we can proceed.



Clicking **Yes** will open the User and Item Barcodes tab in Settings, allowing you to setup how you would like to identify your users.

The "Options" dialog box is shown with the "User And Item Barcodes" tab selected. It contains several configuration sections: "Barcode Id Configuration" with text about item entry and fields for Primary and Secondary Prefix and Suffix (Primary Suffix is 001, Secondary Suffix is 001); "User Id Configuration" with text about user ID lengths and fields for Prefix and Suffix (Suffix is 01); "Differentiate Item / User Based on Leading Character" with checkboxes for "First character Alpha = User, Numeric = Item" and "First character Numeric = User, Alpha = Item"; and "Check Barcode Length" with a text box for the number of characters in the ID card. At the bottom right are "Save" and "Cancel" buttons.

Configure your user settings or accept the default values and then select **Save**. The "Create Admin User" dialog box will then appear.



Create Admin User

Enter User Name

Enter a user name for the Administrator.

Enter User Name:

Save

Cancel

Enter the name of the user who will be added as an Admin and you will then be prompted to enter a User Id for this user.



Create Admin User

Enter User Name

Enter a user name for the Administrator.

Enter User Name:

Admin

Enter UserId

Enter a userId for the administrator. The userId is how you Identify the user.

Remember this Id as it is required to login and to interact with on the main screen.

Enter UserID:

Save

Cancel

Finally, you will need to assign a password to the user.



Create Admin User

Enter User Name

Enter a user name for the Administrator.

Enter User Name:

Enter UserId

Enter a userId for the administrator. The userId is how you Identify the user.

Remember this Id as it is required to login and to interact with on the main screen.

Enter UserID:

Create Password

Enter a password for the administrator. This password will be used to login and for other various features within TCMax.

Enter Password:

Confirm Password:

Passwords Match

Save

Cancel

Hit the **Enter** key after you have confirmed your password and then hit the **Save** button. You will then be presented with the login screen to login with your newly created Admin.

Adding Yourself to TCMMax®


By default, TCMMax® differentiates between a user and an asset based on the length, or character count of the Barcode Id used to identify it.

The default character lengths for User Barcode Ids are 2, 5, 16, and 18 characters. Any other character count up to 50 characters will be considered an asset. For example, "01" is considered a user because it has 2 characters, the zero and the one.

We recommend using Id numbers that may already be assigned to your employees or barcodes that they may have on company Id badges. The 5-digit CAMS number assigned to many USAF aircraft maintenance troops as well as the 16-character barcode on the front of any DOD Common Access Card (CAC) or the 18-character barcode on the back of any DOD CAC are a few popular examples.

Barcode Ids can be alpha-numeric or any desired character length that you would like to use. For configuration adjustments, go to **Settings > Options > User and Item Barcodes** tab and consult the [User Id Configuration section](#) of this manual.

Now we are ready to add you as a user. Type the desired Barcode Id and hit the **Enter** key on the keyboard or scan the physical barcode of the user in the input box.



TCMax® should say, 'New User' and a User Details screen will populate. **Type** your name into the Username field (we recommend using the Last, First M format) and hit the **Enter** key or select the **'Save'** button.



User Details

Set User Details/ Hide User

Username: Last, First M

Email:

	Access Catalog Setup	☐
	Access Database Maintenance	☐
	Access Email Setup	☐
	Access Import/Export	☐
	Access Designers (Reports, Custom Trackers, Charts)	☐
	Access Reports	☐
	Access Shop Code Transfer	☐
	Allow Editing of Items	☐
	Allow Adding New Items	☐
	Add/Edit/Delete User Accounts	☐
	Allow Deactivating Users Outside of User Options	☐
	Receive Custody of Deactivated Items	☐
	Allow Mode Switching	☐

Save

Cancel

You are now in the system and are ready to be issued assets, this is all you need to do to add individuals who do not need to login to TCMa[®]. If you're going to be set up as an administrator or tool crib attendant, you'll need to give yourself a password and some permissions, which we will outline in the next section.



TIP

To cancel adding a new user that was created by mistake, hit the **ESC** key or **Cancel** button before clicking **Save**.

Assign a Password and Permissions

The ability to access different aspects of the software is determined by the permissions a user has assigned. Once a user has been added into TCMax® they can be assigned a password (required if the user will log-in to TCMax®) and permissions. Permissions and passwords are assigned via the User Setup screen, accessible by selecting **Settings > User Options** from the menu bar.

Select the user from the dropdown in the top right corner or enter their Id number in the User Id field and hit the **Enter** key. Once a user has been selected, they can be assigned permissions and/or a password. Below is a view of what the default Admin has as permissions and this is what we recommend for a full administrative permissions set.

Current Profile:



User Permissions

- ☒ Add/Edit/Delete User Accounts
- ☒ Allow Deactivating Users Outside of User Options
- ☒ Allow Profile Assignment Outside of User Options
- ☐ Deactivated



Item Permissions

- ☒ Allow Adding New Items
- ☒ Allow Deleting of Items
- ☒ Allow Editing of Items
- ☒ Receive Custody of Deactivated Items
- ☒ Allow Override of Constraints 
- ☒ Manage Calibrations and allow receiving custody of items with overdue calibrations
- ☒ Edit Item Status
- ☒ Manage Inspections and allow receiving custody of items with overdue inspections
- ☒ Complete Inspections




Screen Access Permissions

- ☒ Access Catalog Setup
- ☒ Access Course Modes
- ☒ Access Database Maintenance
- ☒ Access Designers (Reports, Custom Trackers, Charts)
- ☒ Access Email Setup
- ☒ Access Import/Export
- ☒ Access Purchase Orders
- ☒ Access Reports
- ☒ Access Shop Code Transfer
- ☒ Access Sites and Shops
- ☒ Access TCMax, Lock, and Dashboard Options

To set a user's password put the cursor in the Password box and **Enter the desired password**, you will see the box populate with dots as the password is entered. Once the password is input, hit the **Enter** key and **type the password** again in the Confirm Password box. You will see **'Match'** in green text,

when this is done successfully, hit the **Enter** key again. Hitting the **Enter** key again will set the Password and you will see text that states, 'Password is Set'.




The dialog box has a title bar with a circular icon containing an upward arrow and the text "User Password". Below the title bar is a checkbox labeled "Force Password Reset At Next Login:". Underneath are two text input fields: "Password:" and "Confirm Password:". Below the second field is the text "Password Is Set." and a red "Remove Password" button.

Click the **Save** button in the lower right corner of the screen to save the changes you have made.

Login to TCMax® as Yourself

From the Main Screen of TCMax® hit the **F12** key or go to **File > Log In/Out**. The Login box will appear, and you will be prompted to 'Enter a User Id'.



The dialog box has a title bar with a TCMax logo icon and the text "Login". Below the title bar are two text input fields: "User Id:" containing "12345" and "User Password:" containing "*****". At the bottom are two buttons: "OK" and "Cancel".

Enter or scan your Id and password then click **OK**. If you've done everything correctly, you should hear 'Logged In'. Remember, passwords are case sensitive so be mindful if your Caps Lock is on. Caps Lock will also affect barcodes that are scanned so keep that in mind as well. You should also see your name in the top left corner of the main screen as 'Logged In'.

Adding and Deleting Items in TCMMax®

There are two ways that Data can be added into the TCMMax® Database. The first method is entering the Data manually and this is covered in the next paragraph. The second method is by importing your Data using the 'TCMax Items Spreadsheet' directly into the Database. The instructions for this method can be found in the [Excel Import section](#) of this manual.

To add a new item in TCMMax® you must be in **Issue/Turn-In** mode. There are 3 ways you can manually add items into the system; scan an existing Barcode, type in the desired Barcode, or let TCMMax® assign the next available Barcode for you.

If you have a scanner and the item already has a Barcode on it that you want to use, you can scan that Barcode into the main input box. You can also type in the Barcode Id value that you want to use for this new item into the main input box and hit the **Enter** key on the keyboard. Another option is that you can setup the Barcode Id configuration you would like to use in **Settings > Options > User and Item Barcodes**.

Once configured, you can hit the **F3** key on the keyboard every time you want to add a new item. When using any one of these methods, TCMMax® will say '**New Item**' and populate the Barcode Id field on the right-hand side of the screen with the Barcode that was input.



To cancel a new item that was created by mistake, hit the **ESC** key before completely filling out the new item information.

TCMax® by Soaring Software Solutions, Inc.

File Mode = Issue/Turn-in Item QuickTurn @ Shift Change Show Issued Items Item Search Reports Tools Settings Help

Lederman, Richard A [Demo Admin] Logged In Shop Code: TCMAX Demo Shop

New Item

Barcode Id WWID001 TCMAX Demo Shop

Parent Barcode Id

Item Name

Storage Location

NSN

Part Number

Calibration Due Date 0

Serial Number

Save

Cancel

Print Item Label

Quantity & Status Inspections Additional Details Certified User Children Custom

Quantity Settings

☐ Multiple items with this same barcode number Qty On Hand 1

☐ Issue multiple of this item with single scan Qty Available 1

☐ Consumable

☐ No Turn-In Cost 0.00

☐ Do Not Reorder Vendor

Max in Stock 1 Qty in Unit 1

Reorder Qty 0 Sold As

Status

☐ Broken ☐ Unserviceable ☐ Deactivated ☐ Lost

Event Description	Barcode Id	Description	Shop Code
LoginSuccessful			TCMAX Dem...
LoggedOut			TCMAX Dem...
EnteredDbMainte...			120
LoginSuccessful			120
UserAdded			120
TCMAXStarted			120

Event Logs

Item Details Issued Items List

You should also see that all the other fields are open and editable on the right-hand side of the screen, so you can now enter the additional information about this item. All the fields on the different tabs (Quantity & Status, Inspections, Additional Details, etc.) are also editable so you can record any inspections this item has or attach files/photos for the item as well. Once you have recorded the information needed, click the **Save** button in the upper right corner of the screen.



TIP

If you do not have all information available that you would like to record about the item, you can go back and edit the item later.

Parent-Child Relationships with Items or Kitting

Items can be assigned to a kit by entering in a Parent Barcode Id. As an example, let's say you have a torque wrench (Barcode Id 114 in the 'Demo' Database) that you store in a toolbox (Barcode Id 120). If

you put the toolbox's Barcode Id (120) in the **Parent Barcode Id** box of the torque wrench, you have added the torque wrench to the toolbox, creating a kit. You can have an unlimited number of child items in any toolbox or kit. Appropriate warnings will be given if any item is missing, imminent/overdue calibration, or imminent/overdue inspection when the parent kit is entered on the screen.

You will want to assign a toolbox/kit its own Barcode Id. Items in that box will have their own Barcode Id's. For any items that are located within the toolbox, place the toolbox's Barcode Id in **each** item's **Parent Barcode Id** box. See the [Kit Builder section](#) of the manual for ease of use with larger kit configurations.

Parent/Child relationships apply to many things other than simple toolboxes. A building for example could have individual rooms or floors acting as a parent and all items in that room or floor are children. Shipping/storage containers, trucks, fire department apparatus, warehouses, anything that other stuff is stored in can be setup with parent/child relationships and then be easily inventoried or managed from within TCMa[®].

Child Overdue or Missing Warnings

Whenever a parent item is issued that generates an overdue or missing warning due to one of its children, a **Child Details** tab appears on the bottom portion of the item information area. Clicking on this tab will display a list of all those items that caused the warning. Any item that caused a warning will be listed with the reason why and the items information.


Deleting Items

To delete items from the Database, navigate to the **Item Search** screen. Click **File > Enable Editable Item Search**. The row and column headers that are editable will turn green. You can use the search boxes in the top portion of the screen to locate the item(s) that you wish to delete. Once you have located the item, click in the green row header on the left-hand side to select the entire row, then hit **Delete** on your keyboard. The item has now been deleted.


Adding and Deleting Courses in TCMMax®

Adding Courses

To add a Course in TCMMax® you must be in one of the Course Modes of Operation, [Training Completion](#) or [Add / Remove Training](#).



Adding a Course to the Database is quite easy and very similar to adding an item. Either type or scan the Course Id you would like assigned to the Course in the input box.



The value entered will follow the same character count settings that are in place for items and users ([Settings > Options > User and Item Barcodes](#)). The value you enter in the input box, if available, will be assigned as the Course Id.

If the Course you are adding is a Child Course you can enter the Parent Course's Id into the **Parent Course Id:** field. The Course can also be provided a Name, Number, and Interval.

Course Id:	9000	Save
Parent Course Id:		
Course Name:	Rifle Certification	Cancel
Course Number:		
Course Interval:	360	

If the Course is used to certify any item(s) you can enter the item's Part Number(s) into the **Part Number** column under **Part Numbers to Certify**. You may also enter a training interval (based on days) in that grid if the certification is annual or repeating. The **Certify Part Numbers based on Child Course Completion** option will apply the certifications only if the Child Courses have been completed.

Part Numbers to Certify:

☒ Certify Part Numbers based on child course completion

	PartNumber
▶	RIFLE
	SCOPE
	M203
	5.56-ball
	30x5.56MAG

The **Curricula** section is an area where you can describe the Course, i.e. goals, topics/skills covered.

Curricula:

When you are satisfied with the Data that has been entered, you can click the **Save** button to save the Course.

You can view the full guide by checking out our [Modes of Operation Training](#) section.

Deleting Courses

To delete a Course in TCMax® you must be in one of the Course Modes of Operation, [Training Completion](#) or [Add / Remove Training](#).

Navigate to the **Course Search** screen. Click **File > Enable Editable Course Search**. The row and column headers that are editable will turn green. You can use the search boxes in the top portion of the screen to locate the course(s) that you wish to delete. Once you have located the course, click in the green row header on the left-hand side to select the entire row, then hit **Delete** on your keyboard. The course has now been deleted.

Version: 9.x

TCMax® Main Screen



Main Screen Familiarization

4 items



TCMax® Dashboard

The TCMax® Dashboard is a set of status trackers that can help you quickly identify various Data points within yo...

Main Screen Familiarization

The Main Screen can be broken down into four sections: **Upper Left Quadrant**, **Lower Left Quadrant**, **Upper Right Quadrant**, and **Lower Right Quadrant**.

We will go more in depth about each piece in the following sections.

The screenshot displays the TCMMax® by Soaring Software Solutions, Inc. main screen. The interface is divided into four quadrants:

- Upper Left Quadrant:** Contains the user login area. It shows "Lederman, Richard A [Demo Admin] Logged In" and a yellow input field for the password. Below the input field are labels for "Username" and "Location".
- Upper Right Quadrant:** Contains the item details section. It includes a "Shop Code" dropdown menu set to "TCMax Demo Shop". Below this are fields for "Barcode Id", "Parent Barcode Id", "Item Name", "Storage Location", "NSN", "Part Number", "Calibration Due Date", and "Serial Number". There are "Edit" and "Print Item Label" buttons.
- Lower Left Quadrant:** Contains the event logs section. It features a table with columns: "Event Type", "Barcode Id", "Description", "Shop Code", and "Location". The table is currently empty.
- Lower Right Quadrant:** Contains the item settings section. It includes tabs for "Quantity & Status", "Inspections", "Additional Details", "Certified User", "Children", and "Custom". The "Quantity & Status" tab is active, showing options for "Multiple items with this same barcode number", "Issue multiple of this item with single scan", "Consumable", "No Turn-In", "Do Not Reorder", "Max in Stock", "Reorder Qty", "Qty On Hand", "Qty Available", "Cost", "Vendor", "Qty in Unit", and "Sold As". There are also checkboxes for "Broken", "Unserviceable", "Deactivated", and "Lost".


The bottom of the screen shows a navigation bar with "Event Logs" and "Item Details" tabs.

Data Entry Section

Upper Left Quadrant


The **Upper Left Quadrant** is known as the Data Entry Section.

The User that is logged into TCMMax® is displayed above the input box.



The input box is where all barcodes are scanned or typed in. The color of the box will indicate what actions can be performed.

Yellow: If the input box is yellow, all criteria has not been met to allow the issuing of items, but items that are already issued out can be turned in.



Username

Location

Green: If the input box is green, it means that all criteria has been met to allow for items to be issued. Items can also be turned in.



TCMax® by Soaring Software Solutions, Inc.

File

Mode = Issue/Turn-in

Item QuickTurn @ Shift Change

Show Issued

Lederman, Richard A [Demo Admin] Logged In



Edit

Username Murray, William [Demo]

Location Floor

Red: If the input box is red, no issue or turn in actions can take place.



TCMax® by Soaring Software Solutions, Inc.

File

Mode = Display Only

Item QuickTurn @ Shift Change

Show Issued

No One Logged In



Username

Location

Item Information Section

Upper Right Quadrant

The **Upper Right Quadrant** is where item Data is displayed.

Barcode Id	003	Shop Code:	TCMax Demo Shop ▼
Parent Barcode Id	320		TCMax Demo Shop
Item Name	Socket, Deep, 3/8", 6-Point		Edit
Storage Location	Drawer 1		
NSN	0756-B417		
Part Number	12355414531		Print Item Label
Calibration Due Date		0	
Serial Number			

An item's information can be modified by clicking the **Edit** button (if you have the necessary permission) or a new label can be generated for the displayed item by clicking the **Print Item Label** button.

Shop Code

The **Shop Code** displayed in gray is the Shop the Item displayed lives within. The Shop Code drop down menu option can be used to change Shop Codes to display different items that live within different Shop Codes.

Barcode Id 003
Parent Barcode Id 320
Item Name Socket, Deep, 3/8", 6-Point
Storage Location Drawer 1
NSN 0756-B417
Part Number 12355414531
Calibration Due Date 0
Serial Number

Shop Code: TCMMax Demo Shop ▼

TCMMax Demo Shop

Edit

Print Item Label

Barcode Id

Barcode Id is the unique identifying set of characters for an item. This is unique per Shop Code.

Parent Barcode Id

Parent Barcode Id is used for items in TCMMax® to create kits. When a Parent Barcode Id is used it assigns an item to a parent, creating a parent-child relationship. It signifies the item lives inside of the parent item.

Item Name

Item Name is used to place a description on your item. This can be as vague or detailed as you would like.

Storage Location

Storage Location is used to identify where a particular item lives. You can use a colon delimiter as well to narrow down the location and to order on the MIL Report. An example of this would be Drawer 1: Spot 2.

NSN

NSN refers to the National Stock Number. This is typically used within the Military.

Part Number

Part Number is used to group like items together in TCMax®. For example, photos / certifications and other features are dependent on it to cascade information to all items with the same Part numbers. Each item can have its own Part Number if desired, or you can group items together utilizing the same Part Number.

Calibration Due Date

Calibration Due Date is used to enter the date the calibration is due on an item.

Days to Calibrate

Days to Calibrate field will be displayed next to the Calibration Due Date. This is used to project how many days the item will be gone for calibration. This is used so all of the same item are not leaving the shop at the same time and you can plan accordingly when calibrations are going to occur.

Adding/Updating Item's Calibration Due Date

If the logged in user has the permission to **Manage Calibrations and allow receiving custody of items with overdue calibrations**, then they can add or edit a calibration due date for an item by displaying the item on the Main Screen and clicking in the **Cal Due Date** field. Enter in the date the next calibration is due and hit the enter key to set/update the item's calibration due date.

Serial Number

Serial Number is the specific serial number of an item.

Detailed Item Information Section

Lower Right Quadrant

The **Lower Right Quadrant** is where detailed information about the item will be displayed. This information includes Quantity & Status, Inspections, Additional Details, Certified Users, Children, Custom, Pictures, Attachments, and Log Notes. The tabs not only display more detailed information but show how the item will work or how TCMax® will interact with that item. Each tab will be discussed in the next sections.

Quantity & Status	Inspections	Additional Details	Certified User	Children	Custom	Pictures	Attachments	Log Notes
-------------------	-------------	--------------------	----------------	----------	--------	----------	-------------	-----------

Quantity and Status Tab

The **Quantity and Status** tab is where you set up each item's quantity settings and can change the status of an item.

Quantity & Status | Inspections | Additional Details | Certified User | Children | Custoi

Quantity Settings

☐ Multiple items with this same barcode number

☐ Issue multiple of this item with single scan

☐ Consumable

☐ No Turn-In

☐ Do Not Reorder

Qty On Hand

Qty Available

Available by Part Number 1/1

Cost

Vendor

Max in Stock

Reorder Qty

Qty in Unit

Sold As

Status

☐ Broken ☐ Unserviceable ☐ Deactivated ☐ Lost

Item Details | Issued Items List

Quantity Settings

Multiple Items with the Same Barcode Number

The **Multiple Items with the Same Barcode Number** checkbox tells TCMa[®] that the scanned barcode represents more than one individual item.

Common examples for this type of item are bench stock (nuts, bolts, or screws) and/or Personal Protective Equipment (safety glasses, reflective vests, earplugs, or rubber gloves).

This setting can be used for items that are not individually tracked.

Issue Multiple Items with a Single Scan

The **Issue Multiple Items with a Single Scan** checkbox signifies the item is a multi-quantity item and can have more than one quantity issued at a time. When attempting to issue items with this checkbox, TCMax® will prompt you and ask how many you want to issue or turn in. The software plays an “**Enter Quantity**” audio prompt and then presents an input box on the screen that asks you to enter the desired quantity.

 **Multi-item** ×

Turn-in
Step 1: Select the user to turn-in from.


	Item	Quantity	User	Location
▶	701	10	Murray, Willi...	

Step 2: Select the amount to turn-in.

Issue
Enter the amount to issue:

Consumable Items

The **Consumable** checkbox signifies the item is a consumable item within TCMax®. Basically, meaning that items can be used (consumed) on jobs and never returned, but until you tell TCMax® how many are consumed, the full quantity taken is expected to be returned. The software will ask for a consumed quantity if the quantity you are turning in is less than what was issued. TCMax® will adjust the quantities automatically for you based on what quantities have been entered.



Expendable Items

The **No Turn-In** checkbox signifies an item is an **Expendable** item. In other words when this item is issued we are never expecting the item to be turned in. The quantities for these items will be immediately adjusted at the point of issue.

Expendable items are tracked independently of other items. In TCMMax® there is a dedicated tab for Expendable items issued to a particular user as Expendables are not tracked via the regular issued items list or reports.

Qty on Hand

Qty on Hand is the total quantity of the item in the Shop, including what is currently issued.

Qty Available

Qty Available is the total quantity of the item on the shelf that can be issued.

Available by Part Number

Available by Part Number will only appear if the item displayed has a Part Number assigned to it. This shows the quantity of the Part Number that is available / the quantity of the part number that is on hand.

Qty On Hand 20

Qty Available 20

Available by Part Number 70/70

By clicking on **Available by Part Number**, a grid will populate showing the items that have this part number, along with Quantity, Shop Code, Parent, Calibration Due Date, Storage Location, NSN, and Cost. (This grid can be right clicked on and sent to excel if needed)

	Barcode Id	Item Name	Quantity	Shop Code	Parent	Calibration Due Date	Storage Location	Part Number	NSN	Cost
▶	140	Rubber Glov...	50	TCMax Dem...			Drawer 1	GLOVE6L	GLOVE6L-NO...	1.5000
	702	Rubber Gloves	20	TCMax Dem...			Expendables...	GLOVE6L	GLOVE6L-NO...	0.4000

Cost

Cost is the monetary value associated with the item. This can be entered up to the 4th decimal place.

Vendor

Vendor is the company that the item is acquired through. Only one vendor can be selected per Barcode Id (Item).

Do Not Reorder

Do Not Reorder signifies this item is not to be reordered and will not populate on the Reorder Report. When an Item is marked as Do Not Reorder, TCMax® will not notify you if the item falls below the Reorder Qty, as the item is not to be reordered.

Max In Stock

Max In Stock is the maximum allowed quantity for an item you want to stock at a time. This information will generate on the Reorder Report to help show when an item is ready for reorder and how many will need ordered to raise the item back to the max in stock value.

Reorder Qty

Reorder Qty is the reorder threshold for multi-quantity items. When TCMax® falls below this specified quantity, it will appear in red signifying it is time to reorder. This is used as a means to prevent from completely running out of an item.

Qty In Unit

Qty In Unit is the quantity of an item that is contained in each purchased/received unit.

Sold As

Sold As is the description of how an item is purchased/ordered.

Example: Box, pallet, case, or each.

Status Settings

Broken

The **Broken** status checkbox is used to indicate any visual defects on an item.

NOTE

Items marked ***Broken*** in TCMMax® can still be issued.

Unserviceable

The **Unserviceable** status checkbox renders the item unusable, and it cannot be issued.

Example: A screwdriver that has snapped into multiple pieces.

Deactivated

The **Deactivated** status checkbox indicates an item is Deactivated and cannot be issued out. Often times this status is used for items past their usable lifecycle and are waiting to be replaced.

Lost

The **Lost** status checkbox is used for items that cannot be located. This can be applied to items after they have been issued or during an inventory.

Inspections Tab

The **Inspections** tab is where inspections can be added, updated, or modified.

The screenshot shows the 'Inspections' tab selected in a software interface. The tab bar at the top includes 'Quantity & Status', 'Inspections' (highlighted with a red box), 'Additional Details', 'Certified User', 'Children', and 'Custo'. Below the tab bar, there are three input fields: 'Current Miles 0', 'Current Hours 0', and 'Times Used 0'. Under each field is a checkbox labeled 'Ask for [miles/hours/uses] at turn-in'. Below these are three buttons: 'Add/Modify Inspections', 'Update Selected', and 'Update All'. A table with the following columns is visible: 'Inspection Name', 'Inspection Type', 'Restrict Issue', 'Due Date', and 'Status'. The first row shows 'Monthly Inspection', 'Generic', an unchecked checkbox, '12/7/2022', and 'M'. Below the table is a large grey rectangular area. At the bottom, there are two tabs: 'Item Details' and 'Issued Items List'.

Inspection Name	Inspection Type	Restrict Issue	Due Date	Status
Monthly Inspection	Generic	☐	12/7/2022	M

Inspections can be tracked by dates, miles, hours, or times used. From the **Inspections** tab, there are input boxes for the current miles, hours, or times used. The check boxes below each tracker can be checked if you wish for TCMAX® to ask you to update the miles, hours, or times used when the item is turned back in.

Current Item: Power Drill

Step 1: Select or create an inspection

Monthly Inspection

Step 2: Customize the inspection

A name that will identify this inspection: Monthly Inspection

Select this inspection's type: Generic

Prevent issuing if this inspection is overdue: ☐

Inspection Schedule Odometer Hours Times Used

Warn me 7 day(s) before this inspection is due.

Inspection due date: 12/7/2022

If this is a reoccurring inspection, set the inspection's schedule below:

Next due date: 12/7/2022 12:00:00 AM

Occurrence: Months

Repeat every: 1

☐ Update from the current due date.

Schedule by: ☒ Day of the month ☐ Day of the week

Overview: Monthly on day 7

Clicking the **New Inspection** button will allow you to create a new inspection. You can give it a logical name and then select the inspection type.

You can choose to prevent the issuing of each item if its inspection is overdue. This has been a global option in previous versions of TCMMax® but you can now decide this on a per-inspection basis.

Inspection Types

Generic

Generic

Pre Use

Stop Go

Supervisor Review

WRM

Atc Inspection

Inventory Inspection

Post Use

The **Inspection Type** dropdown box will allow you to classify which type of inspection you intend to create. This classification helps TCMMax® decide how to handle this item and it's inspections.

Generic Inspections

Generic Inspections are just normal inspections that will become due based on a date, miles, hours, or times used. There are no additional considerations or actions to perform. TCMax® will tell you when it is imminent, if you've set a lead time, and when it is overdue.

Pre-Use Inspections

Pre-Use Inspections will need completed before the item can be issued. If the inspection is not completed when attempting to issue the item, you will be prompted to update it.

An example of an item requiring a Pre-Use inspection would be for a fall protection harness. Before using this item, workers must visually inspect the lanyard and make sure it's safe to use and hasn't been sprung.

Pre-Use inspections will also generate Completed Inspection records to show up in section II of the AF244 Report.

Stop Go Inspections

Stop Go Inspections are calculated based on an interval of days but also considers the number of hours the item is in use. TCMax® will calculate the number of hours an item has been issued and consider that time when deciding whether to alert about inspections being imminent / overdue.

Supervisor Review Inspections


Supervisor Review Inspections are just like Generic Inspections but Completed Inspection records will show up on section IV of the AF244 Report.

WRM Inspections

WRM (War Readiness Material) Inspections are used to track WRM equipment. By using a WRM Inspection you're telling TCMax®, "If it sits dormant, it needs to be recalibrated in 2 years. If it gets deployed and starts being used, that calibration date needs to be changed to 6 months from its first use."

If you select WRM as the inspection type, the screen of the Inspection Builder changes a bit and you're prompted to enter how far ahead to set the calibration due date once the item is issued.

Once you set this inspection and go about your day, it will remain until you attempt to issue that item. Once that happens you'll be asked if you are putting this WRM Item into rotation.



If you click **Yes**, the inspection on this item will be removed and the calibration date will be changed to X number of days from then. Where X is the increment you set in the WRM inspection.

ATC Inspections

You cannot create ATC Inspections from TCMMax®. They exist for customers who are using Snap-on Tools' ATC boxes. The inspection needs to be created and updated at the box. The ATC Bridge will bring over the due date for this inspection with a generic name of ATC Inspection. You can edit the name of the inspection to give it a more specific name so reports and screens are a little easier to read. This new name does not persist to the ATC box; it only remains within TCMMax®.

Inventory Inspections

An **Inventory Inspection** is an inspection that will immediately become overdue when an item is added to an Inventory; forcing the user to complete the inspection on the item at time of inventory.

Post Use Inspections

Post Use Inspections can be completed before the item is turned in.

If the inspection is completed when turning in the item, we will update the inspection and write corresponding logs for the turn-in and inspection event.

If the inspection is not completed when attempting to turn-in the item, the item will successfully turn-in, but the inspection will become overdue. We will write corresponding logs for the turn-in event.

Inspection Schedules

You can now set individual lead times for TCMa^x® to warn you when this item's inspection is coming due. There is a global option for this in the **Settings > Options** window however you can now override this with individual settings for special inspections.

In the Inspection Due Date box, you can type the date this inspection is due next. You can hit **T** to quickly enter today's date in this box. **M** will add a month to the date in this box. Hitting **+** will add a day. Hitting **-** will subtract a day. **Y** will add a year.


If your inspection is reoccurring, be sure to select a value other than "None" from the **Occurrence** combo box.

The checkbox to **Update from the current due date**, if checked, will increment the next due date from the date the inspection was due, not from date you updated the inspection.

The overview area will type out your inspection schedule to allow you to confirm that you've entered everything in correctly.

Odometer

The **Odometer** tab allows you to set a warning threshold for miles, the mileage this inspection will be due next, and the number of miles in between inspections.



The screenshot shows the 'Odometer' tab selected in the 'Inspection Schedules' window. The tab is highlighted with a red border. Below the tabs, there are three input fields with labels:

- Warn me when** 0 **mile(s) are remaining before this inspection is due.**
- The number of miles this inspection is due:** 0
- The number of miles between inspections:** 0

Hours

The **Hours** tab allows you to set a warning threshold for hours, the hours this inspection will be due next, and the number of hours in between inspections.

Inspection Schedule Odometer **Hours** Times Used

Warn me when hour(s) are remaining before this inspection is due.

The number of hours this inspection is due:

The number of hours between inspections:

Times Used

The **Times Used** tab allows you to set a warning threshold for times used, the number of times this item can be used before this inspection is due next, and the number of uses between inspections.

Inspection Schedule Odometer Hours **Times Used**

Warn me when this item may be used more time(s) before being inspected.

The number of times that this item may be used before requiring an inspection:

The number of times that this item may be used between inspections:

Updating Inspections

As long as the logged in User has proper permissions, Inspections can be updated directly from the Main Screen. With the Item displayed, under the Inspections tab, you have the choice to **Update Selected** or **Update All**. If your item has more than one inspection, but you would like to only update one, select your inspection by clicking on the Inspection then select **Update Selected**. If your item has more than one inspection, and you would like to update all inspections at one time, select the **Update All**.

Removing / Deleting Inspections

If an item no longer requires a specific inspection to be done, that inspection can be removed from the item. Click the **Add/Modify Inspections** button. This will bring up the Inspection Builder.

 Inspection Builder — □ ×

Current Item: Socket, Deep, 3/8", 6-Point

Step 1: Select or create an inspection

Monthly

New Inspection

Remove Inspection

Remove All Inspections

Step 2: Customize the inspection

A name that will identify this inspection: Monthly

Select this inspection's type: Generic

Prevent issuing if this inspection is overdue: ☐

Inspection Schedule

Odometer

Hours

Times Used

Warn me 7 day(s) before this inspection is due.

Inspection due date: 10/1/2022

If this is a reoccurring inspection, set the inspection's schedule below:

Next due date: 10/1/2022 12:00:00 AM

Occurrence: Months

Repeat every: 1

☐ Update from the current due date.

Schedule by: ☒ Day of the month ☐ Day of the week

Overview: Monthly on day 1


Accept Changes

Cancel Changes

To Remove / Delete an Inspection, select the inspection you would like to Remove and select **Remove Inspection**. If you would like to remove all inspections for an item at one time, select **Remove All Inspections**. The changes are not effective until you **Accept Changes**, so if you remove an inspection you did not intend to, click **Cancel Changes** and do not save any changes. If you are satisfied with the inspections you have removed, select **Accept Changes** and you will notice your inspection(s) is now removed from the main screen.

Additional Details Tab

The **Additional Details** tab allows you to document additional detailed information for your items. Some of these details will allow the item to appear on corresponding reports.



Quantity & Status | Inspections | **Additional Details** | Certified User | Children | Custom

Notes:

Item Type:

Manufacturer:

Manufacturer P/N:

Date Received:

Contract Number:

Mobility Increment:

Length: Height:

Width: Weight (g):

- ☐ CACRL
- ☐ Local Manufacture
- ☐ Needs Chit For Issue
- ☐ Password Required For Issue
- ☐ Precious Metal
- ☐ Requires Charging
- ☐ Requires Control Number
- ☐ Shelf Life
- ☐ Spare
- ☐ Technical Order
- ☐ TMDE
- ☐ Warranty

Item Details | Issued Items List

Notes

The **Notes** field can be used to include any temporary item information and can be changed or deleted at any time. This field will also populate on the **Comments** section of the USAF MIL Report.

Item Type

The **Item Type** dropdown box is where you categorize the type of item.

Item Type	Item ▼ Item Aerospace Coating Facility Keys Hazmat Hose Rags	
Manufacturer		
Manufacturer P/N		
Date Received		
Contract Number		
Mobility Increment		
Length	0	Height 0
Width	0	Weight (g): 0

The Item Type will affect how the items are issued and turned in and will also affect how items appear on various reports throughout the software.

Item

Item is the default Item Type in TCMAX®. Most customers will enter most, if not all, of their items with this Item Type. For USAF customers, the Item Type must be set to Item for it to appear on the MIL reports.

Aerospace Coating

An item marked as **Aerospace Coating** will require a weight to be entered when the item is issued and turned in, as well as a weight disposed value to be entered upon turn in. With this Item Type selected a **Hazmat** tab will appear where you can enter additional Hazmat information about the item. Disposable will be automatically checked under the Hazmat tab for any Aerospace Coating items.

! INFO

You will not be able to uncheck the Disposable checkbox when an item is marked as Aerospace Coating. Each time you attempt to uncheck the Disposable checkbox, it will revert back.

Facility Keys

An item marked as **Facility Keys** will require another person for turn-in purposes. When an item is marked as Item Type Facility Keys the person who took the key cannot be the one to turn it in.

Hazmat

An item marked as **Hazmat** will require a weight to be entered when the item is issued and turned in. With this Item Type selected, a **Hazmat** tab will appear where you can enter additional Hazmat information about the item.

NOTE

The Item Type Hazmat is designed to comply with US Navy Hazmat requirements. USAF customers are advised to enter Hazmat items under Item Type Item and use a custom checkbox to track their Hazmat items.

Hose

An item marked as **Hose** will have a **Hose** tab available where you can enter addition information for the item. This Item Type is utilized by Fire Departments.

Rags

An item marked as **Rags** will have special steps it undertakes when being turned in. Instead of being returned directly to stock they are first reissued to a dirty rags location and from there they would be sent to laundry. Once they have returned clean from laundry, they can be returned back to stock.

Manufacturer

Manufacturer is the name of the manufacturer for the item.

Manufacturer P/N

Manufacturer P/N is the Part Number the manufacturer uses for the item.

Date Received

Date Received is the date when the item came into the Shop.

Contract Number

Contract Number is the number of the contract for the item.

Mobility Increment

Mobility Increment is the assigned or noted mobility increment of the item. This is mainly seen used in the Military.

Length

Length is used identify the length of an item.

Width

Width is used to identify the width of an item.

Height

Height is used to identify the height of an item.

Weight

Weight is used to identify the weight of an item.

CACRL

The **CACRL** checkbox signifies the item is a Custodian Authorization / Custody Receipt Listing.

CACRL Value

When CACRL is checked, this text field will appear. The **CACRL Value** is the value of the Custodian Authorization / Custody Receipt Listing.

Local Manufacture

The **Local Manufacture** checkbox signifies the item is made by a local manufacturer.

Needs Chit for Issue

The **Needs Chit for Issue** checkbox signifies the item will require a chit in order to be issued. This is mainly used by the Navy.

Password Required for Issue

The **Password Required for Issue** checkbox signifies the item will require a password in order to be issued.

Precious Metal

The **Precious Metal** checkbox signifies if the item is a precious metal.

Requires Charging

The **Requires Charging** checkbox signifies the item will require charging upon turn-in.

Charge Duration (minutes)

When the Requires Charging checkbox is checked, **Charge Duration** will appear. This is used to enter the number of minutes the item will need to charge in order to be fully charged. This will also prevent

the item from being issued if the charge time is not completed from the previous turn-in.

Requires Control Number

The **Requires Control Number** checkbox signifies the item will require a control number in order to be issued.

Shelf Life

The **Shelf Life** checkbox signifies the item has a shelf life.

Spare

The **Spare** checkbox signifies the item is a spare item.

Technical Order

The **Technical Order** checkbox signifies the item is a technical order item.

TMDE

The **TMDE** checkbox signifies the item is a Test, Measure, and Diagnostic Equipment item.

TMDE Value

When the TMDE checkbox is checked, **TMDE Value** will appear. This is the item's Test, Measure, and Diagnostic Equipment's value.

Warranty


The **Warranty** checkbox signifies the item has a Warranty.

Warranty Expiration

When the Warranty checkbox is checked, the **Warranty Expiration** date field will appear. This is where the expiration date can be entered for the item's warranty.

Hazmat Tab

The **Hazmat** tab appears when the **Item Type** on [Additional Details](#) is selected as Hazmat or Aerospace Coating. This will treat the item as a weighed item with additional properties.



The screenshot shows a software interface with a top navigation bar containing tabs: "Quantity & Status", "Inspections", "Additional Details", "Hazmat" (highlighted with a red box), "Certified User", and "Children" with left and right arrow buttons. Below the tabs is a large form area. At the top of the form are two checkboxes: "Disposable" and "Not Weighed". Below these are several input fields: "ABMix Ratio:", "Application Method:", "Coating Category:", "Current Weight (g):" (with the value "0.0000"), "Hazmat Weight (g):" (with the value "0.0000"), "SDS:", "Solvent Vp:", and "VOCContent As Applied:". At the bottom of the interface are two more tabs: "Item Details" and "Issued Items List".

Disposable

Disposable signifies the Hazmat Item is disposable. When a Hazmat item is disposable, upon turn-in, if the entire weight of the item is not turned in, TCMax® will ask for the disposed quantity for reporting purposes.

Not Weighed

Not Weighed signifies the Hazmat Item does not need to be weighed. If the Not Weighed checkbox is checked, TCMa^x® will not ask you to enter the weight of the item upon issue or turn in.

ABMix Ratio

ABMix Ratio is used to enter the ABMix Ratio. This is used with the Navy Hazmat Report / Aerospace Coating Report.

Application Method

Application Method is used to enter the Application Method for a Hazmat Item. This is used with the Navy Hazmat / Aerospace Coating Report.

Coating Category

Coating Category is used to enter the Coating Category of a Hazmat Item. This is used with the Navy Hazmat / Aerospace Coating Report.

Current Weight

Current Weight is used to identify the current weight of the Hazmat Item. This is used with the Navy Hazmat / Aerospace Coating Report.

Hazmat Weight

Hazmat Weight is used to identify the hazmat weight of the Hazmat Item. This is used with the Navy Hazmat / Aerospace Coating Report.

SDS

SDS is used to enter the Safety Data Sheet of a Hazmat Item. This is used with the Navy Hazmat / Aerospace Coating Report.

Solvent Vp

Solvent Vp is used to enter the Solvent Vp of a Hazmat Item. This is used with the Navy Hazmat / Aerospace Coating Report.

VOCContent As Applied

VOCContent As Applied is used to enter the VOCContent As Applied for a Hazmat Item. This is used with the Navy Hazmat / Aerospace Coating Report.

Hose Tab

The **Hose** tab appears when the **Item Type** on [Additional Details](#) is selected as Hose. This tab allows additional details to be input for the hose.

The screenshot shows a software interface with a tabbed menu at the top. The tabs are: 'Quantity & Status', 'Inspections', 'Additional Details', 'Hose Details' (which is highlighted with a red border), 'Certified User', and 'Cr'. Below the tabs is a large white area containing input fields for hose details. On the left side, there are four rows of labels and input boxes: 'Hose Length: 12', 'Hose Size: 10', 'Test Date: 11/2/2022', and 'Hydro Due Date: 1/1/2023'. On the right side, there are three rows of labels and input boxes: 'Purchase Date: 11/2/2022', 'Status: Active', and 'Test Pressure: 40'. At the bottom of the interface, there are two more tabs: 'Item Details' and 'Issued Items List'.

Quantity & Status	Inspections	Additional Details	Hose Details	Certified User	Cr
-------------------	-------------	--------------------	--------------	----------------	----

Hose Length:	12	Purchase Date:	11/2/2022
Hose Size:	10	Status:	Active
Test Date:	11/2/2022	Test Pressure:	40
Hydro Due Date:	1/1/2023		

Item Details	Issued Items List
--------------	-------------------

Hose Length

Hose Length is used to identify the length of your Hose.

Hose Size

Hose Size is used to identify the size of your Hose.

Test Date

Test Date is used to identify the date the testing of your Hose last took place.

Hydro Due Date

Hydro Due Date is used to identify when the Hydro Testing of the Hose needs to partake.

Purchase Date

Purchase Date is used to identify the date the Hose was purchased.

Status

Status is used to identify the current Status of the Hose.

Test Pressure

Test Pressure is used to identify the Test Pressure of the Hose.

Certified User Tab

The **Certified User** tab allows users to be certified on an item before they can use that item. TCMMax® allows you to regulate this by utilizing the **Certification before use** check box. Once checked, you enter the User Id of the certified user. Certifications are tied to an items Part Number, therefore when a user is certified on one item with the listed Part Number, they are certified on all items with that Part Number.

Quantity & Status

Inspections

Additional Details

Certified User

Children

Custo

◀

▶

Click in the box to the right and scan a user id to add to the list of certified users for this Part Number

☒ Certification before use

	Username	Date Certified	Date Certification Expires
▶	Sikes, Michael [De...	11/7/2022	11/7/2023
	Lederman, Richard ...	11/7/2022	11/7/2023

Item Details

Issued Items List

! INFO

If your item does not have a Part Number in the Part Number field, you will not have the option to select **Certification before use** since this feature is based on Part Number.

Barcode Id 704

TCMax Demo Shop

Parent Barcode Id

Item Name Wire Welder

Edit

Storage Location Tool Room

NSN

Part Number WIREWELDER

Print Item Label

Calibration Due Date 0

Serial Number 243549XQ

Adding Users to the Certified User List

Scan the items Barcode on the Main Screen of TCMax®. Once the item is displayed on the Main screen, press the **Edit** button to edit the items information.

Barcode Id 704

TCMax Demo Shop

Parent Barcode Id

Item Name Wire Welder

Edit

Storage Location Tool Room

NSN

Part Number WIREWELDER

Print Item Label

Calibration Due Date 0

Serial Number 243549XQ

Refer to the **Certified User** tab in the **lower right quadrant**. From the **Certified User** tab, select the **Certification before use** checkbox.


Quantity & Status Inspections Additional Details Certified User Children Custodian

Click in the box to the right and scan a user id to add to the list of certified users for this Part Number

☐ Certification before use

	Username	Date Certified	Date Certification Expires

Once the item has been marked with 'Certification before use', scan or enter the Users Id to add them to the user certified list for this Part Number.



Quantity & Status Inspections Additional Details **Certified User** Children Custodial


Click in the box to the right and scan a user id to add to the list of certified users for this Part Number

☒ Certification before use

01

	Username	Date Certified	Date Certification Expires
--	----------	----------------	----------------------------

Once the User has been scanned/entered, they will be added to the list on the **Certified User** tab.



Quantity & Status Inspections Additional Details **Certified User** Children Custodial

Click in the box to the right and scan a user id to add to the list of certified users for this Part Number


☒ Certification before use

	Username	Date Certified	Date Certification Expires
▶	Lederman, Richard ...	11/7/2022	11/7/2023

Modifying a Users Certification Expiration Date

If a Users Date Certification Expires needs modified, with the item displayed and in editable mode, double click on the users date certification expires. A date picker will appear where you can select the new expiration date for the certification.

	Username	Date Certified	Date Certification Expires
▶	Lederman, Richard ...	11/7/2022	11/7/2023



Choose Date

Enter date certification expires.



November





7





2023



Accept

Cancel

! INFO

By Default, TCMax® will put the **Date Certification Expires** to a year from when you enter the user's Id to certify.

Removing Users from the Certified User List

If a User needs removed from the Certified User List, with the item displayed and in editable mode, refer to the far left column in the Certified User List. Select the User you wish to delete to highlight the User.

Quantity & Status Inspections Additional Details Certified User Children Custom Pictures Attachments Log Notes

Click in the box to the right and scan a user id to add to the list of certified users for this Part Number

	Username	Date Certified	Date Certification Expires
	Lederman, Richard ...	11/8/2022	11/8/2023
▶	Sikes, Michael [De...	11/8/2022	11/8/2023

Click here to highlight the entire User

☒ Certification before use

Once the User has been highlighted, press Delete on your keyboard, the User will now be removed from the Certified List for items with that Part Number.



TIP

Users whose certification has lapsed are highlighted in **red**.



INFO

When you try to issue an item to a User that is not certified, TCMax® responds by playing a '**User Not Certified**' audio warning and the item is not issued.

The TCMax® **Training Completion** mode can have part numbers assigned to courses so that when a course is completed by a user, that user is automatically certified to use any item that is associated with that part number as defined within that course.

Children Tab

The **Children** tab gives you a quick view of all child items when you scan or enter a Barcode Id that has children.

You can view and edit the details of the children and you can also mark the children with the status of Broken, Unserviceable, or Lost directly from this tab.

Quantity & Status		Inspections	Additional Details	Certified User	Children	Custom	Pictures	Attachments	Log Notes
	Barcode Id	Item Name	Storage	Calibration Due	Quantity	Notes	Broken	Unserviceable	Lost
	601	Hammer	Top Drawer		1		☐	☐	☐
	602	Screwdriver	Top Drawer		1		☐	☐	☐
▶	603	Pry Bar	Bottom Dra...		1		☐	☐	☐
	604	Crescent Wr...	Bottom Dra...		1		☐	☐	☐
	605	Torque Wre...	Middle Draw...	10/3/2022 4:45 PM	1		☐	☐	☐
	606	Power Drill	Middle Draw...		1		☐	☐	☐

Custom Tab

The **Custom** tab contains four checkboxes, six textboxes, and two combo boxes that you can customize to reflect any additional information about your items that you need that is not already provided within TCMa^x®. Any Item that is utilizing the Custom tab selections will appear on the Custom Field Reports.

The screenshot shows the 'Custom' tab selected in a software interface. The tab is highlighted with a red box. The interface includes a top navigation bar with tabs: 'Certified User', 'Children', 'Custom' (selected), 'Pictures', 'Attachments', and 'Log Notes'. Below the tabs, there are four checkboxes labeled 'User_CheckBox1', 'User_CheckBox2', 'User_CheckBox3', and 'User_CheckBox4'. There are also six textboxes labeled 'User_TextBox1' through 'User_TextBox6'. At the bottom, there are two combo boxes labeled 'User_ComboBox1' and 'User_ComboBox2'. The interface is clean and professional, with a light gray background and standard Windows-style controls.

You can change the captions of these options to reflect the nomenclature that you need by going to the [Settings > Options > Custom Captions](#) tab.

Options



General Options User And Item Barcodes Captions and Presets **Custom Captions** Audio Prompts

CheckBox 1 Caption

TextBox 1 Caption

CheckBox 2 Caption

TextBox 2 Caption

CheckBox 3 Caption

TextBox 3 Caption

CheckBox 4 Caption

TextBox 4 Caption

ComboBox 1 Caption

TextBox 5 Caption

ComboBox 2 Caption

TextBox 6 Caption

ComboBox1 Values	
	Text

Add for Shop Code

New ComboBox Value

Add ComboBox 1 Value

Add ComboBox 2 Value


ComboBox 2 Values	
	Text

Save

Cancel

Pictures Tab

The **Pictures** tab allows you to place pictures on items within TCMax®. Pictures can be set on a per item or per Part Number basis. This way all like items will inherit the same picture.



Applying a Picture to an Item

To set a picture, with your item displayed on the Main Screen of TCMax®, select the **Set Picture** button and navigate to the picture of the item. A copy of the picture will be placed in a public directory. When setting a picture, if the item you are setting a picture on shares a Part Number with other items, TCMax® will ask if you would like to set the picture for just this item or all items with that Part Number.

The Default Directory where a copy of the picture will be placed is
C:\Users\Public\PublicDocuments\TCMax\Images.

This directory can be adjusted to point to a network folder if needed, for example if your Database Connection is through a Server, you can modify the location by going to **Settings > Options > General Options** and adjusting the Picture and Attachment Path.

Picture and Attachment Path

Current Set Path:

Removing a Picture from an Item

To remove a picture from an item, with your item displayed on the Main Screen of TCMax®, select the **Clear Picture** button.

Certified User Children Custom **Pictures** Attachments Log Notes



Item Details Issued Items List Child Details

If this picture is used for more than one item with the same Part Number, TCMax® will ask if you would like to remove this picture from just this item or all items with this Part Number.

Remove All?



Would you like to remove this photo from all items that have the same Part Number?

Yes

No

NOTE


Only one picture can be set for an item.

Attachments Tab

The **Attachments** tab is utilized to attach any form of Document or File to an item in TCMMax® (if Windows knows how to open that file).

The screenshot shows the 'Attachments' tab selected in a software interface. The tab bar at the top includes 'Certified User', 'Children', 'Custom', 'Pictures', 'Attachments' (highlighted with a red box), and 'Log Notes'. Below the tabs, there are two large empty rectangular areas for attachments. The left area contains the text 'Demo Sheet.pdf'. At the bottom of the interface, there are two buttons: 'Add Attachment to Barcode Id' and 'Add Attachment to Part Number'. Below these buttons, there are two more tabs: 'Item Details' and 'Issued Items List'.

From the **Attachments** tab, you can either add an Attachment by Barcode Id or by Part Number.



TIP

In Versions **9.8.x** or older if you are ever on the Main Screen of TCMMax® and wish to go to the Attachments tab, you can utilize one of our shortcuts by pressing **Ctrl + A** on your keyboard. In **9.9.x** or newer, this shortcut has been updated to **Ctrl + Shift + A** to avoid conflicts with other shortcuts.

Adding Attachments to an Item

Scan the items Barcode on the Main Screen of TCMMax®. Once the item is displayed, refer to the **Attachments** tab.


Once you are on the **Attachments** tab, press **Add Attachment to Barcode Id** or **Add Attachment to Part Number** button depending on the Attachment you need to add. When either option is selected, a File Explorer Window will appear; navigate to the location of the Document/File you want to attach and double click on it. The Document/File will be added to the current attachments section.

All attachments are immediately copied to a public TCMMax® directory that way all users can interact with the attachments.

The Default Directory where a copy of the attachment will be placed is

C:\Users\Public\PublicDocuments\TCMax\Images\Attachments\BarcodeNumber
or **C:\Users\Public\PublicDocuments\TCMax\Images\Attachments\PartNumber**.

This directory can be adjusted to point to a network folder if needed, for example if your Database Connection is through a Server, you can modify the location by going to **Settings > Options > General Options** and adjusting the Picture and Attachment Path.



Picture and Attachment Path

Current Set Path:

Part Number Based Attachments

A **Part Number Based Attachment** can be utilized when you have a single Attachment that applies to all items with the same Part Number.

Example: SDSs or instruction books.

Barcode Number Based Attachments

A **Barcode Number Based Attachment** can be utilized when you have a file or document that applies only to this item.

Example: A specific maintenance record.

NOTE

There is no limit to how many Attachments you can have for an item.


Removing Attachments from Items

Scan the items Barcode on the Main Screen of TCMax®. Once the item is displayed on the Main screen, press the **Edit** button to edit the items information.

! INFO

You must be in edit mode of the item in order to remove an Attachment.

Refer to the **Attachments** tab. Select the Attachment you would like to remove by clicking on the Attachment. This will highlight the Attachment.




Press **Delete** on your keyboard and the Attachment will be removed from the item.

If you remove an Attachment that is attached to the Part Number, this Attachment will also be removed from any item with that Part Number.


Log Notes Tab

The **Log Notes** tab will display all log notes that have been entered for the item that is currently displayed on the Main Screen.

From the **Log Notes** tab, you will see the specific Log Note with an event timestamp and a user defined date.



Log Notes can be added to an item by pressing **Ctrl + N** when an item is displayed on the Main Screen or you can also add a log note when applying a Status on an item.



 INFO

Log Notes are permanent details added to an item and they cannot be adjusted or deleted.

User Information and Event Log

Lower Left Quadrant

The **Lower Left Quadrant** will display different Data depending on the action being performed in TCMax®. If there is no user displayed on the screen this grid will be a historical event log showing you the actions that have been performed recently within the software. If there is a user displayed on the Main Screen, this grid will change to display the items issued to that user as well as some additional user related tabs.

Event Logs

The **Event Logs** tab can be used to see what actions have been performed in TCMax®.

Example: Issue/Turn-in, Login/Logout, Item Added, Item Modified, and Item Deleted records.

NOTE


The Event Logs tab displays the most recent 100 events of the current TCMax® session.

Event Description	Barcode Id	Description	Shop Code	Location	Event Time	Username
UserScannedWith...			TCMax Dem...		11/8/2022 10...	Lederman
ScannedUser			TCMax Dem...		11/8/2022 10...	Lederman
Issue	604	Crescent Wr...	TCMax Dem...		11/8/2022 10...	Kovacs, V
Issue	603	Pry Bar	TCMax Dem...		11/8/2022 10...	Kovacs, V
Issue	602	Screwdriver	TCMax Dem...		11/8/2022 10...	Kovacs, V
Issue	601	Hammer	TCMax Dem...		11/8/2022 10...	Kovacs, V
ScannedUser			TCMax Dem...		11/8/2022 10...	Kovacs, V
ItemModified	600	Tool Box	TCMax Dem...		11/8/2022 10...	
ItemAdded	600-01		TCMax Dem...		11/8/2022 10...	
LoginSuccessful			TCMax Dem...		11/8/2022 8:...	
TCMaxStarted			TCMax Dem...		11/8/2022 8:...	

Event Logs

User's Issued Items

The **User's Issued Items** tab will display when a user has been entered on the screen. You will see a list of items currently issued to that user. During Turn-in, if you scan an issued item, the grid will display the Issued Items tab for the user that the item was issued to.



TCMAX® by Soaring Software Solutions, Inc.

File Mode = Issue/Turn-in Item QuickTurn @ Shift Change Show Issued Items

Lederman, Richard A [Demo Admin] Logged In

?

Edit

Username Kovacs, Wes [Demo]

Location

Barcode Id	Item Name	Storage Location	Date Issued	Location
601	Hammer	Top Drawer	11/8/2022 10...	
602	Screwdriver	Top Drawer	11/8/2022 10...	
603	Pry Bar	Bottom Drawer	11/8/2022 10...	
604	Crescent Wr...	Bottom Drawer	11/8/2022 10...	

Event Logs User's Issued Items User's Expendables User Attachments

User's Expendables

The **User's Expendables** tab will show the Expendables (No Turn-in items) that the user has been issued in the last 30 days.

Barcode Id	Description	Quantity	Event Timestamp	Log Cost	Extended Cost
702	Rubber Gloves	2	11/8/2022 1...	0.4000	0.8
S302	Spare Instan...	2	11/8/2022 1...	5.0000	10
921	Ear Plugs	10	11/8/2022 1...	0.2500	2.5

[Event Logs](#)
[User's Issued Items](#)
[User's Expendables](#)
[User Attachments](#)



Expendable Items cannot be turned in, but the quantity issued can be overridden and reduced. To do this, right click on any of the rows highlighted green.

Expendables Issued to Kovacs, Wes [Demo] over the last 30 days						
Barcode Id	Description	Quantity	Event Timestamp	Log Cost	Extended Cost	
702	Rubber Gloves	2	11/8/2022 1...	0.4000	0.8	
S302	Spare Instan...	2	11/8/2022 1...	5.0000	10	
921	Ear Plugs	10	11/8/2022 1...	0.2500	2.5	

Then select **Override Expendable Quantity**.

Expendables Issued to Kovacs, Wes [Demo] over the last 30 days						
Barcode Id	Description	Quantity	Event Timestamp	Log Cost	Extended Cost	
702	Rubber Gloves	2	11/8/2022 1...	0.4000	0.8	
S302	Spare Instan...	2	11/8/2022 1...	5.0000	10	
921	Ear Plugs	10	11/8/2022 1...	0.2500	2.5	
Override Expendable Quantity Send to Excel						

The quantity can be overrode, but must contain a value less than the current value. Any of the reduced quantity will be returned to stock.

Expendables Issued to Kovacs, Wes [Demo] over the last 30 days						
Barcode Id	Description	Quantity	Event Timestamp	Log Cost	Extended Cost	
702	Rubber Gloves	2	11/8/2022 1...	0.4000	0.8	
S302	Spare Instan...	2	11/8/2022 1...	5.0000	10	
921	Ear Plugs	10	11/8/2022 1...	0.2500	2.5	

Enter New Quantity

Enter new quantity.

User Attachments

The **User Attachments** tab will show any files that are attached to the displayed user. Users can have multiple Attachments.

Demo Sheet.pdf
green_army_man.jpg
Site and Shop Diagram.png

Add Attachment to User

Event Logs User's Issued Items User's Expendables **User Attachments**

Adding an Attachment to a User

To add an Attachment, click the **Add Attachment to User** button and use the File Explorer Window to select the file that you would like to attach. All Attachments are immediately copied to a public TCMa^x® directory that way all users can interact with the attachments.

The Default Directory where a copy of the attachment will be placed is
C:\Users\Public\PublicDocuments\TCMax\Images\Attachments\UserId.

This directory can be adjusted to point to a network folder if needed, for example if your Database Connection is through a Server, you can modify the location by going to **Settings > Options > General Options** and adjusting the Picture and Attachment Path.

Picture and Attachment Path

Current Set Path:

Set to Default Set Path

Removing an Attachment from a User

To remove an Attachment, display the User on the Main Screen and refer to the **User Attachments** tab. Select the Attachment you would like to remove to highlight it.

Demo Sheet.pdf
green army man.jpg
Site and Shop Diagram.png

Add Attachment to User

Event LogsUser's Issued ItemsUser's ExpendablesUser Attachments

Once the Attachment is highlighted, press **Delete** on your keyboard. The Attachment will now be removed from the User.

TCMax® Dashboard

The **TCMax® Dashboard** is a set of status trackers that can help you quickly identify various Data points within your Database. The Dashboard is a standalone application available with the TCMax® Suite as well as integrated within TCMax®.

Displaying the Dashboard

You can open the Dashboard to full screen or set it to quick view.

To open the quick view display, **right-click** on the blue bar on the right-hand side of the screen. The right-hand side of the Main Screen shows one column of the Dashboard status trackers.

TCMax® by Soaring Software Solutions, Inc.

File Mode = Issue/Turn-in Item QuickTurn @ Shift Change Show Issued Items Item Search Reports Tools Settings Help

Lederman, Richard A [Demo Admin] Logged In Shop Code: TCMax Demo Shop

Barcode Id
Parent Barcode Id
Item Name
Storage Location
NSN
Part Number
Calibration Due Date
Serial Number

Quantity & Status Inspections Add

Quantity Settings

- ☐ Multiple items with this same bar
- ☐ Issue multiple of this item with si
- ☐ Consumable
- ☐ No Turn-In
- ☐ Do Not Reorder

Max in Stock
Reorder Qty

Status

- ☐ Broken
- ☐ Unservice

Event Logs

Item Details Issued Items List

Status Trackers Custom Status Trackers

[Current Issue Status](#)

Kits issued: 0
Child items issued: 1
Non-Kit items issued: 12

[Calibration Status](#)

Imminent item calibrations: 0
Overdue item calibrations: 5
Items being calibrated: 0

[Inspection Status](#)

Imminent inspections: 2
Overdue inspections: 3

[Item Status](#)

Lost items: 0
Broken items: 0
Unserviceable items: 0
Items issued long term: 0

[Reorder Status](#)

Items below reorder quantity: 1

To open the Dashboard in full screen, **left-click** on the blue bar.

The screenshot displays the TCMMax dashboard interface. At the top, there is a header bar with the TCMMax logo and the text "TCMax® by Soaring Software Solutions, Inc." on the left, and window control buttons (minimize, maximize, close) on the right. Below the header is a navigation menu with options: File, Mode = Issue/Turn-in, Item QuickTurn @ Shift Change, Show Issued Items, Item Search, Reports, Tools, Settings, and Help. A user status bar indicates "Lederman, Richard A [Demo Admin] Logged In" and a "Shop Code: TCMMax Demo Shop" dropdown menu.

The main content area is divided into three tabs: "Status Trackers" (selected), "Custom Status Trackers", and "Data Visualization". The "Status Trackers" tab is further organized into a blue sidebar on the left and a main content area on the right.

Status Trackers Sidebar (Left):

- Current Issue Status**
 - Kits issued: 0
 - Child items issued: 1
 - Non-Kit items issued: 12
- Calibration Status**
 - Imminent item calibrations: 0
 - Overdue item calibrations: 5
 - Items being calibrated: 0
- Inspection Status**
 - Imminent inspections: 2
 - Overdue inspections: 3
- Item Status**
 - Lost items: 0
 - Broken items: 0
 - Unserviceable items: 0
 - Items issued long term: 0
- Reorder Status**
 - Items below reorder quantity: 1

Main Content Area (Right):

- Beginning of Shift Inventory Status**
 - Last performed: 9/21/2022 10:50:04 AM -04:00
 - Number of discrepancies: 0
- End of Shift Inventory Status**
 - Last performed: Not Yet Performed
 - Number of discrepancies: 0
- Course Status**
 - Imminent expiration courses: 0
 - Expired courses: 0
- Certification Status**
 - Users with expired certifications: 1
 - Users with certifications: 4
 - Expired certifications: 6
- Kit Status**
 - Total number of kits: 9
 - Number of incomplete kits: 1
- Unavailable Status**
 - Times items were unavailable: 0
- Historical Status**
 - Records for: Today (selected), Last 24 Hours
 - Number of users scanned: 27
 - Items issued: 19
 - Items consumed: 5
 - Total cost of consumables used: \$1.00
 - User with the most transactions: Sikes, Michael [Demo]
 - Number of transactions made: 30
- User Status**
 - Users with items issued: 1
 - Locations users have items issued: 1
- Overdue Status**
 - Users with overdue returns: 0
 - Items out past return date: 0

The Dashboard screen is closed the same way, by either **right clicking** the blue bar if it is partially open or **left clicking** the blue bar if it is fully open.

Status Trackers Tab

The **Status Trackers Tab** will display various Data points at a glance. This is Shop Code specific. Therefore, you can use the Shop Code drop down in the upper right-hand corner to view different Shop Code statuses.

Organizing the Status Trackers


Status Trackers can be organized how you want it to be. Simply click on a Blue Group and drag that Group where you would like it to appear.

This can become useful if you want to display specific Data in the Mini Pane of the Dashboard. The Mini Pane only shows the left most column of the Dashboard. Therefore, if you would like to view for example, the **User Status** Group in the Mini Pane, simply click and drag that group over to the left-hand column. Now, when you right-click on the Dashboard, the **User Status** stays in the Mini Pane while still performing other tasks on the Main Screen of TCMAX®.

Displaying Data for the Status Trackers

Status Trackers within **Dashboard** show numerical Data for the different status's. If you want more detailed Data, click on the status you would like to view. A grid will appear with additional Data regarding that specific tracker.

Example: If you have **Overdue Inspections** under the **Inspection Status** that show 5, you may want to see more details on what is showing Overdue.



By clicking on **Overdue Inspections**, a grid appears with more details showing what Items have Inspections that are Overdue.

Queried From: Items Overdue Inspection on 11/14/2022 at 12:46 PM

	Due Date	Barcode Id	Parent Barcode Id	Item Name	Quantity	Storage Location	Part Number	NSN	Inspection Name	S
▶	11/1/2022	750		Vehicle	1	Motor Pool	HUMVEE		Monthly	To
	1/1/2022	750		Vehicle	1	Motor Pool	HUMVEE		Annual	To
	11/12/2022 1:04 PM	606	600	Power Drill	1	Middle Drawer	POWERDRILL		Battery Inspection	To
	10/13/2022 1:04 PM	705		Fire Extinguisher	1	Tool Room	FIRE-EX		HydroStatic Test	To
	10/28/2022 1:04 PM	705		Fire Extinguisher	1	Tool Room	FIRE-EX		Visual Check	To



TIP

Captions and warning thresholds (highlighted red) can be set via **Settings > [Dashboard Limits](#)**.

Custom Status Trackers Tab


The **Custom Status Trackers** tab is where Custom Status Trackers created will be displayed.

If there is a Status Tracker that is not already offered within TCMax®, this can be Created using the [Custom Tracker Builder](#).

A Custom Status Tracker can be built for you as an additional paid for service.

Data Visualization Tab

The **Data Visualization** tab can be used to look at graphs and charts instead of just numbers of Data.



When selecting a Graph / Chart to display, you will have different options (pending on the graph / chart selected) to how the appearance will show. You can set in 3D, change the Series Color, Include or Hide Empty Shops, etc. When you are satisfied, you can also Export the Graphs / Charts. This can be helpful if you need to send via email or save to show someone else.

NOTE

When exported, the default path the Graphs / Charts will be stored in is the following: **C-Drive > Users > Public > Public Documents > TCMax > Reports.**

File Menu

Basics

The options in this menu will vary based on the permissions of the logged in user and the D...

Import/Export Records

The Import/Export screen allows a user to populate the current TCMax® Database with Da...

Printer Settings

Printer Settings is located from File > Printer Settings.

Backup and Database Maintenance

1 item


Deployment Connection Options

Deployment Connection Options will be applicable to Versions 9.8.8922.28031 or older of T...

Deployment Data Manager

Deployment Data Manager will be applicable to Versions 9.8.8992.16156 or newer of TCM...

Basics



! INFO

The options in this menu will vary based on the permissions of the logged in user and the Database Connection configuration.

Log In/Out

Clicking this option will log out the current logged in user and display the log in screen to allow another user to log in. This feature is also tied to the **F12** hotkey.

Log Out

This will log out the currently logged in user.

New Item

This will generate a new item barcode using the preset configuration in **Settings > Options > User And Item Barcodes** in the Barcode Id Configuration section. There are two types of presets that can be configured, primary and secondary. A primary item will draw its Barcode Id from the primary barcode configuration and the secondary item will draw its Barcode Id from the secondary barcode configuration. The **F3** hotkey creates an item from the primary configuration setting and the **Ctrl + F3** hotkey creates an item from the secondary configuration setting.

New User

This will generate a new user barcode using the preset configuration in **Settings > Options > User And Item Barcodes** in the User Id Configuration section. This feature is tied to the **F4** hotkey.

Exit

Clicking this will close the TCMMax® program.

Import/Export Records

The Import/Export screen allows a user to populate the current TCMMax® Database with Data from another Version 9 Database, an Excel spreadsheet, or from a Version 8 TCMMax® Database. To access this feature the user must have a valid User Id and Password and have the **Access Import/Export** permission in User Options.

Version 9 to 9 Copy

The screenshot shows the 'Import / Export' window with the 'Version 9 to 9 Copy' tab selected. The window has a title bar with a minimize/maximize icon. Below the title bar are three tabs: 'Version 9 to 9 Copy', 'Excel Import', and '8.10 to 9 Migration'. The main content area is divided into two panels. The left panel contains four sections: 'Source Database: Connection' with a 'Set Source' button; 'Destination Database: Connection' with a 'Set Destination' button and a text field showing 'Server Name = [redacted]; Database Name = [redacted]'; 'Shop Code Selection' with a dropdown menu labeled 'Select the shop code(s) to copy from the source database:'; and 'Options' with a help icon and three checkboxes: 'Copy all users from source' (checked), 'For conflicts, overwrite destination data' (unchecked), and 'Update previously copied data' (unchecked). To the right of the 'Options' section is a 'Table Exclusions' box with two checkboxes: 'Event Log' (checked) and 'Issued Items' (unchecked). At the bottom of the left panel are two buttons: 'Start Copy' and 'Copy Event Logs'. The right panel is titled 'Copy Status' and is currently empty. A 'Close' button is located in the bottom right corner of the window.

Import / Export

Version 9 to 9 Copy Excel Import 8.10 to 9 Migration

Source Database: Connection

Set Source

Destination Database: Connection

Set Destination

Server Name = [redacted]; Database Name = [redacted];

Shop Code Selection

Select the shop code(s) to copy from the source database:

Options ?

☒ Copy all users from source

☐ For conflicts, overwrite destination data

☐ Update previously copied data

Table Exclusions

☒ Event Log

☐ Issued Items

Start Copy


Copy Event Logs

Copy Status

Close

The **Version 9 to 9 Copy** tab allows for you to copy Data from one Version 9 TCMMax® Database to another Version 9 TCMMax® Database. Set the source Database by clicking on the **Set Source** button

and set the destination by clicking on the **Set Destination** button and then provide the appropriate information in the **Connection Properties** window that appears.




The screenshot shows the 'Connection Properties' dialog box. It has a title bar with a question mark and a close button. The dialog is divided into several sections. The first section, 'Data source:', contains a text box with 'Microsoft SQL Server (SqlClient)' and a 'Change...' button. The second section, 'Server name:', contains a dropdown menu with a blurred selection and a 'Refresh' button. The third section, 'Log on to the server', has two radio buttons: 'Use Windows Authentication' (unselected) and 'Use SQL Server Authentication' (selected). Below these are text boxes for 'User name:' (containing 'Username') and 'Password:' (containing masked characters). There is also a 'Save my password' checkbox. The fourth section, 'Connect to a database', has two radio buttons: 'Select or enter a database name:' (selected) and 'Attach a database file:' (unselected). The selected option has a dropdown menu showing 'TCS'. The unselected option has a text box and a 'Browse...' button. Below these is a 'Logical name:' text box. At the bottom right of the dialog is an 'Advanced...' button. At the very bottom are three buttons: 'Test Connection', 'OK', and 'Cancel'.

Provide a Server Name, Authentication Information, and the Database in which the Data is stored for both the source and destination databases.

The copy can be done for all shop codes or for a specific shop code by selecting the appropriate shop code option(s) from the **Shop Code Selection** drop down box.

Select the shop code(s) to copy from the source database:



The screenshot shows a dropdown menu with a blue header bar. Below the header, there is a list of items. The first item is 'Unassigned Shop Codes:' with a checkbox to its left. Below this are four items: 'TCMax Demo Shop', 'Sheet Metal', 'NDI', and 'ATC Boxes', each with a checkbox to its left. The dropdown menu is currently open, showing the list of items.

Copy Options

There are several options that dictate how Data will be copied from the source to destination Databases.

Options ?

☒ Copy all users from source

☐ For conflicts, overwrite destination data

☐ Update previously copied data

Table Exclusions

☒ Event Log

☐ Issued Items

Copy All Users From Source: This option, when enabled, will force all users in the source Database to be copied to the destination. When not enabled, only users assigned to your selected site and users who have not been assigned a site will be copied over.

For conflicts, Overwrite Destination Data: This option will overwrite any Data in the destination Database that has the same unique constraints (Shop Code and Barcode Id) as an item in the source.

Update Previously Copied Data: This option updates Data that has already been copied from the selected source to the selected destination. This Data is identified by the 'SyncId' applied to the item in the TCMa[®] Database.

Table Exclusions: These tables can be skipped during the copy the process. Event Log is excluded by default.

Start Copy

Copy Event Logs

Once you have your source and destination databases set and your shop code(s) and options selected you can click the **Start Copy** button to copy Data from the source to destination. The **Copy Event Logs** button allows the user to copy the event logs independently if they were excluded from the initial data copy. The Event Log table can be quite vast and separating the movement of data allows for a more efficient use of available computing resources and improved performance during this operation.

During the Copy process, you will see several progress bars appear in the Copy Status section. If there are any errors during the copy you will be notified there as well.

! INFO

Regardless of how you have brought new Data into your system, if you did not import information into an already existing/selected shop code you will need to select the newly imported shop code from the **Settings > Sites and Shops** screen to have visibility of the items.

Excel Import

 Import / Export

Version 9 to 9 Copy Excel Import 8.10 to 9 Migration

Create Spreadsheet Template

Items ▼

Create Spreadsheet

Load Spreadsheet

Import

Close

The **Excel Import** tab is used to import well formatted Excel spreadsheets of information into TCMaX®. Using Excel spreadsheets, you can import Items, Users, Item Inspections, and User Certifications.

To load a spreadsheet for import, click the **Load Spreadsheet** button which will open a Windows Explorer window that you will use to navigate to and select the spreadsheet. Once you have selected the spreadsheet, the Data from the sheet will be displayed in the grid of this tab.

Version 9 to 9 Copy

Excel Import

8 to 9 Migration

We are attempting to add records to the Items Table. Items that already exist will not be inserted.

	BarcodeId	ShopCode	ParentBarcode	Name	StorageLocatio	NSN	PartN
1	AR560	Default		Roll Cab, Double Bank, 13 Drawers, Red	Tool Room		KRA52
2	AR561	Default	AR560	Ratchet, Sealed Head (High Strength), Long Handle,	Drawer 1		THL936
3	AR562	Default	AR560	Speeder, 16" long	Drawer 1		TMS4E
4	AR563	Default	AR560	Driver, Long Shank, Standard handle, 1/4" female s	Drawer 2		TM9CS
5	AR563	SHOP One	AR560	Driver, Long Shank, Standard handle, 1/4" female s	Drawer 2		TM9CS
6	AR560	SHOP One		Roll Cab, Double Bank, 13 Drawers, Red	Tool Room		KRA52

*****The Following Cells were not imported*****

Data Grid Row Index - 2, Excel Row Index - 3, Column Name - Name :

Value Length is to long. Max Length is 50. The value will be truncated.

Data Grid Row Index - 4, Excel Row Index - 5, Column Name - Name :

Create Spreadsheet Template

Items

Create SpreadSheet

Load Spreadsheet

Import

Close

Review the Data in this grid and make any changes necessary prior to import. The text section in the bottom left hand corner of this screen will provide more information as to why specific pieces of information may not be imported into TCMax.

When you are ready to import the Data, click the **Import** button. When the import has finished the results will be displayed in the grid. If a field is highlighted in red then the Item was not able to be imported, the reason for which is found in the Result field of the grid. Make sure you check the results to ensure the items were imported.

TIP

The spreadsheet import is limited to importing up to 10,000 records at a time.

You can also create template spreadsheets for Items, Item Inspections, Users, and User Certifications by selecting the template you would like to create from the dropdown menu in the **Create**

Spreadsheet Template area and clicking the **Create Spreadsheet** button. When using the template you created, do **not** delete any of the columns, as TCMa^x® needs those to read the Data properly.

 INFO

Regardless of how you have brought new Data into your system, if you did not import information into an already existing/selected shop code you will need to select the newly imported shop code from the **Settings > Sites and Shops** screen to have visibility of the items.

Migrations

 Import / Export

Version 9 to 9 CopyExcel Import8.10 to 9 Migration

Connect Version 8 AttachmentsPackage Migration Logs

Source Database: Connection

Set Source

Select a database type: ☒ Sql Server ☐ Access

Destination Database: Connection

Set Destination

Server Name = "XXXXXXXXXXXXXXX\XXXXXX"; Database Name = "XXXXXX";

Step One: Verify Source Database

This will verify your source database is up to date and all datatypes are correct for the migration of your existing data. It is required that you run this verification before syncing data.

Verify Source Database

Step Two: Sync Data

This will transfer existing data from the source to the new database objects in the destination database.

Sync Data

(Optional) Step Three: Clear Old Data

This will remove all old database objects no longer used by this version of the software in your destination database.

Remove Old Data

Close

The **Migrations** tab allows you to bring Data from Version 8 of TCMa^x® to Version 9 of TCMa^x®. This function can migrate Data from both SQL Server and Microsoft® Access Databases.



MIGRATING FROM MICROSOFT® ACCESS

Migrating from Microsoft® Access is no longer an option in Version 9.8.7853 and higher of TCMax®. If you do not see this option available and are trying to migrate, contact our Customer Support Center (419) 442-7676 for additional assistance.

Migrate from SQL Server

! INFO

When performing an 8 to 9 Migration, we require that the Source and Destination Database be on the same Server.

If your Version 8 Data is in a Microsoft SQL Server® Database, select the **SQL Server** radio button and then click the **Set Source** button which will bring up a **Connections Properties** window.

Connection Properties

Data source:
Microsoft SQL Server (SqlClient) Change...

Server name:
localhost Refresh

Log on to the server

☐ Use Windows Authentication

☒ Use SQL Server Authentication

User name: Username

Password: ••••••••

☐ Save my password

Connect to a database

☒ Select or enter a database name:
TCS

☐ Attach a database file:
Browse...

Logical name:

Advanced...


Test Connection OK Cancel

Enter the information for your Server, log in method, and Database. Click the **Test Connection** button and if it says “Test connection succeeded” you can click the **OK** button to proceed. If it gives any other result than “Test connection succeeded,” take note of the error indicated and correct the connection information.

Click the **Set Destination** button and follow the same steps, except in this case you will enter the destination Server’s information. The Database you are currently connected to is selected by default.

Step One - Verify Source Database: To verify that your source Database is up to date and all datatypes are correct you will need to click the **Verify Source Database** button. This step is not optional and must be completed before progressing to step two.

Step Two - Sync Data: At this point you can click the **Sync Data** button to move the Data into your destination Microsoft SQL Server® Database. Once this button is clicked, TCMaX® will ask if tool chits were used in the previous version of TCMaX®. If tool chits were entered in TCMaX® Version 8, click yes, otherwise click no.



During the sync, information will appear on the screen letting you know what step of the process you are on.

After the sync is complete, you will be prompted with the **Migrate Special Options Data** screen which you can [read more about below](#).


Step Three (Optional): You can remove any old Database objects that will no longer be used by TCMaX® by clicking the **Remove Old Data** button.

Migrate from Microsoft® Access

MIGRATING FROM MICROSOFT® ACCESS

Migrating from Microsoft® Access is no longer an option in Version 9.8.7853 and higher of TCMaX®. If you do not see this option available and are trying to migrate, contact our Customer Support Center (419) 442-7676 for additional assistance.

If you are using a Microsoft® Access Database select the **Microsoft® Access** radio button and then click the **Browse** button which will bring up a Windows Explorer window that can be used to navigate to your Microsoft® Access Database. Find and select your Microsoft® Access Database and click the **Open** button on the Explorer window. This will put the file path in the Source Database area. Click the **Set Destination** button to set your destination.



The screenshot shows the 'Import / Export' dialog box with the '8.10 to 9 Migration' tab selected. The 'Source Database: Connection' section has the 'Set Source' button and 'Access' selected as the database type, with the path 'C:\Soaring Software\TCMaX\TCS.mdb' entered. The 'Destination Database: Connection' section has the 'Set Destination' button and the text 'Server Name = "Microsoft SQL Server"; Database Name = "TCMaX";'. Below these are three steps: 'Prerequisite: Transfer Access Database To Sql Server' with a 'Transfer Access Database' button, 'Step One: Verify Source Database' with a 'Verify Source Database' button, and 'Step Two: Sync Data' with a 'Sync Data' button. A 'Close' button is at the bottom right.

Import / Export

Version 9 to 9 Copy Excel Import 8.10 to 9 Migration

Connect Version 8 Attachments Package Migration Logs

Source Database: Connection

Set Source

Select a database type: ☐ Sql Server ☒ Access

C:\Soaring Software\TCMaX\TCS.mdb

Destination Database: Connection

Set Destination

Server Name = "Microsoft SQL Server"; Database Name = "TCMaX";

Prerequisite: Transfer Access Database To Sql Server

This will migrate your Access tables to your destination Sql database. This step must be completed before continuing. If your Access database is password protected, you will be prompted in the command window (green colored text) to enter this in. The command window will close when the migration is complete.

Transfer Access Database

Step One: Verify Source Database

This will verify your source database is up to date and all datatypes are correct for the migration of your existing data. It is required that you run this verification before syncing data.

Verify Source Database

Step Two: Sync Data

This will transfer existing data from the source to the new database objects in the destination database.

Sync Data


Close

After you have chosen your Microsoft® Access Database and your destination SQL Database you would proceed to Step One: Transfer Access Database to SQL Server. **This process requires you to have SQL Server Migration Assistant (SSMA) installed on your computer.** This is part of the complete TCMaX® Version 9.X installation but can also be installed separately by going to

Microsoft's website and downloading the installer. A temporary copy of your Database is made, and that copy is the one that is interacted with, so no changes will be made to your Access Database. This process also requires some form of the Microsoft® Access Database Engine which can also be downloaded and installed by going to Microsoft's website.

Transfer Access Database to SQL Server

Once you click the **Transfer Access Database button**, TCMa[®] will launch a command window (below) which will show text explaining all of the things it's doing but you will need to interact with it once it stops and has a green line of text.




```
C:\Program Files (x86)\Microsoft SQL Server Migration Assistant for Access\bin\SSMAforAccessCo...
[7/16/2015 1:40:53 PM] MESSAGE generic Microsoft SSMA for Access v6.0.0
[7/16/2015 1:40:53 PM] WARNING Server target_ServerAuth password is provided in non-secure cleartext form. SSMA Console application provides an option to protect the password through encryption. Please see -securepassword option in SSMA help file for more information.
[7/16/2015 1:40:53 PM] WARNING Server target_Azure password is provided in non-secure cleartext form. SSMA Console application provides an option to protect the password through encryption. Please see -securepassword option in SSMA help file for more information.
[7/16/2015 1:40:53 PM] MESSAGE generic ##### Start processing command sequence..
[7/16/2015 1:40:53 PM] START create-new-project
[7/16/2015 1:40:53 PM] MESSAGE generic Creating project 'AccessMigrationProject'
[7/16/2015 1:40:54 PM] FINISH
[7/16/2015 1:40:54 PM] START load-access-database
[7/16/2015 1:40:54 PM] MESSAGE generic Adding access database 'C:\Users\Public\Documents\TCMax\Database Backups\TCMaxAccessBackup.ndb'
[7/16/2015 1:40:55 PM] INPUT Enter password for C:\Users\Public\Documents\TCMax\Database Backups\TCMaxAccessBackup.ndb:
```

If There Are Errors


If you don't see the screen below, the import process completed without any errors and you can skip to **Step Two: Verify Source Database**. If you see the screen below, SSMA failed to bring some of the Data over from Access. If the errors contain text stating that a key column does not allow DBNull.Value, you can click the **Attempt Automatic Repair** button at the bottom of the window.

! INFO

This can only be done if you have Microsoft Office 2010 or higher installed on this machine. Otherwise, contact Soaring Software Solutions, Inc for help.



When you click the **Attempt Automatic Repair** button, TCMa[®]x will display a message explaining this process and when you click **OK** it will attempt to tell Microsoft[®] Access to Compact and Repair the temporary copy of your Microsoft[®] Access Database which should remove the records without primary key values. Microsoft[®] Access will ask you to enter your Database Password. Depending on your operating system and Windows setup you might not see this password input box. If you just see a spinning wheel / wait cursor try hitting **Alt + Tab** until you find the password input box. It will not be displayed on your taskbar but should look like the image below.



Once the Database Password has been correctly input and you have clicked **OK** you will see the black command prompt window again. It should stop on the green line of text and you'll have to enter your password once again.

If you still see the SQL Server Migration Assistant Errors window, contact Soaring Software Solutions, Inc for help.

Step Two - Verify Source Database: Once SSMA has moved all of your old Version 8 Access Data into temporary tables in your new Database you can proceed to Step Two which is Verify Source Database. Clicking the **Verify Source Database** button will allow TCMaX® to verify that the old Microsoft® Access Data is complete and ready to be synchronized. Once this step has completed proceed to Step Three: Sync Data.

Step Three - Sync Data: At this point you can click the **Sync Data** button to move the Data to your Microsoft SQL Server® Database. During the sync, information will appear on the screen letting you know what step of the process you are on.

Step Four (Optional) - Clear Old Data: You can remove any old Database objects that will no longer be used by TCMaX® by clicking the **Clear Old Data** button.

Migrate Special Options Data

During the Migration process, a **Migrate Special Options Data** window will appear. This window is used to let us know how the Data needs to be copied based off of the options you were using in Version 8 of TCMaX®.

Migrate Special Options Data

Shop Code Selection
Select the shop codes you would like to run this tool against. If you select a shop code that has already had an option ran against it, it will not be available until the shop code is deselected.

☐ Default
☐ Test
☐ ATC Boxes
☐ Armory

Skip Selected Shops

Select All Deselect All

Times Used Inspections
If you have used the 'Ask for number of times an item was actually used' option, click this migrate button.

Migrate

Air Force
If you have previously used the Air Force captions in TCMaX and use any of the following options, click this migrate button.

Migrate

Navy HazMat
If you have previously used the U.S. Navy HazMat option in TCMaX and use any of the following options, click this migrate button.

Migrate

Air Force Security Forces
If you have used the U.S. Air Force Security Forces captions in TCMaX and use any of the following options, click this migrate button.

Migrate

Close

Select the Shop Code(s) that you would like to run the tool against and click the **Migrate** button under the Special Options that you were using. Once this is finished you can click the **Close** button to close this window and return to the **Import/Export** screen.

 NOTE

Regardless of how you have brought new Data into your system, if you did not import information into an already existing/selected shop code you will need to select the newly imported shop code from the **Settings > Sites and Shops** screen to have visibility of the items.

Printer Settings

 **Printer Settings** ✕

Printer Settings

You may set which printer will be used for printing labels, pages, and receipts below. The label printer has label definition settings, which define how labels are printed. Please configure these settings before printing labels.

Label Printer: Microsoft Print to PDF ▼

[Modify Label Definition](#)

Page Printer: Microsoft Print to PDF ▼

Receipt Printer: Microsoft Print to PDF ▼


Label Details

Label details are now independent of label definitions. You may set label details for user, item, and course labels. Click the button below to configure details.


[Modify Label Details](#)

Close

Printer Settings is located from **File > Printer Settings**.



If you are using TCMMax Version 9.7.7202.16222 or older then Printer Settings will be located from **Settings > Options > Labels and Printers**.



 Options

General Options User And Item Barcodes Captions and Presets Custom Captions Audio Prompts **Labels and Printers**

Printer Settings

You may set which printer will be used for printing labels, pages, and receipts below. The label printer has label definition settings, which define how labels are printed. Please configure these settings before printing labels.

Label Printer: [Modify Label Definition](#)

Page Printer:

Receipt Printer:

Label Details

Label details are now independent of label definitions. You may set label details for user, item, and course labels. Click the button below to configure details.

[Modify Label Details](#)

Printer Settings

The **Printer Settings** area is used to point TCMMax® to the correct printer. There are options for Label Printer, Page Printer, and Receipt Printer. As long as proper drivers are installed and the computer can see the printer, TCMMax® will have the printer available from the dropdown.

Label Printer – The printer that is used when printing labels such as User and Item Barcodes.

Page Printer – The printer that you will send all reports to.

Receipt Printer – The printer used when printing item receipts.

Modify Label Definitions

The **Label Definition** area is where you can set / configure your label definitions.

If **Modify Label Definition** is selected, you will be taken to a Label Configuration screen. From the Label Configuration screen, TCMa[®] will display three tabs, Label Definition, Page Layout, and Barcode / Label.

Label Definition

The **Label Definition** tab allows you to select a predefined label definition or save a definition file.

The **Load From File** button can be used to select a predefined label definition (saved into your C:\Users\Public\Documents\TCMa\Label Definitions folder by default). We distribute several label definitions for the most popular printers and label sizes used with TCMa[®]. The **Save To File** button allows you to save a label definition you create or alter to the same location.

Page Layout

The **Page Layout** tab allows you to define the unit of measure for the labels, the margin range, and if printing full pages, the columns, rows, and distance between the two.

Barcode / Label

The **Barcode / Label** tab allows you to adjust the label and barcode settings.

Label Details

The **Label Details** area is where you set what information will be printed where on your label with respect to the barcode that's printed. Select the field of information you want to be printed from the dropdown box in the position you would like that Data to appear on the label.



Select the label type you wish to edit details for:

Item

Label Details

Detail #1: Name

Detail #2: Parent

Detail #3: BarcodeId

Detail #4:

Hidden character prefix:

Label Preview (Code 39 / Code 128):

Name Parent



BarcodeId

Label Preview (Data matrix):



Name

Parent


BarcodeId

Save

Cancel

Print Item Label


Print Item Label is located from **File > Print Item Label** or by hitting **Ctrl + P** on your keyboard.



This will print a barcode for the item currently displayed on the Main Screen. The Item Label will be printed out of the selected Label Printer in Printer Settings.

Print User Label


Print User Label is located from **File > Print User Label** or by hitting **Ctrl + Shift + P** on your keyboard.



This will print a barcode for the user currently displayed on the Main Screen. The User Label will be printed out of the selected label printer in Printer Settings.

Print Current Work Location Label

Print Current Work Location Label is located from **File > Print Current Location Label**.




This will print a barcode for the work location currently displayed on the Main Screen. The Current Work Location Label will be printed out of the selected label printer in Printer Settings.


Backup and Database Maintenance

Backup Options


If you are using a Local Database, backups for your Database will be done directly through TCMMax®. This is done by hitting **F11** or going to **File > Backup Options**.



From **File > Backup Options** you can set / change the backup path.



From **File > Backup Options** you can also view your current backup path.




! INFO

If you are using a SQL Server to host the Database, the backup will need to be done directly from the Server. This action cannot be performed within the TCMMax® software. When connected to a SQL Server, the Backup Options menu will not be available.

Database Maintenance


Use this screen to create a backup of a Database, change a Database Connection String, restore TCMMax® Demo Data, migrate options used in TCMMax® Version 8 into TCMMax® Version 9.X, clean-up the EventLog table, or delete Sites and Shop Codes.

To access the Database Maintenance screen, you must first be logged in as someone who has the **Access Database Maintenance** permission and go to **File > Database Maintenance**.



You will be prompted to enter your TCMMax® credentials again. This is to verify that you, the Admin, is still present when attempting to access such a critical screen. This additional login removes the chance of an Admin forgetting to log out and having someone else make changes on their behalf.

Once you've loaded the Database Maintenance screen, select the appropriate tab from the top tool bar and perform your desired action. Each tab is explained in the following sections.




To exit the **Database Maintenance** screen at any point, **click Close** located in the bottom right hand corner of the window. This will exit out of the screen and go back to the TCMax® Main Screen.

Backup Database

! INFO

This is only available if you are connected to a Local Database.




This tab can be used to set your backup path, create a backup, or restore from a backup. To set a backup path click the **Set Backup Path** button and use the browser that pops up to select your backup location.


! INFO

When selecting a backup path, make sure it follows your organizations best practices for handling backups. It is advised that the backups be stored in an area accessible to all users of the machine that TCMax® is installed on. It is also advised that a copy of the backups be kept independent of the machine, i.e., copied to a removable hard drive or CD/DVD-RW, in the event of the loss of the machine, a copy of your Data will still be available for recovery.


To create a backup, click the **Backup Database** button. Upon completion, you will be presented with the following message indicating where the backup is stored.



To restore from a backup, click the **Restore Database** button. Upon doing so you will see the following warning:




Clicking **Yes** will then open a Windows File Explorer that you can use to find and select your backup. When you select your backup, TCMax® will begin the restore process. When it finishes you will be presented the following message:



Clicking **OK** will cause TCMax® to close and restart. If TCMax® doesn't automatically restart it can be launched from the desktop shortcut.

Change Database Connections

Click the **Change Database Connection** button and enter the necessary connection information in the **Connection Properties** window that appears. If the Database is a Local Database, you can detach the current Database from LocalDB by clicking on the **Detach Current Database (LocalDB Only)** option.




TIP

When connecting to a new Database, TCMa[®]x will need to restart before any changes take effect.

Demo Data

Upon initial install, the option to include Demo Data will be presented to the user, so depending on the initial setup of TCMa[®]x, the '**TCMa[®]x Demo Shop**' could be installed in the current Database. The TCMa[®]x Demo Shop is a preprogrammed shop code which includes demo users and items built into the Database for training purposes.

Use the TCMa[®] Demo Shop Data with our Quick Start PDF guide to help familiarize you with how TCMa[®] runs and operates. You can restore or include the Demo Data by clicking the **Restore Demo Data** button on this tab.



Migrations

Use this tab to migrate any special options used in TCMa[®] Version 8 over to TCMa[®] Version 9. Special options include: Shop Code Selection, Times Used Inspections option, Air Force captions, Navy HazMat option, and Air Force Security Forces captions. If you used any of those options in TCMa[®] Version 8, this screen will allow you to migrate them over to be used in TCMa[®] Version 9. The **Migrations** screen shows up as part of your Data migration on the **Import/Export** screen, however, if you need to migrate those special options after your import has completed, you can do so from this tab.



Database Maintenance

Backup Database

Change Database Connections

Demo Data

Migrations

Data



Here you can gain access to the special migrations screen. This is the screen that appears when you are migrating your database to ask if you used any special TCMax options. These special transfers can only be used once and are non reversible. Make sure you know what options you had set and make a backup of your database before using this screen.

[Open Special Migrations](#)

Close

Database Tools

! INFO

Deleting log records will be applicable to Versions **9.8.9420.23888** or older of TCMax®.

In Versions **9.8.9580.24506** or newer of TCMax®, log records will need to be deleted from the Server end.


Database Tools can be used to purge old historical Data from the Database. Event log records created prior to the date selected in the date selection box can be deleted upon clicking the **Deleted Logs** button.

i NOTE

It is advised that a backup of the Database be created prior to deleting any EventLog records.

Rebuild Indexes can rebuild indexes in your TCMax® Database if they have become corrupted. This may lead to an increase in performance of the Database if it has become slow due to internal SQL

errors.



The screenshot shows a 'Database Maintenance' window with a tabbed interface. The tabs are 'Change Database Connections', 'Demo Data', 'Migrations', 'DatabaseTools' (which is highlighted with a red box), and 'Shop Codes'. The 'Delete Log Records' section contains a text box with the date '11/17/2021' and a 'Delete Logs' button. The 'Rebuild Indexes' section contains a 'Rebuild Indexes' button. A 'Close' button is located at the bottom right of the window.

Shop Codes


WARNING

All changes made to shop codes are instant and permanent.


To delete a shop code, select the row of the shop code you want to delete. This should highlight the whole row blue (see image below). After the row is selected click the **Delete Selected Shop Code** button.

TIP

You cannot delete a shop code that is set as your Primary Shop Code. To adjust the primary shop code, go to **Settings > Sites and Shops**.



A message box will appear asking to confirm your action. If **No** is selected TCMa[®]x will cancel the selection and exit back to the Database Maintenance screen. If **Yes** is selected TCMa[®]x will present another screen where you will have to confirm the selection and type a message displayed word for word like the example below to confirm the deletion of the shop code.



Once the message is typed out and complete click **OK**. The Shop Code will be deleted and will no longer exist. If you click **Cancel** TCMa[®]x will exit to the Database Maintenance screen.

Deleting a Shop Code will alter historical EventLog Data generated in that shop which might prevent those records from appearing on some reports.

Sites

WARNING


All changes to sites are instant and permanent.

Deleting a site out of the Database will make all shop codes assigned to the particular site available for all computers to access until assigned to another site.


To delete a site, select the row of the site to be deleted; this should highlight the whole row blue (see image below) after the row is selected click the **Delete Selected Site** button. You will only be allowed to delete a site or sites that you are not currently connected to.

TIP

You cannot delete a site that is set as your site you are viewing. To adjust the site, go to **Settings > Sites and Shops**.




A message box will appear asking to confirm your action. If **No** is selected TCMa[®]x will cancel the selection and exit back to the Database Maintenance screen. If **Yes** is selected TCMa[®]x will present another screen where you will have to confirm the selection and type the message displayed word for word like the example below to confirm the deletion of the site.



Once the message is typed out and complete click **OK**. The site will be deleted and will no longer exist in TCMa[®]x. If you click **Cancel** TCMa[®]x will exit to the Database Maintenance screen.


Asset History Tracking



The image shows a software window titled "Database Maintenance". It has a tabbed interface with tabs for "Migrations", "DatabaseTools", "Shop Codes", "Sites", "Asset History Tracking" (which is selected and highlighted with a red box), and "Auto". Below the tabs, there is instructional text: "Here you can set up each shop to have asset history tracking activated or deactivated. When activating a shop all assets in the shop will create restore points when modified." The main area is divided into two columns: "Deactivated Shops" on the left and "Activated Shops" on the right. The "Activated Shops" column contains one entry, "TCMax Demo Shop (Default)". Between the columns are two circular buttons with blue arrows: ">>" (pointing right) and "<<" (pointing left). At the bottom of the window, there is a label "Default days to allow users to restore back to:" followed by a text box containing the number "90". A "Close" button is located in the bottom right corner.

Asset History Tracking allows a user to track certain modifications made to items and can be used to restore an item to a previous state if the modification was made in error. Asset History Tracking is enabled per Shop Code.

To activate Asset History Tracking for a Shop Code, highlight the chosen shop from the Deactivated Shops list and click the >> button to move the shop to the Activated Shops list. You will then be prompted to set the number of days you would like to track modifications for that shop.



The image shows a dialog box titled "TCMax Demo Shop Restore Days". It has a dark background with white text. The text inside says: "Please enter the amount of days to allow the user to be able to restore to. Leaving the value at 0 will set it to the default value (90)." To the right of this text is a text input field containing the number "0". At the bottom of the dialog box, there are two buttons: "OK" and "Cancel".


Enter the number of days that you wish to set (leaving it as 0 sets it to the default value) and click **OK**. Once you do this, the shop will appear in the Activated Shops list with the number of days a user can restore to displayed next to it.

To deactivate Asset History Tracking, click on the shop listed in the Activated Shops list and click the << button to move the shop code to the Deactivated Shops list.

To view further information in regards to Asset History Tracking, please click the following [link](#).

Auto Load Preset

You can set a default preset to load when a specific shop code is set as a machines default shop code. This allows you to standardize the options that are set in **Settings > Options** for all machines in a given shop. Select the shop code you would like to assign the preset to, use the Presets dropdown to assign the preset to that shop and click the Save button on the bottom right hand corner of this screen.




The screenshot shows a software window titled "Database Maintenance". It has four tabs: "Shop Codes", "Sites", "Asset History Tracking", and "Auto Load Preset". The "Auto Load Preset" tab is selected and highlighted with a red rectangle. Inside the window, there are two main sections. On the left, under the heading "Shopcodes", there is a list box containing one item, "TCMax Demo Shop", which is highlighted with a blue selection bar. On the right, under the heading "Presets", there is a dropdown menu currently showing "None". At the bottom right of the main content area, there is a blue "Save" button. At the very bottom right of the window, there is a "Close" button.

Asset History Tracking


Asset History Tracking is a feature that allows a user to track certain modifications made to items and can be used to restore an item to a previous state if the modification was made in error.

To use this feature, it first must be enabled for the shop code the item(s) exist in through **File > Database Maintenance > Asset History Tracking**.


To open the Asset History screen, display an item on the Main Screen and then hit **Ctrl + H** on your keyboard. If the item has no history associated with it or if Asset History Tracking is not enabled, you will see the following prompt.



If the item does have history associated with it then the Asset History screen will open.



On the left side of the screen the item is displayed along with all available restore points for that item.



The restore points are ordered by the date and time that the modifications have been made. When a restore point is selected you will see who was logged in at the time the change was made and how many changes were made at that time. When a restore point is selected the left side of the screen will display the item status prior to and after that modification has been made.

Click the item state you would like to commit.



Before Modification(s)	After Modification(s)
BarcodeId: 601	BarcodeId: 601
Name: Hammer	Name: 5lbs Sledge
StorageLocation: Top Drawer	StorageLocation: Top Drawer
NSN:	NSN:
DaysToCalibrate: 0	DaysToCalibrate: 0
SerialNumber: 134354235	SerialNumber: 134354235
SingleBarcodeMultiItem: ☐	SingleBarcodeMultiItem: ☐
IssueMoreThanOne: ☐	IssueMoreThanOne: ☐
Consumable: ☐	Consumable: ☐
DoNotTurnIn: ☐	DoNotTurnIn: ☐
MinMaxByPN: ☐	MinMaxByPN: ☐
DoNotReorder: ☐	DoNotReorder: ☐
MaxInStock: 1	MaxInStock: 1
ReorderQuantity: 0	ReorderQuantity: 0
QuantityInUnit: 1	QuantityInUnit: 1
UnitOfIssueText: Each	UnitOfIssueText: Each
Cost: 5.5000	Cost: 5.5000
Notes:	Notes:
Length: 0.0000	Length: 0.0000
Width: 0.0000	Width: 0.0000
Height: 0.0000	Height: 0.0000
Weight: 0.0000	Weight: 0.0000

If you would like to restore the item to its previous status, click the **Review Commit** button in the bottom right hand corner of the screen. When you click the **Review Commit** button, a Review screen will be displayed that allows you to see what Data will be reverted. The values highlighted in green from the selected restore point will be pushed to the item's current state, and the Data highlighted in red will be overwritten.

Asset History

Restore Changes | Review


Please review all differences before committing the selected restore point.

Selected Restore Point:	Items Current State:
BarcodeId: 601	BarcodeId: 601
Name: Hammer	Name: 3lbs Sledge
StorageLocation: Top Drawer	StorageLocation: Top Drawer
NSN:	NSN:
DaysToCalibrate: 0	DaysToCalibrate: 0
SerialNumber: 134354235	SerialNumber: 134354235
SingleBarcodeMultiItem: ☐	SingleBarcodeMultiItem: ☐
IssueMoreThanOne: ☐	IssueMoreThanOne: ☐
Consumable: ☐	Consumable: ☐
DoNotTurnIn: ☐	DoNotTurnIn: ☐
MinMaxByPN: ☐	MinMaxByPN: ☐
DoNotReorder: ☐	DoNotReorder: ☐
MaxInStock: 1	MaxInStock: 1
ReorderQuantity: 0	ReorderQuantity: 0
QuantityInUnit: 1	QuantityInUnit: 1
UnitOfIssueText: Each	UnitOfIssueText: Each
Cost: 5.5000	Cost: 5.5000
Notes:	Notes:
Length: 0.0000	Length: 0.0000
Width: 0.0000	Width: 0.0000
Height: 0.0000	Height: 0.0000
Weight: 0.0000	Weight: 0.0000

Commit Changes Close

If you are satisfied with the changes to be made, click the **Commit Changes** button to revert the item.

If you commit the changes, you will be presented with the following prompt indicating that the change completed successfully:



Once the changes have been made, you will be taken back to the Main Screen of TCMMax®.

Clicking the **Close** button will cancel the reversion and close the Asset History screen.

Deployment Connection Options

INFO

Deployment Connection Options will be applicable to Versions **9.8.8922.28031** or older of TCMa[®].

Versions **9.8.8992.16156** or newer of TCMa[®] will implement a new screen called [Deployment Data Manager](#). Deployment Connection Options will fall under a legacy mode in those Versions. Users will have the ability to switch to legacy mode, if needed.

DANGER

There are compatibility constraints when deploying a Database, therefore it is essential when using the legacy deployment system that your home station and deployment systems are utilizing the same Microsoft SQL Server[®] / Microsoft SQL Server[®] LocalDB versions as well as TCMa[®] product versions.

Importing Deployment Data/Connecting to a Deployment Database

This screen is used to manage connections to Deployment Databases.

To access the **Deployment Connection Options** screen, go to **File > Deployment Connection Options**.

Upon selecting Deployment Connection Options, you will be prompted to enter your User Id and Password (*"Access Database Maintenance" permission is required*). From this screen, you can establish a new connection to a Deployment Database, import Data from another Deployment Database, or make a copy of the Database you are currently connected to.

INFO

This screen is intended to be used on the Deployed instance of TCMax®. If you are packing for a Deployment from your home-station machine, you want to create the Deployment from [Tools > Temporary Item Transfer / Deploy](#).



Deployment Database Options

Use this screen to connect to data prepared for deployment.

If you are looking to create a deployment, close this screen and go to Tools > Temporary Item Transfer/Deploy to create the data for deployment.

New Database Connection

This option will disconnect your current database and change the connection over to the deployment database you selected.

TCMax will be restarted during this operation.

Connect

☐ Detach current database

Merge Deployment Data

Use this option to merge deployment data into your current database.

Merge

Copy Current Database

Make a copy of the database you are currently connected to. This copy can be used to import the transaction history and item details to your main TCMax system, after a deployment is finished.

Copy Database

Additional Option(s)

- ☐ When adding new items prompt for a deployment to assign the item to.
Note: This option is required if new items are expected to be imported into your inventory after a deployment.


Close

New Database Connection

Clicking the **Connect** button in the **New Database Connection** section will display an explorer window that will allow you to navigate to the Database you wish to connect to. In this window, you will navigate to the **SEDF** file you created when exporting the Deployment. Once you have selected the new Database (the **SEDF** file), TCMax® will restart and establish a connection to the selected Database. It is worth noting that TCMax® will not connect to the new Database in the location you pointed it to. It will copy that Database to the **C:\Users\Public\Documents\TCMax** folder, mount that Database to an instance of Microsoft SQL Server® LocalDB, and connect to that Database. If you are connected to a full instance of Microsoft SQL Server® or Microsoft SQL Server® Express, you will be presented with a message box that says if you continue with the operation you will then be connected to a Local Database (LocalDB).

Merge Deployment Data

Clicking the **Merge** button in the **Merge Deployment Data** section will populate a **Deployment Merge** screen.



From the **Deployment Merge** screen, select the **Set Source** button. A File Explorer window will open and allow you to select the Database to merge information from. You will point TCMa^x® to your **SEDF** file you created when exporting for Deployment. This will not create a new Database, but this will merge the information from the exported Deployment into the existing Database on this computer. Once selected, click the **Merge** button to complete the action.

This is typically used when several units are deploying to one location. From that one deployed version of TCMa^x®, you would come to this screen and import each of the deployed unit's Databases to consolidate them all into the one you're currently using.

INFO

If you're connecting to a new Database or importing into an existing Database, if the Deployments contain shops that haven't been set up on the Deployment machine, you'll need to go to **Tools > Sites and Shops** to reconfigure TCMa^x® so that these new shops can be visible from this machine.

Copy Current Database

Clicking the **Copy Database** button in the **Copy Current Database** section will create a copy of the Database you are currently connected to and save it to the location you specify. This creates the **SIDF**

file you would take back to home station. This can then be imported back to their Database after the Deployment to update it with the information generated while deployed. This function is only available if TCMax® is connected to a Local Database. If you are not connected to a Local Database, you will need to take a backup of the Database directly from Microsoft SQL Server® Management Studio and copy the backup (**BAK**) file manually to bring back to home station.

Sample Deployment Scenario

Create a Deployment Database via [Tools > Temporary Item Transfer / Deploy](#), then put that **SEDF** file on a disc or drive you can access from your Deployed location.



TIP

If you have the computer that TCMax® will be used on while Deployed, you could connect the Database before physically deploying.

Once you get settled into your new deployed location, you need to decide how you're going to setup TCMax®. You have some options:

1. **You can connect directly to a copy of that Deployment Database.** This is typically used when one unit is deploying all by themselves and there is no need to keep old Data from the last Deployment.
2. **You can keep your existing Data and merge the deployed assets/personnel into an existing TCMax® Database.** This is typically used when several units are deploying to one common location or if the Deployed location is using TCMax® with existing assets when you arrive.

Once your Deployment is over and you're ready to pack up your assets and head home, you'll want to copy your current Database and throw it on an external drive, disc, network location, etc. that can be accessed by the home-station. Once they have a copy of your Deployment Data, they will go to **Tools > Temporary Item Transfer / Deploy** and follow the steps in the [Returning From Deployment](#) section.

Deployment Data Manager

! INFO

Deployment Data Manager will be applicable to Versions `9.8.8992.16156` or newer of TCMa[®].

Versions `9.8.8922.28031` or older of TCMa[®] will still utilize the [Deployment Connection Options](#). If you are using `9.8.8922.28031` or older on either machine (Deployment or Home Station), you will need to revert to the legacy mode, which can be accessed from **File > Deployment Data Manager > File > Open Legacy Deployment Mode**.

Importing and Exporting Deployment


This screen is used on your Deployment Database to manage connections to Deployments.

To access the **Deployment Data Manager** screen, go to **File > Deployment Data Manager**.

Upon selecting **Deployment Data Manager**, you will be prompted to enter your User Id and Password (*"Access Database Maintenance" permission is required*). From this screen, you can Import a Deployment File brought from Home Station, or Export a Deployment that is being taken back home.


! INFO

If your Deployment file is a .sedf file and not a .xdef file, that signifies the legacy version of creating a Deployment file was used. In **Deployment Data Manager** you will need to select **File > Open Legacy Deployment Data Connections** then refer to [Deployment Connection Options](#) for connecting to the .sedf file.



i NOTE

This screen is intended to be used on the Deployed instance of TCMax®. If you are packing for a Deployment from your home-station machine, you want to create the Deployment from [Tools > Temporary Item Transfer / Deploy](#).



Preparing for Deployment

Before importing a Deployment, you will want to ensure you have switched to a new Database that will not conflict with any Shop Codes or Users from your Deployment file.

If you are currently connected to a Local Database and need to connect to a new Database, go to **File > Deployment Data Manager**. From **Deployment Data Manager**, go to **File > Connect to a New Database**.

After selecting **Connect to a New Database**, a New Database File Connection screen will appear. From here you can adjust the Database location, if needed, and enter a Database Name.



TIP

For the Database Name it is advised you enter a Name that has not been used in the past.

When the directory has been confirmed and the Database Name has been entered, press **Save**. TCMax should restart and provide you with a Connection Properties window that is set to the desired Database. Proceed with generating this new Database.



DON'T INCLUDE DEMO DATA

It is advised to not include Demo Data to prevent Shop Code and User conflicts. It is recommended to add a placeholder Shop Code and User that are unrelated to your Deployment you will be importing.

If you are currently connected to a SQL Server Database and need to connect to a new Database, go to **File > Database Maintenance**. From Database Maintenance, navigate to [Change Database Connections](#).


Enabling Deployments

Clicking the **Enable Deployment Database** button will enable the Deployments section of the Deployment Data Manager screen. When **Enable Deployment Database** is selected, you will receive a popup asking if you are sure you want to enable Deployments on this Database. Before clicking Yes, verify you are on your Deployment Database then select **Yes**.




INFO

When Enable Deployment Database is enabled, the Deployment tab from Tools > Temporary Item Transfer / Deploy (Ctrl + T) will be hidden.



NOTE

As long as a Deployment has not been imported from the Deployments section, you will have the ability to **Disable Deployment Database**.




When a Deployment has been imported, there is no way to disable Deployments.

Importing a Deployment

Select **Import Deployment** and a File Explorer window will open to allow you to navigate to your Deployment file brought from home station (.xdef file). Locate/select the file from the File Explorer

window then press open. You will receive a loading status popup while the Deployment is being imported.



Once the import is finished you will be on the **Deployment Data Manager** screen and you should see your Deployment listed in the grid from the Deployments section. You can import multiple Deployments into one Deployment Database, but you must import them one at a time selecting **Import Deployment** each time.

i NOTE

If multiple Deployments will be imported, ensure no Shop Code or User conflicts arise. If the same User Id exists in multiple Deployments, it will only accept the first imported User as User Ids must be unique in a Database.

Additional Option(s): This option is utilized if you are planning on creating new items while on Deployment. This option will allow a prompt when you add new items asking which Deployment you would like the item to be a part of. This will ensure when bringing the Deployment back home that the newly created item is brought back home and added to inventory at home station.

Once you have imported all your Deployments, click **Close**. You will be presented with the **Sites and Shop Codes** screen. You should see your Shop Codes the items on Deployment are from. Check the box next to any and all Shop Codes you need to view while on Deployment and select **Save**. You will be brought back to the Main Screen of TCMax® where you can now interact with the items you have brought on Deployment.


Exporting a Deployment

When you are done on Deployment and ready to go back home, you will refer to **Export Deployment** within **Deployment Data Manager**.

First, you will need to refer to the **Deployments section** and select the **Deployment** you would like to Export to return home. With the Deployment selected and highlighted you can now Export the Deployment.

Under **Export Deployment**, there is an option to **Export Logs**. Checking Export Logs will export all event logs that were created on Deployment (issue / turn-in records, item modified records, etc.).

If you choose not to select Export Logs, your items will still be exported along with any modifications you have made to the deployed items, however, no event logs will be returned home (issue / turn-in records, item modified records, etc.). With the Export Logs option checked or unchecked, click **Export**. A File Explorer will open and you will navigate to where you would like to save the exported file (.xdif file). By default, a name will be provided that matches the file you imported, this can be changed, if desired. Once you select **Save** on the File Explorer window, you will receive a loading status while the Deployment is being exported.



Once the Export is finished you will be on the **Deployment Data Manager** screen. You can now close out of this screen and take your .xdif file back to home station.

INFO

If you have imported more than one Deployment, you will need to export **EACH** Deployment in order to properly return the individual Deployments at home station.

Modes of Operation



Issue/Turn-In

Issue/Turn-In is the normal mode of operation and is used for all the issuing and turning in ...



Receive Inventory

The Receive Inventory mode of operation is used when receiving inventory on existing multi...



Update

The Update mode of operation allows for updating information on items that have Inspecti...



Display Only

The Display Only mode of operation is used when you want to display an item on the Main ...



Training Completion


The Training Completion mode takes advantage of TCMax® ease of use to assign training ...

Add/Remove Training

The Add/Remove Training mode of operation allows you to assign training to individual use...


Issue/Turn-In

Issue/Turn-In is the normal mode of operation and is used for all the issuing and turning in process.



When you switch to another mode of operation you can return to **Issue / Turn-In** by clicking the mode menu option. When you shut down and re-start TCMMax®, it always reverts to the default **Issue / Turn-In** mode (unless an option is checked to have TCMMax® start in a different mode).

Issue/Turn-in Instructions can also be viewed by pressing  **next to the input box**





Issuing Instructions

Log in to TCMax

Enter the User Id of the User who is receiving items

Enter a Location (can be left blank)

Enter the Barcode Ids for the items to be issued

Follow any additional item specific on-screen prompts

Turn-in Instructions (Single Qty Items)

Log in to TCMax

Enter a Location (can be left blank)

Enter the Barcode Ids for the items to be returned

Follow any additional item specific on-screen prompts

Turn-in Instructions (Multiple Qty Items)

Log in to TCMax

Enter the UserId of the User who is turning in items

Enter a Location (can be left blank)

Enter the Barcode Ids for the items to be returned

Follow any additional item specific on-screen prompts

Close

Issuing Items

Step 1: Enter the User Id of the User Receiving the Items

Enter or scan a User Id in the input box for the user who is receiving items.

When a user is displayed, the [Event Log](#) table (lower left quadrant) switches modes and displays all the items that this user currently has issued to them.

Step 2: Enter Location (Optional)

Scan or type in the Location that the user is taking the item(s) to.

Step 3: Enter Item Barcodes

Enter or scan the Barcode Id(s) of the items the user is taking.

1. If the item's **Issue multiple of this item with single scan** check box is checked from the [Quantity and Status](#) tab on the Main Screen then you will hear the audio **Enter Quantity** and an input box will appear on the screen asking you how many items you want to issue. Enter the appropriate quantity and press the Enter key.
2. If the item is not yet issued out, then the audio **Issue** is heard telling you that the item has been issued.
3. If the item was previously issued and was not properly turned in, then TCMax® responds with the audio **Turn In** telling you that the item has now been returned. In this case immediately re-scan the item. The **Issue** audio is now heard, and the item is properly issued.
4. If the item that you are issuing is overdue calibration or has a "child item" that has an overdue calibration, then the **Overdue Calibration** audio warning is heard. It is followed by the **Issue** audio if the user the items are being issued to has permission to adjust calibration dates otherwise the item is only displayed.
5. If the item that you are issuing has a "child item" that has already been issued (like a torque wrench sent to the calibration lab) then the **Caution-Item Removed** audio warning is heard followed by the **Issue** audio.
6. If the item that you are issuing has an inspection that is overdue, then the **Inspection Overdue** audio warning is heard. That is followed by the **Issue** audio if the option has not been turned on to prevent the issue of overdue inspection items.
7. If you have set the warning lead time in **Settings > Options** for calibrations or inspections to a specific number of days other than zero and this item calibration or inspection date falls into the lead time area (but it is not overdue) then a **Calibration Imminent** or **Inspection Imminent** warning appears, and the item can be issued.

Step 4: Clear User from Main Screen

After issuing items to the displayed user, hit the **ESC** key to clear out the current User Id or scan the next user that you need to issue items to.


Turning Items In

To check in an item, all you need to do is enter the item(s) Barcode Id.

If you are turning in items, it is not necessary to enter a User Id (unless **Settings > Options > General Options > Turn in Options** requires it).

While turning in items, if the User Id is first entered then the [Event Log](#) table (lower left quadrant) switches to display the list of items that are out. This helps spot items that the user failed to turn in. If you happen to be turning in someone else's items, then after turning in the first of their items the table will display the list of items still issued to the other person helping to show you if they forgot to give you all of them.

Items that have the **Multiple items with this same barcode number** and **Issue multiple of this item with single scan** boxes checked as you see below may require a slightly different turn in process.



The screenshot shows a software interface with a tabbed menu at the top. The 'Quantity & Status' tab is selected. Below the tabs, there is a section titled 'Quantity Settings' containing five checkboxes. The first two checkboxes, 'Multiple Items with this same barcode number' and 'Issue multiple of this item with single scan', are checked. The other three checkboxes, 'Consumable', 'No Turn-In', and 'Do Not Reorder', are unchecked.

Quantity & Status	Inspections	Additional Details	Hazmat	Certified User	Children	Custom	Pictures	Attachments	Log Notes
Quantity Settings									
☒ Multiple Items with this same barcode number									
☒ Issue multiple of this item with single scan									
☐ Consumable									
☐ No Turn-In									
☐ Do Not Reorder									

TCMax® must know whose items you are turning in.

1. If you are turning your own items in and your username is on the screen, then TCMAX® will default to turn yours in on the Multi-item screen.
2. If you are turning in another user's items, highlight the row for the user you are turning items in for and click either the **Turn-In Selected** button (if you need to turn-in items for multiple users) or the **Turn-In and Close** button (if you are turning items in for one user).



Multi-item



Turn-in

Step 1: Select the user to turn-in from.

	Item	Quantity	User	Location
▶	701	1	Murray, Willi...	

Step 2: Select the amount to turn-in.

Turn-In Selected

Turn-In and Close

Issue

Enter the amount to issue:


Issue

NOTE

For companies using the wireless scanners with keypads on them (Datalogic Powerscan): The Multi-item screen will attempt to figure out whether you're issuing or turning in this item. Depending on that decision when the screen opens, the cursor may be in the turn-in box or the issue box. Regardless of which box the cursor starts in, you can enter the plus sign + followed by a number to attempt to force TCMax® to issue more items out. Using a negative symbol – before the number will tell TCMax® you intend to turn items in. If the item is issued to more than one person, you will be asked to select the person whose items you're turning in but using the + and – prefixes will prevent accidentally issuing or turning items in when you're not looking at the screen. There is also an option in **Settings > Options > General Options > Item Quantity Options** to force the cursor to start in the same box each time.

Receive Inventory

The **Receive Inventory** mode of operation is used when receiving inventory on existing multi-quantity items.



Receive Inventory will always show a red input box. The only action that can be taken while in this mode is receiving inventory to update quantities of an item(s).

When you scan or type a barcode, TCMMax® will respond with “Enter Quantity”. This quantity will be added to the value in the **Qty On Hand** and **Qty Available** fields to give you the total quantity of this item and the text “Quantity Updated” will be displayed in blue above the Main Input Box.

Lederman, Richard A [Demo Admin] Logged In
- Quantity Updated




When updating quantities in **Receive Inventory**, you will have the capability to update quantities by units. To do this, when entering a quantity to receive, press the checkbox to '**Change Qty to Units**' and enter in the number of units you are receiving.

! INFO

A 'Unit' increments the quantity added by the value entered in the **Qty in Unit** field on the **Quantity and Status** tab within the Item Details section.

For example, in the image below adding '2' will increase the total quantity to '100' (**Qty in Unit** for this item is set to 50 (Box)).



The image shows a dark-themed dialog box titled "Update Quantity". It contains a text input field with the label "Enter Units Received (50 in unit):" and the number "2" entered. A tooltip next to the input field displays "Total quantity added = 100". At the bottom left, there is a checked checkbox labeled "Change Qty to Units". At the bottom right, there are two buttons: "OK" and "Cancel".

! INFO


The **Change Qty to Units** checkbox can be defaulted within **Settings > Options > General Options > [Inventory Options](#)** - Default receive inventory mode to update quantities based on unit quantity.

Exiting Receive Inventory Mode

To exit **Receive Inventory** mode, go to **Mode=** on the top menu bar and switch to the appropriate mode of operation.

Update


The **Update** mode of operation allows for updating information on items that have Inspections, Odometer readings, and Hourmeter readings.



The **Update** mode will always show a red input box. The only action that can be taken while in this mode is updating Inspections, Odometer, and Hourmeter readings of an item(s).

Inspection Update

The **Inspection Update** mode is utilized to update inspections for an item. When an item is scanned that has a single inspection, the inspection date is automatically updated to the appropriate value per the inspection settings. If there are multiple inspections assigned to this item, then TCMMax® displays a window with a list of the inspections. From there, select the inspections you want to update and click the **Update** button, or you can update them all by clicking on the **Select All** button then clicking the **Update** button. TCMMax® will say "Inspection Updated".



Odometer Update

The **Odometer Update** mode is utilized to update odometer values for an item. When you scan an item, TCMax® will ask you to enter the current odometer value. The Database is updated and if the new value causes an inspection to become overdue, the overdue inspection warning is given.

Hourmeter Update

The **Hourmeter Update** mode is utilized to automatically update the hourmeter value for an item. When you scan an item, TCMax® will ask you to enter the current hourmeter value. The Database is updated and if this new value causes an inspection to become overdue, the overdue inspection warning is given.

Exiting Update Mode

To exit **Update** mode, go to **Mode=** on the top menu bar and switch to the appropriate mode of operation.

Display Only

The **Display Only** mode of operation is used when you want to display an item on the Main Screen. This mode is often used to edit or view an item(s) and ensure that you do not accidentally issue or turn-in the item.

! INFO

The hotkey of **Ctrl + Shift + D** is available which is used to force **Display Only** when in **Issue / Turn-In** mode. When **Ctrl + Shift + D** is pressed, in the input box, **<DIS ID ="/>** will be entered, which allows for you to enter, inside of the single quotations, the Barcode Id of the item you want to display on the Main Screen.



<DIS ID ="/>

Display Only will always show a red input box. This is an indication that you can not create, issue or turn-in an item from this mode.

TCMax® by Soaring Software Solutions, Inc.

File Mode = Display Only Item QuickTurn @ Shift Change Show Issued Items Item Search Reports Tools Settings Help

Lederman, Richard A [Demo Admin] Logged In - Displayed Shop Code: TCMMax Demo Shop

Barcode Id 602

Parent Barcode Id 601

Item Name Screwdriver

Storage Location Top Drawer

NSN

Part Number SCREWDRIVER

Calibration Due Date

Serial Number 3424FSDE43

TCMax Demo Shop

Edit


Print Item Label

Exiting Display Only Mode

To exit **Display Only** mode, go to **Mode=** on the top menu bar and switch to the appropriate mode of operation.

Training Completion

The **Training Completion** mode takes advantage of TCMMax® ease of use to assign training to a user and then complete individual courses for that training with one or two barcode scans.



TIP

You can create and edit courses in either the **Training Completion** mode or the Add/Remove Training mode. It is designed so that if you know how to create an item in TCMMax® you will know how to create a course.

Setting Up Training Requirements

Creating a Course

In the **Training Completion** or **Add/Remove Training** mode, start by entering or scanning your desired Course Id and TCMMax® will say “New Item”. On the right-hand side of the screen, you will be able to add additional details for this course, such as the Parent Course Id, Course Name, Course Number, and Course Interval (when the course will be due again). You will also be able to add details in the Curricula box and Part Numbers to certify Users on when the course is completed.

Shop Code: TCMMax Demo Shop

TCMMax Demo Shop

Course Id: 9000

Save

Parent Course Id:

Cancel

Course Name: Rifle Certification

Course Number:

Course Interval: 360

Curricula:

Part Numbers to Certify:

Rifle range Certification

☒ Certify Part Numbers based on child course completion

	PartNumber
▶	RIFLE
	SCOPE
	M203
	5.56-ball
	30x5.56MAG

Courses Details

Creating a Child Course

If this is a parent course that will have individual labs, lectures, or training sessions underneath them you can set this up by doing the following:

Step 1: Enter the individual training id into the main input box. TCMMax® will say “New Item”.

Step 2: Enter the master training course number in the Parent Course Id box (this links this child to its parent course).

Step 3: Enter the name of this course in the Course Name box.

Step 4: If this course has a specific course number enter it into the Course Number box.

Step 5: In the Interval box, enter the number of days until the course will become due again. (Example: If it is a yearly training, you will enter 365)

Step 6: Click **Save**

 NOTE

Courses aren't required to have a master (parent) course.

Completing Training Requirements


To complete training requirements for a User, scan the User's Id while in **Training Completion** mode. Then scan the course(s) that they have completed, after each scan you will hear TCMax® say "Completed."

 TIP

You can scan or enter the Course Id in first, followed by each user to complete Users on a single course one after another, or you can enter a User first and scan each course that user has completed.

If you scan the Course Id barcode for the master (parent) course, TCMax® will automatically update all its child courses to reflect being completed as well. You can also scan each child course individually and when the last child is completed the master (parent) course will reflect as being completed.

If the training was completed on a different date than the date it is being entered into TCMax®, you can click on the **Course User Defined Date** menu option and select the date the training was completed on from the date picker.

A dark-themed dialog box titled "Choose Date" with a small icon on the left. Below the title is the text "User Defined Date". The date selection is done via three dropdown menus: the first shows "September", the second shows "2", and the third shows "2022". Each dropdown has a blue circular arrow icon below it. At the bottom right are two buttons: "Accept" with a blue border and "Cancel" with a red border.

If you need to view a Report that shows what courses have been assigned and if/when they were completed, go to [Reports > Training](#) and select the desired Report(s).

Part Numbers to Certify

You can use the **Training Completion** mode to certify Users on items that require certification before use. This is done using the part numbers to certify grid. While editing or adding a course, you can enter an item's part number into the **Part Numbers to Certify** grid and provide the training interval (the interval being how long the certification lasts).

The **Certify part numbers based on child course completion** option will restrict the completion of a course that has children to only be completed when all the child courses have also been completed.

Example: If you have a weapons' certification it may consist of multiple training courses such as marksmanship and use of force training. A User will not be certified to use the weapon until they pass both (or all) parts of the certification requirements.

TCMax® by Soaring Software Solutions, Inc.

FileMode = Training completionCourse User Defined Date - 9/2/2022Show Assigned CoursesCourse SearchReportsToolsSettingsHelp

Lederman, Richard A [Demo Admin] Logged InNew CourseShop Code: TCMax Demo Shop

TCMax Demo Shop

Course Id: 6010Save

Parent Course Id:Cancel

Course Name: Rifle Certification

Course Number:

Course Interval: 365

Curricula:

Part Numbers to Certify:

☐ Certify Part Numbers based on child course completion

PartNumber	Interval
M-4/5.56	365

Username

Event Type	Barcode Id	Description	Shop Code	Lo
LoginSucces...			TCMax Dem...	
TCMaxStarted			TCMax Dem...	

Event Logs


Courses Details

Exiting Training Completion Mode

To exit **Training Completion** mode, go to **Mode=** on the top menu bar and switch to the appropriate mode of operation.

Add/Remove Training

The **Add/Remove Training** mode of operation allows you to assign training to individual users.



Example: if there is a new hire you can assign the specific training, they will need to perform their duties. Once assigned, you can access the Show Assigned Courses screen and that will display all users who have training assigned to them.



TIP

You can create and edit courses in either the **Training Completion** mode or the **Add/Remove Training** mode. It is designed so that if you know how to create an item in TCMMax® you will know how to create a course.

Setting Up Training Requirements

Creating a Course

In the **Training Completion** or **Add/Remove Training** mode, start by entering or scanning your desired Course Id and TCMMax® will say "New Item". On the right-hand side of the screen, you will be able to add additional details for this course, such as the Parent Course Id, Course Name, Course Number, and Course Interval (when the course will be due again). You will also be able to add details in the Curricula box and Part Numbers to certify Users on when the course is completed.

Shop Code: TCMMax Demo Shop

TCMMax Demo Shop

Course Id: 9000

Save

Parent Course Id:

Cancel

Course Name: Rifle Certification

Course Number:

Course Interval: 360

Curricula:

Part Numbers to Certify:

Rifle range Certification

☒ Certify Part Numbers based on child course completion

	PartNumber
▶	RIFLE
	SCOPE
	M203
	5.56-ball
	30x5.56MAG

Courses Details

Creating a Child Course

If this is a parent course that will have individual labs, lectures, or training sessions underneath them you can set this up by doing the following:

Step 1: Enter the individual training id into the main input box. TCMMax® will say “New Item”.

Step 2: Enter the master training course number in the Parent Course Id box (this links this child to its parent course).

Step 3: Enter the name of this course in the Course Name box.

Step 4: If this course has a specific course number enter it into the Course Number box.

Step 5: In the Interval box, enter the number of days until the course will become due again.
(Example: If it is a yearly training, you will enter 365)


Step 6: Click **Save**

i NOTE

Courses aren't required to have a master (parent) course.

Assigning a Training

Step 1: Click on the **Course User Defined Date** menu option and select the date the training needs to be completed on from the date picker.

A screenshot of a 'Choose Date' dialog box. The title bar says 'Choose Date'. Below it, the text 'User Defined Date' is centered. There are three dropdown menus for selecting a date: the first shows 'September', the second shows '2', and the third shows '2022'. Each dropdown has a blue circular arrow icon below it. At the bottom right, there are two buttons: 'Accept' (blue outline) and 'Cancel' (red outline).

Step 2: Scan the Id of the User you need to assign training to, TCMax will say 'User'.

Step 3: Scan the Barcodes of the Training Courses that you would like to add for this user to later complete.

Step 4: TCMax® will say 'Added', this confirms that this User now has training assigned to them.



TIP

You can scan or enter the Course Id in first, followed by each user to add users to a single course one after another or you can enter a user first and scan each course that you want to add for that user. If you want to assign a new course to a new person, hit the **ESC** key on your keyboard to clear the screen then you can bring up your next user and course in whichever order is most convenient.

If you need to view a Report that shows what courses are currently assigned and if/when they were completed, go to [Reports > Training](#) and select the desired Report(s).

Removing a Training

If you have assigned training to a user and they no longer need to receive it, you can easily remove it.

Step 1: Scan the Id of the user you need to remove training from. TCMax® will say 'User'.

Step 2: Scan the Barcode(s) of the Training Courses that need to be removed. TCMax® will say 'Removed'.

Exiting Add/Remove Training Mode

To exit **Add/Remove Training** mode, go to **Mode=** on the top menu bar and switch to the appropriate mode of operation.

Other Functions

Item QuickTurn @ Shift Change

This feature can be used during a shift change or to transfer the custody of issued items. Y...

Show Issued Items

Selecting the Show Issued Items menu option from the Main Screen or pressing Ctrl + I on ...


Item Search

Selecting the Item Search menu option from the Main Screen allows you to browse your en...

Item QuickTurn @ Shift Change

This feature can be used during a shift change or to transfer the custody of issued items. You can enable/disable this option in: **Settings > Options > Display Options > Show the “Item Quick Turn” menu**. You may transfer items from a specific user or from a specific location.

Step 1: Select the **Item QuickTurn @ Shift Change** menu option located at the top of the TCMMax® toolbar.



TCMax® by Soaring Software Solutions, Inc.

File Mode = Issue/Turn-in **Item QuickTurn @ Shift Change** Show Issued Items Item Search Reports Tools Settings Help

Lederman, Richard A [Demo Admin] Logged In


? [Yellow bar]

Organization: [Text Box] Shift: [Text Box]

Username

Location

Once in Item QuickTurn @ Shift Change, scan, select, or enter a User Id / Location for the items in the **Transfer Items From** section.



Transfer Items From:

Enter/Scan a User Id: [Text Box]

And/Or Or select the User: [Dropdown Menu]

Current Location: [Text Box]

All items issued to that user or location will appear in the table.

Step 2: Enter or Scan the User Id of the person to receive custody of the items in the box labeled **Transfer Items To**. You may also enter a new location for these items to be forwarded to.



TIP

If a User is displayed on the Main Screen, the Issuing To: may already be filled out.

If a Location is entered on the Main screen, the Destination Location: may already be filled out.

Transfer Items To:

User Id:

Destination Location:

Issuing To:

Step 3 (Optional): By default, all items that are not restricted from transferring will be selected.

Uncheck the **Transfer** checkbox located on the left side in the bottom grid to deselect any individual items you do not want to transfer to a different user.

?

Transfer	Item	Barcode Id	Parent Item	Location	Quantity	Shop Code	Certification Required	Date Issued	Username
☐	Forklift	751		Pme1	1	TCMax Dem...	☐	8/30/2022 ...	Lederman, Richard ...
☐	Hammer	601	Tool Box	Building 2	1	TCMax Dem...	☐	8/30/2022 ...	Lederman, Richard ...
☐	Pry Bar	603	Tool Box	Building 2	1	TCMax Dem...	☐	8/30/2022 ...	Lederman, Richard ...
☐	Vehicle	750			1	TCMax Dem...	☒	8/30/2022 ...	Lederman, Richard ...

There are also **Check All** and **Uncheck All** buttons in the upper right corner of the screen for ease of selecting / deselecting multiple items at once.

1. Enter the user id or Location the items are currently issued to in the box labeled 'transfer items from'. All transferable items issued to that user or Location will appear in the table below.
2. Enter the user id of the person to receive custody of the items in the box labeled transfer items to.
3. (Optional) Un-Check those items you don't want to transfer.
4. Click the transfer button to perform the transfer of custody.

Transfer Items From:

Enter/Scan a User Id:

And/Or

Or select the User:

Current Location:

Transfer Items To:

User Id:

Destination Location:

Issuing To:

Step 4: Click the **Transfer Checked Items** button to perform the transfer of custody. TCMax® will play the "Transferred" audio prompt and return back to the Main Screen.

Transfer Items From:

Enter/Scan a User Id:

And/Or

Or select the User: Lederman, Richard A [Demo]

Current Location:

Transfer Items To:

User Id:

Destination Location:

Issuing To: Sikes, Michael [Demo]

Transfer Checked Items

! INFO

If a User and a Work Location are already displayed on the Main Screen of TCMa[®], then that User and Location will be inherited as the **Transfer Items To** section.

💡 TIP

You can exclude certain part numbers from being able to be transferred by going to **Tools > Catalog Setup** and checking the Restrict Quick Turn box for the part numbers you wish to exclude.

Transfer Item Custody

1. Enter the user id or Location the items are currently issued to in the box labeled 'transfer items from'. All transferable items issued to that user or Location will appear in the table below.

2. Enter the user id of the person to receive custody of the items in the box labeled transfer items to.

3. (Optional) Un-Check those items you don't want to transfer.

4. Click the transfer button to perform the transfer of custody.

Transfer Items From:

Enter/Scan a User Id:

And/Or

Or select the User: Lederman, Richard A [Demo]

Current Location:

Transfer Items To:

User Id:

Destination Location:

Issuing To: Kovacs, Wes [Demo]

Check All

Uncheck All

?

Transfer Checked Items


Transfer	Item	Barcode Id	Parent Item	Location	Quantity	Shop Code	Certification Required	Date Issued	Username
☒	Hammer	601	Tool Box	Building 2	1	TCMax Dem...	☐	8/30/2022 ...	Lederman, Richard ...
☐	Pry Bar	603	Tool Box	Building 2	1	TCMax Dem...	☐	8/30/2022 ...	Lederman, Richard ...
☒	Vehicle	750			1	TCMax Dem...	☒	8/30/2022 ...	Lederman, Richard ...
☐	Forklift	751		Pmel	1	TCMax Dem...	☐	8/30/2022 ...	Lederman, Richard ...

Close

i NOTE

If any of the items require certification and the User the items are to be transferred to is not certified for them, they will be highlighted in **Red** from the grid.

Hover over the highlighted item and a tool tip will display telling you what is preventing the transfer.



This item cannot be transferred due to certification requirements.

You can verify the change of custody by scanning or typing the User Id that these items were transferred to in the Main Input Box on the Main Screen or checking the **Show Issued Items** screen. That user will be displayed (if scanned) and the issued items grid in the lower left of the screen will show that they have custody of these transferred items.

Show Issued Items

Selecting the **Show Issued Items** menu option from the Main Screen or pressing **Ctrl + I** on your keyboard will display a new screen of all the items that are currently issued out. There are several features from this screen that can help you manage and adjust the view of your issued items.

The **Shop Code** selection box located in the top right-hand corner will allow for you to limit this screen to a specific shop code, or allow you to look across all of your selected shops.

Issued Items

File Reports Help

Shift Filter: All

Organization Filter: All

Adjust Selected Item's Status:

Mark As Broken Un-Mark As Unserviceable

Mark As Lost Mark As Long Term

Filtered Users:

Username

Add User Filter

Shop Code: TCMax Demo Shop

Filtered Locations/Status:

Location	Color
☒ Broken	Yellow
☒ Long Term	Grey
☒ Lost	Green
☒ Pmel	Cyan
☒ Unserviceable	Red

Add Location Filter

Filter Status: Disabled

Reverse Filter


Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Code
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 8:...	1		TCMax D
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 8:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 8:...	1		TCMax D
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D

Display On Main Screen Close

! INFO

The Issued Items table can be sorted by clicking on any of the column headers and ordering the items either ascending or descending by the value of that column.

The **Reports** menu option located in the upper left-hand corner will allow for the user to generate various reports with the results that are displayed in the table.




TIP

You can also right-click in the table at any time and send the displayed Data to an Excel spreadsheet.

The screenshot shows the main interface of the 'Issued Items' application. At the top, there is a menu bar with 'File', 'Reports', and 'Help'. Below the menu bar, there are several filter sections: 'Adjusted Selected Item's Status' with buttons for 'Un-Mark As Broken', 'Mark As Unserviceable', 'Mark As Lost', and 'Mark As Long Term'; 'Filtered Users' with a 'Username' input field and an 'Add User Filter' button; 'Filtered Locations/Status' with a list of status options (Broken, Long Term, Lost, Pmel, Unserviceable) and a 'Color' column; and a 'Shop Code' dropdown set to 'TCMax Demo Shop'. Below these filters is a table with the following columns: Children, Barcode Id, Item Name, Storage Location, Username, Location, Date Issued, Quantity, Expected Return Date, and Shop Co. The table contains four rows of data. At the bottom of the table, there is a 'Send to Excel' button highlighted with a red rectangle.

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D

The **Help** menu option located in the upper left-hand corner will contain descriptions on how the different filters are designed to work.



The **Display on Main Screen** button located in the lower right-hand corner will display the item you have selected from the table on the Main Screen.

Issued Items

File Reports ? Help

Shop Code: TCMAX Demo Shop

Filtered Users:

Username

Add User Filter

Filtered Locations/Status:

Location	Color
☒ Broken	Yellow
☒ Long Term	Grey
☒ Lost	Green
☒ Pmel	Cyan
☒ Unserviceable	Red

Add Location Filter

Filter Status: **Disabled**

Reverse Filter

Adjust Selected Item's Status:

Mark As Broken Mark As Unserviceable

Un-Mark As Lost Mark As Long Term

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D

Display On Main Screen Close

The **Show Issued Items** screen can be filtered by the user(s) and/or location(s) an item is issued to or by the status of an item. These filters will appear in the **Filtered Users** or **Filtered Locations/Status** tables.

Filtered Users:

Username

Add User Filter

Filtered Locations/Status:

Location	Color
☒ Broken	
☒ Long Term	
☒ Lost	
☒ Pmel	
☒ Unserviceable	

When the Filter is **Enabled**, the table will only display items that do **not** have one of the selected filters applied to them.

Issued Items

File Reports Help

Shop Code: TCMAX Demo Shop

Adjusted Selected Item's Status:

Mark As Broken

Mark As Unserviceable

Mark As Lost

Mark As Long Term

Filtered Users:

Username

Add User Filter

Filtered Locations/Status:

Location	Color
☒ Broken	
☒ Long Term	
☒ Lost	
☒ Pmel	
☒ Unserviceable	

Filter Status: **Enabled**

Stop Filter

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	750	Vehicle	Motor Pool	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	604	Crescent Wr...	Bottom Dra...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	605	Torque Wre...	Middle Draw...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D

Display On Main Screen

Close

Filtering Users

To filter out items issued to a User, select the **Add User Filter** button which will bring up a User Search window.

Mark As Unserviceable

Mark As Long Term

Filtered Users:

Username

Add User Filter

Filtered Locations/Status:

Location	Color
☒ Broken	Yellow
☒ Long Term	Grey
☒ Lost	Green
☒ Pmel	Cyan
☒ Unserviceable	Red

Add Loca

Filter S

Enal

Stop

User Search

Search by Username

Search by User Id

Search

User Search List

Selected Users

>>

<<

Ok

Cancel

From the User Search window, you can search by the users Username or User Id. Once you've found the user(s) you want to filter by, double click on the user in the **User Search List** or **Select the User** then utilize the >> to move the user to the Selected Users table.



User Search

Search by Username

Search by User Id

Search

User Search List

Lederman, Richard A [Demo Admin]

Selected Users

☒ Lederman, Richard A [Demo Admin]



Ok

Cancel

Hit **OK** on the User Search window and the user(s) you've selected to filter by will be in the **Filtered Users** list. You can quickly check and uncheck individual names in the filtered users list to enable/disable individual filters on the fly. You can also remove a user filter by clicking on the Username to select it and hitting '**Delete**' on the keyboard.

Filtered Users:

Username

☒ Lederman, Richard A [De..

☒ Sikes, Michael [Demo]

Add User Filter

Filtering Locations/Statuses

The **Filtered Locations/Status** table can be customized to include any work location you would like.

To add a location / status filter, place the cursor into the text box above the **Add Location Filter** button and enter in the work location / status that you would like to filter by.

Filtered Locations/Status:

Location	Color
☒ Broken	
☒ Long Term	
☒ Lost	
☒ Pmel	
☒ Unserviceable	

Building 2

Add Location Filter

Filter Status:
Enabled

Stop Filter

Once the information is input, click the **Add Location Filter** button and you will see the Location / Status added to the table. You can also remove the filter by clicking on it in the list and hitting the 'Delete' key on the keyboard.

Filtered Locations/Status:

Location	Color
☒ Broken	
☒ Long Term	
☒ Lost	
☒ Pmel	
☒ Unserviceable	

Building 2

Add Location Filter

Filter Status:
Enabled

Stop Filter

Filtered Locations/Status:


Location	Color
☒ Broken	
☒ Building 2	
☒ Long Term	
☒ Lost	
☒ Pmel	
☒ Unserviceable	

Add Location Filter

Filter Status:
Enabled


Stop Filter

You can apply a color to this filter by right-clicking the color field and selecting one from the color selection pallet. See example below:



Marking Items with a Status

From the **Show Issued Items** menu option you can adjust / select different statuses for the items that are currently issued out. The statuses that are available from this menu option are **Broken**, **Unserviceable**, **Lost**, and **Long Term**.



To mark an item as **Broken**, **Unserviceable**, **Lost**, and **Long Term**, click in the appropriate row from the results table.

Shop Code: TCMAX Demo Shop

Filtered Users:

- Username
- ☒ Lederman, Richard ...
 - ☒ Sikes, Michael [De...

Add User Filter

Filtered Locations/Status:

Location	Color
☒ Broken	Yellow
☒ Building 2	Grey
☒ Long Term	Grey
☒ Lost	Green
☒ Pmel	Cyan
☒ Unserviceable	Red

Add Location Filter

Filter Status:

Disabled

Reverse Filter

Adjust Selected Item's Status:

Mark As Broken

Mark As Unserviceable

Mark As Lost

Mark As Long Term

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	604	Crescent Wr...	Bottom Dra...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	605	Torque Wre...	Middle Draw...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	750	Vehicle	Motor Pool	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D

Display On Main Screen

Close

Issued Items

File

Reports

Help

Shop Code: TCMMax Demo Shop

Adjusted Selected Item's Status:

Mark As Broken

Mark As Unserviceable

Mark As Lost

Mark As Long Term

Filtered Users:

Username

☒ Lederman, Richard ...
 ☒ Sikes, Michael [De...

Add User Filter

Filtered Locations/Status:

Location

☒ Broken
 ☒ Building 2
 ☒ Long Term
 ☒ Lost
 ☒ Pmel
 ☒ Unserviceable

Color

Add Location Filter

Filter Status:

Disabled

Reverse Filter

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	604	Crescent Wr...	Bottom Dra...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	605	Torque Wre...	Middle Draw...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	750	Vehicle	Motor Pool	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D

Display On Main Screen

Close

Then click the **matching status** button above the table to apply that status.



TIP

While applying a status to an issued item, you can right-click the statuses (Broken, Lost, Unserviceable, Long Term) to add a log note and include any additional details about the occurrence.

Issued Items

File
Reports
Help

Shop Code: TCMMax Demo Shop

Filtered Users:

Username

☒ Lederman, Richard ...
☒ Sikes, Michael [De...

Add User Filter

Filtered Locations/Status:

Location	Color
☒ Broken	Yellow
☒ Building 2	Grey
☒ Long Term	Green
☒ Lost	Cyan
☒ Pmel	Red
☒ Unserviceable	Blue

Add Location Filter

Filter Status:

Disabled

Reverse Filter

Adjust Selected Item's Status:

Mark As Broken

Mark As Unserviceable

Mark As Lost

Mark As Long Term

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	604	Crescent Wr...	Bottom Dra...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	605	Torque Wre...	Middle Draw...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	750	Vehicle	Motor Pool	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D

Display On Main Screen

Close

! INFO

An Item status filter will always override a location filter, so if you have an item that has a filter for both its status and location, the item will display as the color set for the status of the item (Lost, Broken, Unserviceable, Long Term).

Utilizing Filter Status

The **Filter Status** button is a three stage button that allows you to adjust the view of your issued items. The **Filter Status** can be Enabled, Disabled, or Reversed.

Issued Items

File
Reports
Help

Shop Code:
TCMax Demo Shop

Adjusted Selected Item's Status:

Mark As Broken
Mark As Unserviceable

Mark As Lost
Mark As Long Term

Filtered Users:

Username

☒ Lederman, Richard ...
☒ Sikes, Michael [De...

Add User Filter

Filtered Locations/Status:

Location	Color
☒ Broken	
☒ Building 2	
☒ Long Term	
☒ Lost	
☒ Pmel	
☒ Unserviceable	

Add Location Filter

Filter Status:
Disabled
Reverse Filter

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	750	Vehicle	Motor Pool	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	604	Crescent Wr...	Bottom Dra...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	605	Torque Wre...	Middle Draw...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D

Display On Main Screen
Close

INFO

By default all items that do not have a filter applied will be displayed.

Filter Status: Disabled

The **Disabled Filter Status** displays all issued items regardless of their filters. You will still be able to distinguish the items that have a filters applied to them as they will continue to be highlighted in their filter color.


Issued Items

File
Reports
Help

Shop Code:
TCMax Demo Shop

Adjusted Selected Item's Status:

Mark As Broken
Mark As Unserviceable

Mark As Lost
Mark As Long Term

Filtered Users:

Username
☒ Lederman, Richard ...
☒ Sikes, Michael [De...

Add User Filter

Filtered Locations/Status:

Location	Color
☒ Broken	
☒ Building 2	
☒ Long Term	
☒ Lost	
☒ Pmel	
☒ Unserviceable	

Add Location Filter

Filter Status:
Disabled
Reverse Filter

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	750	Vehicle	Motor Pool	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	604	Crescent Wr...	Bottom Dra...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	605	Torque Wre...	Middle Draw...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D

Display On Main Screen
Close

Filter Status: Reversed

The **Reversed Filter Status** will display **only** the issued items that have a filter applied to them. This will allow you to disregard your non-filtered items.

Issued Items

File
Reports
Help

Adjust Selected Item's Status:

Broken
Unserviceable

Mark As Lost
Mark As Long Term

Filtered Users:

Username
☐ Lederman, Richard ...
☐ Sikes, Michael [De...

Add User Filter

Filtered Locations/Status:

Location
Color

☒ Broken
☒ Building 2
☒ Long Term
☒ Lost
☒ Pmel
☒ Unserviceable

Add Location Filter

Filter Status:
Reversed
Enable Filter

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	751	Forklift	Motor Pool	Lederman, Richard ...	Pmel	8/30/2022 8:...	1		TCMax D
☐	601	Hammer	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	602	Screwdriver	Top Drawer	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D
☐	603	Pry Bar	Bottom Dra...	Lederman, Richard ...	Building 2	8/30/2022 1:...	1		TCMax D

Display On Main Screen

Close

Filter Status: Enabled

The **Enabled Filter Status** will remove all items from the table that have a filter applied to them.

Issued Items

FileReportsHelp

Shop Code:TCMax Demo Shop

Adjusted Selected Item's Status:

BrokenUnserviceableMark As LostMark As Long Term

Filtered Users:

Username

Lederman, Richard ...Sikes, Michael [De...

Add User Filter

Filtered Locations/Status:

LocationColor

Broken

Building 2

Long Term

Lost

Pmel

Unserviceable

Add Location Filter

Filter Status:

Enabled

Stop Filter

Children	Barcode Id	Item Name	Storage Location	Username	Location	Date Issued	Quantity	Expected Return Date	Shop Co
☐	750	Vehicle	Motor Pool	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	604	Crescent Wr...	Bottom Dra...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D
☐	605	Torque Wre...	Middle Draw...	Lederman, Richard ...		8/30/2022 2:...	1		TCMax D

Display On Main Screen

Close

To exit out of the **Show Issued Items** screen click the **Close** button located in the bottom right corner of the screen or go to **File > Close**.

Item Search

Selecting the **Item Search** menu option from the Main Screen allows you to browse your entire inventory across one or more shops.

In the **Item Search** menu, you will notice drop-down boxes that allow you to filter down your results to an exact.

[illegible]


NOTE

The search parameters are AND search boxes not OR search boxes, so the more Data that you enter, the more fine-tuned the search becomes.

Menu Options


File

The **File** menu option located in the upper left-hand corner will allow you to enter our **Enable Editable Item Search** mode or **Close** the Item Search screen.




Reports

The **Reports** menu option located in the upper left-hand corner will allow for the user to generate various reports with the results that are displayed in the table.



Search Options

Item Search gives the user several search options. These **Search Options** can be located from the upper left-hand corner of the **Item Search** screen.



Search Options > Look Across All Sites will include all sites and shops in its search results.

Search Options > Load Grid with Blank Search Criteria will display the first 5000 results without any search criteria and allow you to filter the results.

Item Search

File
Reports
Search Options
Export To Excel
Help

Barcode Id
Item Name
Length
Needs Chit
Password Required
Shop Code
Username
Location

Look Across All Sites
Load Grid With Blank Search Criteria
Save Search Values

Part Number
Serial Number
CACRL

☐ True
☐ False
☒ Disable

☐ True
☐ False
☒ Disable

TCMax Demo Shop

Print Item Label

Total Items
Total Value

Clear Search Criteria
Send to Receipt

Username	Location	Shop Code	Barcode Id	Part Number	Item Name	Storage Location	Parent Ba

Display selected item on main screen

Close

Search Options > Save Search Values will save your search criteria when you exit **Item Search**. This will allow your criteria from the last session to be present the next time this menu option is opened.


Item Search
_ □

File Reports Search Options Export To Excel Help

Barcode Id

Part Number

Print Item Label

Parent Barcode Id

Serial Number

Total Items

Total Value

Item Name

Wrench

CACRL

☐ True
☐ False
☒ Disable

Needs Chit

☐ True
☐ False
☒ Disable

Password Required

☐ True
☐ False
☒ Disable

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria



Send to Receipt

Display selected item on main screen

Close

Export to Excel

The **Export to Excel** menu option located in the upper left-hand corner will allow for the user to export the results that are displayed in the table to an Excel spreadsheet.


Item Search

File Reports Search Options **Export To Excel** Help

Barcode Id

Parent Barcode Id



TIP

You can also right-click in the table at any time and send the displayed Data to an Excel spreadsheet.

Help

The **Help** menu option located in the upper left-hand corner will contain information on Search Filters, Color Legends, Grid Limit, and Viewing Items Issued to Multiple Users.

The screenshot shows the 'Item Search' application window. The 'Help' menu option is highlighted in the top menu bar. A 'Help' dialog box is open, displaying the following content:

Item Search Help

Search Filters

- To use the filters, simply enter in the text you wish to find. You do not need to enter wild cards (*), they are automatic.
- Leading spaces are ignored.

Example: To find records with '2' in the item name, simply enter 2 in the item name box and press Enter or Tab.

Color Legend

- **Red:** Records highlighted in red signify items below their reorder quantity.
- **Light Blue:** Records highlighted in light blue signify items that have inspections.

Note: Double click on the row when not in editable mode to view the inspections in the lower right hand corner.

Viewing Items Issued to Multiple Users

- Double click on the Username or Location cell of an item that says multiple users or multiple locations to view everyone this item is issued to in the lower right hand corner.

Grid Limit

- 5000 items

OK

Below the dialog box, a table is visible with the following columns: Username, Location, Shop Code, and Item Name. The table contains several rows of data, with some rows highlighted in light blue. At the bottom of the application window, there are two buttons: 'Display selected item on main screen' and 'Close'.

Utilizing the Search Parameters

To utilize the Search Parameters in **Item Search**, enter text in any of the search fields and hit **Tab** or **Enter**. The grid below immediately displays any results that have matching text or checkbox values for that field.

Item Search

File

Reports

Search Options

Export To Excel

Help

Barcode Id

3

Part Number

Print Item Label

Parent Barcode Id

Serial Number

Total Items

Total Value

Item Name

Wrench

CACRL

☐ True
☐ False
☒ Disable

Needs Chit

☐ True
☐ False
☒ Disable

Password Required

☐ True
☐ False
☒ Disable

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Send to Receipt

	Username	Location	Shop Code	Barcode Id	Part Number	Item Name	Storage Location
			TCMax Dem...	J7EC61031	OEX12B	Wrench, Combination ...	Drawer 1

Display selected item on main screen

Close

Example: Entering **Sock** in the **Item Name** box causes the grid to immediately display any items that contain the letters **Sock** (wildcards are included in all search fields).

Item Search

File
Reports
Search Options
Export To Excel
Help

Barcode Id
Part Number

Parent Barcode Id
Serial Number

Item Name
CACRL
☐ True
☐ False
☒ Disable

Needs Chit
☐ True
☐ False
☒ Disable

Password Required
☐ True
☐ False
☒ Disable

Shop Code

Username

Location

Print Item Label

Total Items

Total Value

Clear Search Criteria

Send to Receipt

Username	Location	Shop Code	Barcode Id	Part Number	Item Name	Storage Location
		TCMax Dem...	J7EC61010	STM18	1/4 Deep Socket 9/16	Drawer 1
		TCMax Dem...	111	GSTMD12	1/4 Inch Socket	Y8
		TCMax Dem...	113		3/8 Deep Socket	Drawer 1
		TCMax Dem...	116	GSTMD9	9/32 Deep Socket	Y6
		TCMax Dem...	117	GSTMD10	5/16 Deep Socket	Y7
		TCMax Dem...	118	GSTMD14	7/16 Deep Socket	U89
		TCMax Dem...	J7EC61003	STM8	1/4 Deep Socket 1/4	Drawer 1
		TCMax Dem...	J7EC61004	STM9	1/4 Deep Socket 9/32	Drawer 1
		TCMax Dem...	J7EC61005	STM10	1/4 Deep Socket 5/16	Drawer 1
		TCMax Dem...	J7EC61006	STM11	1/4 Deep Socket 11/32	Drawer 1
		TCMax Dem...	J7EC61007	STM12	1/4 Deep Socket 3/8	Drawer 1
		TCMax Dem...	J7EC61008	STM14	1/4 Deep Socket 7/16	Drawer 1

Display selected item on main screen

Close

The **Item Search** screen also allows you to filter your search by Shop Code(s), Items issued to a specific User, or items issued to a specific Location.

Item Search

File

Reports

Search Options

Export To Excel

Help

Barcode Id

Part Number

Print Item Label

Parent Barcode Id

Serial Number

Total Items

Total Value

Item Name

CACRL

True

False

Disable

Needs Chit

True

False

Disable

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Send to Receipt



	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location	NSN	Pa
			TCMax Dem...	121		Pumper Truck		5120-...	
▶	Lederman, Ric...		TCMax Dem...	750		Vehicle	Motor Pool		HU
	Lederman, Ric...	Pme1	TCMax Dem...	751		Forklift	Motor Pool		FOI
			TCMax Dem...	911		Rifle Magazine	Armory		30x
			TCMax Dem...	808		Multimeter	Tool Room		PSM
			TCMax Dem...	141		Rags	BIN 11-1	WOD5...	WC
			TCMax Dem...	703		Rags/Towels	Rag Shelf		RA
			TCMax Dem...	700		Reflective Vest	Tool Room		VE
			TCMax Dem...	701		Screws	Consumable Shelf		SCF
			TCMax Dem...	910		5.56mm Am...	Armory		5.5
			TCMax Dem...	804		Armory Key	Key Rack		
			TCMax Dem...	805		Encryption Key	File Cabinet		

Display selected item on main screen

Close

The **Item Search** screen disappears and the Item is displayed on the Main Screen of TCMax®.

Barcode Id

750

Parent Barcode Id

Item Name

Vehicle

Storage Location

Motor Pool

NSN

Part Number

HUMVEE

Calibration Due Date

0

Serial Number

1Z234G0982CX221

TCMax Demo Shop

Edit

Print Item Label

Quantity & Status

Inspections

Additional Details

Certified User

Children

Custom

Pictures

Attachments

Log Notes

Quantity Settings

Multiple items with this same barcode number

Issue multiple of this item with single scan

Consumable

No Turn-In

Qty On Hand

1

Qty Available

0

Cost

\$100,000.0000

Print Item Label

If you want to print an Item label, select the Item from the results grid then click on the **Print Item Label** button located in the upper right-hand corner of the **Item Search** screen. TCMa^x® will send the label to your selected Label Printer.

Barcode Id

Parent Barcode Id

Item Name

Needs Chit

True

False

Disable

NSN

Part Number

Serial Number

CACRL

True

False

Disable

Shop Code

TCMax Demo Shop

Username

Location

Print Item Label

Total Items

Total Value

Clear Search Criteria

Send to Receipt

Display selected item on main screen

Close

Total Items and Total Value

The **Total Items** button will display the item totals based on what is displayed in the results grid.

!

INFO

The **Total Items** button will count the total quantity of items in your results, not the total number of barcodes (or unique items). Therefore, multi-quantity items will be counted as more than one single item if you have more than one of that item.

Example: If Barcode Id '701' is displayed which is a multi-quantity item (Screws) you will notice when selecting **Total Items** the total is 100 not 1.

Item Search

File
Reports
Search Options
Export To Excel
Help

Barcode Id
701
Part Number

Parent Barcode Id
Serial Number

Item Name
CACRL
True
False
Disable

Needs Chit
True
False
Disable

NSN

Shop Code
TCMax Demo Shop
Username
Location

Clear Search Criteria

Print Item Label

Total Items
100
Total Value

Send to Receipt

	Location	Shop Code	Barcode Id	Cost	Quantity	Item Name	Part Number	Storage
		TCMax Dem...	701	\$0.2000	100	Screws	SCREW	Consum

Display selected item on main screen
Close

The **Total Value** button will display the cost totals based on what is displayed in the results grid.

! INFO

The **Total Value** button will count the total quantity cost of items in your results. Therefore, multi-quantity items will be counted as more than one single cost if you have more than one of that item.

Example: If Barcode Id '701' is displayed which is a multi-quantity item (Screws) you will notice when selecting **Total Value** my cost is \$20.00 not \$0.20.

Item Search

File

Reports

Search Options

Export To Excel

Help

Barcode Id

701

Part Number

Print Item Label

Parent Barcode Id

Serial Number

Total Items

Total Value

Item Name

CACRL

☐ True
☐ False
☒ Disable

\$20.00



Needs Chit

☐ True
☐ False
☒ Disable

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Send to Receipt

	Location	Shop Code	Barcode Id	Cost	Quantity	Item Name	Part Number	Storage
		TCMax Dem...	701	\$0.2000	100	Screws	SCREW	Consum

Display selected item on main screen

Close

NOTE

Remember the **Item Search** screen is limited to the first 5000 results, so you may not see a correct total value or item count of your inventory.

Editable Item Search

To enter the Editable Item Search mode, go to **File > Enable Editable Item Search** or press **Ctrl + E** on your keyboard.

NOTE

TCMax® Users that do not have access to edit or delete items will not see this option in the **File** menu.

When in **Editable Item Search**, hitting the question mark in the far left-hand column will display the **Editable Item Search** information box.

Location [Create Search Criteria](#)

?

	Username	Location	Shop Code	Barcode Id	Cost	Quantity
▶			Barcode Item...	446	1000.00...	1
	Isidor Maria, Richard B...		Barcode Item...	708	1000.00...	1
	Isidor Maria, Richard B...	Amal	Barcode Item...	708	1000.00...	1
			Barcode Item...	810	1000.00...	20
			Barcode Item...	808	1000.00...	1
			Barcode Item...	740	1000.00...	20
			Barcode Item...	708	1000.00...	20
			Barcode Item...	708	1000.00...	20
			Barcode Item...	708	1000.00...	200
			Barcode Item...	810	1000.00...	1000
			Barcode Item...	808	1000.00...	1
			Barcode Item...	808	1000.00...	1

Editable Item Search

- While in editable mode you can edit certain cells depending on your permissions.
- Any column headers in **green** means you can edit that column.
- If the row headers are marked in **green** you can delete items.

OK

Provided below will be an example of what the **Item Search** screen will look like when in **Editable Item Search** mode.

Item Search
— □

File Reports Search Options Export To Excel Help

Barcode Id
3
Part Number

Parent Barcode Id
Serial Number

Item Name
Wrench
CACRL
☐ True
☐ False
☒ Disable

Needs Chit
☐ True
☐ False
☒ Disable

NSN

Shop Code
TCMax Demo Shop

Username

Location

Print Item Label

Total Items

Total Value

Clear Search Criteria

Send to Receipt

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number	Quantity
▶			TCMax Demo Shop	J7EC61031	220	Wrench, Combination Standard Le...	OEX12B	1

Display selected item on main screen

Close

Editing Items

If you have the user permission **Allow Editing of Items** then you will be allowed to edit Data from the **Item Search** screen.

To edit an items information, select the cell you wish to edit and begin typing to overwrite the old information in the cell. You can also double click into a cell to change or modify just part of the field.



TIP

If you make any mistakes while editing, hit the **Esc** key on your keyboard before you change rows to cancel any unsaved changes. Once you change rows the Data has been changed and saved to the Database.

Deleting Items

If you have the user permission **Allow Deleting of Items** then you will be allowed to delete items from the **Item Search** screen.

To delete an item from the **Item Search** screen, highlight the row by clicking in the left-most column (this will highlight the whole row in blue) and hit the delete key on your keyboard.

Location

Clear Search Criteria

Send to Receipt

?

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number	Quantity
			TCMax Demo Shop	121		Pumper Truck		1
			TCMax Demo Shop	911		Rifle Magazine	30x5.56MAG	50
			TCMax Demo Shop	808		Multimeter	PSM37	1
			TCMax Demo Shop	141		Rags	WOD5020	35
			TCMax Demo Shop	703		Rags/Towels	RAGS	20
			TCMax Demo Shop	700		Reflective Vest	VEST	10
			TCMax Demo Shop	701		Screws	SCREW	100
			TCMax Demo Shop	910		5.56mm Ammunition	5.56-ball	5000
			TCMax Demo Shop	804		Armory Key		1
			TCMax Demo Shop	805		Encryption Key		1
			TCMax Demo Shop	950		Single Software License	LICENSE-S	1
			TCMax Demo Shop	951		Volume Software License	LICENSE-V	10
			TCMax Demo Shop	122		Scrub on Tool Box	WOD1022	1

Display selected item on main screen

Close

 WARNING

Before hitting the Delete key on your keyboard make sure that the highlighted row is the row you would like deleted as the change will be instant and permanent.

Reports

Report Tools

From the Reports screen, you will see different options under the Tools menu. The Tools m...

Activity Reports

Activity from Log

Calibration and Inspection Reports

Calibrated Item Staging

Checkbox Reports

CACRL

Custom Field Reports

These reports reflect the checkboxes on the Custom tab of the Main Screen of TCMax®.

Historical Reports

Hazmat Usage Log

Inventory Mode Reports

Inventory History Report

Inventory Reports

Item Inventory

Issue Status Reports

Issued Items

Item Ordering Reports


Inventory Received



Status Reports

Broken


Report Tools




From the **Reports** screen, you will see different options under the **Tools** menu. The **Tools** menu will allow for you set the path that reports will be saved to, view where the current location reports are saved, and also allow for you to set your favorite reports for quicker access to them in the future.

Report Path

To set or modify the report save path, select **Tools > Report Path > Set / Modify Report Save Path**. A **Browse for Folder** box will appear allowing you to set the location for where your reports will be saved.




To view the current location of where reports are saving to, go to **Tools > Report Path > Current Path**.



Set Favorite Reports

TCMax® allows for Users to save Favorite Reports. This will allow for quicker access to the reports that are most commonly used. To set your favorites reports, select the **Tools > Set Favorite Reports** menu option on the **Reports** screen.



Once **Set Favorite Reports** has been selected you will notice that all of the available reports have a checkbox next to their name and there is a **Save Favorites** button located in the bottom right-hand corner of the screen.

- ☐ **Activity Reports**
 - ☐ Activity from log
 - ☐ Lean report
 - ☐ Login/Logout records
 - ☐ Login/Logout records [grouped by user]
 - ☐ New items added
 - ☐ New users added
 - ☐ Number of times users were scanned on the main screen
 - ☐ Screen access by user
 - ☐ Shop code transfer
- ☐ **Calibration and Inspection Reports**
 - ☐ Calibrated item staging
 - ☐ Calibration
 - ☐ Calibration and Inspections combined
 - ☐ Current odometer/hourmeter inspection status
 - ☐ History of calibration updates
 - ☐ History of inspection updates
 - ☐ Inspections
 - ☐ Odometer/Hourmeter inspection


Reports
_ □ ×

File Tools Report Options

Generic US Air Force US Army US Navy/Marines Civil Services Training

Search:

☐ **Activity Reports**

- ☐ Activity from log
- ☐ Lean report
- ☐ Login/Logout records
- ☐ Login/Logout records [grouped by user]
- ☐ New items added
- ☐ New users added
- ☐ Number of times users were scanned on the main screen
- ☐ Screen access by user
- ☐ Shop code transfer

☐ **Calibration and Inspection Reports**

- ☐ Calibrated item staging
- ☐ Calibration
- ☐ Calibration and Inspections combined
- ☐ Current odometer/hourmeter inspection status
- ☐ History of calibration updates
- ☐ History of inspection updates
- ☐ Inspections
- ☐ Odometer/Hourmeter inspection

☐ **Checkbox Reports**

- ☐ CACRL
- ☐ Consumable
- ☐ Local Manufacture
- ☐ Precious Metal
- ☐ Shelf Life
- ☐ TMDE
- ☐ Warranty

☐ **Custom Field Reports**

- ☐ Custom fields
- ☐ User_CheckBox1
- ☐ User_CheckBox2
- ☐ User_CheckBox3

Report Description
This report shows the activity within the selected date range.


Grouping And Ordering Options:
Ordered By Time(Default)
Ordered By Barcode Id Then Time
Descending (Option)

Options:
Date Range Selection
Shop Code Selection

To set your **Favorite Reports**, place a checkmark in the box next to the report(s) you wish to mark as a favorite. Once you have finished selecting the report(s), click the **Save Favorites** button.


- ☐ Activity Reports
 - ☐ Activity from log
 - ☒ Lean report
 - ☒ Login/Logout records
 - ☐ Login/Logout records [grouped by user]
 - ☐ New items added
 - ☐ New users added
 - ☐ Number of times users were scanned on the main screen
 - ☐ Screen access by user
 - ☐ Shop code transfer
- ☐ Calibration and Inspection Reports
 - ☐ Calibrated item staging
 - ☒ Calibration
 - ☐ Calibration and Inspections combined
 - ☐ Current odometer/hourmeter inspection status
 - ☐ History of calibration updates
 - ☐ History of inspection updates
 - ☐ Inspections
 - ☐ Odometer/Hourmeter inspection

Once you save your favorites for the first time, a **Favorites** tab will appear on the **Reports** screen. The **Favorites** tab will display a list of your selected reports.




Report Options


Report Options give you the ability to adjust various display and caption Data points for many of the built in DoD reports.




When each report is selected, you will see a Report Description section listed with a brief description of the report including any grouping, sorting, and/or display options that are available.




All reports in TCMaX® can be saved in **PDF** and **Excel** format. Once you have ran the report there is an Export menu option in the upper left-hand corner of the Report Viewer screen.



When you select the format to Export the report to, you will see a File Explorer window pop up. The File Explorer window will be defaulted to the Report Path that is currently configured from **Tools > Report Path > Current Path**. Provide the report with a name and click **Save** to complete the Export.




Reports in TCMMax® can also be printed directly from the Report Viewer screen by clicking the **Printer icon** located next to the Export feature in the upper left-hand corner.



Signature Pad

If you have an approved signature pad connected to your TCMMax® system you can electronically sign for any report with a signature parameter. Once you run a report, you will see an **Add Signature(s)** menu combo box.



From the **Add Signature(s)** menu option you can select what line you would like to sign on by selecting the appropriate supervisor from the selection list. When you do so your signature pad should become active and a **Signature Capture** section appears below the Report Parameters.



You can then sign the report and hit **OK** on the signature pad. Your signature will be added electronically to the report.

Inventory Reviewed on (date): _____

by: _____ *Jon Doe*

Sup 1 Name

Sup 1 Title

Activity Reports

Activity Reports

- Activity from log
- Lean report
- Login/Logout records
- Login/Logout records [grouped by user]
- New items added
- New users added
- Number of times users were scanned on the main screen
- Screen access by user
- Shop code transfer

Activity from Log

This report will show the activity from TCMAX® within the selected date range. This report essentially displays the Event Log table in a more user friendly layout.

Lean Report

This report shows the number of times an item was issued within the selected date range. This allows for you to easily find items that are not being utilized.

Login/Logout Records

This report shows the Login and Logout records within the selected date range.

Login/Logout Records [grouped by user]

This report shows the Login and Logout records within the selected date range grouped together by the Username that performed the action.

New Items Added

This report shows new items that were added to TCMMax® during the selected date range.

New Users Added

This report shows the new users that were added to TCMMax® during the selected date range.

Number of Times Users were scanned on the Main Screen

This report shows the history of users that have been scanned on the Main Screen within the selected date range.

Screen Access by User

This report shows the permissions that each user has been assigned.

Shop Code Transfer

This report shows the items that have been transferred from one shop to another within the selected date range.

Calibration and Inspection Reports

Calibration and Inspection Reports

- Calibrated item staging
- Calibration
- Calibration and Inspections combined
- Current odometer/hourmeter inspection status
- History of calibration updates
- History of inspection updates
- Inspections
- Odometer/Hourmeter inspection

Calibrated Item Staging

This report helps stage your calibrated items to avoid from not having these items available. The Data is grouped by part number and requires using the 'Days in Cal Lab' field.

Calibration

This report shows all calibrated items and their due dates.

Calibration and Inspections Combined

This report will display all items that have a calibration date and/or an inspection added to them. You can also filter the report to display only those items that are overdue.

Current Odometer/Hourmeter Inspection Status

This report shows all items that have inspections based on mileage or hours.

History of Calibration Updates

This report shows the history of updated calibration dates.

History of Inspection Updates

This report shows the history of updated inspection records.

Inspections

This report shows the inspection records that have been loaded against your items.

Odometer/Hourmeter Inspection

The Odometer/Hourmeter Inspection report shows the historical records of when the odometer or hourmeter values have been updated on items.

Checkbox Reports

Checkbox Reports

- CACRL
- Consumable
- Local Manufacture
- Precious Metal
- Shelf Life
- TMDE
- Warranty

CACRL

This report shows all items that have the CACRL (Air Force Acronym for Accountable Equipment) checkbox checked.

Consumable

This report shows all items that have the Consumable checkbox checked.

Local Manufacture

This report shows all items that have the Local Manufacture checkbox checked.

Precious Metal

This report shows all items that have the Precious Metal checkbox checked and their inspections.

Shelf Life

This report shows all items that have the Shelf Life checkbox checked.

TMDE

This report shows all items that have the TMDE (Test Measurement Diagnostic Equipment) checkbox checked.

Warranty

This report shows all items that have the Warranty checkbox checked and their Warranty Expiration Date.

Custom Field Reports

Custom Field Reports

Custom fields

User_CheckBox1

User_CheckBox2

User_CheckBox3

User_CheckBox4

These reports reflect the checkboxes on the **Custom** tab of the Main Screen of TCMaX®.

TCMaX® by Soaring Software Solutions, Inc.

File Mode = Issue/Turn-in Item QuickTurn @ Shift Change Show Issued Items Item Search Reports Tools Settings Help

Lederman, Richard A [Demo Admin] Logged In Shop Code: TCMaX Demo Shop

Barcode Id

Parent Barcode Id

Item Name Edit

Storage Location

NSN

Part Number Print Item Label

Calibration Due Date

Serial Number

Certified User Children **Custom** Pictures Attachments Log Notes

☐ User_CheckBox1 ☐ User_CheckBox3

☐ User_CheckBox2 ☐ User_CheckBox4

User_TextBox1

User_TextBox2

User_TextBox3

User_TextBox4

User_TextBox5

User_TextBox6

User_ComboBox1

User_ComboBox2

Event Type	Barcode Id	Description	Shop Code	Location
LoginSuccess...			TCMaX Demo...	
LoggedOut			TCMaX Demo...	
EnteredDbM...			Default	
LoginSuccess...			Default	
LoginFailure			Default	
TCMaXStarted			Default	

Event Logs

Item Details Issued Items List

Custom Fields

This report shows all items that have values in any of the custom text box fields.

User_CheckBox1

This report shows all items that have the first checkbox (User_CheckBox1) checked on the 'Custom' tab.

User_CheckBox2

This report shows all items that have the second checkbox (User_CheckBox2) checked on the 'Custom' tab.

User_CheckBox3

This report shows all items that have the third checkbox (User_CheckBox3) checked on the 'Custom' tab.

User_CheckBox4

This report shows all items that have the fourth checkbox (User_CheckBox4) checked on the 'Custom' tab.

Historical Reports

Historical Reports

- Hazmat usage log
- Historical records of the issue quantity restriction overrides
- Issue history of expendable items
- Issue history of expendable items grouped by shop, then name
- Issue history of expendable items grouped by user
- Issue history of expendable items grouped by user with subtotals
- Issue history of non-expendable items
- Issue/Turn-in history by item
- Issue/Turn-in history by location
- Issue/Turn-in history by user
- Log notes history
- Maintenance history
- Number of items issued to individual users

Hazmat Usage Log

This report is to be used in conjunction with the U.S. Navy Hazmat options. This report is a list of each time Hazmat items were issued along with their weights and who they were issued to.

Historical records of the issue quantity restriction overrides

This report shows the historical records of the times a quantity issue restriction has been overridden.

Issue History of Expendable Items

This report gives a complete issue history of all expendable (No Turn-In) items.

Issue History of Expendable Items Grouped by Shop, then Name

This report gives a complete issue history of all expendable (No Turn-In) items that are ordered by Shop Code then Item Name.

Issue History of Expendable Items Grouped by User

This report gives a complete issue history of all expendable (No Turn-In) items that are grouped by Username.

Issue History of Expendable Items Grouped by User with Subtotals

This report shows the issue history of expendable (No Turn-In) items that are grouped by Username with cost subtotals for each group.

Issue History of Non-Expendable Items

This report gives a complete issue history of all non-expendable items.

NOTE

Non-Expendable Items in TCMAX® are Items that do **NOT** have the 'No Turn-In' box checked.

Issue/Turn-in History by Item

This report shows the issue history of items with the option to limit to a specific item.

Issue/Turn-in History by Location

This report shows the issue history of items with the option to limit to a specific location.

Issue/Turn-in History by User

This report show the issue history of items with the option to limit to a specific user.

Log Notes History

This report shows any log notes that you created for specific items. You can limit it to a specific Barcode Id or show all log notes for all items.

Maintenance History

This report shows the Maintenance History for items that have been entered through the work orders screen.

Number of Items Issued to Individual Users

This report shows the number of items a user has been issued within the selected date range.

Inventory Mode Reports

Inventory Mode Reports

Inventory history report

Inventory Not Found Report

Inventory report

Physical Inventory and Inventory mode discrepancies

Physical Inventory and Inventory mode discrepancy history report

Physical inventory kit completion

Shift inventory completion

Shift Inventory mode discrepancies

Inventory History Report

This report shows the number of times that items have been inventoried within the selected date range.

Inventory Not Found

This report shows the inventory not found log records that can be generated when utilizing General Inventory.

Inventory Report

This report shows the most recent time items that have (or have not via option) been inventoried since the selected date.

Physical Inventory and Inventory Mode Discrepancies

This report is a list of quantity discrepancies identified in Physical Inventory and Inventory Mode.

Physical Inventory and Inventory Mode Discrepancy History Report

This report shows the items that have not been scanned in Physical Inventory, Inventory Mode, or have had an Inventory Discrepancy in the given time frame.

Physical Inventory Kit Completion

This report will show kits that have been completely physically inventoried within the selected date range.

Shift Inventory Completion

This report shows the dates and times that Beginning of Shift and End of Shift modes were entered and exited. The report will also show you if the inventory was completed upon exit or if it was incomplete and the number of items that remained.

Shift Inventory Mode Discrepancies

This report will provide a list of discrepancies identified in Shift Inventory modes.

Inventory Reports

Inventory Reports

- Item inventory
- Item inventory of expendable items only
- Item inventory, grouped by vendor
- Item inventory, separate page per parent
- Item inventory, separate page per storage location
- Item inventory, without parents
- Min/Max report
- Parent and child relationships
- Parent Listing
- Tool Chits

Item Inventory

This report displays your entire inventory.

Item Inventory of Expendable Items Only

This report displays your entire inventory for items that have the No Turn-in checkbox checked.

Item Inventory, Grouped by Vendor

This report displays your entire inventory for items grouped by Vendor.

Item Inventory, Separate Page per Parent

This report displays your entire inventory with a new page for each Parent Barcode Id.

Item Inventory, Separate Page per Storage Location

This report displays your entire inventory with a new page for each Storage Location.

Item Inventory, Without Parents

This report displays all items in your inventory that do not have a Parent Barcode Id.

Min/Max Report

This report shows the minimum and maximum quantities in stock sorted by Storage Location.

Parent and Child Relationships

This report displays all items that have a Parent Barcode Id. The report is grouped by Parent Barcode Id then ordered by Barcode Id.

Parent Listing

This report shows a list of items that are considered Parents (one or more items that have the Barcode Id in their Parent Barcode Id field).

Tool Chits

This report will show all items that have been issued using Tool Chits.

Issue Status Reports

Issue Status Reports

Issued items

Issued items to a particular location, grouped by user id

Issued items to a particular location, grouped by user id (simplified)

Issued items to a particular organization, grouped by user

Issued items to a particular user, grouped by location

Issued items, grouped by user id

Items that are not currently issued

Overdue return date

Issued Items

This report displays all the items that are currently issued to a user, where the items are located, and when are they expected to return.

Issued Items to a Particular Location, Grouped by User

This report displays all items that are issued to a specific location grouped together by the Username that performed the action.

Issued Items to a Particular Location, Grouped by User (Simplified)

This report displays all items that are issued to a specific location grouped together by the Username that performed the action. This report will show a simplified, condensed list of the item details.

Issued Items to a Particular Organization, Grouped by User

This report displays all items that are currently issued to a specific Organization grouped by Username.

Issued Items to a Particular User, Grouped by Location

This report displays all items that are currently issued grouped by a Work Location or Username.

Issued Items, Grouped by User Id

This report displays all items that are currently issued grouped by Username. The report can be filtered to only show items that are issued to specific Username and/or Location.

Items that are not Currently Issued

This report displays all items that are not currently issued.

Overdue Return Date

This report shows all items that are currently issued beyond their expected return date. In order for this report to work, you must be tracking expected return dates.

Item Ordering Reports

Item Ordering Reports

Inventory received

Reorder

Inventory Received

This report displays all items that have been scanned in the Receive Inventory mode. The report can be filtered by the Selected Date Range, Shop Code, Username, and/or specific User Id.

Reorder

This report displays all items that are below their reorder quantity.

Status Reports

Status Reports

- Broken
- Broken item history
- Broken length of time
- Certified items
- Deactivated
- Deactivated item history
- Deactivated length of time
- Found
- Items that have not been available
- Lost
- Lost and Broken item history
- Lost and/or Broken
- Lost item history
- Maintenance procedure availability
- Maintenance Procedures List
- Unserviceable
- Unserviceable item history
- Unserviceable length of time

Broken

This report displays all of the items that are currently marked as broken. The report can be limited to items that belong in a specific parent (kit)

Broken Item History

This report displays the items that have been broken in the selected date range and their cost.

Broken Length of Time

This report displays how long items were marked as broken.

Certified Items

This report displays the items that require certification before use and the Username(s) that are certified on that item grouped by part number.

Deactivated

This report displays all of the items that are currently marked as deactivated. The report can be limited to items that belong in a specific parent (kit).

Deactivated Item History

This report displays the history of deactivated items and their charges.

Deactivated Length of Time

This report displays how long items were marked as deactivated.

Found

This report displays a list of items that have been marked as being found within the selected date range.

Items that have not been Available

This report displays a list of items that have not been available within the selected date range.

Lost

This report displays a list of items that were marked as lost and what User had the item issued.

Lost and Broken Item History

This report displays the items that have been marked lost or broken within the selected date range.

Lost and/or Broken

This report displays the items that are currently marked lost or broken and the User they are issued to, if issued.

Lost Item History

This report displays the items that have been lost within the selected date range.

Maintenance Procedure Availability

This report displays the items that are needed to perform the selected Maintenance Procedure.

Maintenance Procedure List

This report displays the Maintenance Procedures within the selected Shop Code.

Unserviceable

This report displays the items that are currently unserviceable and who they are issued to.

Unserviceable Item History

This report displays the items that have been marked unserviceable within the selected date range.

Unserviceable Length of Time

This report displays how long items were marked as unserviceable.

Version: 9.x

U.S. Military, Civil Services, and Training Reports

U.S. Air Force

[U.S. Air Force Report Options](#)

U.S. Army

[U.S. Army Report Options](#)

U.S. Navy and Marines

[U.S. Navy/Marines Report Options](#)

Civil Services

[DHS Reports](#)

Training Reports

All Training Requirements

U.S. Air Force

Air Force Reports


- AF 143
- AF 1473
- AF 2005
- AF 310
- AF 55 Current
- AF 55 Historical
- AF IMT 2411
- AF IMT 2432 (Key Issue Log)
- CTK inventory and control log (ACC 140)
- CTK inventory and control log (AFRC 177)
- Inspection history (AFTO 244)
- Inspection history for T.O.'s
- Lost item history (AFRC IMT 174)
- OC-ALC form 135 (Surface Coating Log)
- Spare inventory
- T.O.
- Tool kit discrepancy
- Top Secret 703
- Top Secret 703 C

Master Inventory List Reports

- MIL for items not in a kit
- MIL for Kits

U.S. Air Force Report Options

Within the Reports screen, select **Report Options > US Air Force** to navigate to the available Report Options for the U.S. Air Force Reports.



Set Report Versions

The **Set Report Versions** menu option allows you to change the report version footers as updates are made to the Air Force forms.



Air Force Report Versions

AFTO 244

AFTO FORM 244, 20100506

PREVIOUS EDITION IS OBSOLETE

AF IMT 1297

AF IMT 1297, 19870701, V4

PREVIOUS EDITION WILL BE USED.

TEMPORARY ISSUE RECEIPT

AF IMT 2005

AF IMT 2005, 19860601, V3

PREVIOUS EDITION WILL BE USED.

AF IMT 2411

AF IMT 2411, 20030401, V1

AFRC IMT 174

AFRC IMT 174, 19931101, V1

AF FORM 55

AF FORM 55, 20130710

CTK inventory and control log (AFRC 177)

AFRC FORM 177, 20070101

(Replaces ACC 140, Aug 92, which is obsolete)

CTK inventory and control log (ACC 140)

CAF FORM 140, 20070401

(Replaces ACC 140, 19930501, which is obsolete)

AF Form 250

AF Form 250 AUG 91

PREVIOUS EDITION WILL BE USED.

HEALTH RECORD CHARGE OUT REQUEST

U.S. GPO:1997-417-342/60106

AF 1473

GUN EQUIPMENT ROOM INVENTORY

AF IMT 1473, 20001001, V1

AF IMT 2432

AF IMT 2432, 19950801, V2

Reset to Defaults

Update

NOTE

We are not notified of changes that are made to the Air Force forms when they are rolled out to Users. If footers need updated, please feel free to reach out to our Soaring Software Solutions, Inc. Support Department and we would be happy to make necessary changes when a new Version 9 build is released.

Set 1297 Captions

The **Set 1297 Captions** menu option allows you to set certain captions that will display on the 1297 Report.



Air Force Form 1297 Captions



DUTY PHONE:

ORGN ACCT NO.:

Update

Set 2005 Captions

The **Set 2005 Captions** menu option allows you to make appropriate entries for report captions that will display on the 2005 Report and the 1348-6 Report.

This screen can also be accessed from the Main Screen of TCMax® by pressing **Alt + 5** or **Alt + 6**.



DD 1348-6 / Air Force Form 2005 Captions

Delivery Destination

Inchecker Name

Inchecker Phone #

ACT

ORG

SHOP

DMO

SD

PRI

UJC


Mark For

W/O Ship To

Update

Set AF55 PPE

The **Set AF55 PPE** menu option allows you to set what checkboxes will be checked in sections I and II of the AF55 Report.



The form is titled "Air Force 55 PPE Settings" and contains two columns of checkboxes. The left column is labeled "I. Personal Protection Issued" and the right column is labeled "II. PP Provided in Work Area". Both columns list six items: 1. Foot Protection, 2. Arm/Hand Protection, 3. Eye Protection, 4. Hearing Protection, 5. Respiratory Protection, and 6. Head Protection. An "Update" button is located at the bottom right of the form.

I. Personal Protection Issued	II. PP Provided in Work Area
☐ 1. Foot Protection	☐ 1. Foot Protection
☐ 2. Arm/Hand Protection	☐ 2. Arm/Hand Protection
☐ 3. Eye Protection	☐ 3. Eye Protection
☐ 4. Hearing Protection	☐ 4. Hearing Protection
☐ 5. Respiratory Protection	☐ 5. Respiratory Protection
☐ 6. Head Protection	☐ 6. Head Protection

Update

Set AF55 Display Details

The **Set AF55 Display Details** menu option allows you to set what courses in a particular shop you would like to run the AF55 Report for.

! INFO

One course **must** be selected to be able to run the AF55 Report for that specific shop.



Air Force Form 55 Display Information

Shop code:

TCMax Demo Shop

- ☐ [9002] Rifle Training
- ☐ [9001] Weapons Training
- ☐ [7004] Welding Certification

Select All

Deselect All

Update

Set MIL Captions

The **Set MIL Captions** menu option allows you to set the organization caption and the captions for the signature lines that appear on the MIL Report. From the **MIL Captions** screen, you have the capability of adding a third signature line if desired.



MIL Captions

Organization Name:

Supervisor 1 Name:

Supervisor 1 Title:

Supervisor 2 Name:

Supervisor 2 Title:

☐ Display a third signature line

Supervisor 3 Name:

Supervisor 3 Title:

Update

Set MIL Options

The **Set MIL Options** menu allows you to set which version of the MIL Report you wish to run along with what information you would like displayed on the MIL Report.



MIL Options

Choose which version of the report to run:

- ☒ Air Force MIL
- ☐ Air Force MIL with grandchildren listed on report

Order By:

- ☐ Item storage locations

Additional Order By Options:

- ☐ Item barcode ids
- ☐ Item descriptions

Formatting Options:

- ☐ Show barcode ids
- ☐ Show barcodes
- ☐ Show PMEL IDs
- ☐ Show Serial Number
- ☐ Show NSN
- ☐ Show Part Number
- ☐ Show item pictures
- ☐ Use checkbox for Warranty
- ☐ Use checkbox for Local Manufacture
- ☐ Use checkbox for Consumable

Detail Options:

- ☐ Hide all item details
- ☐ Hide broken and unserviceable status details only
- ☐ Hide date and time report was run
- ☐ Add page breaks after every storage location
- ☐ Print in landscape

Grandchildren Options:

Grandchild Totals:

- ☐ Display grandchildren totals in the comments section only.
- ☐ Display grandchildren totals in the comments section, location subtotals, and CTK component total.

Update

Air Force Reports

Air Force Reports

- AF 143
- AF 1473
- AF 2005
- AF 310
- AF 55 Current
- AF 55 Historical
- AF IMT 2411
- AF IMT 2432 (Key Issue Log)
- CTK inventory and control log (ACC 140)
- CTK inventory and control log (AFRC 177)
- Inspection history (AFTO 244)
- Inspection history for T.O.'s
- Lost item history (AFRC IMT 174)
- OC-ALC form 135 (Surface Coating Log)
- Spare inventory
- T.O.
- Tool kit discrepancy
- Top Secret 703
- Top Secret 703 C

AF 143

This report is a Top Secret Register Page used to originate or receive Top Secret/SAR information to establish accountability.

AF 1473

This report is used to organize the inventoried item records from within the armory during multiple shifts.

AF 2005

This report can be utilized for reordering items based on your selected criteria.

AF 310

The form is used to formally document the transfer, receipt, or destruction of material.

AF 55 Current

This report will display the courses that are currently assigned to a User.

AF 55 Historical

This report will display the most recent 55 courses that have been completed by a User.

AF IMT 2411

This report will display the inspection update records that have taken place on an item.

AF IMT 2432 (Key Issue Log)

This report displays the records of issue, turn-in, and inventory of items marked as a Facility Key or with the custom checkboxes.

CTK inventory and control log (ACC 140)

This report displays the issue and turn-in times for items with a new page for each parent on an ACC 140 branded form.

CTK inventory and control log (AFRC 177)

This report displays the issue and turn-in times for items with a new page for each parent on an AFRC 177 branded form.

Inspection History (AFTO 244)

This report displays the inspection history on an item.

Inspection history for T.O.s

This report displays the history of updated inspections for items that have the T.O. checkbox checked.

Lost item history (AFRC IMT 174)

This report displays the historical lost records for the item that you specify. The report will generate a new page for each lost instance that is found.

OC-ALC form 135 (Surface Coating Log)

This report displays the issued items that are marked as "No Turn-In", type of "Hazmat". By default, all No Turn-In Hazmat Items will appear on the Report unless the Report is filtered down by Issued Location, which can be specified in the EU# field (block 6).

Spare Inventory

This report displays everything that has the 'No Turn In' box checked.

T.O. Report

This report displays all items that have the 'T. O.' check box checked.

Tool kit discrepancy

This report displays all items that have a negative status applied to them. This report can be limited to a specific parent if desired.

Top Secret 703

This report is a Top Secret cover sheet.

Top Secret 703 C

This report is a Top Secret cover sheet.

Master Inventory List (MIL) Reports

[Master Inventory List Reports](#)

MIL for items not in a kit

MIL for Kits

MIL for items not in a kit

This report generates the MIL for items not in a kit (no Parent Barcode Id) based on the specified options that were configured from [Report Options > U.S. Air Force > Set MIL Options](#).

The captions that are generated on this Report are based on the specified captions that were configured from [Report Options > U.S. Air Force > Set MIL Captions](#).

MIL for Kits

This report generates the MIL for items that are in a kit (with a Parent Barcode Id) based on the specified options that were configured from [Report Options > U.S. Air Force > Set MIL Options](#).

The captions that are generated on this Report are based on the specified captions that were configured from [Report Options > U.S. Air Force > Set MIL Captions](#).

Air Force Reports Not on the Report Screen

AF 1297

The **AF 1297 Temporary Issue Receipt** can be generated for a User in several ways, depending on how you have your Options set in TCMax®. The **AF 1297** can generate automatically at the end of the issue/ turn-in process if the option to do so is checked or it can be ran by hitting **Ctrl + 4** on your keyboard.

AF 1348-6

The **AF 1348-6 DOD Single Line Item Requisition System Document** can be generated by bringing an item up for display on the Main Screen TCMax® and hitting **Ctrl + 6**.

The **AF 1348-6** can also be printed from the Item Search and Show Issued Items screen.

U.S. Army

Army Reports

- Army SC
- CCAD Form 5220-E
- Change document [issue]
- Change document [turn-in]
- DA Form 5519-R
- Issue or turn-in form DA 3161

Hand Receipts


- Hand receipt DA Form 2062 with 2062 settings
- Simplified hand receipt

Unit Specific Reports

- Consumable usage (Originally for 160th)

U.S. Army Report Options

Within the Reports screen, select **Report Options > US Army** to navigate to the available Report Options for the U.S. Army Reports.



Set Report Versions

The **Set Report Versions** menu option allows you to set the U.S. Army Report versions and also reset back to default values.

From the **Army Report Versions** screen, you will have the capability of modifying the following U.S. Army Report Versions, CCAD Form 5220-E, DA Form 2062, DA Form 3161, DA Form 5519-R.

 Army Report Versions — □ ×

[CCAD Form 5220-E](#)
CCAD FORM 5220-E, 10 April 07
Previous versions of this form are obsolete.

[DA Form 2062](#)
DA FORM 2062, JAN 82
EDITION OF JAN 58 IS OBSOLETE

[DA Form 3161](#)
DA FORM 3161, AUG 2011
PREVIOUS EDITION IS OBSOLETE.
APD LC v1.03ES

[DA Form 5519-R](#)
DA FORM 5519-R, APR 86

Reset to Defaults

Update

Set 2062 Options

The **Set 2062 Options** menu allows you to set how the information will appear on the 2062 Report.



2062 Options

Select Report Type:

- ☐ Army 2062
- ☒ Army 2062 with Children Listed

Field a (Stock Number) Options:

Field a Top

- ☐ Serial Number
- ☒ Item Name
- ☐ NSN

Field a Bottom

- ☒ Barcode Id
- ☐ Mobility Increment
- ☐ NSN

Field b (Item Description) Options:

- ☒ Item Name

Append Level 1:

- ☐ Barcode Id
- ☐ Storage Location
- ☐ Serial Number
- ☒ Part Number

Append Level 2:

- ☐ Storage Location
- ☒ Serial Number

Append Level 3:

- ☒ Storage Location

Order By:

- ☐ NSN , Item Name Then
- ☒ Storage Location, Barcode Id

Field c (*) Options:

- ☒ Use User_ComboBox1 value
- ☐ If Mobility Increment has a value, use 'N'

Field d (SEC) Options:

- ☐ Not Used

Field e (UI) Options:

- ☒ Convert Each to EA
- ☐ Not Used

Field f (Qty Auth) Options:

- ☐ Not Used

Field g (Quantity) Box A Options:

- ☐ Default to 1 if quantity is 0
- ☐ Slash for Broken and Lost items

Other Options:

- ☐ Show Pictures
- ☐ Duplicate only field headers on pages
- ☒ None

Update

Set Commander Information

The **Set Commander Information** menu option allows you to set the Commander Information that will be displayed on the 2062 Report.



Commander Information

Commander's Name:

UIC/DESC:

Hand Receipt Number:

Update

Army Reports

Army Reports

Army SC

CCAD Form 5220-E

Change document [issue]

Change document [turn-in]

DA Form 5519-R

Issue or turn-in form DA 3161

Army SC

This report provides a listing of Items in the selected shop.

CCAD Form 5220-E

This report displays the historical lost records for the item that you specify. The report will generate a new page for each lost instance.

Change document [issue]

This report displays the issue history with a new page for each employee on a Change Document form.

Change document [turn-in]

This report displays the turn-in history with a new page for each employee on a Change Document form.

DA Form 5519-R

This report shows issue and turn-in history on a DA Form 5519-R.

Issue or turn-in form DA 3161

This report shows issued items that are currently marked as broken on a DA Form 3161.

Hand Receipts

Hand Receipts

Hand receipt DA Form 2062 with 2062 settings

Simplified hand receipt

Hand Receipt DA Form 2062 with 2062 Settings

This report is used as a hand receipt to show items that are issued (or not) and can be filtered by the user that they are issued to.

Simplified Hand Receipt

This report is a simplified version of the 2062 that shows only items issued to users.

Unit Specific Reports

Unit Specific Reports

Consumable usage (Originally for 160th)

Consumable usage

This report shows the issue, turn-in, and consumed records for your consumable items.

U.S. Navy and Marines

Marine Reports


- Inventory sheet
- Tool log

Navy Reports

- Aerospace coating log
- Form 306
- Hazmat usage log
- NAVAIR Broken/Worn Tool Report (BTR)
- NAVAIR Compliant Issued Items
- NAVAIR Missing Tool Report (MTR)
- Tool room tool log

U.S. Navy/Marines Report Options

Within the Reports screen, select **Report Options > US Navy / Marines** to navigate to the available Report Option for the U.S. Navy and Marines Reports.



Set Squadron Information

The **Set Squadron Information** menu option allows you to set Squadron Information for various Navy and Marines Reports.



Squadron Information

Squadron

W/C

Detachment

Building No.

Facility

Activity

Permit No.

POC/Position

Phone #

Update

Marines Reports

[Marine Reports](#)

[Inventory sheet](#)

[Tool log](#)

Inventory Sheet

This report shows the inventory status for items within the specified year.

Tool Log

This report shows the issue/turn-in records for a selected shop within the selected date range.

Navy Reports

Navy Reports

Aerospace coating log

Form 306

Hazmat usage log

NAVAIR Broken/Worn Tool Report (BTR)

NAVAIR Compliant Issued Items

NAVAIR Missing Tool Report (MTR)

Tool room tool log

Aerospace Coating Log

This report shows the sum of weight used and disposed for items. For this report to be utilized the Aerospace Coating Item Type will need to be selected.

Form 306

This report is the NAVSUP Form 306 Controlled-Equipage Custody Record (4442).

Hazmat usage log

This report shows the sums of weight used and disposed for items that have the Hazmat Item Type selected.

NAVAIR Broken/Worn Tool Report (BTR)

This report displays the Broken/Worn Tool Report (BTR) for the specified tool as outlined in COMNAVAIRFORINST 4790.2E. This requires the tool to have the 'Broken' status.

NAVAIR Compliant Issued Items

This report shows the issued assets from the selected shop code with the NAVAIR required data.

NAVAIR Missing Tool Report (MTR)

This report displays the Missing Tool Report (MTR) for the specified tool as outlined in COMNAVAIRFORINST 4790.2E. This requires the tool to have the 'Lost' status.

Tool room tool log

This report shows the movement of items from the selected shop code. You can filter this report by a specific Work Location, limit it to just Broken items, or run it for a selected date range.

Civil Services

DHS Reports

DHS Reports

Item inventory

Total inventory

Item Inventory

This report shows the current inventory with issued, not issued, and total quantity figures for Department of Homeland Security. The Item type selector for this report is based on the User_ComboBox1 value.

Total Inventory

This report show the compressed inventory for Department of Homeland Security. The report shows all items in the current inventory and if they are issued out and whom they are issued to.

Fire Department Reports

Fire Department Reports

Firefighter turnout gear

Hoses

Hydro due date

Firefighter Turnout Gear

This report will display items that have Data entered in the User_Textbox fields on the Custom tab.

Hoses

This report shows information for items with the Hose item type selected.

Hydro Due Date

This report shows the hydro due date information for Items that have a hydro due date.

U.S. Border Patrol Reports

U.S. Border Patrol

Issued Items (U.S. Border Patrol)

Issued Items (U.S. Border Patrol)

This report shows a simplified issued tool listing designed for the U.S. Border Patrol.

Training Reports

Training Requirement Reports

All training requirements

All training requirements [with individuals assigned]

Completed courses by course

Individual training requirements

All Training Requirements

This report shows a list of all the training requirements.

All Training Requirements [with individuals assigned]

This report shows a list of all the training requirements and the users that the training has been assigned to.

Completed courses by course

This report shows a list of courses and who has completed each course.

Individual Training Requirements

This report shows a list of all the training requirements that an individual has assigned and their completion dates.

Tools



Consume by Control Number

Consume by Control Number can be used by an organization to consume items issued to u...



Inventory

5 items



Restock

The Restock feature allows you to restock items with like Part Numbers when your quanti...



Log Search

The Log Search menu option brings up a search screen that allows for you to view the log e...



Catalog Setup

1 item



Vendor Setup

Vendor Setup can be used to create vendors to further track information on an item such a...



Kit Builder

The Kit Builder screen helps you to build, modify, and duplicate item kits or tool boxes.



Maintenance History

To access the Maintenance History menu, select Tools > Maintenance History or press Ctrl ...



Maintenance Procedure/Bulk Issue Setup

Maintenance Procedures



Shop Code Transfer

Shop codes in TCMa^x® are used to separate Data between shops or organizations. When/i...



Temporary Item Transfer/Deploy

2 items



Configure Quick Functions

Quick Functions are used to perform various actions within TCMa^x® by scanning a structur...



Set Work Location Status

Selecting the Tools > Set Location Status menu option from the Main Screen allows you vie...



Label Maker

5 items



PPC Sync

The hardware and operating system used for the PPC Sync has been discontinued by their ...



Chart Designer

Just like the charts and graphs available within the TCMa^x® Dashboard Data Visualization...



Custom Tracker Builder

Status Trackers provide information about your Database day to day operations in TCMa^x®...



Report Designer

2 items



Package Builder

To go along with the Report Designer and Status Tracker Builder, we have included a Packa...

Consume by Control Number

Consume by Control Number can be used by an organization to consume items issued to users based off the control number assigned at the time of issue. This functionality can be used along with a voucher system for organizations that pay for a user's PPE, but have the user purchase the PPE themselves.

Consume by Control Number Example

For example, a facility requires a user to purchase their own steel-toed boots, but the company will reimburse the employee for the purchase. They issue the user a voucher instead and when the employee purchases the boots they 'turn in' the receipt for the purchase at which time the voucher is consumed.

This allows the organization to keep track of what users have been reimbursed for their PPE purchases. This also allows organizations to limit the number of reimbursement vouchers a user can be issued in a given time frame when used in conjunction with the allowed quantity functionality found in [Catalog Setup](#).

Utilizing the Control Number Feature

To utilize this feature, you will need to check the **Requires Control Number** checkbox for the consumable item. The **Requires Control Number** checkbox is located on the **Additional Details** tab from the Main Screen of TCMax®.

Quantity & Status Inspections **Additional Details** Certified User Children Custom Pictures Attachments Log Notes

Notes:

Item Type

Manufacturer

Manufacturer P/N

Date Received

Contract Number

Mobility Increment

Length Height

Width Weight (g):

☐ CACRL

☐ Local Manufacture

☐ Needs Chit For Issue

☐ Password Required For Issue

☐ Precious Metal

☐ Requires Charging

☒ **Requires Control Number**

☐ Shelf Life

☐ Spare

☐ Technical Order

☐ TMDE


☐ Warranty

When this box has been checked, each time you go to issue this item, there will be a prompt to **Enter Control Number**. This value gets written to the issued record in the EventLog for tracking.

Enter Control Number

Enter Control Number for item issue.

Once the voucher or item is issued, navigate to **Tools > Consume by Control Number**.



From this screen, users can select from a list of items issued by the control number that was assigned during the issue process. When a control number is selected, a box in the lower right-hand corner will display details about the item, who the item was issued to, and when the item was issued.

Consume Consumables By Control Number

Here is a list of consumable issued items that require Control Number. You can double click or select and press enter to consume the item.

Issued Items by Control Number

Murray - 2022

Voucher for PPE (Murray, William [Demo])

Control Number Filter

Item Details

Barcode Id: VCHR001

Item Name: Voucher for PPE

Quantity: 1

Location:

Issued to: Murray, William [Demo]

Issued Date: 9/2/2022 : 12:47 PM

Close

To complete the process, select the item you wish to consume by a control number then **Double Click** the record or press **Enter** on your keyboard.

Consume Consumables By Control Number

Here is a list of consumable issued items that require Control Number. You can double click or select and press enter to consume the item.

Issued Items by Control Number

Murray - 2022


Voucher for PPE (Murray, William [Demo])

Control Number Filter

A pop-up box will appear asking if you consumed the item(s).

Click **Yes** if you are consuming the item. Once **Yes** has been selected, the quantities will be adjusted to reflect the change.

Click **No** if you do not want to consume the item. Once **No** has been selected, you will return to the **Consume Consumables by Control Number** screen.



Utilizing the Control Number Filter

The **Control Number Filter** box allows for the user to search through a list of assigned control numbers more efficiently.



Consume Consumables By Control Number

Here is a list of consumable issued items that require Control Number. You can double click or select and press enter to consume the item.

Issued Items by Control Number	Control Number Filter
- Bill - 2022 - Voucher for PPE (Bill, Danielle) - Green - 2022 - Voucher for PPE (Green, Joe [Demo]) - Kovacs - 2022 - Voucher for PPE (Kovacs, Wes [Demo]) - Lederman - 2022 - Voucher for PPE (Lederman, Richard A [De - Murray - 2022 - Voucher for PPE (Murray, William [Demo] - Powers - 2022 - Voucher for PPE (Powers, Kristen [Demo]) - Sikes - 2022 - Voucher for PPE (Sikes, Michael [Demo])	

Close



Consume Consumables By Control Number

Here is a list of consumable issued items that require Control Number. You can double click or select and press enter to consume the item.

Issued Items by Control Number

[-] Powers - 2022

- ... Voucher for PPE (Powers, Kristen [Demo])

Control Number Filter

Pow


Powers - 2022

Close


Inventory

The **Inventory** menu option brings up different Inventory Modes that are designed to help you create records and reports that indicate when items have been inventoried, discrepancies that have been generated for items, any Statuses that have been applied to items, or determine the conditions of the items that have been inventoried.

To access the **Inventory** menu with the different Inventory Modes, select **Tools > Inventory** or press **Ctrl + Shift + I** on your keyboard.



Upon selecting **Tools > Inventory** or pressing **Ctrl + Shift + I**, an **Inventory Selection** menu will appear.



The **Inventory Selection** menu can be utilized to select the specific Inventory Mode you would like to run. The **Inventory Selection** menu will display four different Inventory Modes, **General Inventory**, **Physical Inventory**, **Shift Inventory**, and **Deployment Inventory**.

General Inventory

Utilizing General Inventory

General Inventory is used to inventory any assets in a selected Shop Code.

To access the General Inventory menu, select **Tools > Inventory > General Inventory** or press **Ctrl + Shift + I** on your keyboard then press **General Inventory**.

Inventory

☐ Auto inventory all children when parent is scanned.

Select a shop code:
TCMax Demo Shop

Scan or enter an item's Barcode Id to inventory:

Tools

Apply the selected condition to highlighted item.

Add Log Note To the Selected Item.

Reporting

Display items that have not been inventoried in the selected shop code.

Date From:
September 18, 2025

Selected Condition:

Item Status

☐ Broken ☐ Unserviceable ☐ Deactivated ☐ Lost

Inventoried Items:

Barcode Id	Item Name	Storage Location	Sh
------------	-----------	------------------	----

The left-hand side of the **General Inventory** screen is where most of the interaction for the Inventory Mode will take place.

☐ Auto inventory all children when parent is scanned.

Select a shop code:

TCMax Demo Shop ▼

Scan or enter an item's Barcode Id to inventory:

Tools

Apply the selected condition to highlighted item.

Apply

Add Log Note To the Selected Item.

Add Log Note

Reporting

Display items that have not been inventoried in the selected shop code.

Date From:

September 18, 2025

Set Date

Display

The right-hand side of the **General Inventory** screen is where you can select a Condition or apply Statuses (Lost, Broken, Unserviceable, Deactivated) to an item. When Statuses are applied to an item it is updated in real time and will generate corresponding log records. The right-hand side will also display a list of your inventoried items.

! INFO

Versions 9.8.9329.21809 or older will not have the ability to apply Statuses to an item within the Inventory Session.

Selected Condition:

E

G

F

P

N

Inventoried Items:

Barcode Id	Item Name	Storage Location	Sh
------------	-----------	------------------	----

Close

Inventoried Items

To inventory items, start by selecting a Shop Code from the **Select a shop code** drop down menu.

☐ Auto inventory all children when parent is scanned.

Select a shop code:

TCMax Demo Shop

Hydraulic

IT

Maintenance

Support

TCMax Demo Shop

Tool Room A

Tools

Apply the selected condition to highlighted item.

Apply

Add Log Note To the Selected Item.

Add Log Note

Reporting

Display items that have not been inventoried in the selected shop code.

Date From:

September 18, 2025

Set Date

Display

Once a Shop Code is selected, refer to the **Scan or enter an item's barcode id to inventory** text box. Scan/type in the items Barcode Id you wish to Inventory.

☐ Auto inventory all children when parent is scanned.

Select a shop code:

TCMax Demo Shop

Scan or enter an item's Barcode Id to inventory:

600

Tools

Apply the selected condition to highlighted item.

Apply

Add Log Note To the Selected Item.

Add Log Note

Reporting

Display items that have not been inventoried in the selected shop code.

Date From:

September 19, 2025

Set Date

Display

If a Kit (Parent) needs inventoried, there is an available option from **General Inventory** which allows you to **Auto Inventory all children when parent is scanned**.

By turning on the **Auto inventory all children when parent is scanned** option, you can allow the General Inventory Mode to inventory all of the children when the parent barcode id is scanned. Often times this is utilized to speed up the inventory process.

NOTE

If you decide to utilize the **Auto inventory all children when parent is scanned** option, make sure that the items are in the kit before scanning its Barcode Id as it will create an inventory record

for all items in the kit. These records cannot be removed or deleted.

☒ Auto inventory all children when parent is scanned.

Select a shop code:

TCMax Demo Shop

Scan or enter an item's Barcode Id to inventory:

600

Tools

Apply the selected condition to highlighted item.

Apply

Add Log Note To the Selected Item.

Add Log Note

Reporting

Display items that have not been inventoried in the selected shop code.

Date From:

September 19, 2025

Set Date

Display

Upon entering/scanning the Barcode Id, TCMax® will state 'Inventory' and add the item(s) to the right-hand side of the **Inventory** screen.

When entering/scanning the Barcode Id, if the item is a multiple quantity item, TCMax® will prompt you to enter the quantity of the item. By default, the expected quantity will populate in the Enter Quantity box. This will show how many TCMax® is showing should be there and you can adjust after counting the quantity before selecting **OK**.

Enter Quantity

Please enter the quantity of the item being inventoried.

If you enter a value that is different than the expected quantity, the items quantity will be adjusted, and an inventory record will be created recording the Inventory Discrepancy.

! INFO

If the **Auto inventory all children when parent is scanned** option was enabled then all children items of the scanned parent would display from the **Inventoried Items** grid.

Selected Condition:

E

G

F

P

N

Item Status

☐ Broken
☐ Unserviceable
☐ Deactivated
☐ Lost

Inventoried Items:

Barcode Id ▼	Item Name	Storage Location	Shop Code	Quantity
606	Power Drill	Middle Drawer	TCMax Demo Shop	1
605	Torque Wrench	Middle Drawer	TCMax Demo Shop	1
604	Crescent Wrench	Bottom Drawer	TCMax Demo Shop	1
603	Pry Bar	Bottom Drawer	TCMax Demo Shop	1
602	Screwdriver	Top Drawer	TCMax Demo Shop	1
601	Hammer	Top Drawer	TCMax Demo Shop	1
600	Tool Box	Tool Room	TCMax Demo Shop	1



Barcode Id 600 is a parent item, therefore all child items were inventoried.

Close

Inventory Not Found Records

If you scan an item in **General Inventory** that is not found in your selected Shop Code, TCMax® will state 'Attention' and display a red exclamation point letting you know **Item '****' not found**.

Inventory

☒ Auto inventory all children when parent is scanned.

Select a shop code:
TCMax Demo Shop

Scan or enter an item's Barcode Id to inventory:

[Click to add not found event log record](#)

Item '1000' not found.

Item Status

Barcode Id

If you wish to record a log record with details about this item, you can select **Click to add not found event log record** which will open a dialog box where you can record details about this action.

Add Inventory Not Found

Please fill out the info that you want in the log.

This log will be available in the inventory not found report.

****NOTE**** This will not add the item to your inventory, it will just add a log record for reporting.

Barcode Id: 1000

Shop Code: TCMax Demo Shop

Storage Location:

Description:

Note:

Save Cancel

Selecting the **Save** button will save an **Inventory Not Found Log Record** which can be viewed from Log Search or select Reports.

Add Log Note During Inventory

! INFO

Versions **9.8.9329.21809** or older will allow you to add a log note only to the last inventoried item. Under the Item input box, you will have the ability to press "Click to add log note" or you are able to press Ctrl + N on your keyboard (reference image below).

☒ Auto inventory all children when parent is scanned.

Select a shop code:

TCMax Demo Shop

Scan or enter an item's barcode id to inventory:

[Click to add log note](#)

Selected Condition:

E **G** **F** **P** **N**

Inventoried Items:

Barcode Id	Item Name	Storage Location	Sh
601	Hammer	Top Drawer	TC

If you would like to add a log note, select the item you wish to have a log note applied to then select **Add Log Note** or press **Ctrl + N** on your keyboard.

A **Log Note Dialog** screen will appear allowing you to add a log note to the inventoried item. Once the log note has been added, press **Save** which is located in the lower right-hand corner of the **Notes** screen.

Notes

Record will be timestamped with the date/time below (defaults to now)

Date: Thursday , January 1, 2026

Time: 11:21:53 AM


Save

Cancel

Applying Conditions

During the inventory process, you can apply **Conditions** to items.


The conditions that are available during the **General Inventory** process are Excellent (E), Good (G), Fair (F), Poor (P), and None (N).



Within the **General Inventory** process, there are two ways to apply a condition to an item.

Option 1

Before an item is inventoried, select the button for the condition you would like to apply from the right-hand side of the **Inventory** screen.



Inventory

☒ Auto inventory all children when parent is scanned.

Select a shop code:
TCMax Demo Shop

Scan or enter an item's Barcode Id to inventory:

Selected Condition:

E G F P N


Item Status

☐ Broken ☐ Unserviceable ☐ Deactivated ☐ Lost

Inventoried Items:

Once the condition has been selected, scan/type in the **Barcode Id** that you wish to inventory.

Upon entering/scanning the Barcode Id, the item will be added to the **Inventoried Items** grid and display the selected condition.



Inventory

☒ Auto inventory all children when parent is scanned.

Select a shop code:
TCMax Demo Shop

Scan or enter an item's Barcode Id to inventory:

Tools

Apply the selected condition to highlighted item.

Add Log Note To the Selected Item.

Selected Condition:

E G F P N

Item Status

☒ Broken ☐ Unserviceable ☐ Deactivated ☐ Lost

Inventoried Items:

Barcode Id	Item Name	Storage Location	Shop Code	Quantity	Condition
601	Hammer	Top Drawer	TCMax Demo Shop	1	Good

Option 2

To apply a condition after the item has been inventoried, select the item you would like to apply the condition to from the **Inventoried Items** grid then select the condition you would like applied to the item.

The screenshot shows the 'Inventory' application window. On the left, there's a sidebar with options like 'Auto inventory all children when parent is scanned.', 'Select a shop code:' (set to 'TCMax Demo Shop'), and a 'Tools' section with 'Apply' and 'Add Log Note' buttons. The main area has a 'Selected Condition:' section with five buttons: E (green), G (green), F (yellow), P (red), and N (grey). Below this is an 'Item Status' section with checkboxes for 'Broken' (checked), 'Unserviceable', 'Deactivated', and 'Lost'. The 'Inventoried Items:' table is visible, showing one item: Barcode Id 601, Item Name Hammer, Storage Location Top Drawer, Shop Code TCMax Demo Shop, Quantity 1, and Condition None. The 'Condition' column in the table is highlighted with a red box.

Barcode Id	Item Name	Storage Location	Shop Code	Quantity	Condition
601	Hammer	Top Drawer	TCMax Demo Shop	1	None

Once the item/condition has been selected, click the **Apply** button in the **Tools** section of the **Inventory** screen. **Option 2** can also be utilized to change an items condition before the inventory session has been completed.

This screenshot is similar to the previous one, but the 'Apply' button in the 'Tools' section is now highlighted with a red box, indicating it has been selected.

Once **Apply** has been selected from the **Tools** section, the condition will be updated from the **Inventoried Items** grid.

Inventoried Items:					
Barcode Id	Item Name	Storage Location	Shop Code	Quantity	Condition
601	Hammer	Top Drawer	TCMax Demo Shop	1	Excellent

Applying Statuses

During the inventory process, you can apply **Statuses** to items.

! INFO

Versions **9.8.9329.21809** or older will not have the ability to apply Statuses to an item within the Inventory Session.

The statuses that are available during the **General Inventory** process are Broken, Unserviceable, Deactivated, and Lost.

Selected Condition:

E	G	F	P	N
---	---	---	---	---

Item Status

☐ Broken ☐ Unserviceable ☐ Deactivated ☐ Lost

Inventoried Items:

Barcode Id	Item Name	Storage Location	Shop Code	Quantity
601	Hammer	Top Drawer	TCMax Demo Shop	1

To apply a status to an item that has been inventoried, select the item you would like to apply the status to from the **Inventoried Items** grid then select the status you would like applied.

Once the status has been applied, we will mark that item with the selected status within TCMax® and write corresponding log records.

Reporting

General Inventory provides a reporting feature that allows you to see what items have not been inventoried in your selected Shop Code within a certain time frame.

Reporting

Display items that have not been inventoried in the selected shop code.

Date From:

September 25, 2025

To adjust the Date that is displayed in the **Reporting** section, click the **Set Date** button. Upon pressing the **Set Date** button you will be presented with a date picker to select the beginning Date for the report.

Choose Date

Select the date to look back to for non inventoried items.

September 25 2025

When you click **Accept** the selected Date will be placed in the **Date From** box.

Date From:

September 25, 2025

After the Date has been selected, click the **Display** button to view the Report of items that have not been inventoried within the selected Date range. Upon selecting the **Display** button, you will be displayed with an **Items Not Inventoried** screen.

Items that have not been inventoried today.

	Barcode Id	Item Name	Quantity	Shop Code	Parent	Calibration Due Date	Storage Location	Part Number	NSN	Cost
▶	120	Snap-on Too...	1	TCMax Dem...				KRL1022	5140-01-386-...	1800.0000
	121	Pumper Truck	1	TCMax Dem...					5120-01-335-...	220000.0000
	220	Snap-on Too...	1	TCMax Dem...		4/22/2023		KRL1022	5140-01-386-...	3800.0000
	j7ec61010	1/4 Deep So...	1	TCMax Dem...	220		Drawer 1	STM18	5120-01-335-...	8.2000
	320	Snap-on Too...	1	TCMax Dem...		12/31/2023		KRL1022	5140-01-386-...	3800.0000
	600	Tool Box	1	TCMax Dem...		8/29/2023	Tool Room	TOOLBOX		2000.0000
	606	Power Drill	1	TCMax Dem...	605		Middle Draw...	POWERDRILL		160.0000
	750	Vehicle	1	TCMax Dem...			Motor Pool	HUMVEE		100000.0000
	751	Forklift	1	TCMax Dem...			Motor Pool	FORKLIFT		80000.0000
	705	Fire Extingui...	1	TCMax Dem...			Tool Room	FIRE-EX		50.0000
	900	Rifle	1	TCMax Dem...			Armory Cage...	RIFLE		1100.0000
	902	Grenade Lau...	1	TCMax Dem...	900		Armory Cage...	M203		635.0000
	911	Rifle Magazine	50	TCMax Dem...			Armory	30x5.56MAG		25.0000
	808	Multimeter	1	TCMax Dem...		7/19/2025	Tool Room	PSM37		150.0000
	300	Emergency ...	1	TCMax Dem...				MEDBAG		250.0000
	308	Laryngiscope	1	TCMax Dem...	300	11/5/2024	Drawer 1	LARYNGISCO...	6515-01-534-...	150.0000
	111	1/4 Inch Soc...	1	TCMax Dem...	120		Y8	GSTMD12	5120-00-335-...	5.0000
	112	1/2 Inch Cro...	1	TCMax Dem...	120		Y3	65431218	5120-01-348-...	14.6500
	113	3/8 Deep So...	1	TCMax Dem...	120		Drawer 1		5120-01-348-...	13.1200
	114	Screwdriver,...	0	TCMax Dem...	120	9/10/2008	Drawer 2	QDRIVER2	5120-01-335-...	245.2100
	116	9/32 Deep S...	1	TCMax Dem...	120		Y6	GSTMD9	5120-01-428-...	147.3400
	117	5/16 Deep S...	1	TCMax Dem...	120		Y7	GSTMD10	5120-01-429-...	5.0000
	521	HOSE,FIRE R...	1	TCMax Dem...	121		1 : 2 : 3		HI-RISE Hose...	228.0000
	522	HURST,HOSE ...	1	TCMax Dem...	121		1 : 2 : 1		353-0016	301.0000
	523	HURST,RAM J...	0	TCMax Dem...	121		1 : 2 : 2		37472	4880.0000

Close

Physical Inventory

Utilizing Physical Inventory

Physical Inventory is used to inventory a specific kit or collection of items that are associated by parent/child relationships.

To access the Physical Inventory menu, select **Tools > Inventory > Physical Inventory** or press **Ctrl + Shift + I** on your keyboard then press **Physical Inventory**.

Upon selecting Physical Inventory, the **Physical Inventory Setup** screen will appear. The Setup screen allows you to set up how you would like the Physical Inventory to be ran.

 **Physical Inventory Setup**

 Help

Start New Physical Inventory

Step 1:
Select the type of inventory being performed.

☒ Full

☐ Partial

Step 2:
Select a generation level.

- All

- Great Grandchildren

- Grandchildren



- Children

Step 3:
Select a shop code.

TCMax Demo Shop

Step 4:
Enter the barcode id of the kit to be inventoried.

Close

From the **Physical Inventory Setup** screen you will see four different steps. These steps will need information entered into them before you can proceed with the Inventory session.

In **Step 1**, you will select the type of inventory to be performed. Your options are either Full or Partial.

A Full Physical Inventory will inventory the kit, its children, and sub-kits (depending on the settings in Step 2).

A Partial Physical Inventory is used to inventory a specific sub-kit or storage location within a kit.

Step 1:

Select the type of inventory being performed.

☐ Full

☒ Partial

☒ Kits

☐ Storage Locations

Step 2 allows you to decide how many generations of the kit you would like to include in the inventory session.

To set the generation that you would like to include in the inventory session, move the slider arrow up or down until the generation limit you want is selected.

All will include all generations of the kit. **Great Grandchildren** will inventory three generations of the main kit. **Grandchildren** will inventory two generations of the main kit. **Children** will inventory one generation of the main kit.

Step 2:

Select a generation level.

☒ All

☐ - Great Grandchildren

☐ - Grandchildren

☐ - Children

In **Step 3**, select the Shop Code in which your kit exists in from the drop-down menu.

i NOTE

You can only inventory kits from one Shop Code at a time.

Select a shop code.

TCMax Demo Shop	▼
Hydraulic	
IT	
Maintenance	
Support	
TCMax Demo Shop	
Tool Room A	

In **Step 4**, scan or enter the Barcode Id of the kit to be inventoried.

Step 4:

Enter the barcode id of the kit to be inventoried.

Conducting a Physical Inventory

At any point during the Physical Inventory, if you need to leave the screen to perform other tasks, you can select **Close** in the bottom right-hand corner of the inventory screen. Upon selecting **Close**, your inventory session will be paused giving you the option to pick up where you left off when returning to the Physical Inventory Setup screen.

If you started an inventory session and did not complete it before leaving the Inventory mode, you can complete the inventory by selecting the **Join Existing Inventory** tab, highlighting the inventory you wish to complete, and clicking the **Join Selected Inventory** button.

If all your Physical Inventories have been completed and you do not have one that is waiting to be completed, you will not see this tab. The **Join Existing Inventory** tab only appears when there is an inventory that was started and not completed.

 Physical Inventory Setup

 Help

Start New Physical Inventory **Join Existing Inventory**

Kit Name	Barcode Id	Date Started	Active Clients
Tool Box	600	9/22/2022 12...	0

Join Selected Inventory

Close

If you selected **Full** Inventory in **Step 1**, the Physical Inventory screen will open.

If you had selected **Partial > Kits** or **Storage Locations**, a selection window will open asking you what sub-kit(s) you would like to perform the inventory for.



Make A Selection



Select the storage location(s) you would like to perform an inventory on.

Drawer 1

Drawer 4

Drawer 2

Drawer 5

Drawer 3

Start

Cancel

You can select the sub-kit(s) or locations then select the **Start** button to begin the Physical Inventory for the selected items.

Inventory

File Options Help

Selected Condition:

E G F P N

Double click or scan to inventory. Right click for more options.

[600] Tool Box

Drawer 1

- [WWID320-10] Wrench 3/8
- [WWID320-3] Socket, Deep, 3/4", 6-Point
- [WWID320-4] Socket, Deep, 7/8", 6-Point
- [WWID320-5] 1/4 Deep Socket 3/8
- [WWID320-6] 1/4 Deep Socket 7/16
- [WWID320-7] 1/4 Deep Socket 1/2
- [WWID320-8] 1/4 Deep Socket 9/16
- [WWID320-9] Screwdriver, Torque, Adjustable, 20 to 100 in. oz.

Drawer 2

- [WWID320-11] Ratchet, Sealed Head (High Strength)

Drawer 3

- [WWID320-2] Socket, Deep, 7/16", 6-Point

Drawer 4

Item Details

Quantity

Expected Quantity: 1

Inventoried Quantity: 1

Notes

Add/Edit Note

Item Status

☐ Broken ☐ Unserviceable

☐ Deactivated ☐ Lost

Discrepancy List

Complete Inventory Close

The Physical Inventory screen has been optimized to work on both tablet and desktop PCs. You can inventory an item by either double clicking (tapping for touch-enabled devices) on the item in the list or by scanning the item's Barcode Id. In either case, inventorying the item will place a green checkmark next to the item indicating that it has been inventoried during this session.

..... ✓ [005] Socket, Deep, 3/4", 6-Point

If you are using a barcode scanner and interact with an item that has been set up as a multiple quantity item, you can enter the quantity for that item in the upper right-hand corner of the screen.

Quantity

Expected Quantity: 425


Inventoried Quantity: 425

The expected quantity will be listed in the **Item Details** section. If the inventoried quantity matches the expected quantity the item will be marked as inventoried with a green check mark. If the Expected Quantity and Inventoried Quantity don't match, it will be recorded as having been inventoried with a discrepancy.


The screenshot shows the 'Inventory' application window. At the top, there's a menu bar with 'File', 'Options', and 'Help'. Below it, a 'Selected Condition' section has five buttons: 'E' (green), 'G' (green), 'F' (yellow), 'P' (red), and 'N' (grey). A message below the buttons says 'Double click or scan to inventory. Right click for more options.' The main area displays a tree view of inventory items. Under '[600] Tool Box', there are three drawers. 'Drawer 1' contains '[701] Screws' (highlighted with a red box and a red 'X' icon), '[WWID320-10] Wrench 3/8', '[WWID320-3] Socket, Deep, 3/4", 6-Point', '[WWID320-4] Socket, Deep, 7/8", 6-Point', '[WWID320-5] 1/4 Deep Socket 3/8', '[WWID320-6] 1/4 Deep Socket 7/16', '[WWID320-7] 1/4 Deep Socket 1/2', '[WWID320-8] 1/4 Deep Socket 9/16', and '[WWID320-9] Screwdriver, Torque, Adjustable, 20 to 100 in. oz.'. 'Drawer 2' contains '[WWID320-11] Ratchet, Sealed Head (High Strength)'. 'Drawer 3' contains '[WWID320-2] Socket, Deep, 7/16", 6-Point'. On the right, the 'Item Details' panel is open, showing 'Quantity' with 'Expected Quantity: 150' and 'Inventoried Quantity: 149' (with up/down arrows). Below is a 'Notes' section with an 'Add/Edit Note' button. The 'Item Status' section has checkboxes for 'Broken', 'Unserviceable', 'Deactivated', and 'Lost'. The 'Discrepancy List' section shows 'Item Name: Screws' and 'Discrepancy Type: Quantity Did Not Match', with a 'Resolved' checkbox. At the bottom right, there are 'Complete Inventory' and 'Close' buttons.

If "Auto inventory children when parent is scanned" is enabled, through the Options Menu, the system can automatically inventory the children, speeding up the inventory process. When enabled, the user can simply scan/select a parent to inventory all of its components. This feature works for any smaller, sub-kits/item groups that are part of the larger kit (*Example - A set of sockets that are stored in a larger tool box*).

The screenshot shows the 'Options' menu. It has two checked options: 'Auto inventory children when parent is scanned' and 'Group storage locations by first region'.





If you inventory an item in error, you can right click on the item and select **Reset** from the menu that appears.



This will reset the item as if it had not been inventoried.

Updating Inspections During Inventories

For items with inspections, the item will be red for required/overdue inspections or orange for imminent inspections. There will also be an Inspections group box that appears on the right side of the screen when you select the item. If the item is underlined, then it has an Inventory Inspection loaded against it that must be updated to complete the inventory.




To update the inspection, click on it then select the **Complete** button.

Applying Conditions

During the inventory process, you can apply **Conditions** to items.


The conditions that are available during the **Physical Inventory** process are Excellent (E), Good (G), Fair (F), Poor (P), and None (N).



Before an item is inventoried, select the button for the condition you would like to apply from the top of the **Inventory** screen.

Once the condition has been selected, scan, type, or double-click on the **Barcode Id** that you wish to inventory.

Upon inventorying the Barcode Id, the item will be Inventoried and display with a green checkmark and the condition that was applied.



Applying Statuses

During the inventory process, you can apply **Statuses** to items.

! INFO

Versions 9.8.9329.21809 or older will not have the ability to apply Statuses to an item within the Inventory Session.

The statuses that are available during the **Physical Inventory** process are Broken, Unserviceable, Deactivated, and Lost.

To apply a status to an item that has been inventoried or has not been inventoried, select the item you would like to apply the status to from the **Items** list then select the status you would like applied.


Once the status has been applied, we will mark that item with the selected status within TCMax® and write corresponding log records.

Discrepancies

Discrepancies are inconsistencies with items that have been discovered/entered during the inventory process.

Quantity Did Not Match: This discrepancy is generated during Physical Inventory when the Inventoried Quantity does not match the Expected Quantity.

Generic: This discrepancy is generated during Physical Inventory when you right click on the item and select **Add Generic Discrepancy**.



Upon selecting **Add Generic Discrepancy**, a Discrepancy Note entry screen will appear where you can enter information about the discovered discrepancy.

 Discrepancy

Enter the reason for the discrepancy. (Required)

Accept

Cancel

A red x will then appear in the inventory status button for that item.



[040-001] 1/4 Deep Socket 9/16

A Discrepancy can be resolved before completing the inventory by clicking on the Discrepancy and selecting the **Resolve** button. Once you have selected the **Resolve** button, you will then get a **Resolve Discrepancy** entry screen which allows you to update the discrepancy's note.

 Resolve Discrepancy

Enter the action that was taken to resolve the discrepancy. (Required)

Etching is illegible.
Re-etched item.

Accept

Cancel

Selecting the **Accept** button will accept the resolution. The Discrepancy will then be marked as resolved in the Discrepancy List. The item will then be updated with a green checkmark instead of a red X in the inventory status.

The screenshot displays a 'Discrepancy List' window. Inside, a card for '1/4 Deep Socket 3/8' is shown with a green border, indicating it is resolved. The card includes an information icon, a 'Resolved' status with a checkmark, and a 'Discrepancy Type' of 'Generic'. A 'View Notes' button is located at the bottom right of the card. To the left of the card, a dark box titled 'Discrepancy Notes:' contains the text 'Etching is illegible Etching is illegible.Re-etched'.

Discrepancy List	
Item Name: ⓘ 1/4 Deep Socket 3/8	☒ Resolved
Discrepancy Type: Generic	
View Notes	

Discrepancy Notes:
Etching is illegible Etching is illegible.Re-etched

Does Not Belong in this Inventory: This discrepancy is generated when an item that is not listed as being part of the kit is inventoried.

Not Inventoried: This discrepancy is one that cannot be manually added to an item. The discrepancy is generated when you did not inventory items before selecting the **Complete Inventory** button. This discrepancy cannot be resolved other than re-inventorying the kit and making sure all items are accounted for.

Notes

Inventory Notes can be added to items during the **Physical Inventory** process by highlighting an item and clicking the **Add/Edit Note** button on the right side of the screen or by right clicking on the item and selecting **Add/Edit Note**.

Item Details

Quantity

Expected Quantity:

Inventoried Quantity:

Notes


Add/Edit Note

Item Status

☐ Broken ☐ Unserviceable

☐ Deactivated ☐ Lost


Discrepancy List



These Notes are added to the log records and kept for reporting purposes.

Remove from Kit

If, during the Physical Inventory Session, you have discovered an item that does not belong in the kit, you can remove the item from the selected kit. This function can be accessed by right clicking on the item in question and selecting **Remove From Kit**.



Completing the Physical Inventory

To complete the Physical Inventory and commit the records to your Database, click the **Complete Inventory** button in the bottom right-hand corner of the Inventory screen.

Inventory

File Options Help

Selected Condition:

E G F P N

Double click or scan to inventory. Right click for more options.

[600] Tool Box

- Drawer 1
 - [701] Screws
 - [WWID320-10] Wrench 3/8
 - [WWID320-3] Socket, Deep, 3/4", 6-Point
 - [WWID320-4] Socket, Deep, 7/8", 6-Point
 - [WWID320-5] 1/4 Deep Socket 3/8
 - [WWID320-6] 1/4 Deep Socket 7/16
 - [WWID320-7] 1/4 Deep Socket 1/2
 - [WWID320-8] 1/4 Deep Socket 9/16
 - [WWID320-9] Screwdriver, Torque, Adjustable, 20 to 100 in. oz.
- Drawer 2
 - [WWID320-11] Ratchet, Sealed Head (High Strength)
- Drawer 3
 - [WWID320-2] Socket, Deep, 7/16", 6-Point

Item Details

Quantity

Expected Quantity: 1

Inventoried Quantity: 1

Notes

Add/Edit Note

Item Status

☐ Broken ☐ Unserviceable

☐ Deactivated ☐ Lost

Discrepancy List

Complete Inventory Close

If any items have been missed from being inventoried, an **Items Not Inventoried** popup will appear letting you know not all items have been accounted for. You can then choose **Yes** to complete the inventory anyways, which will create Discrepancies for any item that has not been inventoried, or choose **No** to go back and inventory any item that was missed.

Items Not Inventoried

⚠

There are items not inventoried. These items will be marked as discrepancies.

Would you like to Continue?

Yes No


Shift Inventory

Utilizing Shift Inventory

Shift Inventory is used to account for items that are still issued or multi-quantity items at the time of a shift change.

To access the Shift Inventory menu, select **Tools > Inventory > Shift Inventory** or press **Ctrl + Shift + I** on your keyboard then press **Shift Inventory**.

Upon selecting Shift Inventory, the **Shift Inventory Setup** screen will appear. The Setup screen allows you to set up how you would like the Shift Inventory to be ran.




The image shows a software window titled "Shift Inventory Setup" with a small icon on the left. Below the title bar is a tab labeled "Start New Shift Inventory". The main area is divided into three steps:

- Step 1:** A section titled "Select a shift inventory type:" with two radio buttons. The first, "Beginning of shift", is selected with a blue dot. The second, "End of shift", is unselected.
- Step 2:** A section titled "Select a shop code to perform the shift inventory." with a dropdown menu. The menu is open, showing "TCMax Demo Shop" as the selected option.
- Step 3:** A section titled "Options" containing three checkboxes:
 - ☐ Add multi quantity items to shift inventory, regardless of issued status.
 - ☐ Add temporarily transferred items to shift inventory.
 - ☐ Add deployment items to shift inventory.

At the bottom right of the window are two buttons: "Start" (highlighted with a blue border) and "Close".

From the **Shift Inventory Setup** screen you will see three different steps. These steps will need information entered into them before you can proceed with the Inventory session.

In **Step 1**, you will select the type of inventory to be performed. Your options are either Beginning of Shift or End of Shift. The difference between these two inventory types are the log records that are generated.




This image is a close-up of the "Step 1" section of the "Shift Inventory Setup" dialog. It shows the text "Step 1:" followed by the instruction "Select a shift inventory type:". Below this are two radio buttons. The first radio button, labeled "Beginning of shift", is selected and has a blue dot next to it. The second radio button, labeled "End of shift", is unselected.

In **Step 2**, select the Shop Code you would like to conduct the inventory for.

i NOTE

A Shift Inventory instance can only be ran against one shop at a time.



Step 3 can be used to set additional options for your Shift Inventory session.

Step 3:

Options

- ☐ Add multi quantity items to shift inventory, regardless of issued status.
- ☐ Add temporarily transferred items to shift inventory.
 - ☐ Add deployment items to shift inventory.

Once you have setup your Shift Inventory, press the **Start** button on the Shift Inventory Setup screen to start the Shift Inventory.


Conducting the Shift Inventory

At any point during the Shift Inventory, if you need to leave the screen to perform other tasks, you can select **Close** in the bottom right-hand corner of the inventory screen. Upon selecting **Close**, your inventory session will be paused giving you the option to pick up where you left off when returning to the Shift Inventory Setup screen.

If you started an inventory session and did not complete it before leaving the Inventory mode, you can complete the inventory by selecting the **Join Existing Inventory** tab, highlighting the inventory you wish to complete, and clicking the **Join Selected Inventory** button.

If all your Shift Inventories have been completed and you do not have one that is waiting to be completed, you will not see this tab. The **Join Existing Inventory** tab only appears when there is an

inventory that was started and not completed.



The image shows a software window titled "Shift Inventory Setup". It has two tabs: "Start New Shift Inventory" and "Join Existing Inventory", with the latter being selected and highlighted with a red border. Below the tabs is a table with four columns: "Shop Code", "Date Started", "Inventory Type", and "Active Clients". The table contains one row of data. At the bottom of the window, there are two buttons: "Join Selected Inventory" and "Close".

Shop Code	Date Started	Inventory Type	Active Clients
TCMax Demo Shop	9/22/2022 1:...	BOSInventory	0

Once the Shift Inventory session has been started, you will see your items displayed from the Inventory screen.

Inventory

File Options Help

Double click or scan to inventory. Right click for more options.

Bottom Drawer

[603] Pry Bar

[604] Crescent Wrench

Middle Drawer

[605] Torque Wrench

[606] Power Drill

No Storage Location

[220] Snap-on Tool Box

Drawer 1

[J7EC61003] 1/4 Deep Socket 1/4

[J7EC61004] 1/4 Deep Socket 9/32

[J7EC61005] 1/4 Deep Socket 5/16

[J7EC61006] 1/4 Deep Socket 11/32

[J7EC61007] 1/4 Deep Socket 3/8

[J7EC61008] 1/4 Deep Socket 7/16

[J7EC61009] 1/4 Deep Socket 1/2

[J7EC61010] 1/4 Deep Socket 9/16

[J7EC61021] Srawdriwer Torque Adjustable 20 to 100 in. oz. (14-70 Nm)

Item Details

Quantity

Expected Quantity:

Inventoried Quantity:

Notes

Add/Edit Note

Item Status

☐ Broken
☐ Unserviceable

☐ Deactivated
☐ Lost

Discrepancy List

Complete Inventory

Close

The Shift Inventory screen has been optimized to work on both tablet and desktop PCs. You can inventory an item by either double clicking (tapping for touch-enabled devices) on the item in the list or by scanning the item's Barcode Id. In either case, inventorying the item will place a green checkmark next to the item indicating that it has been inventoried during this session.

✓

[005] Socket, Deep, 3/4", 6-Point

If you are using a barcode scanner and interact with an item that has been set up as a multiple quantity item, you can enter the quantity for that item in the upper right-hand corner of the screen.

Quantity

Expected Quantity: 425


Inventoried Quantity:

▼


425

▲

The expected quantity will be listed in the **Item Details** section. If the inventoried quantity matches the expected quantity the item will be marked as inventoried with a green checkmark. If the Expected Quantity and Inventoried Quantity don't match, it will be recorded as having been inventoried with a discrepancy.



If you inventory an item in error, you can right click on the item and select **Reset** from the menu that appears.



This will reset the item as if it had not been inventoried.

Applying Statuses


During the inventory process, you can apply **Statuses** to items.

! INFO

Versions 9.8.9329.21809 or older will not have the ability to apply Statuses to an item within the Inventory Session.

The statuses that are available during the **Shift Inventory** process are Broken, Unserviceable, Deactivated, and Lost.

To apply a status to an item that has been inventoried or has not been inventoried, select the item you would like to apply the status to from the **Items** list then select the status you would like applied.




Once the status has been applied, we will mark that item with the selected status within TCMAX® and write corresponding log records.

Discrepancies

Discrepancies are inconsistencies with items that have been discovered/entered during the inventory process.

Quantity Did Not Match: This discrepancy is generated during Shift Inventory when the Inventoried Quantity does not match the Expected Quantity.


Generic: This discrepancy is generated during Shift Inventory when you right click on the item and select **Add Generic Discrepancy**.




Upon selecting **Add Generic Discrepancy**, a Discrepancy Note entry screen will appear where you can enter information about the discovered discrepancy.

A screenshot of a 'Discrepancy' entry screen. At the top left is a small icon of three wavy lines. The title 'Discrepancy' is in white text. Below the title is the instruction 'Enter the reason for the discrepancy. (Required)' in white text. The main area is a large, empty text input field with a blue border. At the bottom right, there are two buttons: 'Accept' and 'Cancel'. The 'Cancel' button is highlighted with a red border.

A **red x** will then appear in the inventory status button for that item.



A Discrepancy can be resolved before completing the inventory by clicking on the Discrepancy and selecting the **Resolve** button. Once you have selected the **Resolve** button, you will then get a **Resolve Discrepancy** entry screen which allows you to update the discrepancy's note.




Resolve Discrepancy

Enter the action that was taken to resolve the discrepancy. (Required)

Etching is illegible.
Re-etched item.

Accept Cancel

Selecting the **Accept** button will accept the resolution. The Discrepancy will then be marked as resolved in the Discrepancy List. The item will then be updated with a green checkmark instead of a red X in the inventory status.



Discrepancy List

Item Name: ⓘ 1/4 Deep Socket 3/8 ☒ Resolved

Discrepancy Type: Generic

View Notes

Discrepancy Notes:

Etching is illegible Etching is illegible.Re-etched

Does Not Belong in this Inventory: This discrepancy is generated when an item that is not listed is inventoried.

Not Inventoried: This discrepancy is one that cannot be manually added to an item. The discrepancy is generated when you did not inventory items before selecting the **Complete Inventory** button. This discrepancy cannot be resolved other than re-inventorying and making sure all items are accounted for.

Notes


Inventory Notes can be added to items during the **Shift Inventory** process by highlighting an item and clicking the **Add/Edit Note** button on the right side of the screen or by right clicking on the item and selecting **Add/Edit Note**.

The screenshot displays the 'Shift Inventory' interface. The 'Item Details' section includes a 'Quantity' field with 'Expected Quantity' and 'Inventoried Quantity' sub-fields. Below this is a 'Notes' section with a red box around it and an 'Add/Edit Note' button. The 'Item Status' section contains four checkboxes: 'Broken', 'Unserviceable', 'Deactivated', and 'Lost'. The 'Discrepancy List' at the bottom shows two items: '[910] 5.56mm Ammunition' with a green checkmark and '[911] Rifle' with an unchecked circle. A red box highlights the 'Add/Edit Note' button in the context menu for the Rifle item.


These Notes are added to the log records and kept for reporting purposes.

Completing the Shift Inventory

To complete the Shift Inventory and commit the records to your Database, click the **Complete Inventory** button in the bottom right-hand corner of the Inventory screen.



If any items have been missed from being inventoried, an **Items Not Inventoried** popup will appear letting you know not all items have been accounted for. You can then choose **Yes** to complete the inventory anyways, which will create Discrepancies for any item that has not been inventoried, or choose **No** to go back and inventory any item that was missed.




Deployment Inventory

Utilizing Deployment Inventory

Deployment Inventory allows you to run an inventory against any items in your system that have been assigned to a deployment.

To access the Deployment Inventory menu, select **Tools > Inventory > Deployment Inventory** or press **Ctrl + Shift + I** on your keyboard then press **Deployment Inventory**.

Upon selecting Deployment Inventory, the **Deployment Inventory** screen will appear. From the Deployment Inventory screen, you can select which Deployment you would like to perform an inventory on.




Conducting a Deployment Inventory

At any point during the Deployment Inventory, if you need to leave the screen to perform other tasks, you can select **Close** in the bottom right-hand corner of the inventory screen. Upon selecting **Close**,

your inventory session will be paused giving you the option to pick up where you left off when returning to the Deployment Inventory screen.

If you started an inventory session and did not complete it before leaving the Inventory mode, you can complete the inventory by selecting the **Join Existing Inventory** tab, highlighting the inventory you wish to complete, and clicking the **Join Selected Inventory** button.

If all your Deployment Inventories have been completed and you do not have one that is waiting to be completed, you will not see this tab. The **Join Existing Inventory** tab only appears when there is an inventory that was started and not completed.



If you are not joining an existing inventory, press the **Start** button from the Deployment Inventory screen.

 Deployment Inventory

Start New Deployment Inventory

Select the deployment you would like to perform an inventory on.

Vegas TDY

StartClose

This will take you into the Inventory screen.

Inventory

File Options Help

Selected Condition:

E

G

F

P

N

Double click or scan to inventory. Right click for more options.

Drawer 1

[003] Socket, Deep, 3/8", 6-Point

[004] Socket, Deep, 7/16", 6-Point

[005] Socket, Deep, 3/4", 6-Point

[006] Socket, Deep, 7/8", 6-Point

[007] 1/4 Deep Socket 3/8

[008] 1/4 Deep Socket 7/16

[009] 1/4 Deep Socket 1/2

[010] 1/4 Deep Socket 9/16

[022] Screwdriver, Torque, Adjustable, 20 to 100 in. oz. (14-70 Ncm)

[031] Wrench 3/8

[038] Ratchet, Sealed Head (High Strength)

No Storage Location

[220] Snap-on Tool Box

Drawer 1

Item Details

Quantity

Expected Quantity:

Inventoried Quantity:

Notes

Add/Edit Note

Item Status

☐ Broken
☐ Unserviceable
☐ Deactivated
☐ Lost

Discrepancy List

Complete Inventory

Close

The Deployment Inventory screen has been optimized to work on both tablet and desktop PCs. You can inventory an item by either double clicking (tapping for touch-enabled devices) on the item in the list or by scanning the item's Barcode Id. In either case, inventorying the item will place a **green** checkmark next to the item indicating that it has been inventoried during this session.

..... [005] Socket, Deep, 3/4", 6-Point

If you are using a barcode scanner and interact with an item that has been set up as a multiple quantity item, you can enter the quantity for that item in the upper right-hand corner of the screen.

Quantity

Expected Quantity: 425

Inventoried Quantity:

▼

425

▲

The expected quantity will be listed in the **Item Details** section. If the inventoried quantity matches the expected quantity the item will be marked as inventoried with a green checkmark. If the Expected Quantity and Inventoried Quantity don't match, it will be recorded as having been inventoried with a discrepancy.

Inventory

FileOptionsHelp

Selected Condition:

E

G

F

P

N

Double click or scan to inventory. Right click for more options.

Drawer 1

[003] Socket, Deep, 3/8", 6-Point

[004] Socket, Deep, 7/16", 6-Point

[005] Socket, Deep, 3/4", 6-Point

[006] Socket, Deep, 7/8", 6-Point

[007] 1/4 Deep Socket 3/8

[008] 1/4 Deep Socket 7/16

[009] 1/4 Deep Socket 1/2

[010] 1/4 Deep Socket 9/16

[022] Screwdriver, Torque, Adjustable, 20 to 100 in. oz. (14-70 N⋅cm)

[031] Wrench 3/8

[038] Ratchet, Sealed Head (High Strength)

No Storage Location

[220] Snap-on Tool Box

Drawer 1

Item Details

Quantity

Expected Quantity:1

Inventoried Quantity:

0

Notes

Add/Edit Note

Item Status

☐ Broken

☐ Unserviceable

☐ Deactivated

☐ Lost

Discrepancy List

Item Name:

Socket, Deep, 3/8", 6-Point

Discrepancy Type:

Quantity Did Not Match

☐ Resolved

Complete Inventory

Close

If you inventory an item in error, you can right click on the item and select **Reset** from the menu that appears.

✓

[910] 5.56

○

[911] Rifle

Add/Edit Note

Add Generic Discrepancy


Reset

This will reset the item as if it had not been inventoried.

Applying Conditions

During the inventory process, you can apply **Conditions** to items.


The conditions that are available during the **Deployment Inventory** process are Excellent (E), Good (G), Fair (F), Poor (P), and None (N).



Before an item is inventoried, select the button for the condition you would like to apply from the top of the **Inventory** screen.

Once the condition has been selected, scan, type, or double-click on the **Barcode Id** that you wish to inventory.

Upon inventorying the Barcode Id, the item will be Inventoried and display with a **green** checkmark and the condition that was applied.



Applying Statuses


During the inventory process, you can apply **Statuses** to items.



Versions 9.8.9329.21809 or older will not have the ability to apply Statuses to an item within the Inventory Session.

The statuses that are available during the **Deployment Inventory** process are Broken, Unserviceable, Deactivated, and Lost.

To apply a status to an item that has been inventoried or has not been inventoried, select the item you would like to apply the status to from the **Items** list then select the status you would like applied.




Once the status has been applied, we will mark that item with the selected status within TCMAX® and write corresponding log records.

Discrepancies


Discrepancies are inconsistencies with items that have been discovered/entered during the inventory process.

Quantity Did Not Match: This discrepancy is generated during Deployment Inventory when the Inventoried Quantity does not match the Expected Quantity.

Generic: This discrepancy is generated during Deployment Inventory when you right click on the item and select **Add Generic Discrepancy**.




Upon selecting **Add Generic Discrepancy**, a Discrepancy Note entry screen will appear where you can enter information about the discovered discrepancy.




The screenshot shows a dark-themed window titled "Discrepancy" with a small icon on the left. Below the title bar, the text "Enter the reason for the discrepancy. (Required)" is displayed. A large, empty text input area with a blue border occupies the center. At the bottom right, there are two buttons: "Accept" and "Cancel". The "Cancel" button is highlighted with a red border.

A **red X** will then appear in the inventory status button for that item.



A Discrepancy can be resolved before completing the inventory by clicking on the Discrepancy and selecting the **Resolve** button. Once you have selected the **Resolve** button, you will then get a **Resolve Discrepancy** entry screen which allows you to update the discrepancy's note.




Resolve Discrepancy

Enter the action that was taken to resolve the discrepancy. (Required)

Etching is illegible.
Re-etched item.

Accept Cancel

Selecting the **Accept** button will accept the resolution. The Discrepancy will then be marked as resolved in the Discrepancy List. The item will then be updated with a **green** checkmark instead of a **red X** in the inventory status.



Discrepancy List

Item Name: ⓘ 1/4 Deep Socket 3/8 ☒ Resolved

Discrepancy Type: Generic

View Notes

Discrepancy Notes:

Etching is illegible Etching is illegible.Re-etched

Does Not Belong in this Inventory: This discrepancy is generated when an item that is not listed is inventoried.

Not Inventoried: This discrepancy is one that cannot be manually added to an item. The discrepancy is generated when you did not inventory items before selecting the **Complete Inventory** button. This discrepancy cannot be resolved other than re-inventorying the deployment and making sure all items are accounted for.

Notes

Inventory Notes can be added to items during the **Deployment Inventory** process by highlighting an item and clicking the **Add/Edit Note** button on the right side of the screen or by right clicking on the item and selecting **Add/Edit Note**.

The screenshot displays the 'Deployment Inventory' form. The 'Item Details' section includes fields for 'Quantity', 'Expected Quantity:', and 'Inventoried Quantity:'. The 'Notes' section is highlighted with a red box and contains an 'Add/Edit Note' button. Below this is the 'Item Status' section with checkboxes for 'Broken', 'Unserviceable', 'Deactivated', and 'Lost'. The 'Discrepancy List' section shows a list of items. The first item, '[910] 5.56mm Ammunition', is highlighted in blue, and a right-click context menu is open over it, showing options: 'Add/Edit Note', 'Add Generic Discrepancy', and 'Reset'. The second item, '[911] Rifle', is highlighted in orange.

These Notes are added to the log records and kept for reporting purposes.

Completing the Deployment Inventory

To complete the Deployment Inventory and commit the records to your Database, click the **Complete Inventory** button in the bottom right-hand corner of the Inventory screen.

Inventory

File Options Help

Selected Condition:

E

G

F

P

N

Double click or scan to inventory. Right click for more options.

Drawer 1

✓ [003] Socket, Deep, 3/8", 6-Point

✓ [004] Socket, Deep, 7/16", 6-Point

✓ [005] Socket, Deep, 3/4", 6-Point

✓ [006] Socket, Deep, 7/8", 6-Point

✓ [007] 1/4 Deep Socket 3/8

✓ [008] 1/4 Deep Socket 7/16

✓ [009] 1/4 Deep Socket 1/2

✓ [010] 1/4 Deep Socket 9/16

✓ [022] Screwdriver, Torque, Adjustable, 20 to 100 in. oz. (14-70 N⋅cm)

✓ [031] Wrench 3/8

✓ [038] Ratchet, Sealed Head (High Strength)

No Storage Location

✓ [220] Snap-on Tool Box

Drawer 1

Item Details

Quantity

Expected Quantity: 1

Inventoried Quantity: ▼ 1

Notes

Add/Edit Note

Item Status

☐ Broken
☐ Unserviceable
☐ Deactivated
☐ Lost

Discrepancy List

Complete Inventory

Close

If any items have been missed from being inventoried, an **Items Not Inventoried** popup will appear letting you know not all items have been accounted for. You can then choose **Yes** to complete the inventory anyways, which will create Discrepancies for any item that has not been inventoried, or choose **No** to go back and inventory any item that was missed.

Items Not Inventoried

⚠

There are items not inventoried. These items will be marked as discrepancies.

Would you like to Continue?

Yes

No

Generating Condition Barcodes

Condition Barcodes can be generated through the **Label Maker** screen for a quicker inventory method when scanning items that you would like to apply conditions to.


Creating Condition Barcodes

Condition Barcodes will be created the same way for each Inventory Mode.


NOTE

Condition Barcodes cannot be used within Shift Inventory because empty holes on the shelf or location is what is being inventoried and not the physical item itself.

To generate the condition barcodes, navigate to **Tools > Label Maker**.



From the Label Maker screen, adjust the Label Type to **Generic**.



Upon setting the Label Type as Generic, the right-hand side of the Label Maker screen will display four columns, Number of Labels, Message, Barcode Id, and Description.

	Number of Labels	Message	BarcodeId	Description
•	1			

Manually enter the **Conditions** into the **Barcode Id** and **Description** fields.

Excellent Condition

The Barcode Id field needs to state **<E/>** and Description field needs to state **Excellent**.

Good Condition

The Barcode Id field needs to state **<G/>** and Description field needs to state **Good**.

Fair Condition

The Barcode Id field needs to state **<F/>** and Description field needs to state **Fair**.

Poor Condition

The Barcode Id field needs to state **<P/>** and Description field needs to state **Poor**.

No Condition

The Barcode Id field needs to state **<N/>** and Description field needs to state **None**.

	Number of Labels	Message	BarcodeId	Description
▶	1		<E/>	Excellent
	1		<G/>	Good
	1		<F/>	Fair
	1		<P/>	Poor
	1		<N/>	None
*	1			



Using Condition Barcodes with Inventories

Once the **Condition Barcodes** have been printed, you can use your scanner to mark items with a condition during the specific inventory session.

During an inventory session, before scanning an item, scan the condition barcode. When the condition barcode has been scanned, the specific condition will be highlighted to show what condition will be applied. Once the condition has been highlight, scan the item you wish to inventory and apply the selected condition to.



TIP

The condition you scan will remain selected until you tell TCMax® otherwise. You will need to scan the condition of 'None' to set the condition back to nothing.

For further information on the Generic Label Type and utilizing Label Maker, refer to the [Label Maker](#) section in the User Manual.

Restock

The **Restock** feature allows you to restock items with like Part Numbers when your quantities fall below set values.

Before using the Restock functionality, there are few key points you must be aware of:

1. The item to be restocked must have a Max in Stock value set for that item. This value is needed as it is how TCMAX® knows how many items are needed to restock the item to par value.
2. Items marked as spares are given a higher restock priority than items not marked as spares.

Items may need to be restocked because they are consumable/expendable items that have been issued and their quantity on hand has fallen below the Max in Stock value or the item quantity was found to be deficient during a physical inventory.

To use the restock functionality, go to **Tools > Restock** or press **Ctrl + Shift + R** on your keyboard to open the Item Restock screen.



Load from:

Stock

Previous Inventories

Expand All


☐ Check to print receipts

Accept

Close

Load from Stock

Selecting the **Stock** button will bring up a dialog box where you can load an item directly from your stock.



The image shows a software dialog box with a dark background. At the top left is a small logo. The first section is titled "Select a shop code" and contains a dropdown menu with "TCMax Demo Shop" selected. Below this is a section titled "Enter barcode id" with an empty text input field. In the center is a light gray box containing five labels: "Shop Code:", "Name:", "Barcode Id:", "Part Number:", and "Storage Location:". Below this box is a section titled "Select the default shop to pull from stock (Optional)" with a dropdown menu showing "Selected Shops" and a blue circular help icon with a question mark. At the bottom are two buttons: "Select" (highlighted with a blue border) and "Cancel" (highlighted with a red border).

You need to specify the Shop Code the item to be restocked is in and enter its Barcode Id into the **Enter Barcode Id** entry box. If you hit the Enter key some of the important item's details will be displayed on this dialog box. You can also specify the Shop from which you will pull the item from.

Once your Data has been entered, you can click the **Select** button and the Item Restock screen will display the item you selected.

Your results will appear as either green, yellow, or red. When you expand the details for an item you will see a breakdown of the item you are restocking (left) and the stock you are pulling from (right).

Green indicates that not only has a match been found but the stock you are pulling from has a sufficient available quantity to top off the item to its max in stock value.



Item Restock



Help

Load from:

Stock

Previous Inventories

Expand All



1 of 1

1/2 Inch Crows Foot

Quantity Needed: 1

Current Qty: 0

Shop Code: TCMax Demo Shop

Barcode Id: 112

Parent Id: 120

Item Name: 1/2 Inch Crows Foot

Part Number: 65431218

Storage Location: Y3

Spare: False

Quantity Receiving:



1



Available Qty: 3

Shop Code: Spare

Barcode Id: SPARE001

Parent Id:

Item Name: 1/2 Inch Crows Foot

Part Number: 65431218

Storage Location: Spare Cabinet

Spare: True

☐ Check to print receipts

Accept

Close

Yellow indicates that a match has been found but the quantity available is not enough to fulfill the max in stock threshold for the item.



Item Restock



Help

Load from:

Stock

Previous Inventories

Expand All



100 of 151

Screws

Quantity Needed: 151

Current Qty: 49

Shop Code: TCMax Demo Shop

Barcode Id: 701

Parent Id:

Item Name: Screws

Part Number: SCREW

Storage Location: Consumable Shelf

Spare: False

Quantity Receiving: 100

Available Qty: 100

Shop Code: Warehouse

Barcode Id: NSN12345

Parent Id:

Item Name: Screws

Part Number: SCREW

Storage Location: Aisle 1 : Bay 2 : Shelf 3

Spare: True

☐ Check to print receipts

Accept

Close

Red indicates that either no match has been found or there is no available quantity to pull from.

Once you are satisfied with the results and everything looks good you can select the **Accept** button to transfer the available stock into the destination stock, properly updating quantities and creating corresponding log records.

 INFO


If more than one match has been found then the corresponding Shop Code and Barcode Id dropdown box will allow you to change where you are restocking from.

TIP: You can restock an entire kit by entering the Parent Barcode Id and pulling several items at once.

TIP: Pay attention to the  icon in the lower right corner of the results. If there is a discrepancy, then a tooltip will be displayed upon hovering over this icon for details.

Load from Previous Inventories

The restock screen can also populate Data based off shortages discovered during Physical Inventories. To load the screen based on this information click the **Previous Inventories** button.



The screenshot shows a dark-themed interface for loading inventory data. At the top left is a small logo. Below it is a label 'Select a kit' above a dropdown menu showing '121'. In the center is a light blue box containing the following information: 'Shop Code: TCMAX Demo Shop', 'Name: Pumper Truck', 'Barcode Id: 121', 'Part Number:', and 'Storage Location:'. Below this box is a label 'Select the default shop to pull from stock (Optional)' above a dropdown menu showing 'Selected Shops' and a blue question mark icon. At the bottom are two buttons: a blue 'Select' button and a red-outlined 'Cancel' button.

You will then need to select the kit containing the items you would like to restock by selecting it from the **Select a kit** dropdown menu. You can optionally select the Shop which the stock will be pulled from. Once you have made your choices, click the **Select** button.

 **Item Restock** — ×

 Help

Load from:

Stock

Previous Inventories

Expand All

0 of 1

HURST, RAM JL-60A

11 of 11

Steel Carbiners

Quantity Needed: 11 Current Qty: 14 Shop Code: TCMax Demo Shop Barcode Id: 524 Parent Id: 121 Item Name: Steel Carbiners Part Number: Steel Carbiners Storage Location: 2 : 1 Spare: False	Quantity Receiving:  11  Available Qty: 50 Shop Code: TCMax Demo Shop Barcode Id: 624 Parent Id: Item Name: Steel Carbiners Part Number: Steel Carbiners Storage Location: Stock Room: Shelf A: Row B Spare: True
---	--


☐ Check to print receipts

Accept

Close

Once you have matched the items you would like to restock with the stock that they will pull from, the **Accept** button can be clicked to make the changes in TCMax®.

When you click the **Accept** button, you will be asked if you would like to perform the restock automatically.



Clicking **Yes** will remove the items from spare stock and replenish the items being restocked.

Inventory Restock

Clicking **No** will remove the items from spare stock but will not replenish the items being restocked. You will have to go back into the **Inventory Selection** screen to complete the restock process.

To do an Inventory Restock you will then need to navigate to **Tools > Inventory** and then click the **Restock** button.



Inventory Selection



General Inventory

Inventory any asset in a selected shop code.

Physical Inventory

Inventory child assets from a specific parent (kit).

Restock



Shift Inventory

Inventory assets not present at the time of a shift change.

Deployment Inventory

Inventory the assets of a specified deployment.

Close

A Physical Inventory Setup dialog will open where you can choose the kit that contains the items you need to restock.



Physical Inventory Setup

Restock

Kit Name	Barcode Id	Date Started
Pumper Truck	121	9/6/2022 11:...

Perform Restock

Close

Highlight the kit you want to restock and click **Perform Restock**. This will open a modified Inventory screen with the items that need restocked listed, so you can inventory the items as they are replenished.

 Inventory

File

Options

 Help

Double click or scan to inventory. Right click for more options.



[524] Steel Carbiners

Item Details

Quantity

Expected Quantity: 11

Inventoried Quantity:  11

Notes

Add/Edit Note

Re-Sync From Database

Complete Inventory

Close

To restock your items, you can scan, tap, or double click the listed item or single click it and adjust the **Inventoried Quantity**. Finally, Select the **Complete Inventory** button in the bottom right corner of the screen to complete the process.

Receipts

If you checked the option to **Check to print receipts**, two receipts will be generated. One will include the list of items that need restocked and the other is a list of items to pull from spares to restock those items.

Inventory To Restock For:
[120] Snap-on Tool Box

<ShopCode>: TCMax Demo Shop

<BarcodeId>: 112
<Item Name>: 1/2 Inch Crows Foot
<Location>: Y3
<Qty>: 1

<BarcodeId>: 113
<Item Name>: 3/8 Deep Socket
<Location>: Drawer 1
<Qty>: 1

<BarcodeId>: 116
<Item Name>: 9/32 Deep Socket
<Location>: Y6
<Qty>: 1

Inventory To Pull For:
[120] Snap-on Tool Box

<ShopCode>: Spares


<BarcodeId>: SPARE0002
<Item Name>: 1/2 Inch Crows Foot
<Location>: Y3
<Qty>: 1

<BarcodeId>: SPARE0003
<Item Name>: 3/8 Deep Socket
<Location>: Drawer 1
<Qty>: 1

<BarcodeId>: SPARE0004
<Item Name>: 9/32 Deep Socket
<Location>: Y6
<Qty>: 1

Log Search


The **Log Search** menu option brings up a search screen that allows for you to view the log entries created by any event in TCMMax® and filter them. To access this screen, select **Tools > Log Search**.



Menu Options


File

The **File** menu option located in the upper left-hand corner will allow for you to **Close** the **Log Search** screen.



Export to Excel

The **Export to Excel** menu option located in the upper left-hand corner will allow for the user to export the results that are displayed in the table to an Excel spreadsheet.




TIP

You can also right-click in the table at any time and send the displayed Data to an Excel spreadsheet.


Print

The **Print** menu option located in the upper left-hand corner will allow for the user to print a report with the records that are displayed in the results table.



Search Options

Log Search gives the user several search options. These **Search Options** can be located from the upper left-hand corner of the **Log Search** screen.




Search Options > Grid Limit will allow for you to adjust the **Log Search** grid limit. The default grid limit is 1,000 records. This Search Option allows for you to set the value up to 10,000 records.

Search Options > Add Shops across Sites will display Log Records for Shop Codes even if they exist in other Sites.

Help

The **Help** menu option located in the upper left-hand corner will contain information on Search Filters and the **Log Search** Grid Limit.



Utilizing Log Search

To utilize the **Log Search** feature, enter text in any of the search text boxes and hit **Tab** or **Enter**.

Log Search

File Export To Excel Print Search Options Help

Barcode Id: Description: Start Date: 8/ 6/2022 End Date: 9/ 6/2022

Parent Barcode Id: Location: Note:

Filters

Event Type: Shop Code: Username: Filter by logged in username

Clear Search Criteria

Grid limit: This grid is limited to the first 1000 records

The results table will show you only the entries that match the criteria that was entered into that specific field.

Along with the search text boxes, the **Log Search** screen offers a **Filters** section that allows for you to search and limit the results to a **Specific Event Type, Shop Code, and Username**. The Username option within the **Filters** section allows for you to **Filter by Logged in Username** which will display results based on what user was logged into TCMMax at the time.

Log Search

File Export To Excel Print Search Options Help

Barcode Id: Description: Start Date: 8/ 6/2022 End Date: 9/ 6/2022

Parent Barcode Id: Location: Note:

Filters

Event Type: Shop Code: Username: Filter by logged in username

Clear Search Criteria

Grid limit: This grid is limited to the first 1000 records

If you wish to clear the **Log Search** criteria, select the **Clear Search Criteria** button located in the upper right-hand section of the screen.

Log Search
File Export To Excel Print Search Options ? Help

Barcode Id: 751

Parent Barcode Id:

Location:

Note:

Description:

Start Date: 8/ 6/2022

End Date: 9/ 6/2022

Filters

Event Type:

Shop Code:

Username:

☐ Filter by logged in username

Clear Search Criteria

Grid limit: This grid is limited to the first 1000 records

	Record Id	Event	Description	Shop Code	Barcode Id	Parent	Location	Expected	Control
▶	114436	9/6/2022...	Forklift	TCMax Dem...	751				
	114435	9/6/2022...	Forklift	TCMax Dem...	751				
	114434	9/6/2022...	Forklift	TCMax Dem...	751				
	114433	9/6/2022...	Forklift	TCMax Dem...	751				
	114431	9/6/2022...	Forklift	TCMax Dem...	751				
	114430	9/6/2022...	Forklift	TCMax Dem...	751				
	114429	9/6/2022...	Forklift	TCMax Dem...	751				

Close

Utilizing the Filters Section

For example, if you wanted to run a log search on just the issue/turn records for all items in a specific shop code that were issued by a certain user you can do so by using the Event Type, Shop Code, and Username options.

Filters

Event Type: Issue | TurnIn

Shop Code:

Username:

- ☐ BOS Inventory Events
- ☐ Course Events
- ☐ Deployment Events
- ☐ Email Events
- ☐ EOS Inventory Events
- ☐ Group Events
- ☐ Inventory Events
- ☒ Item Events
 - ☐ Consumed
 - ☒ Issue
 - ☐ IssuedToAdditionalLocation
 - ☐ ItemAdded
 - ☐ ItemDeleted
 - ☐ ItemModified
 - ☒ TurnIn
 - ☐ TurnInQT
- ☐ Item Inspection Events

e Id	Parent

Filters

Event Type: Issue | TurnIn

Shop Code: TCMAX Demo Shop

Username: Lederman, Richard A [Demo Admin]

☐ Filter by logged in username

Once the **Filters** section has been filled out, the results grid will adjust accordingly to locate any results that match the selected criteria.

Log Search

File

Export To Excel

Print

Search Options

Help

Barcode Id:

Description:

Parent Barcode Id:

Start Date:

8/ 6/2022

Location:

End Date:

9/ 6/2022

Note:

Filters

Event Type:

Issue | TurnIn

Shop Code:

TCMax Demo Shop

Username:

Lederman, Richard A [Demo Admin]

☐

Filter by logged in username

Clear Search Criteria

Grid limit: This grid is limited to the first 1000 records

	Record Id	Event	Description	Shop Code	Barcode Id	Parent	Event Description	Location	Expected
▶	114431	9/6/2022...	Forklift	TCMax Dem...	751		TurnIn		
	114429	9/6/2022...	Forklift	TCMax Dem...	751		Issue		
	114419	9/2/2022...	Voucher for PPE	TCMax Dem...	VCHR001		Issue		
	113931	9/1/2022...	Screwdriver	TCMax Dem...	602	600	Issue	321	
	113926	9/1/2022...	Hammer	TCMax Dem...	601	600	Issue		

Close

NOTE

All columns can be arranged and sorted by dragging the column header to a new position and/or selecting the column header to order them by ascending or descending.

Catalog Setup

Catalog is a list of all of the Part Numbers that exist within your Database. Part Numbers are used throughout the software to group similar items and cascade uniform Data to the various Data entry fields. **Catalog** allows you to make sure that the Data entered for your items is accurate and formatted properly.


The **Catalog Setup** screen can be accessed by going to **Tools > Catalog Setup** from the Main Screen of TCMax®. The user that's logged in must have the **Access Catalog Setup** permission.

TCMax® will dynamically build this Catalog based off the Part Numbers you enter for your items. If you create a new item and give it a Part Number, it will automatically be added to the Catalog.

In addition, you can add Part Numbers directly to the Catalog without having to create inventory items.

All changes made to the **Catalog Setup** screen are saved automatically. There is no undo button so make sure your actions on this screen are deliberate and access to this screen is tightly controlled.

The functions of the Catalog will depend on what you have selected in the **Catalog Settings** area.



You can disable autofill, activate it, and activate it with overwrite. If you have **Activate AutoFill** selected, the catalog will fill out missing information but will not modify a field that has different Data in it. If you want the catalog to overwrite any existing values, you must have **Activate AutoFill W/ Overwrite** selected.

AutoFill will ensure that any item in your Database with the same Part Number will inherit the same properties and uniform Data points. All details in the Catalog will cascade to the item details for a new item with the same Part Number.


Catalog

File
Catalog Setting

Part Number:

Print Template Barcode

?
Create individual issue records for all available children when issuing a kit.

09-633
10320
1155
12090
12355414531
13060
14081
16-25001
30x5.56MAG
39123
5.56-ball
65431218
77243
A-A-208
AD10A
ASTM-D329
AT670
AT676
AT730
AT736
AT750P3
AT838
ATI595CK
BAT-CCH5
BAT-DLRB2
BATON

Current Part Number : 5.56-ball

Restrict Quick Turn ☐

Create individual issue records for all available children when issuing a kit. ☐

Item Creation Prompts

Set Prompts

?

Item Details

Item Name

5.56mm Ammunition

Storage Location

Armory

NSN

Days to Calibrate:

0

Certification before use

☒

Push

☒

☒

☒

☒

☒

Quantity

Push

☒ Multiple items with this same barcode number

Qty On Hand

5000

Push

☒

Check All

Uncheck All

Overwrite existing values ☒

Push Selected Fields

Close

To add a new Part Number to your Catalog, type the desired Part Number into the input box in the top left of the screen and hit **Enter**.


Catalog

File
Catalog Setting

Part Number:

09-633
10320
1155
12090
12355414531
13060

The Part Number will get added to the list on the left side of the screen. On the right side of the screen you can input any additional Data you might want for items with this Part Number.

Pushing Out Changes To Existing Items

You can push out information from Catalog Setup for items that have already been created. For example, you may want to push out a standard inspection for all items with the same Part Number, rather than creating an identical inspection multiple times for each separate item. The Data entry fields are laid out in Catalog the same way they're grouped on the Main Screen of TCMMax®. The **Push** check box on the outer edge of each field will force the Data in that field out to the items with the selected Part Number. The **Check All** and **Uncheck All** buttons can be used to configure the Data that you would like to send out. The **Overwrite existing values** checkbox will replace any existing Data in the selected fields. Once you have configured the Data to be pushed, click the **Push Selected Fields** button.

It is important to note that Part Numbers are universal and not bound to any Shop Code or Site. If you push the update, TCMMax® will want to update every item with that Part Number in your entire Database. To help prevent against unwanted or intrusive updates, we've added the confirmation window. After you've clicked the **Push Selected Fields** button, you will be shown this window:



Select Barcodes

Please select the barcodes you would like to push the updates to.

Note Inside the '()' is the shopcode.

- ☒ 987(Maintenance)
- ☒ 675(Support)
- ☒ 601(TCMMax Demo Shop)

Select All

Deselect All

Accept

Cancel

The above screen lists every item with the particular Part Number TCMMax® intends to update and shows you the Barcode Id and the Shop Code of that item. You can deselect any items that you don't want to update and click the **Accept** button.


The software will notify you when the push is successful and complete.

Catalog Setup, Continued

Part-Specific Features

In the top right of the **Catalog Setup** screen you will see two Part Specific Features. These will alter the way TCMa^x® interacts with items that have a specific Part Number.

These options don't need to be pushed out to the inventory, if they're checked for a Part Number, that feature now applies to that Part Number.



The screenshot shows the 'Catalog' application window with the 'Catalog Setting' menu open. The 'Part Number:' field is empty. To the right of the field is a 'Print Template Barcode' button. Further right, two checkboxes are visible: 'Restrict Quick Turn' and 'Create individual issue records for all available children when issuing a kit.' Both checkboxes are currently unchecked. A red box highlights the area containing these two checkboxes.

Restrict Quick Turn

Restrict Quick Turn will prevent items with this Part Number from being able to be transferred using the [Item Quick Turn @ Shift Change](#) function.

Create Individual Issue Records for all Available Children when Issuing a Kit

This option works with Part Numbers that are assigned to Parent (kit) items. When this option is enabled for a Part Number that is assigned as the Parent of a kit, upon issuing the Parent item (kit), TCMa^x® will issue all its children (components) separately. The log records and issued item screens will show an issue record for not only the parent item, but the children as well.

This option should be used with caution as there is no way to rapidly turn in all of the child items. Each component would need scanned/entered to turn it in separately.


New Items and the Catalog

If you're adding new items from the Main Screen of TCMax® and you have the catalog enabled with autofill, you can enter the **Part Number** first and TCMax® will fill out any of the other fields you have setup for this Part Number. This will make sure that your new items comply with the same Data formatting that you are already using.

Print Template Barcode

Template Barcodes allow you to create multiple labels with different barcode numbers for items of the same Part Number. The use of this type of label could be very beneficial when adding your initial inventory into TCMax® when you have several individual items of the same Part Number.

For instance, if you have several individual items that have the same Barcode create the Part Number in the Catalog screen then click the **Print Template Barcode** button.



Catalog

File Catalog Setting


Part Number:

Print Template Barcode ? Create individual issue records for all available children when issuing a kit. ☐

Restrict Quick Turn ☐

This will display the **Template Barcode Setup** screen. On this screen, you will need to select what Printer (Label Printer or Page Printer) that you want the labels to print from. Once the appropriate Printer has been selected, in the Quantity field, enter how many template labels you want printed for this Part Number and in the Barcode Prefix / Suffix fields, enter the values for each label. This will be the unique identifier for each item.

In the example below, there will be 50 labels printed all with the same Part Number of M-4/5.56 with the barcode numbers ranging from SSS001 to SSS050.



Template Barcode Setup

Set Printer: ☒ Label Printer ☐ Page Printer

Quantity:

Barcode Prefix:

Barcode Suffix:

Barcode Preview: M-4/5.56::SSS001

Click **Print** on the Setup screen to print the labels. When one of these barcodes is scanned, TCMMax® will create the new item, and it will also cascade all the details you have setup for that Part Number; essentially allowing you to create an item and input all of the details by simply scanning a preset barcode.

Item Creation Prompts

The **Item Creation Prompts** section allows you to add item details that you want to prompt for upon creating a new item with the selected Part Number. Clicking the **Set Prompts** button will display a screen where you can choose the information to be prompted for and after clicking **Save** they will be listed in the **Item Creation Prompts** section.

Print Template Barcode

 Create individual issue records for all available children when issuing a kit.

Item Creation Prompts

Cost

Quantity

Set Prompts



An example of this may be to ask for the cost of the item upon creating it or the quantity. When an item gets added via a **Template Barcode** or from simply inputting the Part Number on a new item (with AutoFill enabled) TCMMax® will then prompt you for the cost and quantity of the item.

Quantity

The **Quantity** section allows you to setup how this item behaves and details for the item. It is worth noting that this section in **Catalog Setup** is the **only** place in TCMMax® where you can restrict the quantity of an item that's issued to the same person within a specific number of days.

A good example of this is if utilizing the **Consume by Control Number** for vouchers, you may want to restrict your users to only receive one voucher per year. Another example is setting up a limit of consumables / expendables of a particular Part Number that can be issued within a week.

Quantity

Push

☒ Multiple items with this same barcode number

☐ Issue multiple of this item with single scan

☒ Consumable

Allowed Quantity: 1

 Days: 365

☒ Restrict by issue

☐ Restrict by consumed

☐ No Turn-In

Allowed Quantity: 1

 Days: 365

☒

☒

☒

☐ Do Not Reorder

Max in Stock 50

Reorder Qty 10

Qty On Hand 1

Cost 8.0000

Vendor Demonstration

Qty in Unit 1

Sold As Each

Push

☒

☒

☒

☒

☒

Additional Details

The **Additional Details** section allows you to setup additional details you would like for items with that specific Part Number.

Additional Details

Push

☒

Notes:

☒

Length

0.0000

☒

Width

0.0000

☒

Item Type:

Item

☒

Manufacturer:

Wrench Maker

☒

Manufacturer P/N:

CW-G54

Height

0.0000

☒

Weight (g)

0.0000

☒

CACRL

☐

☒

Local Manufacture

☐

☒

Needs Chit For Issue

☐

☒

Password Required For Issue

☐

☒

Precious Metal

☐

☒

Requires Charging

☐

☒

Charge Duration:

0

☒

Requires Control Number

☐

☒

Shelf Life

☐

☒

Spare

☐

☒

Technical Order

☐

☒

TMDE

☐

☒

Warranty

☒

☒

Push

Custom

The **Custom** section allows you to apply any Custom Fields to Part Numbers you may have already set up through **Settings > Options > [Custom Captions](#)**.

Custom

Push

☒
☒

☐ Check Box 1
☐ Check Box 2

☐ Check Box 3
☐ Check Box 4

T.O. NUMBER
Text Box 2
Text Box 3
Text Box 4
Text Box 5
Text Box 6
Combo 1
Combo 2

Push

☒
☒
☒
☒
☒
☒
☒
☒

Pictures

The **Pictures** sections allows you to set or remove a Picture for a specific Part Number.

Pictures

Push

☒




Set Picture

Clear Picture

Generic Notes

In this section, you can compile a list of **Generic Notes for rapid input** for use in **Physical Inventory (Touch Enabled)** mode.




The screenshot shows a window titled "Generic Notes". Inside, there is a table with two columns: "Name" and "Note". The table body is currently empty. Below the table, there is a button labeled "Add Generic Note".

Name	Note
------	------

Add Generic Note

To add a Generic Note, select the **Add Generic Note** button. An input box will pop up prompting you to enter a name for the note that you want to add. Once you have given your note a name, select the **OK** button. Now a new input box will pop up prompting you to enter the note itself.

After you have entered the Generic Note, select the **OK** button and the new Generic Note will now appear on the list.



The screenshot shows a dialog box titled "Generic Note". It contains the text "Enter a name for the note you want to add." followed by a text input field. At the bottom, there are two buttons: "OK" and "Cancel".

Generic Note

Enter a name for the note you want to add.

OK Cancel

Generic Notes

	Name	Note
▶	New Note 1	New Generic Note 1 Text

Add Generic Note

This feature can be seen when running a Physical Inventory. During the inventory session, if there is a discrepancy for an item (with the Part Number that the Generic Note was added to) you can resolve the discrepancy with a note. The Generic Note will appear on the Discrepancy Notes / Resolve Discrepancy pop up window as a button. This simply allows touchscreen only users to use a predefined note.

Discrepancy List

Item Name: ⓘ

Hammer

Discrepancy Type:

Does Not Belong To This Inventory

Resolve

☐ Resolved

Resolve Discrepancy

Enter the action that was taken to resolve the discrepancy.
(Required)

New Generic Note 1 Text

New Note 1

Accept Cancel

You can delete a Generic Note from the Catalog by highlighting it in the list and then hitting the **Delete** key on your keyboard.

Inspections

The **Inspections** section allows you to add or remove inspections for a specific Part Number. This is useful if all items that share a Part Number have the same inspection at the same interval. This helps speed up adding inspections to items, as you would not have to add the same inspection to each item, but rather if the items share the same Part Number, you can add the inspection via Catalog and push that Inspection to all items you wish that have this Part Number.

Push

☒

Ask for hours at turn-in ☐


Ask for uses at turn-in ☐

	Inspection Name	Inspection Type	Restrict Issue	Schedule	Miles Interval	
▶	Monthly Inspection	Generic	☐		0	0

Vendor Setup

Vendor Setup can be used to create vendors to further track information on an item such as where the item was supplied from.

From the Main Screen of TCMax®, navigate to the menu bar at the top of the screen and select **Tools** > **Vendor Setup**.



Once **Vendor Setup** is selected, a separate Vendor setup screen will be displayed where you can [Add](#), [Edit](#), or [Delete](#) vendors.



Vendors

[Edit](#)[New Vendor](#)

Vendor Information

Name:

Contact Name:

Address 1:

Phone Number:

Address 2:

Email:

City:

Payment Terms:

State/Province:

Zip:

[Delete Vendor](#)[Close](#)

Adding a New Vendor

From the **Vendor Setup** screen, select the **New Vendor** button.



Vendors

[Edit](#)[New Vendor](#)

Vendor Information

Name:

Contact Name:

Address 1:

Phone Number:

Address 2:

Email:

City:

Payment Terms:

State/Province:

Zip:

[Delete Vendor](#)[Close](#)

You will now be able to enter information for your vendor.

NOTE

Vendor Name is required, all other fields are optional.



Vendors

[Save](#)[New Vendor](#)

Vendor Information

Name: ****Required****

Contact Name:

Address 1:

Phone Number:

Address 2:

Email:

City:

Payment Terms:

State/Province:

Zip:

[Cancel](#)[Delete Vendor](#)[Close](#)

After entering the information for the new vendor, click the **Save** button to add that vendor to the TCMMax® Database.



Vendors

[Save](#)[New Vendor](#)

Vendor Information

Name: Contact Name: Address 1: Phone Number: Address 2: Email: City: Payment Terms: State/Province: Zip: [Cancel](#)[Delete Vendor](#)[Close](#)

TIP

If you accidentally click on **New Vendor** but do not wish to add a vendor, select the **Cancel** button to go back into the **Vendor Setup** screen or select the **Close** button to return to the Main Screen of TCMax®.

Editing a Vendor

From the **Vendor Setup** screen, select the **Vendor** you wish to edit then press the **Edit** button.



Vendors

Soaring Software Solutions

Advent Fire Equipment
Demonstration
Medical Supply Co
None
Snap-on
Soaring Software Solutions
Sutphen Corp.
Warren Fire Equipment

Edit

New Vendor

Vendor Information

Name: Soaring Software Solutions

Address 1: 110 W. Airport Rd

Address 2:

City: Swanton

State/Province: OH

Zip: 43558

Phone: 419-442-7676

Email: support@soaringsoftware.com

Payment Terms:

Delete Vendor

Close

After editing the vendor information, click the **Save** button to update the changes.



Vendors

Soaring Software Solutions

Save

New Vendor

Vendor Information

Name: Soaring Software Solutions

Contact Name:

Address 1: 110 W. Airport Hwy

Phone Number: 419-442-7676

Address 2: Suite 1

Email: support@soaringsoftware.com

City: Swanton

Payment Terms:

State/Province: OH

Zip: 43558

Delete Vendor

Close

Deleting a Vendor

From the **Vendor Setup** screen, select the **Vendor** you wish to delete then select the **Delete Vendor** button.

Soaring Software Solutions

Advent Fire Equipment
Demonstration
Medical Supply Co
None
Snap-on
Soaring Software Solutions
Sutphen Corp.
Warren Fire Equipment

Edit

New Vendor

Vendor Information

Name: Soaring Software Solutions

Address 1: 110 W. Airport Rd

Address 2: Suite 1

City: Swanton

State/Province: OH

Zip: 43558

Phone: 419-442-7676

Email: support@soaringsoftware.com

Payment Terms:

Delete Vendor

Close



Deleting vendors is a permanent action. All changes are final.

Assigning a Vendor

Once a vendor is created, they can be assigned to items for further tracking.

Assigning a vendor is done through the **Quantity and Status tab** from the Main Screen of TCMax® when editing an item or from the [Catalog Setup](#) feature.

Main Screen from the Quantity and Status Tab

Quantity & Status
Inspections
Additional Details
Certified User
Children
Custom
Pictures
Attachments
Log Notes

Quantity Settings

☐ Multiple items with this same barcode number
☐ Issue multiple of this item with single scan
☐ Consumable
☐ No Turn-In
☐ Do Not Reorder

Max in Stock
Reorder Qty

Qty On Hand
Qty Available
Cost

Vendor

Qty in Unit
Sold As

Catalog Setup Screen

Catalog

File
Catalog Setting

Part Number:

Current Part Number : HAMMER

Print Template Barcode

?

Create individual issue records for all available children when issuing a kit.

Restrict Quick Turn

GSTMD10
GSTMD12
GSTMD14
GSTMD9
GTS141A
GTS241
GTS281
HAMMER
HBF4HR
HBF4MA
HBF4R
HBF4SQ
HBF4T
HBF4W
HBE16
HCL16
HD150A
HUMVEE
INSTCOLDPAK
IPTM12
IPTM14
IPTM16
IPTM18
J146392
K13-1
K200
K435

Set Prompts
?

Item Details

Item Name
Hammer
Storage Location
Top Drawer
NSN
Days to Calibrate: 0
Certification before use

Push
☒
☒
☒
☒
☒

Quantity

☒ Multiple items with this same barcode number
☒ Issue multiple of this item with single scan
☒ Consumable

Qty On Hand
1
Cost
5.5000

Vendor
Soaring Software Sol

Allowed Quantity: 0
Days: 0

Push
☒
☒
☒

Check All
Uncheck All


Overwrite existing values
☒
Push Selected Fields

Close


Kit Builder

The **Kit Builder** screen helps you to build, modify, and duplicate item kits or tool boxes.

To access **Kit Builder**, go to **Tools > Kit Builder** from the Main Screen of TCMax® or hit **Ctrl + K**.




The **Kit Builder** screen is divided into two main sections.



The left-hand side of the **Kit Builder** screen will provide a list of different functions that this screen provides.

The right-hand side of the **Kit Builder** screen will display the item/kit layout.

File Menu



From the File menu, you can select any of the following three options, **Add a New Item to the Selected Item/Kit**, **Print Labels for Selected Item/Kit**, or **Close**.

Add a New Item to the Selected Item/Kit

This option is used to add a new item to the kit (or you could utilize the **F3** key on your keyboard).

Print Labels for Selected Item/Kit

This option is used to generate labels for the selected item/kit (or you could utilize **Ctrl + P** on your keyboard).

Close

This option is used to close the Kit Builder screen and return to the Main Screen of TCMax®.

Create/Display Kit to Build

From the **Create/Display Kit to Build** section in **Kit Builder** you will need to select the Shop Code that your kit is or will be in.



Create/Display Kit to Build

Select a shop code and enter the Id of the parent item you want to load into the display on the right. Additionally, you can create a new kit.

Kit Shop Code:

Selected Shops

Enter Kit Id:

Load Kit

Create New Kit

Creating a New Kit

To create a new kit, select the **Create New Kit** button.



Create/Display Kit to Build

Select a shop code and enter the Id of the parent item you want to load into the display on the right. Additionally, you can create a new kit.

Kit Shop Code:

Enter Kit Id:

Load Kit

Create New Kit

This will bring up the **Add New Item Record** screen where you can enter the new kit's information. By default, the Barcode Id will pre-generate with your prefix and suffix that was set from [Settings > Options > User and Item Barcodes](#) or the [Configure Barcode Format](#) section in **Kit Builder**.



Add New Item Record

Barcode Id

Item Name

Storage Location

NSN

Part Number

Serial Number

Save

Cancel

! INFO

When adding a new kit, the Barcode Id must be unique within the selected Shop Code. If the value entered is already used by another item in the selected Shop Code, a red exclamation point will appear next to the Barcode Id field.

 Add New Item Record

Barcode Id

WWID001

Item Name

This Id already exists in shop code 'TCMax Demo Shop'

Once you have entered the Items information, press the **Save** button.

 Add New Item Record

Barcode Id

WWID001

Item Name

Tool Box

Storage Location

Tool Room A

NSN

12345

Part Number

BOX1

Serial Number

12345

Save

Cancel

 NOTE

If you need to enter more information for an item than what is shown in the **Add New Item Record** screen, you will need to edit the item from the Main Screen of TCMax® or Item Search. In **Kit Builder**, the only information you can enter for a new item is the Barcode Id, Item Name, Storage Location, NSN, Part Number, and Serial Number.

Selecting an Already Existing Kit

To add items to an already existing kit, type the item/kits Barcode Id into the **Enter Kit Id** text box, then select the **Load Kit** button.




Create/Display Kit to Build

Select a shop code and enter the Id of the parent item you want to load into the display on the right. Additionally, you can create a new kit.


Kit Shop Code:

Enter Kit Id:

Once the kit has been loaded, the item layout section will populate with the selected item's layout.



Anything displayed in **purple** text from the item layout section will indicate the Storage Location that the particular item(s) lives within.



Adding Items to a New/Existing Kit

Once you have created a new kit or selected an already existing kit an **Enter Item Id** section appears under the **Create/Display Kit to Build** section.

 **Create/Display Kit to Build**

Select a shop code and enter the Id of the parent item you want to load into the display on the right. Additionally, you can create a new kit.

Kit Shop Code:

Enter Kit Id:

Load Kit

Create New Kit

Enter or scan the Id of an existing item from inventory. This will add/move the item to the currently selected node in the display on the right.

Enter Item Id:

Add Item

In the **Enter Item Id** textbox enter the Barcode Id of the item you would like to add/remove from the kit and then hit the **Enter** key on your keyboard or click the **Add Item** button on the screen.

Enter or scan the Id of an existing item from inventory. This will add/move the item to the currently selected node in the display on the right.

Enter Item Id:

701

Add Item

Configure Barcode Format

From the **Configure Barcode Format** section in **Kit Builder**, you can set the format of the Barcode Ids that TCMa^x® will assign to items when they are created or duplicated within **Kit Builder**.

⬆

Configure Barcode Format

Default barcodes values that are used when duplicating or creating new items.

Parent/Item

Prefix

WWID

Suffix

Numeric Only

Child Suffix

Numeric Only

In the **Parent/Item** group box, the barcode Prefix and Suffix can be set. The **Prefix** is a constant set of characters that start your Barcode; this Data can be alphanumeric. The **Suffix** is the set of numeric values that TCMa^x® will automatically increment as new items are created.

The **Child Suffix** can be set so that children of the kit are assigned a Barcode based on their Parent's Barcode Id.

! INFO

Both suffix values must be numeric as these fields auto increment.

Create New Item

The **Create New Item** section will add new items to TCMa^x® and place them in the selected kit.



Create New Item

Create and add a new item to the selected item/kit

Add New Item

Selecting the **Add New Item** button will display the **Add New Item Record** prompt where you can fill in your new item's information.



Add New Item Record

Barcode Id

WWID001-01

Item Name

Storage Location

NSN

Part Number

Serial Number

Save

Cancel

Once you have filled out the new item's information, press the **Save** button to add the item to the selected kit.



Add New Item Record

Barcode Id WWID001-01

Item Name Hammer

Storage Location Drawer 1

NSN 12345

Part Number BOX2

Serial Number 12345

Save

Cancel

If you enter a new Storage Location when creating the item, you will see a new Location appear in **purple** text under the item layout section.



[WWID001] Tool Box



Drawer 1

[WWID001-01] Hammer

Duplicate Item(s) from Inventory

The **Duplicate Item(s) from Inventory** section is used to duplicate items that already exist within your TCMMax® inventory.




Duplicate Item(s) from Inventory

Search your inventory for items to duplicate inside the selected item/kit.


☐ Keep the same barcode values from the selected items

Search Inventory

Within the **Kit Builder** screen, you can also duplicate items by right clicking them from the item layout section and selecting **Duplicate Item**.



Upon selecting **Duplicate Item** from the item layout section, you will be prompted with a **Duplicate Item** screen asking if you wish to duplicate this item inside or outside of the current kit.



If you chose to duplicate the item inside the kit, a **Barcode Configuration** screen will be displayed where you can enter the Times you wish to have this item duplicated, the Barcode Prefix, the Barcode Suffix, and the Child Suffix.

If you chose to duplicate the item outside the kit, a **Shop Code List** screen will be displayed asking which Shop Code you would like to duplicate the item(s) into. Upon selecting the Shop Code, you will be prompted with an **Item Duplication** screen asking if you would like to duplicate using the same barcode values, if not then you will be prompted with a **Barcode Configuration** screen.

From the **Duplicate Item(s) from Inventory** section, if you would like to keep the same Barcode Ids for the duplicated items then utilize the **Keep the same barcode values from the selected items** checkbox.

i NOTE

The Barcode values can only be kept if you are copying the item(s) to a different Shop Code as Barcode Ids must be unique across Shops.

To choose which item(s) will be duplicated, select the **Search Inventory** button.

You will notice an **Item Search** screen appears, this version of the Item Search screen is slightly different than the one accessed via the Main Screen of TCMax®, as it has functionality that will pass our selected items to the **Kit Builder** screen.

Item Search

File

Reports

Search Options

Help

Barcode Id

Parent Barcode Id

Item Name

Needs Chit

True

False

Disable

NSN

Shop Code

TCMax Demo Shop

Username

Location

Part Number

Serial Number

CACRL

True

False

Disable

Total Items

Total Value

Clear Search Criteria

Add Selected Rows

Add All Rows

Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number
		TCMax Demo Shop	120		Snap-on Tool Box	KRL1022
		TCMax Demo Shop	121		Pumper Truck	
		TCMax Demo Shop	220		Snap-on Tool Box	KRL1022
		TCMax Demo Shop	J7EC61010	220	1/4 Deep Socket 9/16	STM18
		TCMax Demo Shop	320			
		TCMax Demo Shop	600			
		TCMax Demo Shop	606	600		
		TCMax Demo Shop	750			
		TCMax Demo Shop	751			
		TCMax Demo Shop	705			
		TCMax Demo Shop	900			
		TCMax Demo Shop	902	900		
		TCMax Demo Shop	911			

Selected items

BarcodeId	Name	ShopCode
-----------	------	----------

Finished

From the **Item Search** screen, you can highlight a row and add the item to your **Selected Items** grid by clicking the **Add Selected Rows** button or by double clicking the item you wish to add.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

True

False

Disable

Needs Chit

True

False

Disable

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number
			TCMax Demo Shop	120		Snap-on Tool Box	KRL1022
			TCMax Demo Shop	121		Pumper Truck	
			TCMax Demo Shop	220		Snap-on Tool Box	KRL1022
			TCMax Demo Shop	J7EC61010	220	1/4 Deep Socket 9/16	STM18
▶			TCMax Demo Shop	320			
			TCMax Demo Shop	600			
			TCMax Demo Shop	606	600		
			TCMax Demo Shop	750			
			TCMax Demo Shop	751			
			TCMax Demo Shop	705			
			TCMax Demo Shop	900			
			TCMax Demo Shop	902	900		
			TCMax Demo Shop	911			

Selected items

BarcodeId	Name	ShopCode
▶ 320	Snap-on Too...	TCMax Dem...

Finished

You can also use the **Item Search** functionality to limit the grid and then select the **Add All Rows** button to add all of the results in the search grid to the **Selected Items** grid.

Item Search

File
Reports
Search Options
Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Total Items

Total Value

Item Name

Socket

CACRL

☐ True
☐ False
☒ Disable

Needs Chit

☐ True
☐ False
☒ Disable

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number
▶			TCMax Demo Shop	003	320	Socket, Deep, 3/8", 6-Point	12355414531
			TCMax Demo Shop	004	320	Socket, Deep, 7/16", 6-Point	GTS141A
			TCMax Demo Shop	005	320	Socket, Deep, 3/4", 6-Point	GTS241
			TCMax Demo Shop	006	320	Socket, Deep, 7/8", 6-Point	GTS281
			TCMax Demo Shop	007	320		
			TCMax Demo Shop	008	320		
			TCMax Demo Shop	009	320		
			TCMax Demo Shop	010	320		
			TCMax Demo Shop	111	120		
			TCMax Demo Shop	113	120		
			TCMax Demo Shop	116	120		
			TCMax Demo Shop	117	120		
			TCMax Demo Shop	118	120		

Selected items

	BarcodeId	Name	ShopCode
▶	003	Socket, Dee...	TCMax Dem...
	004	Socket, Dee...	TCMax Dem...
	005	Socket, Dee...	TCMax Dem...
	006	Socket, Dee...	TCMax Dem...
	007	1/4 Deep So...	TCMax Dem...
	008	1/4 Deep So...	TCMax Dem...

Finished

If you select an item to duplicate that you did not mean to, you can remove it from the **Selected Items** grid. From the **Selected Items** grid, select the item you do not want duplicated and click delete on your keyboard. This will remove the item from the list, but not from TCMax® itself.

Once you have all the items you wish to duplicate added to the **Selected Items** grid, select the **Finished** button located in the bottom right-hand corner of the **Item Search** screen.

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number
▶			TCMax Demo Shop	J7EC61010	220	1/4 Deep Socket 9/16	STM18
			TCMax Demo Shop	111	120	1/4 Inch Socket	GSTMD12
			TCMax Demo Shop	113	120	3/8 Deep Socket	
			TCMax Demo Shop	116	120	9/32 Deep Socket	GSTMD9
			TCMax Demo Shop	117	120		
			TCMax Demo Shop	118	120		
			TCMax Demo Shop	J7EC61003	220		
			TCMax Demo Shop	J7EC61004	220		
			TCMax Demo Shop	J7EC61005	220		
			TCMax Demo Shop	J7EC61006	220		
			TCMax Demo Shop	J7EC61007	220		
			TCMax Demo Shop	J7EC61008	220		
			TCMax Demo Shop	J7EC61009	220		

Selected items

	BarcodeId	Name	ShopCode
▶	J7EC61010	1/4 Deep So...	TCMax Dem...
	111	1/4 Inch Soc...	TCMax Dem...
	113	3/8 Deep So...	TCMax Dem...
	116	9/32 Deep S...	TCMax Dem...
	117	5/16 Deep S...	TCMax Dem...
	118	7/16 Deep S...	TCMax Dem...

Finished

Upon selecting the **Finished** button, you will then be presented with a **Barcode Configuration** dialog box where you can confirm what Barcode Ids you would like assigned to the item(s), and how many times you want to duplicate the items(s).


Barcode Configuration

Times Duplicated:

Barcode Prefix:

Barcode Suffix:

Child Suffix: 

Barcode Preview: WWID600

Child Preview: WWID600-01

Once you are satisfied with the Barcode Configuration, select **Done**. You will then see a **Duplicated Items** list where you can see what items will be duplicated and what their Barcode Ids will be.


Below is a list of item(s) that will be duplicated. Would you like to continue with the duplication?

	BarcodeId	Name	Quantity	ShopCode	Parent	CalDueDate	StorageLocatio	PartNumber	NSN	Cost
▶	WWID600-01	Hammer	1	TCMax Dem...	600		Top Drawer			5.5000
	WWID600-02	Hammer	1	TCMax Dem...	600		Top Drawer			5.5000
	WWID600-03	Hammer	1	TCMax Dem...	600		Top Drawer			5.5000
	WWID600-04	Screwdriver	1	TCMax Dem...	600		Top Drawer			4.5000
	WWID600-05	Screwdriver	1	TCMax Dem...	600		Top Drawer			4.5000
	WWID600-06	Screwdriver	1	TCMax Dem...	600		Top Drawer			4.5000
	WWID600-07	Pry Bar	1	TCMax Dem...	600		Bottom Dra...			7.5000
	WWID600-08	Pry Bar	1	TCMax Dem...	600		Bottom Dra...			7.5000
	WWID600-09	Pry Bar	1	TCMax Dem...	600		Bottom Dra...			7.5000
	WWID600-10	Crescent Wr...	1	TCMax Dem...	600		Bottom Dra...			8.0000
	WWID600-11	Crescent Wr...	1	TCMax Dem...	600		Bottom Dra...			8.0000
	WWID600-12	Crescent Wr...	1	TCMax Dem...	600		Bottom Dra...			8.0000

Selecting **Yes** from the **Duplicated Items** list will duplicate the items.

Selecting **No** from the **Duplicated Items** list will cancel the duplication.

If **Yes** was selected, you will see a **Duplication Successful** popup appear indicating the duplication was successful. Press **OK** through the **Duplication Successful** popup to view your duplicated items in the kit layout.



If **No** was selected, you will be taken back to the **Kit Builder** screen.

Move Item(s) from Inventory

The **Move Item(s) from Inventory** section is used to relocate items from your TCMax® inventory and place them in your selected item/kit.



Move Item(s) from Inventory

Search your inventory for items you would like to move into the selected item/kit.

Search Inventory

To choose which item(s) will be moved, select the **Search Inventory** button.

You will notice an **Item Search** screen appears, this version of the Item Search screen is slightly different than the one accessed via the Main Screen of TCMa^x®, as it has functionality that will pass our selected items to the **Kit Builder** screen.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

True

False

Disable

Needs Chit

True

False

Disable

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number
▶			TCMax Demo Shop	120		Snap-on Tool Box	KRL1022
			TCMax Demo Shop	121		Pumper Truck	
			TCMax Demo Shop	220		Snap-on Tool Box	KRL1022
			TCMax Demo Shop	J7EC61010	220	1/4 Deep Socket 9/16	STM18
			TCMax Demo Shop	320			
			TCMax Demo Shop	600			
			TCMax Demo Shop	606	600		
			TCMax Demo Shop	750			
			TCMax Demo Shop	751			
			TCMax Demo Shop	705			
			TCMax Demo Shop	900			
			TCMax Demo Shop	902	900		
			TCMax Demo Shop	911			

Selected items

BarcodeId	Name	ShopCode
-----------	------	----------

Finished

From the **Item Search** screen, you can highlight a row and add the item to your **Selected Items** grid by clicking the **Add Selected Rows** button or by double clicking the item you wish to add.


Item Search
_ □

File Reports Search Options Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

☐ True
☐ False
☒ Disable

Needs Chit

☐ True
☐ False
☒ Disable

NSN

Shop Code
TCMax Demo Shop

Username

Location

Clear Search Criteria

Total Items

Total Value



Add Selected Rows

Add All Rows

Selected items

	BarcodeId	Name	ShopCode
▶	701	Screws	TCMax Dem...

Finished

You can also use the **Item Search** functionality to limit the grid and then select the **Add All Rows** button to add all of the results in the search grid to the **Selected Items** grid.

Item Search

File
Reports
Search Options
Help

Barcode Id
Part Number

Parent Barcode Id
Serial Number

Item Name
Socket
CACRL
True
False
Disable

Needs Chit
True
False
Disable

NSN

Shop Code
TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number
▶			TCMax Demo Shop	003	320	Socket, Deep, 3/8", 6-Point	12355414531
			TCMax Demo Shop	004	320	Socket, Deep, 7/16", 6-Point	GTS141A
			TCMax Demo Shop	005	320	Socket, Deep, 3/4", 6-Point	GTS241
			TCMax Demo Shop	006	320	Socket, Deep, 7/8", 6-Point	GTS281
			TCMax Demo Shop	007	320		
			TCMax Demo Shop	008	320		
			TCMax Demo Shop	009	320		
			TCMax Demo Shop	010	320		
			TCMax Demo Shop	111	120		
			TCMax Demo Shop	113	120		
			TCMax Demo Shop	116	120		
			TCMax Demo Shop	117	120		

Selected items

	BarcodeId	Name	ShopCode
▶	003	Socket, Dee...	TCMax Dem...
	004	Socket, Dee...	TCMax Dem...
	005	Socket, Dee...	TCMax Dem...
	006	Socket, Dee...	TCMax Dem...
	007	1/4 Deep So...	TCMax Dem...
	008	1/4 Deep So...	TCMax Dem...

Finished

If you select an item to relocate that you did not mean to, you can remove it from the **Selected Items** grid. From the **Selected Items** grid, select the item you do not want relocate and click delete on your keyboard. This will remove the item from the list, but not from TCMa[®] itself.

Once you have all the items you wish to relocate added to the **Selected Items** grid, select the **Finished** button located in the bottom right-hand corner of the **Item Search** screen.

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Part Number
▶			TCMax Demo Shop	J7EC61010	220	1/4 Deep Socket 9/16	STM18
			TCMax Demo Shop	111	120	1/4 Inch Socket	GSTMD12
			TCMax Demo Shop	113	120	3/8 Deep Socket	
			TCMax Demo Shop	116	120	9/32 Deep Socket	GSTMD9
			TCMax Demo Shop	117	120		
			TCMax Demo Shop	118	120		
			TCMax Demo Shop	J7EC61003	220		
			TCMax Demo Shop	J7EC61004	220		
			TCMax Demo Shop	J7EC61005	220		
			TCMax Demo Shop	J7EC61006	220		
			TCMax Demo Shop	J7EC61007	220		
			TCMax Demo Shop	J7EC61008	220		
			TCMax Demo Shop	J7EC61009	220		

Selected items

	BarcodeId	Name	ShopCode
▶	J7EC61010	1/4 Deep So...	TCMax Dem...
	111	1/4 Inch Soc...	TCMax Dem...
	113	3/8 Deep So...	TCMax Dem...
	116	9/32 Deep S...	TCMax Dem...
	117	5/16 Deep S...	TCMax Dem...
	118	7/16 Deep S...	TCMax Dem...

Finished

Upon selecting the **Finished** button, you will then be presented with a **Relocated Items** list where you can see what items will be relocated.



Relocated Items list



Below is a list of item(s) that will be relocated. Would you like to continue with the relocation?


	BarcodeId	Name	Quantity	ShopCode	Parent	CalDueDate	StorageLocatio	Par
▶	701	Screws	100	TCMax Dem...			Drawer 1	SCR

Yes

No

NOTE

If the item(s) you selected already live within a kit then you will be prompted with a Child Item(s) screen. This will indicate if you continue with this selection that the item will be removed from the original kit and added to the selected item/kit.




Selecting **Yes** from the **Child Item(s)** screen will move the item(s) to the selected kit.

Selecting **Yes** from the **Relocated Items** list will relocate the item(s).

Selecting **No** from the **Relocated Items** list will cancel the relocation.

If **Yes** was selected, you will see a **Relocation Successful** popup appear indicating the relocation was successful. Press **OK** through the **Relocation Successful** popup to view your relocated items in the kit layout.




If **No** was selected, you will be taken back to the **Kit Builder** screen.

Removing Items from a Kit

From **Kit Builder**, there is two options on removing items from kit.

Option 1

To remove items from a kit, right click on the item to be removed from the kit layout section and select **Remove Item from Parent**.



Option 2

To remove items from a kit, drag and drop the selected item to the tool-box icon located in the bottom right-hand corner of the kit layout screen.



! INFO

By removing an item, you are not deleting the item from TCMax®. The item being removed will still exist in the Database, it will just no longer be a child of the parent and have no relationship to that parent.

View Selected Item Details

The **View Selected Item Details** section is used to show you the details of the item you have selected from the kit layout section of **Kit Builder**. The only information that can be adjusted from this section is the item's Storage Location.



[View Selected Item's Details](#)

Barcode Id: 320

Parent Barcode Id:

Item Name: Snap-on Tool Box

Storage Location:

NSN: 5140-01-386-0333

Part Number: KRL1022

Calibration Due Date:

Serial Number:

Adjust the Kit Layout

The Kit Builder has a drag and drop feature to easily move or adjust the layout of the kit. From the Kit Layout, you can click and drag an item to a new storage location to relocate that item within the kit. You can also click and drag an item into another item to create a separate parent-child relationship and create a grandchild of the overall kit. TCMax® offers a drag and drop for ease of use when viewing and changing the layout of a kit.



[600] Tool Box



Bottom Drawer

[603] Pry Bar

[604] Crescent Wrench



Drill Bit Case

[WWID600-02] 1/4" - 20 Coarse Thread

[WWID600-03] 5/16" - 18 Coarse Thread



Middle Drawer

[605] Torque Wrench

[606] Power Drill



Top Drawer

[601] Hammer

[602] Screwdriver

[WWID600-01] Drill Bit Case

 [600] Tool Box

 Bottom Drawer

[603] Pry Bar

[604] Crescent Wrench

 Middle Drawer

[605] Torque Wrench

[606] Power Drill

 Top Drawer

[601] Hammer

[602] Screwdriver

[WWID600-01] Drill Bit Case

 Drill Bit Case

[WWID600-02] 1/4" - 20 Coarse Thread

[WWID600-03] 5/16" - 18 Coarse Thread

Maintenance History

To access the **Maintenance History** menu, select **Tools > Maintenance History** or press **Ctrl + W** on your keyboard.

 **Maintenance History** — □ ×

File Settings Print Work Order History

Select the shop code and Id of the item you want to view the maintenance history of.

Enter Item Id: ShopCode:

Item Maintenance History


NOTE

If there is an item displayed on the Main Screen when you access the **Maintenance History** screen, the item displayed will be selected by default.

Menu Options


File

The **File** menu option located in the upper left-hand corner will allow you to **Close** the Maintenance History screen.




Settings

The **Settings** menu option located in the upper left-hand corner will allow you to **Load an Existing Work Order**.



Print Work Order History

The **Print Work Order History** menu option located in the upper left-hand corner will print a Report that shows the Work Order History for the Item loaded on the Maintenance History screen.



Creating a Maintenance History

If you enter the **Maintenance History** screen without an item displayed on the Main Screen or wish to work with a different item than the one originally selected, enter an **Item Id** in the **Enter Item Id** text box then hit the **Enter** key on your keyboard or click the **Load Item** button.

Enter Item Id: 751

Load Item

Once an item is displayed in the **Item Maintenance History** section, causes can be added to the item by right clicking on the item and selecting **Add Cause** or by clicking the **Add Cause** button on the right-hand side of the screen.

A cause refers to the reason for which a problem was found.

You can enter information for the cause on the right-hand side of the screen when you have a cause selected. If you have more than one cause for an item, you can enter more than one cause by right clicking on the item and selecting **Add Cause** again, or by selecting the item and clicking the **Add Cause** button again.

Cause: Needs New Head Gasket

Created On: 9/8/2022, 8:53 AM

Description:

Needs New Head Gasket

Username:

William Murray

Type:

Special Inspection

Total Cost:

0

Once a cause has been added you can add a discrepancy to the cause. You can right click on the cause and select **Add Discrepancy** or click the **Add Discrepancy** button on the right-hand side of the screen.

A discrepancy refers to the specific issue needing addressed.

When you have a discrepancy selected, you can enter in further information about the discrepancy on the right-hand side of the screen. The **Completed** checkbox can be checked to indicate all work needed for that discrepancy has been completed. You can always come back and select the discrepancy to complete at a later date. If you have more than one discrepancy for an item, you can enter more than one discrepancy by right clicking on the cause and selecting **Add Discrepancy** again, or by selecting the cause and clicking the **Add Discrepancy** button again.

Discrepancy: Head Gasket Repair

Created On: 9/29/2022, 4:10 PM

Description:

Head Gasket Repair

Username:

Joe Green

Work Order Number:

0001

Discrepancy Cost:

16.24

Total Action Cost:

0

☐ Completed

Once a discrepancy has been added you can add **Actions** to that discrepancy.

An action is the work required to mitigate the discrepancy.

You can add multiple Actions to a discrepancy if multiple actions are required. To add multiple Actions, after adding the Action either right click on the discrepancy and select **Add Action** or click on the discrepancy and select the **Add Action** button again on the right.

Action: Shut Machine Down / Lock Out

Created On: 9/8/2022, 8:57 AM

Description:

Shut Machine Down / Lock Out

Username:

Cost:

0.00

Note:

Needs shut down to repair Head Gasket.


You can also print a work order at this point by clicking the **Print Work Order** button with a discrepancy highlighted. The work order that is generated will list all actions that have been entered for the discrepancy.

Load Existing Work Order

If you would like to load an existing work order for an item that may need completed or more actions added to, press the **Load Existing Work Order** button.

NOTE

You will need to know your Work Order Number in order to **Load an Existing Work Order**.

A dark-themed dialog box titled "Work Order". It contains a text input field with the placeholder text "Enter an existing work order number." Below the input field are two buttons: "OK" and "Cancel".

Work Order

Enter an existing work order number.

OK Cancel

Once you have entered a Work Order Number, press **OK**.

Your item that Work Order Number is associated with will appear on the screen. You will see not only the Work Order Number you loaded, but you will see any causes, discrepancies, or actions that are associated with this item. To view information for the causes, discrepancies, or actions, select the specific one you wish to view details for and the details will display on the right-hand side of the **Maintenance History** screen.

! INFO

If a discrepancy has not been marked completed, the discrepancy will be in **Red** writing. If the discrepancy has been completed, the discrepancy will be in **Green** writing.



Maintenance Procedure/Bulk Issue Setup

Maintenance Procedures

A **Maintenance Procedure** is a specific task within an organization that requires a certain set of items and/or equipment to perform. From the Main Screen, you can scan or type a **Maintenance Procedure** barcode number into the input box and TCMMax® will print a complete list of the items and/or equipment required for this procedure, where they are stored, and who is currently using them.

Utilizing Maintenance Procedures

Maintenance Procedures will be setup and managed through the Setup Maintenance Procedures / Bulk Issues screen.

[Add New Maintenance Procedure](#)


Delete

- Add Item to Maintenance Procedure

	Quantity	PartNumber

Maintenance Procedure	Bulk Issues
-----------------------	-------------

To access this screen, select **Tools > Maintenance Procedure / Bulk Issue Setup**.



Creating Maintenance Procedures

To create a new **Maintenance Procedure**, select the **Add New Maintenance Procedure** button and enter in the procedure's information. Once all Data is entered, press the **Save** button to create the **Maintenance Procedure**.

 Setup Maintenance Procedures / Bulk Issues

Select Maintenance Procedure

Add Item to Maintenance Procedure

Quantit

 Add New Item Record

Barcode Id

Item Name

Storage Location

NSN

Serial Number

Maintenance Procedure Bulk Issues

Selecting a Maintenance Procedure

From the **Maintenance Procedure** screen, refer to the **Select Maintenance Procedure** section and utilize the drop down to select a **Maintenance Procedure**.

 Setup Maintenance Procedures / Bulk Issues

Select Maintenance Procedure

Add Item to Maintenance Procedure

Viewing Items that are Assigned to a Maintenance Procedure

Once you have selected a **Maintenance Procedure**, a table will display with the items and/or equipment that have been added to the selected procedure.

 Setup Maintenance Procedures / Bulk Issues — □ ×

Select Maintenance Procedure

Tire Change List - 807 - (TCMax Demo Shop) ▾

Add New Maintenance Procedure

Print Procedure

Print Barcode

Delete

Add Item to Maintenance Procedure

	Quantity	PartNumber
	1	HAMMER
	1	SCREWDRIVER
	1	PRYBAR
	1	CRESCENTWRENCH
	1	TORQUEWRENCH
▶	1	POWERDRILL

Maintenance Procedure

Bulk Issues

Close

Adding Items to a Maintenance Procedure

To add items to a **Maintenance Procedure**, refer to the **Add Item to Maintenance Procedure** box then enter/scan the Part Number/Barcode Id of the item you wish to add.

NOTE

The item in which you are adding must have a Part Number assigned.


Setup Maintenance Procedures / Bulk Issues
— □ ×

Select Maintenance Procedure

Tire Change List - 807 - (TCMax Demo Shop)
Add New Maintenance Procedure

Print Procedure
Print Barcode
Delete

Add Item to Maintenance Procedure
Hammer OR 601

Upon entering/scanning the Part Number/Barcode Id, the table will display the Quantity and Part Number of the Item you added.


Setup Maintenance Procedures / Bulk Issues
— □ ×

Select Maintenance Procedure

Tire Change List - 807 - (TCMax Demo Shop)
Add New Maintenance Procedure

Print Procedure
Print Barcode
Delete

Add Item to Maintenance Procedure

	Quantity	PartNumber
▶	1	HAMMER

For multi-quantity items, click in the **Quantity** column, enter the desired amount, and hit **Enter**.


Setup Maintenance Procedures / Bulk Issues
— □ ×

Select Maintenance Procedure

Tire Change List - 807 - (TCMax Demo Shop)
Add New Maintenance Procedure

Print Procedure
Print Barcode
Delete


Add Item to Maintenance Procedure

	Quantity	PartNumber
▶	20	SCREW
	1	HAMMER

When adding items to a **Maintenance Procedure**, you will notice the Part Number is what appears in the details for each item. Therefore, if you require two items with the same Part Number, you will need to increase your quantity of the Part Number.

Deleting Items from a Maintenance Procedure

To remove an item from a **Maintenance Procedure**, select the item from the table to highlight the entire row then press the **Delete** key on your keyboard.



Setup Maintenance Procedures / Bulk Issues

Select Maintenance Procedure


Tire Change List - 807 - (TCMax Demo Shop) Add New Maintenance Procedure

Print Procedure Print Barcode Delete

Add Item to Maintenance Procedure

	Quantity	PartNumber
	20	SCREW
▶	1	HAMMER

Upon hitting Delete, the item will be removed from the table.



Setup Maintenance Procedures / Bulk Issues

Select Maintenance Procedure

Tire Change List - 807 - (TCMax Demo Shop) Add New Maintenance Procedure


Print Procedure Print Barcode Delete

Add Item to Maintenance Procedure

	Quantity	PartNumber
▶	20	SCREW

Deleting Maintenance Procedures

To delete a **Maintenance Procedure**, select the Procedure you wish to delete then press the **Delete** button from the Setup Maintenance Procedures / Bulk Issues screen.



Setup Maintenance Procedures / Bulk Issues

Select Maintenance Procedure

Tire Change List - 807 - (TCMax Demo Shop)

Add New Maintenance Procedure

Print Procedure


Print Barcode

Delete

Add Item to Maintenance Procedure

Quantity	PartNumber
----------	------------

A confirmation window will appear asking if you are sure you want to continue with the Delete. Press **Yes**.



Maintenance Procedure


?

You are about to delete the selected Maintenance Procedure.

Do you want to continue?

Yes No

Upon hitting Yes, the **Maintenance Procedure** will be removed.



Setup Maintenance Procedures / Bulk Issues

Select Maintenance Procedure

Add New Maintenance Procedure

Print Procedure

Print Barcode

Delete

Bulk Issues


Bulk Issues are designed to issue several items (usually expendables) with a single scan. This works similar to items in a kit (toolbox) but does not require the items to be within the same kit.

NOTE

If you are issuing multiple items using a bulk issue that will need turned in, these items will have to be turned in individually. Bulk Issue will issue the items out in bulk with a single scan but will not return the items with a single scan. They would need returned individually.

Utilizing Bulk Issues

To access this screen, select **Tools > Maintenance Procedure / Bulk Issue Setup**.



Once on the Setup Maintenance Procedures / Bulk Issues screen, select the **Bulk Issues** tab located at the bottom of the screen.

 Setup Maintenance Procedures / Bulk Issues

Select Bulk Issue

Add New Bulk Issue

Print Barcode

Delete

Add Item to Bulk Issue

	Quantity	Item BarcodeId	Item Name

Maintenance Procedure

Bulk Issues

Close

Creating Bulk Issues

To create a Bulk Issue, select the **Add New Bulk Issue** button and enter in the bulk issue information. Once all Data is entered, press the **Save** button to create the **Bulk Issue**.

Setup Maintenance Procedures / Bulk Issues

Select Bulk Issue

Print Barcode

Add New Bulk Issue

Delete

Add Item to Bulk Issue

Quantit

Add New Item Record

Barcode Id 806

Item Name Maintenance Kit

Storage Location

NSN

Serial Number

Save Cancel

Maintenance Procedure Bulk Issues

Close

Selecting a Bulk Issue

From the **Bulk Issue** screen, refer to the **Select Bulk Issue** section and utilize the drop down to select a **Bulk Issue**.

Setup Maintenance Procedures / Bulk Issues

Select Bulk Issue

Maintenance Kit - 806 - (TCMax Demo Shop)

Print Barcode

Add New Bulk Issue

Delete

Add Item to Bulk Issue

Viewing Items that are Assigned to a Bulk Issue

Once you have selected a **Bulk Issue**, a table will display with the items that have been added to the selected Bulk Issue.

 Setup Maintenance Procedures / Bulk Issues — □ ×

Select Bulk Issue

Maintenance Kit - 806 - (TCMax Demo Shop) ▼ Add New Bulk Issue

Print Barcode Delete

Add Item to Bulk Issue

	Quantity	Item BarcodeId	Item Name
	1	701	Screws
	1	702	Rubber Gloves
	1	141	Rags
	1	601	Hammer
▶	1	602	Screwdriver

Maintenance Procedure

Bulk Issues

Close

Adding Items to a Bulk Issue

To add items to a **Bulk Issue**, refer to the **Add Item to Bulk Issue** box then enter/scan the Barcode Id of the item you wish to add.


Setup Maintenance Procedures / Bulk Issues
— □ ×

Select Bulk Issue

Maintenance Kit - 806 - (TCMax Demo Shop)
Add New Bulk Issue

Print Barcode
Delete

Add Item to Bulk Issue

701

Upon entering/scanning the Barcode Id, the table will display the Quantity, Barcode Id, and Item Name of the Item you added.


Setup Maintenance Procedures / Bulk Issues
— □ ×

Select Bulk Issue

Maintenance Kit - 806 - (TCMax Demo Shop)
Add New Bulk Issue

Print Barcode
Delete

Add Item to Bulk Issue

	Quantity	Item BarcodeId	Item Name
▶	1	701	Screws

For multi-quantity items, click in the **Quantity** column, enter the desired amount, and hit **Enter**.


Setup Maintenance Procedures / Bulk Issues
— □ ×

Select Bulk Issue

Maintenance Kit - 806 - (TCMax Demo Shop)
Add New Bulk Issue


Print Barcode
Delete

Add Item to Bulk Issue

	Quantity	Item BarcodeId	Item Name
▶	20	701	Screws

Deleting Items from a Bulk Issue

To remove an item from a **Bulk Issue**, select the item from the table to highlight the entire row then press the **Delete** key on your keyboard.



Setup Maintenance Procedures / Bulk Issues

Select Bulk Issue

Maintenance Kit - 806 - (TCMax Demo Shop)

Add New Bulk Issue


Print Barcode

Delete

Add Item to Bulk Issue

	Quantity	Item BarcodeId	Item Name
	20	701	Screws
	1	601	Hammer
	1	702	Rubber Gloves
▶	4	141	Rags

Upon hitting Delete, the item will be removed from the table.



Setup Maintenance Procedures / Bulk Issues

Select Bulk Issue

Maintenance Kit - 806 - (TCMax Demo Shop)

Add New Bulk Issue

Print Barcode

Delete

Add Item to Bulk Issue

	Quantity	Item BarcodeId	Item Name
▶	20	701	Screws
	1	601	Hammer
	1	702	Rubber Gloves

Deleting Bulk Issues

To delete a **Bulk Issue**, select the Bulk Issue you wish to delete then press the **Delete** button from the Setup Maintenance Procedures / Bulk Issues screen.

Setup Maintenance Procedures / Bulk Issues

Select Bulk Issue

Maintenance Kit - 806 - (TCMax Demo Shop)

Add New Bulk Issue

Print Barcode

Delete

Add Item to Bulk Issue

A confirmation window will appear asking if you are sure you want to continue with the Delete. Press **Yes**.

Bulk Issue

 You are about to delete the selected Bulk Issue.

Do you want to continue?

Yes No

Upon hitting Yes, the **Bulk Issue** will be removed.

Setup Maintenance Procedures / Bulk Issues

Select Bulk Issue

Add New Bulk Issue

Print Barcode


Delete

Shop Code Transfer

Shop codes in TCMax® are used to separate Data between shops or organizations. When/if you want to transfer ownership from one shop to another shop you can utilize the **Shop Code Transfer** feature in TCMax® to transfer single items, kits, or an entire shop code.

Utilizing Shop Code Transfer

The **Shop Code Transfer** feature can be accessed by selecting **Tools > Shop Code Transfer**.



Once **Shop Code Transfer** is selected, a separate Transfer Shop Code screen will be displayed where you can enter the appropriate information to transfer single items, kits, or the entire shop.

 **Transfer Shop Code**

Step 1: Select Shops

Select Shop Code To Transfer From:

TCMax Demo Shop

Select Shop Code To Transfer To:

Create New Shop

Step 2: Choose Transfer Method

Option A: Transfer Single Item/Kit

Option B: Transfer Whole Shop

Transfer Entire Shop

Close

Step 1: Select Shops

In Step 1, you will see two sections of information that need filled in, **Select Shop Code To Transfer From** and **Select Shop Code To Transfer To**.

 **Transfer Shop Code**

Step 1: Select Shops

Select Shop Code To Transfer From:

TCMax Demo Shop


Select Shop Code To Transfer To:

Create New Shop

In the **Select Shop Code To Transfer From** section, select the Shop Code you want the item(s) to be transferred from.


Next, in the **Select Shop Code To Transfer To** section, select the Shop Code you want the item(s) to be transferred to.

If the Shop Code you want to transfer items to does not yet exist, select the **Create New Shop** option from the dropdown list.




The image shows a dialog box titled "Transfer Shop Code". It has a sub-header "Step 1: Select Shops". Below this, there are two dropdown menus. The first is labeled "Select Shop Code To Transfer From:" and has "TCMax Demo Shop" selected. The second is labeled "Select Shop Code To Transfer To:" and has "Create New Shop" selected. The second dropdown menu is highlighted with a red border.

Once you perform an action in Step 2 you will be prompted with a New Shop Code Name screen. This screen will allow for you to enter the name of the new Shop Code you wish to transfer the item(s) to.



The image shows a dialog box titled "New Shop Code Name". It has a prompt "Please provide the new shop code name." and a text input field with the placeholder text "Enter New Shop Code Here". Below the input field are two buttons: "OK" and "Cancel".

After the new Shop Code name is entered in the text box, select **OK** to save the changes.



The image shows the same "New Shop Code Name" dialog box as before, but now the text input field contains the text "Maintenance Shop". The "OK" button is highlighted with a red border.

TCMax® will take you back to the **Shop Code Transfer** screen where the newly created Shop Code will be available to transfer more items to.

Step 2: Choose Transfer Method


In Step 2, you will see two options that are available, **Option A: Transfer Single Item/Kit** and **Option B: Transfer Whole Shop**.

If you are transferring individual items or an entire kit, refer to **Option A: Transfer Single Item/Kit**.

With the focus in **Option A**, scan or type in the desired Barcode Id of the item/kit that you wish to transfer from one shop to another. Once the desired Barcode Id has been entered, TCMMax® will say 'Transferred' after each scan.

If you are transferring an entire Shop Code, refer to **Option B: Transfer Whole Shop**.

In **Option B**, select the **Transfer Entire Shop** button.



Transfer Shop Code

Step 1: Select Shops

Select Shop Code To Transfer From: TCMMax Demo Shop

Select Shop Code To Transfer To: Maintenance Shop

Step 2: Choose Transfer Method


Option A: Transfer Single Item/Kit

Option B: Transfer Whole Shop

Transfer Entire Shop

Close

A dialog box will appear asking you to confirm that you want to transfer the entire Shop Code.



Transfer Entire Shop?

 You are about to transfer the entire shop. Are you sure you want to do this?

Yes No

If you click **Yes**, TCMMax® will say 'Transferred', letting you know that the action has been performed.

If you click **No**, the process will be cancelled.

 WARNING

Event logs tied to items do not update with the new Shop Code during transfers. As a result, reports relying on Shop Code parameters may not function correctly for historical data, as the logs retain the original Shop Code. All logs remain preserved in the database.

 INFO

Note: When transferring an entire Shop Code into an existing shop, if all items successfully transfer without conflict then the previous Shop Code will be deleted (Only if there are zero items left).

 NOTE


If a new Shop Code is created then you will likely need to toggle on the new Shop Code by navigating to **Settings > Sites and Shops**.

Exiting the Shop Code Transfer Screen

To exit the **Shop Code Transfer** screen, select the **Close** button. Once the **Close** button is selected you will be taken back to the Main Screen of TCMax®.

Temporary Item Transfer/Deploy

To access the **Temporary Item Transfer / Deploy** screen, select **Tools > Temporary Item Transfer/Deploy** or press **Ctrl + T**.





Send Item Out



Temporary Transfer

Deployment

Step 1:

Add or select a destination to temporarily transfer items to.

Cal Lab

Remove

Add

Step 2:

Select a shop code to transfer items from.

TCMax Demo Shop

Step 3:

Add items to the selected destination.

Add Items From Item Search

Submit

Shop Code

Barcode Id

Item
Name

Quantity

Part
Number




Close

Temporarily Transferring Items

Temporary Item Transfer can be utilized to hide the items that are currently out of the Shop for Maintenance or Calibration.

To temporarily transfer the items, refer to the **Temporary Transfer** tab once entering the **Temporarily Item Transfer/Deploy** window.



The screenshot shows a web application window titled "Send Item Out" with a blue icon. It has two tabs: "Temporary Transfer" (highlighted with a red box) and "Deployment". The window is divided into three steps:

- Step 1:** "Add or select a destination to temporarily transfer items to." It features a dropdown menu with "Cal Lab" selected, an empty text input field below it, and "Remove" and "Add" buttons at the bottom right.
- Step 2:** "Select a shop code to transfer items from." It features a dropdown menu with "TCMax Demo Shop" selected.
- Step 3:** "Add items to the selected destination." It features an empty text input field, an "Add Items From Item Search" button, and a blue "Submit" button.

Temporary Item Transfer allows a user to send an item out for calibration (or to another location) without breaking a parent/child relationship. It also allows a user to hide that item in the tool room so it cannot accidentally be issued or modified while it is not currently on the shelf.

Step 1:

Add or select a destination to temporarily transfer items to.

Cal Lab

Remove Add

Step 2:

Select a shop code to transfer items from.

TCMax Demo Shop

Step 3:

Add items to the selected destination.

Add Items From Item Search Submit

Sending Items to a Temporary Transferred Location

In **Step 1** you will need to select the destination. If an item is going out for calibration, you can select the default Cal Lab location, or you can create a new location by typing the new location name into the input box and clicking the **Add** button.

You can also remove a location you no longer using by selecting the location from the drop down and selecting the **Remove** button.

Step 1:

Add or select a destination to temporarily transfer items to.

Cal Lab

Remove Add

Once you have the destination selected, **Step 2** requires you to select the Shop Code that the item(s) you want to transfer belong to.

Step 2:

Select a shop code to transfer items from.

TCMax Demo Shop

TCMax Demo Shop

In **Step 3** you will scan (or type) the Barcode Ids of the item(s) that need to be transferred.

Step 3:

Add items to the selected destination.

605

Add Items From Item Search

Submit

After each Item is scanned/entered you will hear the “Transferred” audio play and the item will be displayed in the grid to the right. If you are sending an entire kit out, you can transfer the kit and all children at one time by scanning (or typing) the Barcode Id of the parent that is being sent out. This will transfer the parent and all children with one scan.

 Send Item Out

Temporary Transfer

Deployment

Step 1:

Add or select a destination to temporarily transfer items to.

Cal Lab

Remove

Add

	Shop Code	Barcode Id	Item Name	Quantity	Part Number
▶	TCMax Dem...	605	Torque Wre...	1	TORQUEV

In **Step 3** you also have the option to **Add Items From Item Search**.

Step 3:

Add items to the selected destination.

Add Items From Item Search

Submit

When selecting this option, the Item Search Screen will appear where you can add multiple items to the transferred location at one time.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Total Items

Total Value

Item Name

CACRL

True

False

Disable

Storage Location

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
			TCMax Dem...	120		Snap-on Tool Box	
			TCMax Dem...	121		Pumper Truck	
			TCMax Dem...	220		Snap-on Tool Box	
			TCMax Dem...	320		Snap-on Tool Box	
			TCMax Dem...	624		Steel Carbiners	Stock Room: Shelf A
			TCMax Dem...	140		Rubber Gloves (Large)	Drawer 1
			TCMax Dem...	140		Selected items Barcode Id Item Name Shop Code	
			TCMax Dem...	601			
			TCMax Dem...	701			
			TCMax Dem...	701			
			TCMax Dem...	701			
			TCMax Dem...	701			
			TCMax Dem...	701			
			TCMax Dem...	751			

Select

Cancel

To transfer items from Item Search, double click on the item(s) you would like to add or highlight the item and click **Add Selected Rows**. The item will then appear in the **Selected Items** box in the lower right-hand corner.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

Storage Location

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

Total Items

Total Value



	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
			TCMax Dem...	950		Single Software License	Comm Office
			TCMax Dem...	951		Volume Software License	Comm Office
▶			TCMax Dem...	808		Multimeter	Tool Room
			TCMax Dem...	300		Emergency Medical Bag	
			TCMax Dem...	S301		Spare Pressure Dressing	
			TCMax Dem...	S302		Spare Instant Cold Pack	
			TCMax Dem...	S303			
			TCMax Dem...	S304			
			TCMax Dem...	111			
			TCMax Dem...	112			
			TCMax Dem...	113			
			TCMax Dem...	114			
			TCMax Dem...	115			

Selected items

	Shop Code	Item Name	Barcode Id
▶	TCMax Dem...	Multimeter	808

Select

Cancel

From the Item Search screen, you can also utilize the search options to narrow down what is showing in the Item Search grid. When/if the grid is narrowed down you can click **Add All Rows** to add all rows currently showing in the Item Search grid.

Item Search

File Reports Search Options Help

Barcode Id Part Number

Parent Barcode Id Serial Number

Item Name CACRL ☐ True ☐ False ☒ Disable

Storage Location

NSN

Shop Code

Username

Location

Clear Search Criteria

Total Items Total Value

Add Selected Rows Add All Rows

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
▶			TCMax Dem...	601	600	Hammer	Top Drawer
			TCMax Dem...	602	600	Screwdriver	Top Drawer
			TCMax Dem...	603	600	Pry Bar	Bottom Drawer
			TCMax Dem...	604	600	Crescent Wrench	Bottom Drawer
			TCMax Dem...	605	600	Torque Wrench	Middle Drawer
			TCMax Dem...	606	600	Power Drill	Middle Drawer

Selected items

	Shop Code	Barcode Id	Item Name
▶	TCMax Dem...	601	Hammer
	TCMax Dem...	602	Screwdriver
	TCMax Dem...	603	Pry Bar
	TCMax Dem...	604	Crescent Wr...
	TCMax Dem...	605	Torque Wre...


Select Cancel

Once you are satisfied with what is being Temporarily Transferred, click **Select** and the items will appear in the Temporary Transfer screen.

You can right-click on the Temporary Transferred list when finished and select **Send to Excel** or **Send to 1297** for an accurate list of what has been transferred.


! INFO

Each item can only exist in one temporarily transferred location. If any item or children (components) of a kit are part of another temporarily transferred location, when attempting to transfer to the current location, you will receive a popup stating it is currently temporarily transferred somewhere else. You will be presented with the option to then move the Item to the location you have selected by clicking **Yes** or leaving the item at the location it is residing in by clicking **No**.



INFO


Items cannot exist both on temporary transferred and deployed lists. If you attempt to send an item to a Temporarily Transferred location and that item is currently at a Deployed location you will receive a popup stating the item cannot be transferred due to it being deployed.




Returning Items from a Temporary Transferred Location

This same screen will be utilized to remove items from the Temporary transfer list when they return. The same steps would be performed by selecting the destination the item is currently at, the Shop Code where it belongs, then scan/type the Barcode Id. You will hear the "Transferred" audio prompt and the item will disappear from the grid.

If you are returning an entire kit that was sent out, you can scan or type in the Parent Barcode Id and TCMax® will display a prompt to give the option if you would like to return the children / grandchildren along with the parent, all in a single scan. By clicking **Yes** the parent and all children / grandchildren will be returned at once. By clicking **No**, only the Parent Barcode Id that was scanned or typed in will be returned.



If you are returning an item from the Cal Lab location, you will be prompted to enter a new calibration due date for the item.



Use the date picker to select the new calibration due date and click **Accept**. If you do not want to update the calibration due date for the item, you can click the **Cancel** button.

Temporarily transferred items are hidden from other TCMax® screens and reports by default, but you can change this setting to fit your specific environment. To do this go to [Settings > Options](#), under the **Display Options** section, uncheck the box **Exclude temporarily transferred items on screens**.

Deployment Databases

Overview of Deployment

Creating a Deployment in TCMax® will allow you to take the users and some of your assets from home-station and populate an offline (deployed) Database. The general idea will be to connect to that Deployment Database while you're deployed and then when you come back, return your Deployment Data back to the home-station Database.

Creating Deployments

Creating a Deployment from Home-Station

To transfer items for Deployment, refer to the **Deployment** tab once entering the **Temporarily Item Transfer/Deploy** window.

Send Item Out

Temporary Transfer **Deployment**

Deployment Setup:

Step 1:

Add or select a deployment.

Vegas TDY

Remove Add

Step 2:

Select a shop code to transfer items from.

TCMax Demo Shop

Step 3:

Add items to the selected deployment.

Add Items From Item Search Submit

Import/Export:

Export For Deployment

Return From Deployment

Shop Code	Barcode Id	Item Name	Quantity	Part Number
-----------	------------	-----------	----------	-------------

Close

In **Step 1** you will either add a new Deployment or select an already existing Deployment.

To create a new Deployment, click in the textbox and type in the name you want to give this Deployment and then click the **Add** button.

Deployment Setup:

Step 1:

Add or select a deployment.

Vegas TDY

You should now see this Deployment appear in the drop-down box.

Deployment Setup:

Step 1:

Add or select a deployment.

Vegas TDY

You can also remove a Deployment you no longer using by selecting the Deployment from the drop down and selecting the **Remove** button.

Once you have the Deployment selected, **Step 2** requires you to select the Shop Code that the item(s) you want to deploy belong to.

Step 2:

Select a shop code to transfer items from.

TCMax Demo Shop

TCMax Demo Shop

In **Step 3** you will scan (or type) the Barcode Ids of the item(s) you are taking on the Deployment.

You can also remove a Barcode that you do not need to take on Deployment or that may have been added by mistake by scanning (or typing) the Barcode Id(s).

Step 3:

Add items to the selected deployment.

600

Add Items From Item Search

Submit

After each Item is scanned/entered you will hear the “Transferred” audio play and the item will be displayed in the grid to the right. If you are sending an entire kit out, you can deploy the kit and all children at one time by scanning (or typing) the Barcode Id of the parent that is being deployed. This will transfer the parent and all children will one scan.

 Send Item Out

Temporary Transfer

Deployment

Deployment Setup:

Step 1:

Add or select a deployment.

Vegas TDY

Remove

Add

Step 2:

Select a shop code to transfer items from.

TCMax Demo Shop

Step 3:

Add items to the selected deployment.

Add Items From Item Search

Submit

Import/Export:

Export For Deployment

Return From Deployment

	Shop Code	Barcode Id	Item Name	Quantity	Part Number
▶	TCMax Dem...	600	Tool Box	1	
	TCMax Dem...	606	Power Drill	1	POWERDR
	TCMax Dem...	601	Hammer	1	HAMMER
	TCMax Dem...	602	Screwdriver	1	SCREWD
	TCMax Dem...	603	Pry Bar	1	PRYBAR
	TCMax Dem...	604	Crescent Wr...	1	CRESCENT
	TCMax Dem...	605	Torque Wre...	1	TORQUEV

Close

In **Step 3** you also have the option to **Add Items From Item Search**.

Step 3:

Add items to the selected deployment.

Add Items From Item Search

Submit

When selecting this option, the Item Search Screen will appear where you can add multiple items to the Deployed location at one time.

The screenshot shows the 'Item Search' application window. It features a menu bar with 'File', 'Reports', 'Search Options', and 'Help'. Below the menu is a search filter section with dropdown menus for 'Barcode Id', 'Parent Barcode Id', 'Item Name', 'Storage Location', and 'NSN'. There are also input fields for 'Part Number', 'Serial Number', and 'CACRL' (with radio buttons for 'True', 'False', and 'Disable'). Buttons for 'Total Items' and 'Total Value' are on the right. Below the filters are dropdowns for 'Shop Code' (set to 'TCMax Demo Shop'), 'Username', and 'Location', along with a 'Clear Search Criteria' button. At the bottom right of the filter section are 'Add Selected Rows' and 'Add All Rows' buttons.

The main area contains a table with the following columns: Username, Location, Shop Code, Barcode Id, Parent Barcode Id, Item Name, and Storage Location. The table lists several items, including 'Snap-on Tool Box' (Barcode Id 120, 220, 320), 'Pumper Truck' (Barcode Id 121), 'Steel Carbiners' (Barcode Id 624), and 'Rubber Gloves (Large)' (Barcode Id 140). The first row is highlighted in blue.

Below the table is a 'Selected Items' box with a table header: Barcode Id, Item Name, Shop Code. The box is currently empty.

At the bottom right of the window are 'Select' and 'Cancel' buttons.

Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
		TCMax Dem...	120		Snap-on Tool Box	
		TCMax Dem...	121		Pumper Truck	
		TCMax Dem...	220		Snap-on Tool Box	
		TCMax Dem...	320		Snap-on Tool Box	
		TCMax Dem...	624		Steel Carbiners	Stock Room: Shelf A
		TCMax Dem...	140		Rubber Gloves (Large)	Drawer 1
		TCMax Dem...	140			
		TCMax Dem...	600			
		TCMax Dem...	700			
		TCMax Dem...	700			
		TCMax Dem...	700			
		TCMax Dem...	700			
		TCMax Dem...	750			

To deploy items from Item Search, double click on the item(s) you would like to add or highlight the item and click **Add Selected Rows**. The item will then appear in the **Selected Items** box in the lower right-hand corner.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

Storage Location

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

Total Items

Total Value



	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
			TCMax Dem...	950		Single Software License	Comm Office
			TCMax Dem...	951		Volume Software License	Comm Office
▶			TCMax Dem...	808		Multimeter	Tool Room
			TCMax Dem...	300		Emergency Medical Bag	
			TCMax Dem...	S301		Spare Pressure Dressing	
			TCMax Dem...	S302		Spare Instant Cold Pack	
			TCMax Dem...	S303			
			TCMax Dem...	S304			
			TCMax Dem...	111			
			TCMax Dem...	112			
			TCMax Dem...	113			
			TCMax Dem...	114			
			TCMax Dem...	115			

Selected items

	Shop Code	Item Name	Barcode Id
▶	TCMax Dem...	Multimeter	808

Select

Cancel

From the Item Search screen, you can also utilize the search options to narrow down what is showing in the Item Search grid. When/if the grid is narrowed down you can click **Add All Rows** to add all rows currently showing in the Item Search grid.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

Storage Location

NSN

Shop Code

Username

Location

True

False

Disable

Total Items

Total Value

Clear Search Criteria

Add Selected Rows

Add All Rows

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
▶			TCMax Dem...	601	600	Hammer	Top Drawer
			TCMax Dem...	602	600	Screwdriver	Top Drawer
			TCMax Dem...	603	600	Pry Bar	Bottom Drawer
			TCMax Dem...	604	600	Crescent Wrench	Bottom Drawer
			TCMax Dem...	605	600	Torque Wrench	Middle Drawer
			TCMax Dem...	606	600	Power Drill	Middle Drawer

Selected items

	Shop Code	Barcode Id	Item Name
▶	TCMax Dem...	601	Hammer
	TCMax Dem...	602	Screwdriver
	TCMax Dem...	603	Pry Bar
	TCMax Dem...	604	Crescent Wr...
	TCMax Dem...	605	Torque Wre...

Select

Cancel

Once you are satisfied with what is being deployed, click **Select** and the items will appear in the Deployment screen.

You can right-click on the Deployment list when finished and select **Send to Excel** or **Send to 1297** for an accurate list of what has been deployed.

! INFO

Each item can only exist in one deployment location. If you attempt to send an item on Deployment that is currently part of a different Deployment, you will receive a popup stating the item cannot be added to the deployment due to it belonging to a different one.

Invalid Operation



A deployment item cannot be temporarily hidden to an additional location/ deployment without first being removed from the deployment it is currently assigned to.

OK

! INFO

Items cannot exist on deployment and temporary transferred lists. If any item or children (components) of a kit are part of a temporarily transferred location, when attempting to add the item to the deployed location, you will receive a popup stating it is currently temporarily transferred somewhere. You will be presented with the option to move that temporarily transferred item off the temporary transferred list and add it to the deployment list by clicking **Yes**, or leaving the item at the temporarily transferred location it is residing in by clicking **No**.

Item Already Transferred



This item is already at another location. Would you like to transfer it to the deployment location of Vegas TDY?

If you are trying to return this item to service (point of origin), select the current location it resides at in step 1 and then scan the item again.

Yes

No

Exporting Deployments

! INFO

If you are utilizing Version `9.8.8992.16156` or newer of TCMa^x®, we have implemented a new Deployment feature that now exports your Deployment file as an .xdef file versus an .sedf file. You'll notice the Import/Export section will look slightly different and now has 2 Export Options, one for exporting the Deployment with the .xdef file or one for exporting the Deployment the "legacy" way with the .sedf file.

Import/Export:

Export For Deployment

[Legacy Export For Deployment](#)

Return From Deployment

[Legacy Return From Deployment](#)

(Legacy) Exporting for Deployment

! INFO

If you are utilizing Version `9.8.8922.28031` or older of TCMa^x®, the Import/Export section will only contain one Export option. This generates the .sedf file.

Import/Export:

Export For Deployment

Return From Deployment

DANGER

There are compatibility constraints when deploying a Database, therefore it is essential when using the legacy deployment system that your home station and deployment systems are utilizing the same Microsoft SQL Server® / Microsoft SQL Server® LocalDB versions as well as TCMaX® product versions.

Once all necessary items have been added to the Deployment List, refer to the **Import / Export** section. From the Import / Export section, select the **Export For Deployment** button.

NOTE

The logged in user must have the **Access Import/Export** permission in order to use this feature.

This will display the Deployment Export screen.

 Deployment Export ×

Destination Database: Connection

Set Destination

Deployment Selection

Select the deployment you would like to Export.

Options


☐ Only copy users from site

Export


Deployment Export Status

Close

From the **Destination Database** section, select the **Set Destination** button. Select a Location where you want this Deployment to be saved to, enter a File name, then press **Save**.




From the **Deployment Selection** section, select the Deployment that you want to export. To select a Deployment, click the **Deployment Selection** drop down and a list of your Deployment will appear.




From the **Options** section, you will have the Option to check or uncheck the box for **Only copy users from site**. If you are on a Database with more than one site, this will only bring users from that specific site to the Deployment Database. By leaving this unchecked all users from the Database will be added to the Deployment.

When you have the destination set, Deployment selected, and the option checked or unchecked, you can click the **Export** button to create the Deployment Database. You will see the **Deployment Export Status** as the progress is made to export the Deployment.



When the export is finished, the following message will appear:



Click the **OK** button to return to the Deployment Export screen.

Once the **.sedf** file is created, move that file to the computer that will be used on Deployment.

i NOTE

We do limit what information is exported to a Deployment Database.


Exporting for Deployment

! INFO

If you are utilizing Version **9.8.8992.16156** or newer of TCMAX®, the Import/Export section will appear with two Export options.

The new Export method, which generates an **.xedf** file, is located from the **Export For Deployment** button. The other/legacy Export method, which generates an **.sedf** file, is located from the **Legacy Export For Deployment** button.

If you are using **9.8.8922.28031** or older on either machine (Deployment or Home Station), you will need to revert to the legacy mode, which is referenced in **(Legacy) Exporting for Deployment**.




Once all necessary items have been added to the Deployment List, refer to the **Import / Export** section. From the Import / Export section, select the **Export For Deployment** button.

i NOTE

The logged in user must have the **Access Import/Export** permission in order to use this feature.

This will display the Deployment Export screen.



Deployment Export

Deployment Selection

Select the deployment you would like to Export.

Options

☐ Only copy users from site

Export


Close

From the **Deployment Selection** section, select the Deployment you would like to export.


To select a Deployment, click the **Deployment Selection** drop down and a list of your Deployment will appear.

From the **Options** section, you will have the Option to check or uncheck the box for **Only copy users from site**. If you are on a Database with more than one site, this will only bring users from that specific site to the Deployment Database. By leaving this unchecked all users from the Database will be added to the Deployment.

When you have the Deployment selected and the option checked or unchecked, you can click the **Export** button. You will be prompted to Save the export file (.xedf). Select a Location where you want this Deployment to be saved to, enter a File name (by default, a name will be provided that matches the Deployment you are exporting, this can be changed, if desired) then press **Save**.



The Deployment will Export and you will see the **Export Status** as the progress is made to export the Deployment.



Once the **.xdef** file is created, move that file to the computer that will be used on Deployment.

i NOTE

We do limit what information is exported to a Deployment Database.

Establishing Deployment Database

(Legacy) Establishing Your Deployed Database

With the **.sedf** file on your deployed computer, you are ready to establish connection to your deployed Database. Follow the outline from [Deployment Connection Options](#).

Establishing Your Deployed Database

With the **.xedf** file on your deployed computer, you are ready to establish connection to your deployed Database. Follow the outline from [Deployment Data Manager](#).

Returning Deployments

! INFO

If you are utilizing Version `9.8.8992.16156` or newer of TCMMax®, we have implemented a new Deployment feature that now returns your Deployment file with an .xdif file versus an .sidf file. You'll notice the Import/Export section will look slightly different and now has 2 Return Options, one for returning the Deployment with the .xdif file or one for returning the Deployment the "legacy" way with the .sidf file.

Import/Export:

Export For Deployment

[Legacy Export For Deployment](#)

Return From Deployment

[Legacy Return From Deployment](#)

(Legacy) Returning from Deployment at Home Station

! INFO

If you are utilizing Version `9.8.8922.28031` or older of TCMMax®, the Import/Export section will only contain one Return option. This accepts the .sidf file during return.

Import/Export:

Export For Deployment

Return From Deployment

DANGER

There are compatibility constraints when deploying a Database, therefore it is essential when using the legacy deployment system that your home station and deployment systems are utilizing the same Microsoft SQL Server® / Microsoft SQL Server® LocalDB versions as well as TCMMax® product versions.

Follow the outline on how to prepare a Deployment for return from the [Deployment Connection Options](#).

Once you have your **sidf** file and you are back at home station, you are ready to return your items.

To import the Data generated on Deployment navigate to **Tools > Temporary Item Transfer / Deploy** or press **Ctrl+T** on the keyboard then select the **Deployment** tab.

From the **Import/Export** section, click the **Return From Deployment** button and the **Deployment Import** screen will appear.

 Deployment Import ×

Source Database: Connection

Set Source

Deployment Selection

Select the deployment you would like to Import.

Options


☒ Update destination with deployment data

☒ Return items from the selected deployment

Import

Close

Refer to the **Source Database** section and click the **Set Source** button. A window will appear where you can navigate to the location of the Database you want to import. You can import from a **.sidf** file created from TCMa[®]x or from a **.bak** backup file created either through TCMa[®]x or Microsoft SQL Server[®] Management Studio.



Once the Deployment Database file has been selected, click the **Open** button.

Once the file has been selected, refer to the **Deployment Selection** section, select the Deployment you would like to return.



TIP

You can only return one Deployment at a time. However, if your **.sidf** or **.bak** file contains more than one Deployment that was merged, you can return both Deployments using the same file, just do them one at a time.


Before pressing Import, refer to the **Options** section.

There are two option checkboxes that will need to be checked/unchecked depending on the desired outcome of the import:

1. **Update Destination with Deployment Data:** This option will update all home station items that correspond to their deployed counterparts and ensure the information that has been updated such as inspections, and issue/turn in history will be brought back home.
2. **Return items from the selected Deployment:** This option will automatically return all items from their deployed state upon importing the Deployment Database. If this option is left unchecked,

then you will have to manually scan each item to return them otherwise they will remain 'hidden'.

Once ready, click the **Import** button on the Deployment Import screen.



The image shows a 'Deployment Import' dialog box with a title bar containing a logo and a close button. The dialog is divided into three sections: 'Source Database: Connection', 'Deployment Selection', and 'Options'. The 'Source Database' section has a 'Set Source' button and a text field showing the path 'C:\Soaring Software\TCMax\TDY Database\Vegas.sidf'. The 'Deployment Selection' section has a text prompt 'Select the deployment you would like to Import.' and a dropdown menu with 'Vegas TDY' selected. The 'Options' section has two checked checkboxes: 'Update destination with deployment data' and 'Return items from the selected deployment'. At the bottom of the dialog is an 'Import' button. A 'Close' button is located at the bottom right of the dialog's frame.

Deployment Import

Source Database: Connection

Set Source

C:\Soaring Software\TCMax\TDY Database\Vegas.sidf

Deployment Selection

Select the deployment you would like to Import.

Vegas TDY

Options


☒ Update destination with deployment data

☒ Return items from the selected deployment

Import

Close

You will see a progress bar as the Database is unpacked. Upon completion you will be notified of its success.




Returning from Deployment at Home Station

! INFO

If you are utilizing Version `9.8.8992.16156` or newer of TCMax®, the Import/Export section will appear with two Return options.

The new Return method, .xdif file return, is located from the **Return From Deployment** button. The other/legacy Return method, .sedf file return, is located from the **Legacy Return From Deployment** button.

If you are using `9.8.8922.28031` or older on either machine (Deployment or Home Station), you will need to revert to the legacy mode, which is referenced in [\(Legacy\) Returning from Deployment](#).




Follow the outline on how to prepare a Deployment for return from the [Deployment Data Manager](#).

Once you have your .xdif file and you are back at home station, you are ready to return your items.

To import the Data generated on Deployment navigate to **Tools > Temporary Item Transfer / Deploy** or press **Ctrl+T** on the keyboard then select the **Deployment** tab.

From the **Import/Export** section, click the **Return From Deployment** button and the **Deployment Import** screen will appear.



Before pressing Import, refer to the **Options** section.

There are two option checkboxes that will need to be checked/unchecked depending on the desired outcome of the import:


1. **Import Log Records:** This option will import corresponding Deployment log records. If this option is left unchecked, no logs from Deployment will be returned in the Database.
2. **Return items from the selected Deployment:** This option will automatically return all items from their deployed state upon importing the Deployment Database. If this option is left unchecked, then you will have to manually scan each item to return them otherwise they will remain 'hidden'.

i NOTE

You can only return one Deployment at a time.


Once ready, click the **Import** button on the Deployment Import screen.

A window will appear where you can navigate to the location of the Deployment you want to import. You can import from a **.xdif** file created from TCMMax®.



Once the Deployment Database file has been selected, click the **Open** button.

The Deployment will Import and you will see the **Import Status** as the progress is made to return the Deployment.



Once the **.xdif** file is returned successfully, you will be taken back to the Deployment Import screen. You can now **Close** this screen along with the Temporary Item Transfer / Deploy screen.

What Information Comes Back to the Home Station?

Most information from the Deployed Database does carry back to the Home Database, if changed on Deployment.

TCMax® has the following exceptions for logical reasons:

- **Storage Location:** The storage location of a deployed item will not overwrite its original home-station location when returned. Items typically return to their original storage spot.
- **Parent/Child Associations:** To maintain data integrity, parent/child associations may be dropped if only the child item returns from Deployment.
- **New Items:** New items created during Deployment will be added to the home Database only if the new item prompt option (*when adding new items prompt for a deployment to assign the item to*) is enabled on the [Deployment Connection Options / Deployment Data Manager](#) screen.
- **New Users:** Additional users created on Deployment will not be merged into home-station. Deleted users will also not be overwritten—and removed on home-station.
- **User Permissions:** Elevated permissions granted during Deployment do not overwrite existing home-station permissions upon return.
- **Event Log Records:** Only relevant Event Log records—those related to the home station or its items—are imported back from Deployment. Unrelated records are excluded.
- **Shift Assignments:** Any modified shift assignments or shifts will not overwrite existing home-station assignments.
- **Inventory Sessions:** Any incomplete inventory sessions will not carry over to home-station.
- **Catalog:** Catalog information will not be returned to home-station.
- **Maintenance History:** Any maintenance history on an item will not be returned to home-station.
- **Vendors:** Modified Vendor information will not overwrite home-station.

WARNING

If you are utilizing Version [9.8.8922.28031](#) or older of TCMax®, there are compatibility constraints when deploying a Database, therefore it is essential when using the legacy


deployment system that your home station and deployment systems are utilizing the same Microsoft SQL Server® / Microsoft SQL Server® LocalDB versions as well as TCMax® product versions.

Configure Quick Functions


Quick Functions are used to perform various actions within TCMa[®] by scanning a structured barcode to automate a process and quickly perform tasks on the fly. Utilizing these barcodes saves the end user from having to navigate around the Main Screen.

Setting Up Quick Functions


To access the setup screen, navigate to **Tools > Configure Quick Functions** from the Main Screen.



From the **Configure Quick Functions** screen, expand the node for the action that you wish to set up a barcode for. The sections are labeled according to the name of the action that they will perform.



For example, if you want to create a structured barcode that will mark an item as broken, you'd expand the **Broken** node and click the plus sign to create the new preset configuration.



Quick Function Categories


Broken, Unserviceable, and Deactivated

The **Broken**, **Unserviceable**, and **Deactivated** functions behave similarly with the exception that one will mark the item as Broken, one will mark it as Unserviceable, and the other will mark it as

Deactivated.

Broken, Unserviceable, and Deactivated Subcategories

Name is the description that will print with the Barcode when you generate the physical label.



Name: 

Note Value

☐ Open log note screen


Part Number Filter:

Item Name Filter:

[Preset 1](#)

The **Open Log Note Screen** checkbox will open a Log Notes Screen when scanning the Quick Function Barcode. This works as if you are marking an item status on the Main Screen with Log Notes. Leaving the checkbox unchecked will not populate the Log Notes Screen.

You can predefine a Log Note to be automatically placed on items when scanning the Quick Function Barcode by entering the Log Note into the box under the checkbox in the **Note Value**.



Name: 

Note Value


☐ Open log note screen

Part Number Filter:

Item Name Filter:

[Preset 1](#)

Part Number Filters can be set if you only want this barcode to work for certain items. TCMMax® will only accept this barcode scan for an item with matching text in the Part Number field.



The screenshot shows a web interface for TCMMax®. At the top, there is a 'Name:' label followed by a text input field and a close button (X). Below this is a 'Note Value' section containing a checkbox labeled 'Open log note screen' and a large text area. The 'Part Number Filter:' label and its corresponding text input field are highlighted with a red rectangular border. Below the filter fields is a 'Print' button and a link labeled 'Preset 1'.

If you try to scan a Quick Function Barcode with a Part Number Filter for an Item that does not have that Part Number, you will receive a message in Blue above the Input Box stating **Part number does not match filter - No action taken.**

Lederman, Richard A [Demo Admin] Logged In
Part number does not match filter - No action taken



Item Name Filters can be set if you only want this barcode to work for certain items. TCMMax® will only accept this barcode scan for an item that contains the text in the Item Name.

! INFO

This is a contains option. This means the Quick Function will work for any item that contains the Item Name Filter, it does not have to match exactly.

Name: 

Note Value

☐ Open log note screen

Part Number Filter:

Item Name Filter:

[Preset 1](#)

Print will print the barcode for the Quick Function to easily be scanned. This can be placed by the computer for quick use when needed.

Name: 

Note Value

☐ Open log note screen


Part Number Filter:

Item Name Filter:


[Preset 1](#)

The **Preset** value is an alias that TCMAX® associates with the settings you've made for this Structured Barcode. Presets allow you to include additional settings in the quick function that wouldn't otherwise fit into the physical barcode label. The **Full Value** will work without the need to set this up in the Quick Function Configuration. Presets also have the ability to work without a scanner if you do not have one.

Right clicking on Preset will allow you to copy the **Preset** or **Full Barcode**.



Left clicking on Preset will show you the **Preset Value** and **Full Value**.




Example: If you wanted to apply a defect to batteries that will no longer hold a charge, you could set the Structured Broken Barcode up as follows:

A screenshot of a standard Windows-style dialog box. The 'Name:' label is followed by a text box containing 'Battery will not charge'. To the right of the text box is a close button (an 'X' in a square). Below the name field is a section titled 'Note Value' which contains an unchecked checkbox labeled 'Open log note screen' and a larger text area containing the text 'This battery will no longer hold a charge'. Below this section are two more text boxes: 'Part Number Filter:' (which is empty) and 'Item Name Filter:' (which contains the word 'battery'). At the bottom left is a 'Print' button, and at the bottom right is a blue hyperlink labeled 'Preset 1'.

When scanned, this Quick Function Barcode will mark the Item on the Main Screen as Broken and write a Log Note saying, "The battery will no longer hold a charge."

TCMax® will only perform these functions if the item displayed on the Main Screen has the text "battery" somewhere in the Item Name Field. The filters are used to ensure that the actions are performed on only the intended items.

If you left click on the '**Preset 1**' link, you'll be shown the two values associated with this example Structured Barcode.



Return to Service

The **Return to Service** function allows you to take an item that has been marked Broken, Unserviceable, or Deactivated and unmark the Item, placing it back into service. This behaves similarly to unchecking the status boxes on the Main Screen of TCMax®.

Return to Service Subcategories

Name is the description that will print with the barcode when you generate the physical label.

Name:



Note Value

☐ Open log note screen

Part Number Filter:

Item Name Filter:

Status:

☐ Fixed

☐ Replaced


☒ Prompt

Print

[Preset 1](#)


The **Open Log Note Screen** checkbox will open a Log Notes Screen when scanning the Quick Function Barcode. This works as if you are marking an item status on the Main Screen with Log Notes. Leaving the checkbox unchecked will not populate the Log Notes Screen.

You can predefine a Log Note to be automatically placed on items when scanning the Quick Function Barcode by entering the Log Note into the box under the checkbox in the **Note Value**.



A screenshot of a configuration form. At the top is a 'Name:' label followed by a text input box and a close button (X). Below this is a section titled 'Note Value' which is highlighted with a red rectangular border. Inside the 'Note Value' section, there is a checkbox labeled 'Open log note screen' and a large text area for entering a note. Below the 'Note Value' section are two filter fields: 'Part Number Filter:' and 'Item Name Filter:', each followed by a text input box. Below these filters are three radio buttons for 'Status': 'Fixed', 'Replaced', and 'Prompt' (which is selected). At the bottom left is a 'Print' button, and at the bottom right is a blue link labeled 'Preset 1'.

Part Number Filters can be set if you only want this barcode to work for certain items. TCMMax® will only accept this barcode scan for an item with matching text in the Part Number field.



A screenshot of the same configuration form as above. In this version, the 'Part Number Filter:' text label and its corresponding input box are highlighted with a red rectangular border. The 'Note Value' section is no longer highlighted. All other elements, including the 'Open log note screen' checkbox, the 'Status' radio buttons, the 'Print' button, and the 'Preset 1' link, remain the same.

i NOTE

If you try to scan a Quick Function Barcode with a Part Number Filter for an Item that does not have that Part Number, you will receive a message in Blue above the Input Box stating **Part**

number does not match filter - No action taken.

Item Name Filters can be set if you only want this barcode to work for certain items. TCMMax® will only accept this barcode scan for an item that contains the text in the Item Name.

Name: 

Note Value

☐ Open log note screen

Part Number Filter:

Item Name Filter:

Status: ☐ Fixed ☐ Replaced ☒ Prompt

[Preset 1](#)

 NOTE

This is a contains option. This means the Quick Function will work for any item that contains the Item Name Filter, it does not have to match exactly.

Status is how you can indicate how or why your item is being returned to service. You can note the Item was **Fixed** or **Replaced** when the barcode is scanned, or you can have the barcode **Prompt** the User every time to make the appropriate selection.

Name: 

Note Value

☐ Open log note screen


Part Number Filter:

Item Name Filter:

Status: ☐ Fixed ☐ Replaced ☒ Prompt


[Preset 1](#)

Print will print the barcode for the Quick Function to easily be scanned. This can be placed by the computer for quick use when needed.




The **Preset** value is an alias that TCMMax® associates with the settings you've made for this Structured Barcode. Presets allow you to include additional settings in the quick function that wouldn't otherwise fit into the physical barcode label. The **Full Value** will work without the need to set this up in the Quick Function Configuration. Presets also have the ability to work without a scanner if you do not have one.

Right clicking on Preset will allow you to copy the **Preset** or **Full Barcode**.



Left clicking on Preset will show you the **Preset Value** and **Full Value**.




Transfer

This **Transfer** function will allow you to create a barcode that will transfer the item on the Main Screen into a different shop.

Transfer Subcategories

Name is the description that will print with the barcode when you generate the physical label.



A screenshot of a web-based configuration form for the 'Transfer' function. The form is titled 'Transfer' and contains several input fields and checkboxes. The 'Name' field is highlighted with a red border. Below it is a dropdown menu for 'Shop code to transfer item to:' with 'TCMax Demo Shop' selected. There are two checkboxes: 'Issue item after transfer' and 'Ask for tracking number', both of which are unchecked. At the bottom, there is a blue button labeled 'Audio File', a grey button labeled 'Print', and a blue link labeled 'Preset 1'.

Name:


Shop code to transfer item to:
TCMax Demo Shop

☐ Issue item after transfer
☐ Ask for tracking number

[Audio File](#)

[Print](#) [Preset 1](#)

Shop code to transfer item to is the Shop Code you will specify you want the item transferred to when scanning this Quick Configuration Function.



A screenshot of the same web-based configuration form for the 'Transfer' function. In this version, the 'Shop code to transfer item to:' dropdown menu is highlighted with a red border. The 'Name' field is still present but not highlighted. The 'Issue item after transfer' and 'Ask for tracking number' checkboxes remain unchecked. The 'Audio File' button, 'Print' button, and 'Preset 1' link are also visible at the bottom.

Name:

Shop code to transfer item to:
TCMax Demo Shop

☐ Issue item after transfer
☐ Ask for tracking number

[Audio File](#)

[Print](#) [Preset 1](#)

The **Issue item after transfer** checkbox will issue the item to the User on the Main Screen after transferring the Item to a different Shop Code.

Name: 

Shop code to transfer item to:

☐ Issue item after transfer

☐ Ask for tracking number

[Audio File](#)

[Print](#) [Preset 1](#)

The **Ask for tracking number** checkbox will prompt for a tracking number after scanning the Item to transfer to a different Shop Code.

Name: 

Shop code to transfer item to:

☐ Issue item after transfer

☐ Ask for tracking number

[Audio File](#)

[Print](#) [Preset 1](#)

Audio File will allow you to select any wave file to be played when this Quick Function is scanned. When clicking **Audio File**, a File Explorer screen will open for you to point TCMAX® to and select your wave file to be played.

Name: 

Shop code to transfer item to:

TCMax Demo Shop 

☐ Issue item after transfer

☐ Ask for tracking number

Audio File

Print

[Preset 1](#)

Print will print the barcode for the Quick Function to easily be scanned. This can be placed by the computer for quick use when needed.

Name: 

Shop code to transfer item to:

TCMax Demo Shop 

☐ Issue item after transfer

☐ Ask for tracking number


Audio File

Print


[Preset 1](#)

The **Preset** value is an alias that TCMax® associates with the settings you've made for this Structured Barcode. Presets allow you to include additional settings in the quick function that wouldn't otherwise fit into the physical barcode label. The **Full Value** will work without the need to set this up in the Quick Function Configuration. Presets also have the ability to work without a scanner if you do not have one.

Right clicking on Preset will allow you to copy the **Preset** or **Full Barcode**.



Left clicking on Preset will show you the **Preset Value** and **Full Value**.




Arrival / Departure

The **Arrival / Departure** function allows you to create either an Arrival or Departure barcode to track where your Users are. When scanning this barcode it will keep track of where Users are or are going.

Arrival / Departure Subcategories

When first Selecting the **+** to add an **Arrival / Departure**, you will be prompted for a **Location** to Set for the barcode. This is the Location you will want displayed when this barcode is Scanned.



Name is the description that will print with the barcode when you generate the physical label.

The screenshot shows the TCMMax barcode creation interface. At the top, the 'Name' field is highlighted with a red border. Below it is the 'Location' section, which includes a blue 'Set' button and the text 'Building 9'. The 'Type' section has two radio buttons: 'Arrival' (selected) and 'Departure'. There is also a checkbox for 'Prompt for next destination' which is currently unchecked. Below the 'Type' section are buttons for 'Audio File' and 'Print'. At the bottom right, there is a link labeled 'Preset 1'.

Name:

Location

[Set](#) Building 9

Type

☒ Arrival ☐ Prompt for next destination

☐ Departure

[Audio File](#)

[Print](#)

[Preset 1](#)

Type is the type of barcode that is being created. You have the choice of Arrival or Departure to show what the User is doing at this Location.

This screenshot is identical to the one above, but the 'Type' section is highlighted with a red border. This section contains the radio buttons for 'Arrival' and 'Departure', and the 'Prompt for next destination' checkbox.

Name:

Location

[Set](#) Building 9

Type

☒ Arrival ☐ Prompt for next destination

☐ Departure

[Audio File](#)

[Print](#)

[Preset 1](#)

The **Prompt for next destination** checkbox will only be active when selecting Departure. When scanning this barcode for a Departure, you can have TCMMax prompt for the next destination to be entered.

Name: 

Location

Building 9

Type

☐ Arrival ☐ Prompt for next destination

☒ Departure

[Preset 1](#)

Audio File will allow you to select any wave file to be played when this Quick Function is scanned. When clicking **Audio File**, a File Explorer screen will open for you to point TCMMax® to and select your wave file to be played.

Name: 

Location

Building 9

Type

☒ Arrival ☐ Prompt for next destination

☐ Departure

[Preset 1](#)

Print will print the barcode for the Quick Function to easily be scanned. This can be placed by the computer for quick use when needed.

Name: 


Location


 Building 9

Type

☒ Arrival ☐ Prompt for next destination

☐ Departure







[Preset 1](#)

The **Preset** value is an alias that TCMa^x® associates with the settings you've made for this Structured Barcode. Presets allow you to include additional settings in the quick function that wouldn't otherwise fit into the physical barcode label. The **Full Value** will work without the need to set this up in the Quick Function Configuration. Presets also have the ability to work without a scanner if you do not have one.

Right clicking on Preset will allow you to copy the **Preset** or **Full Barcode**.



Left clicking on Preset will show you the **Preset Value** and **Full Value**.




User Certification Revoking

The **User Certification Revoking** function allows you to revoke a User's Certification temporarily for Items based on a Course, Part Number, or a List of selected Part Numbers. This Quick Function Barcode will be used when a User is on the Main Screen.


User Certification Revoking Subcategories

Name is the description that will print with the barcode when you generate the physical label.



The screenshot shows the 'User Certification Revoking' interface. At the top, there is a 'Name:' label followed by a text input field and a close button (X). Below this is a 'Revoke Type' section with three radio button options: 'Course' (selected), 'Part Number', and 'Part Number List'. To the right of these options is a 'Set' button. Below the radio buttons is an 'Expires In(Days):' label followed by a text input field containing '30' and a help icon (question mark). Underneath the 'Revoke Type' section is the label 'Revoking:' followed by a checked checkbox labeled 'Open log note screen'. At the bottom, there are two buttons: 'Print Revoke' and 'Print Unrevoke', followed by a link labeled 'Preset 1'. A red rectangular box highlights the 'Name:' input field.

Revoke Type is how you will Revoke a User temporarily. If you Revoke based off a Course, Part Number, or Part Number List. Once you select your **Revoke Type** click the **Set** button and you will be prompted for a Course Barcode Id, a Part Number, or to select a Part Number List that is pre-created in [Revoke List Setup](#).



This screenshot is identical to the one above, showing the 'User Certification Revoking' interface. However, a red rectangular box highlights the 'Revoke Type' section, which includes the three radio button options ('Course', 'Part Number', 'Part Number List'), the 'Set' button, the 'Expires In(Days):' field with '30', and the help icon.

Expires In (Days) allows you to set a Number of Days you would like the Revoking to Expire and the User to become Certified again.

! INFO

If you leave this at 0, the certification will remain revoked until an Un-Revoke Barcode is Scanned.

Name: 

Revoke Type

☒ Course Set

☐ Part Number

☐ Part Number List

Expires In(Days): 

Revoking:

☒ Open log note screen

Print Revoke Print Unrevoke [Preset 1](#)

The **Revoking: Open log note Screen** checkbox will open a Log Notes Screen when scanning the Quick Function Barcode. This can allow you to add details to the Log Notes about why a User is being Revoked or Unrevoked.

Name: 

Revoke Type

☒ Course Set

☐ Part Number

☐ Part Number List

Expires In(Days): 

Revoking:

☒ Open log note screen

Print Revoke Print Unrevoke [Preset 1](#)

Print Revoke will print the barcode for Revoking Users Certifications. This can be placed by the computer for quick use when needed.

Name: 

Revoke Type

☒ Course 



☐ Part Number

☐ Part Number List

Expires In(Days): 

Revoking:

☒ Open log note screen

  [Preset 1](#)

Print Unrevoke will print the barcode for Un-revoking (Or Re-Establishing) Users Certifications. This can be placed by the computer for quick use when needed.

Name: 

Revoke Type

☒ Course 



☐ Part Number

☐ Part Number List

Expires In(Days): 


Revoking:

☒ Open log note screen


  [Preset 1](#)

The **Preset** value is an alias that TCMa[®] associates with the settings you've made for this Structured Barcode. Presets allow you to include additional settings in the quick function that wouldn't otherwise fit into the physical barcode label. The **Full Value** will work without the need to set this up in the Quick Function Configuration. Presets also have the ability to work without a scanner if you do not have one.

Right clicking on Preset will allow you to copy the **Preset** or **Full Barcode**.




Left clicking on Preset will show you the **Preset Value** and **Full Value**.



Setting up a Part Number List for Revoking Certifications

Go to **Settings > Revoke List Setup** from the Configure Quick Functions screen. Once on the Revoke List Setup screen, you will need to give a name for the list you are creating. To do this, click the **Add New** button and type the name for this list. Then, enter the Part Numbers/Barcode Ids that this revocation pertains to and click the **Submit** button. Those items will be added to the grid on the right. When you are done adding, click the **Close** button.

A light grey dialog box titled "Certification Revoke List" with a close button (X) in the top right corner. The dialog is divided into several sections. The top section has the text "Select a certification revoke list to modify or remove." followed by a dropdown menu, a blue "Add New" button, and a red "Delete" button. The middle section has the text "Enter a Part Number you wish to add to the currently selected certification revoke list." followed by a text input field, an "Add To List" button, and radio buttons for "Search Type: Part Number" (selected) and "Item Barcode Id". On the right side of the dialog is a large grey grid with a header "Part Number". At the bottom right, there is a grey "Close" button.

Now that the list has been generated, you will be able to apply it to your preset.

Under the '**User Certification Revoking**' node, click the **Part Number List** radio button, and then click the **Set** button. From the '**Revoke List**' screen, click the appropriate pre-configured list and click **Select**.

 **Revoke List**

Select a list of revoked Part Number you would like to add to the structured barcode.

	Certification Revoke List
▶	Welding Certifications

Select

Cancel

Using Structured Barcodes

Structured Barcodes are intended to be scanned while there is a user or item displayed on the Main Screen of TCMax®. They can also be stacked together to perform multiple operations at once.

For example, if we wanted to mark our battery as broken and then transfer it to a manufacturer for warranty replacement, you could set up a preset for marking it as broken and then set up a preset for transferring it to a specific shop. Each individual preset barcode would decode into the following strings:

<B pSet='1'/>: This tells TCMax® to run through the Preset 1 code for a Broken structured barcode.

<TR pSet='1'/>: This tells TCMax® to run through the Preset 1 code for a Transfer structured barcode.

Admin Logged In




<B pSet='1'/><TR pSet='1'/>

If you encode your barcode with both values, TCMax® will run through both procedures in the order they appear. So, if your barcode decodes into **<B pSet='1'/><TR pSet='1'/>**, the software will follow the Broken Preset 1 input and then immediately go through Transfer Preset 1.

Set Work Location Status

Selecting the **Tools > Set Location Status** menu option from the Main Screen allows you view, enable or disable a Work Location in TCMax®.



Work Locations are used to show you where items have been issued. From this screen, you can add new locations and block/unblock specific work locations from having items issued to them.


NOTE

It is possible for users to caption the Work Location field to something more consistent with their issue operations. For example, many customers will change the caption from Work Location to Job Number for them to track which job(s) assets are being used on. That caption will change to Job Number on many reports and screens. For this document, we will refer to


these fields as the Work Location or Location. The same functionality will exist regardless of how you've changed that caption.

Adding a New Work Location


To add a new Work Location, click **Location Options > Add New Location** and the Add New Location screen appears.




From the drop-down box, select the Shop Code that this Work Location is associated with or if it should be visible for all Shop Codes, select the **All Shops** option.



Once the Shop Code or Shop Codes have been selected, enter the **Location Name** into the **Location Name** textbox then click the **Save** button.



The Work Location should now be visible from the **Set Location Status** screen.



! INFO

By default, the newly added Work Location will be blocked (red), meaning that no items can be issued to it.

Blocking and Unblocking Work Locations

TCMax® can temporarily prevent certain Work Locations to be used by blocking them from the Set Location Status screen.


Example: A Work Location may be blocked if the Location is hazardous/dangerous due to an incident, etc.

Blocking


To block a **Location**, locate the **Location** you wish to block from the Set Location Status screen then press the **Location** button.

i NOTE

From the Set Location Status screen, you will notice under the Location you can view how items are currently issued to that particular Location. With that being said, you can block a Location that still has items issued to it, however, no new items would be able to be issued to that Location.



The Location will then appear **red** which indicates the Location is blocked and cannot be used as an issue Location.




! INFO


If from **Settings > Options > Work Location Options**, the Display Location Button option is enabled when a Location is blocked it will be removed from that window when issuing items.

Unblocking

To unblock a **Location**, locate the **Location** you wish to unblock from the Set Location Status screen then press the **Location** button.




The Location will then appear **blue** which indicates the Location is unblocked and can be used as an issue Location.



Deleting Unused Work Locations

To delete Locations that are appearing on the **Set Location Status** screen, you must go to **Settings > Options**.



From **Options**, navigate to **Work Location Options**.

Work Location Options

- ☐ Display Location buttons
- ☐ Do not allow Location to be blank
- ☐ Do not ask for Location when issuing items
- ☐ Show button and enable setting of default Location for individual users
- ☐ Check to make sure Location are not existing User or Item barcodes

Under **Work Location Options**, select **Display Location Buttons**. Work Locations will appear based on the Shop Code selection from the Options menu.

Work Location Options

☒ Display Location buttons

Location Buttons

☐ Allow only buttons for use in setting a Location

Location Value

Shop Code:

All
All
Support
TCMax Demo Shop

New Location

Add Location

- ☐ Do not allow Location to be blank
- ☐ Do not ask for Location when issuing items
- ☐ Show button and enable setting of default Location for individual users
- ☐ Check to make sure Location are not existing User or Item barcodes

Once you have selected your Shop Code, select the Work Location you wish to delete then hit the **Delete** key on your keyboard.

Work Location Options

☒ Display Location buttons

Location Buttons

☐ Allow only buttons for use in setting a Location

Location Value
▶ Aircraft 123

Shop Code:

TCMax Demo Shop

[Location Shop Help](#)

New Location

Add Location

Upon hitting Delete, the Work Location will be removed from the grid on the Options menu.

Work Location Options

☒ Display Location buttons

Location Buttons

☐ Allow only buttons for use in setting a Location

Location Value

Shop Code:

TCMax Demo Shop

[Location Shop Help](#)

New Location

Add Location

Once you are finished deleting locations, select the **Save** button at the bottom of the Options menu.

Work Location Options

☒ Display Location buttons

Location Buttons

☐ Allow only buttons for use in setting a Location

Location Value

Shop Code:

TCMax Demo Shop

[Location Shop Help](#)

New Location

Add Location

- ☐ Do not allow Location to be blank
- ☐ Do not ask for Location when issuing items
- ☐ Show button and enable setting of default Location for individual users
- ☐ Check to make sure Location are not existing User or Item barcodes


Save

Cancel

Label Maker

Utilizing Label Maker

To access **Label Maker**, select **Tools > Label Maker**.



The **Label Maker** feature in TCMAX® can be utilized to print labels in bulk, as opposed to one at a time from the Main Screen.

 Label Maker

File

Label Data | Print

Label Type: Course

Tools

Show Label Preview Clear All Label Data

Data Files

Load Data File Save Data File

Courses

Load All Courses Load From Course Search

Custom Message

Placement: (none)

Message:

Number of Labels	BarcodeId	Name	CourseNumber	Interval	Curr
------------------	-----------	------	--------------	----------	------

The **Label Maker** screen is separated into two tabs, [Label Data](#) and [Print](#).

 Label Maker

File

Label Data | Print

Label Type: Course

Tools

Show Label Preview Clear All Label Data

Data Files

Load Data File Save Data File

Label Data Tab

The **Label Data** tab will provide different options that allow you to select what Label Type you are printing for along with different options that allow you to gather information for the Labels.

Label Data Print

Label Type: Course

Tools

Show Label PreviewClear All Label Data

Data Files

Load Data FileSave Data File

Courses

Load All CoursesLoad From Course Search

Custom Message

Placement: (none)

Message:

Tools

Tools

Show Label PreviewClear All Label Data

The **Tools** option allows you to preview the labels to be printed by clicking the **Show Label Preview** button. If you have Data displayed in the grid on the right-hand side of the **Label Maker** screen that information will be added to the label preview. If no information is loaded into the grid, sample Data will be included.

Within the **Tools** option, you will also have the capability of selecting the **Clear All Label Data** button which will clear the grid on the right-hand side of the **Label Maker** screen.

Data Files




The **Label Maker** screen can load and save **Data Files**.

Data Files are Files containing a list of Data to be printed. To create a **Data File**, populate the grid with the items you would like included and select the **Save Data File** button. A File Explorer Window will be displayed where you can set the name of the File and the location for the File to be saved to.

To load a pre-existing **Data File**, select the **Load Data File** button then select the File you would like to load. This will populate the grid with the items that had been saved to that File.

Label Types




TCMax® allows you to print several types of labels for various uses within TCMax®.

The **Label Types** consist of [Course](#), [Generic](#), [Item](#), [Template](#), or [User](#).

To view further information on specific Label Types, select the link above for the specific Label Type you wish to view.

Custom Message




The **Custom Message** menu option allows you to include a custom message on Labels.

The **Placement** drop down allows you to select where the message will be displayed on the Label.

The **Message** text box allows you to set the message to be printed on the Labels.

Print Tab

The **Print** tab will have options/settings that allow you to print your Labels to your specifications. This tab is split into two sections.



The left-hand section of the **Print** tab allows you to modify your label definition and details, select your printer, and print your Labels.

Label Data

Print

You may modify the label definition used to print labels here.

Modify Label Definition

You may modify the label details that are used here.

Modify Label Details

Printer: ZDesigner GX430t (Copy 1)

Start printing on row: 1

Print

Sample 1 Sample 2
Sample 3 Sample 4

The right-hand section of the **Print** tab allows you to preview the Label(s) that will be printed.

Label Data

Print

You may modify the label definition used to print labels here.

Modify Label Definition

You may modify the label details that are used here.

Modify Label Details

Printer: ZDesigner GX430t (Copy 1)

Start printing on row: 1

Print

Sample 1 Sample 2
Sample 3 Sample 4

Within the preview section (at the bottom of the screen), you can set the preview zoom setting and also view the label material dimensions.

Preview Zoom

100%

Label Material Dimensions

Height: 0.5 in Width: 1.5 in

! INFO

The Label Material Dimensions are not editable from the **Label Maker** screen. The values that are listed are pulled from the selected print driver, if the Dimensions need adjusted, please refer to your Windows System Settings.

Modify Label Definition

The **Modify Label Definition** button will open the **Label Configuration** screen. See the [Label Configuration](#) section for a walkthrough of this screen.

Modify Label Details

The **Modify Label Details** button will open the **Configure Label Details** screen. See the [Configure Label Details](#) section for a walkthrough of this screen.

Printer


The **Printer** menu allows you to select which printer the Labels will be sent to.

Print

The **Print** button will send the Labels to the printer to be printed.

Label Configuration

Label Configuration allows you to configure the Labels to be printed.



Label Definition

The **Label Definition** tab allows you to load settings from a definition file by clicking the **Load Definition from File** button.

Within the **Label Definition** tab you will also have the capability to save the current settings to a Label Definition File by clicking the **Save Definition to File** button.

Label Definition Page Layout Barcode / Label

Save/Load Label Definition

Load Definition From File Save Definition To File

Page Layout

The **Page Layout** tab allows you to set the Page Settings for the Label. The Settings include Unit of Measure (inches or millimeters), Margins (left or right), and Columns and Rows such as Number of Columns, Number of Rows, and distances between the Columns and Rows.

Label Definition Page Layout Barcode / Label

Unit of Measure

☒ Inches ☐ Millimeters

Margins

? Top Margin: 0 in

Left Margin: 0 in

Columns and Rows



? Columns: 1

Rows: 1

Distance Between Columns: 0 in


Distance Between Rows: 0 in

From the **Page Layout** tab, under the **Margins** section, you can select the blue question mark to provide information on what left margin and right margin signify.



TIP

From the **Page Layout** tab, under the **Columns and Rows** section, you can select the blue question mark to provide information on that section.



Barcode/Label

The **Barcode/Label** tab allows you to set the Label Settings and Barcode Settings for the Label(s) that will be printed.

Once you have your settings the way you would like them you can hit the **Save Changes** button.

Label Definition

Page Layout

Barcode / Label

Label Settings

?

Label Height:

0.5

in

Label Width:

1.5

in

Font Size:

6

pt

Font Family:

Arial

Barcode Settings

?

Barcode Type:

Code128

Barcode Height:

0.13

in


Barcode Width:

1.3

in


TIP

From the **Barcode/Label** tab, under the **Label Settings** section, you can select the blue question mark to provide information on that section.



TIP

From the **Barcode/Label** tab, under the **Barcode Settings** section, you can select the blue question mark to provide information on that section.



Configure Label Details

The **Label Details** screen allows you to set what information you would like printed on a specific type of Label.

Select the label type you wish to edit details for:

Item

Label Preview (Code 39 / Code 128):

BarcodeId	Name
	
Parent	StorageLocation

Label Details

Detail #1: BarcodeId

Detail #2: Name

Detail #3: Parent

Detail #4: StorageLocation

Hidden character prefix:

Label Preview (Data matrix):

	BarcodeId
	Name
	Parent
	StorageLocation

Save

Cancel

From the **Configure Label Details** screen, select the **Label Type** you wish to set information for.

Configure Label Details

Select the label type you wish to edit details for:

Item

Item

Course

User

Label De

Detail #1: BarcodeId

Detail #2: Name

Detail #3: Parent

Detail #4: StorageLocation

Hidden character prefix:

With each **Label Type** you will have four details that can be set.

Label Details

Detail #1: BarcodeId

Detail #2: Name

Detail #3: Parent

Detail #4: StorageLocation

Hidden character prefix:

Selecting the dropdown boxes for Details #1-4 allow you to set what information you would like to print on that type of Label.

Example: Item Label Details

Select the label type you wish to edit details for:

Item

Label Details

Detail #1: BarcodeId

Detail #2: BarcodeId

Detail #3: Parent

Detail #4: StorageLocation

NSN

PartNumber

CalDueDate

SerialNumber

Cost

CustomCombo1

CustomCombo2

CustomTextBox1

CustomTextBox2

CustomTextBox3

CustomTextBox4

CustomTextBox5

CustomTextBox6

Example: Course Label Details

Select the label type you wish to edit details for:

Course

Label Details

Detail #1:

Name

Detail #2:

BarcodeId

Detail #3:

Name

Detail #4:

CourseNumber

Hidden character prefix:

Example: User Label Details

Select the label type you wish to edit details for:

User

Label Details

Detail #1:

Username

Detail #2:

Username

Detail #3:

Organization

Detail #4:

Shift

Hidden character prefix:

The **Hidden Character Prefix** will append a prefix to the Barcode that will not appear in the text that is displayed on the Label. This feature helps you track exactly how users are issuing and turning in items.


For example, place any character in this box, one character only, example: T.

When you print your Barcode Labels, the **Label Maker** program will automatically embed another character and the character of your choice in the Barcode. The clear text of the Barcode will appear on the Label without both characters.

TCMax® will automatically strip both characters when you scan this Barcode, and it will place the characters in front of the user's name in the log entry. This allows for you to know automatically if the user scanned a Barcode or typed the Barcode from the keyboard.

Course Label Type


Utilizing Course Label Type



The screenshot shows a user interface for creating labels. At the top, there are two buttons: 'Label Data' and 'Print'. Below these, there is a section titled 'Label Type:' followed by a dropdown menu. The dropdown menu is currently set to 'Course' and is highlighted with a red rectangular border.

Course Labels are used with the [Training Completion](#) and [Add/Remove Training Modes of Operation](#). These Labels are utilized to add or complete courses for a user.

When **Course** is selected in the **Label Type** drop down, a Courses section will appear on the left-hand side of the **Label Maker** screen.



The screenshot shows a section titled 'Courses' with a light blue header. Below the header, there are two buttons: 'Load All Courses' and 'Load From Course Search'. The 'Load From Course Search' button is highlighted with a dark grey background.

The **Load All Courses** button will load all of the courses that are in the current visible shop codes drop down.

The **Load From Course Search** button will open the Course Search screen from which you can select the courses you would like to print labels for.

 Course Search

File

Help

Barcode Id

Course Name

Parent Barcode Id

Course Number

Shop Code

Selected Shops

Training Interval (in days)

Print

Clear Criteria

	Parent Barcode Id	Shop Code	Barcode Id	Item Name	Course Number	Interval	Curricula
▶		TCMax Dem...	9000	Rifle Certific...		360	Rifle range C...
		TCMax Dem...	7004	Welding Cer...		180	10 Hours We...
	9000	TCMax Dem...	9001	Weapons Tra...		360	Learn how t...
	9000	TCMax Dem...	9002	Rifle Training		360	Learn how t...

Display selected item on main screen

Close

The **Add Selected Rows** button from Course Search will add the highlighted row to the grid in the lower right-hand corner of the screen.

Course Search

File

Help

Barcode Id

Course Name

Parent Barcode Id

Course Number

Shop Code

Selected Shops

Training Interval (in days)

Print

Clear Criteria

Add Selected Rows

Add All Rows

	Parent Barcode Id	Shop Code	Barcode Id	Item Name	Course Number	Interval	Curricula
		TCMax Dem...	9000	Rifle Certific...		360	Rifle range C...
▶		TCMax Dem...	7004	Welding Cer...		180	10 Hours We...
	9000	TCMax Dem...	9001	Weapons Tra...		360	Learn how t...
	9000	TCMax Dem...	9002	Rifle Training		360	Learn how t...

Selected courses

	Name	BarcodeId	ShopCode
▶	Welding Cer...	7004	TCMax Dem...

Finished

The **Add All Rows** button from Course Search will add all of the rows displayed in the main grid to the grid in the lower right-hand corner of the screen. The lower right-hand grid is the selection that will be passed to **Label Maker**.

 Course Search

FileHelp

Barcode Id

Course Name

Parent Barcode Id

Course Number

Shop Code

Selected Shops

Training Interval (in days)

Print

Clear Criteria

Add Selected Rows

Add All Rows

	Parent Barcode Id	Shop Code	Barcode Id	Item Name	Course Number	Interval	Curricula
▶		TCMax Dem...	9000	Rifle Certific...		360	Rifle range C...
		TCMax Dem...	7004	Welding Cer...		180	10 Hours We...
	9000	TCMax Dem...	9001	Weapons Tra...		360	Learn how t...
	9000	TCMax Dem...	9002	Rifle Training		360	Learn how t...

Selected courses

	Name	BarcodeId	ShopCode
▶	Welding Cer...	7004	TCMax Dem...
	Rifle Certific...	9000	TCMax Dem...
	Weapons Tra...	9001	TCMax Dem...
	Rifle Training	9002	TCMax Dem...

Finished

When you have all the **Courses** selected that you would like to print Labels for, select the **Finished** button to return to the **Label Maker** screen.

Course Search

File

Help

Barcode Id

Course Name

Parent Barcode Id

Course Number

Shop Code

Selected Shops

Training Interval (in days)

Print

Clear Criteria

Add Selected Rows

Add All Rows


	Parent Barcode Id	Shop Code	Barcode Id	Item Name	Course Number	Interval	Curricula
▶		TCMax Dem...	9000	Rifle Certific...		360	Rifle range C...
		TCMax Dem...	7004	Welding Cer...		180	10 Hours We...
	9000	TCMax Dem...	9001	Weapons Tra...		360	Learn how t...
	9000	TCMax Dem...	9002	Rifle Training		360	Learn how t...

Selected courses

	Name	BarcodeId	ShopCode
▶	Welding Cer...	7004	TCMax Dem...
	Rifle Certific...	9000	TCMax Dem...
	Weapons Tra...	9001	TCMax Dem...
	Rifle Training	9002	TCMax Dem...

Finished

When you return to the **Label Maker** screen, the **Courses** you selected in Course Search will populate in the grid on the right-hand side of the **Label Data** tab.



The columns within the preview grid can be sorted by clicking on the specific column header.

	BarcodeId	Number of Labels	Name	CourseNumber	Interval	Curr
▶	7004	1	Welding Cer...		180	10 Hc
	9000	1	Rifle Certific...		360	Rifle
	9001	1	Weapons Tra...		360	Learr
	9002	1	Rifle Training		360	Learr

Once the specific column header is selected, the column will order ascending to descending or vice versa.

For example, the image below will display the Barcode Id column ascending to descending.

	BarcodeId ▲	Number of Labels	Name	CourseNumber
▶	7004	1	Welding Cer...	
	9000	1	Rifle Certific...	
	9001	1	Weapons Tra...	
	9002	1	Rifle Training	

The image below will display the Barcode Id column descending to ascending.

	BarcodeId ▼	Number of Labels	Name	CourseNumber
▶	9002	1	Rifle Training	
	9001	1	Weapons Tra...	
	9000	1	Rifle Certific...	
	7004	1	Welding Cer...	

Along with the sorting feature, you can also reorder columns to move them to a different location.

For example, the image below will display the Name column in between the 'Number of Labels' column and the 'Course Number' column.

	BarcodeId ▲	Number of Labels	Name	CourseNumber	Int
▶	7004	1	Welding Cer...		180
	9000	1	Rifle Certific...		360
	9001	1	Weapons Tra...		360
	9002	1	Rifle Training		360

The image below will display the reorder of the Name column. You will notice the Name column is now the first column and is located next to the 'Barcode Id' column.

	Name	BarcodeId ▲	Number of Labels	CourseNumber	I
▶	Welding Cer...	7004	1		1
	Rifle Certific...	9000	1		3
	Weapons Tra...	9001	1		3
	Rifle Training	9002	1		3

If at any point you need to remove a row from the preview grid, select the row you wish to remove and hit the Delete key on your keyboard.

Generic Label Type

Utilizing Generic Label Type

The **Generic** option allows the user to print generic Labels.

When **Generic** is selected in the **Label Type** drop down, you will have the capability of creating a Generic Label.

To create a **Generic Label**, click into any field in the new row (the row is indicated by an asterisk) and enter Data.

	Number of Labels	Message	Description	BarcodeId ▲
▶	1	Message	Description	1234567
*	1			

Item Label Type

Utilizing Item Label Type

When **Item** is selected in the **Label Type** drop down, an Items section will appear on the left-hand side of the **Label Maker** Screen.



The **Load All Items** button will load all of the items that are in the current visible shop codes drop down.

The **Load From Item Search** button will open the Item Search screen from which you can select the items you would like to print labels for.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

Storage Location

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

Total Items

Total Value

True

False

Disable

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
			TCMax Dem...	120		Snap-on Tool Box	
			TCMax Dem...	121		Pumper Truck	
			TCMax Dem...	220		Snap-on Tool Box	
			TCMax Dem...	320		Snap-on Tool Box	
			TCMax Dem...	624		Steel Carbiners	Stock Room: Shelf A
			TCMax Dem...	140		Rubber Gloves (Large)	Drawer 1
			TCMax Dem...	140		Selected items	
			TCMax Dem...	60		Barcode Id	Item Name
			TCMax Dem...	70		Shop Code	
			TCMax Dem...	70			
			TCMax Dem...	70			
			TCMax Dem...	70			
			TCMax Dem...	75			

Select

Cancel

The **Add Selected Rows** button from Item Search will add the highlighted row to the grid in the lower left-hand corner of the screen.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

Storage Location

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

Total Items

Total Value



	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
			TCMax Dem...	950		Single Software License	Comm Office
			TCMax Dem...	951		Volume Software License	Comm Office
▶			TCMax Dem...	808		Multimeter	Tool Room
			TCMax Dem...	300		Emergency Medical Bag	
			TCMax Dem...	S301		Spare Pressure Dressing	
			TCMax Dem...	S302		Spare Instant Cold Pack	
			TCMax Dem...	S303			
			TCMax Dem...	S304			
			TCMax Dem...	111			
			TCMax Dem...	112			
			TCMax Dem...	113			
			TCMax Dem...	114			
			TCMax Dem...	115			

Selected items

	Shop Code	Item Name	Barcode Id
▶	TCMax Dem...	Multimeter	808

Select

Cancel

The **Add All Rows** button from Item Search will add all of the rows displayed in the main grid to the grid in the lower right-hand corner of the screen. The lower right-hand grid is the selection that will be passed to the **Label Maker**.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

Storage Location

NSN

Shop Code

Username

Location

True

False

Disable

Total Items

Total Value



Clear Search Criteria

Add Selected Rows

Add All Rows

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
▶			TCMax Dem...	601	600	Hammer	Top Drawer
			TCMax Dem...	602	600	Screwdriver	Top Drawer
			TCMax Dem...	603	600	Pry Bar	Bottom Drawer
			TCMax Dem...	604	600	Crescent Wrench	Bottom Drawer
			TCMax Dem...	605	600	Torque Wrench	Middle Drawer
			TCMax Dem...	606	600	Power Drill	Middle Drawer

Selected items

	Shop Code	Barcode Id	Item Name
▶	TCMax Dem...	601	Hammer
	TCMax Dem...	602	Screwdriver
	TCMax Dem...	603	Pry Bar
	TCMax Dem...	604	Crescent Wr...
	TCMax Dem...	605	Torque Wre...

Select

Cancel

When you have all the **Items** selected that you would like to print Labels for, select the **Select** button to return to the **Label Maker** screen.

Item Search

File

Reports

Search Options

Help

Barcode Id

Part Number

Parent Barcode Id

Serial Number

Item Name

CACRL

Storage Location

NSN

Shop Code

TCMax Demo Shop

Username

Location

Clear Search Criteria

Add Selected Rows

Add All Rows

Total Items

Total Value

True

False

Disable

Hammer

	Username	Location	Shop Code	Barcode Id	Parent Barcode Id	Item Name	Storage Location
▶			TCMax Dem...	601	600	Hammer	Top Drawer
			TCMax Dem...	602	600	Screwdriver	Top Drawer
			TCMax Dem...	603	600	Pry Bar	Bottom Drawer
			TCMax Dem...	604	600	Crescent Wrench	Bottom Drawer
			TCMax Dem...	605	600	Torque Wrench	Middle Drawer
			TCMax Dem...	606	600	Power Drill	Middle Drawer

Selected items

	Shop Code	Barcode Id	Item Name
▶	TCMax Dem...	601	Hammer
	TCMax Dem...	602	Screwdriver
	TCMax Dem...	603	Pry Bar
	TCMax Dem...	604	Crescent Wr...
	TCMax Dem...	605	Torque Wre...

Select

Cancel

When you return to the **Label Maker** screen, the **Items** you selected in Item Search will populate in the grid on the right-hand side of the **Label Data** tab.

Label Maker

File

Label Data Print

Label Type: Item

Tools

Show Label Preview

Clear All Label Data

Data Files

Load Data File

Save Data File

Items

Load All Items

Load From Item Search

Custom Message

Placement: (none)

Message:

	Number of Labels	Barcode Id	Name
	1	601	Hammer
	1	602	Screwdriver
	1	603	Pry Bar
	1	604	Crescent Wr...
	1	605	Torque Wre...
	1	606	Power Drill

The columns within the preview grid can be sorted by clicking on the specific column header.

	Number of Labels	Barcode Id	Name
	1	601	Hammer
	1	602	Screwdriver

Once the specific column header is selected, the column will order ascending to descending or vice versa.

For example, the image below will display the Barcode Id column ascending to descending.

	Number of Labels	Barcode Id ▲	Name
▶	1	601	Hammer
	1	602	Screwdriver
	1	603	Pry Bar
	1	604	Crescent Wr...
	1	605	Torque Wre...
	1	606	Power Drill

The image below will display the Barcode Id column descending to ascending.

	Number of Labels	Barcode Id ▼	Name
▶	1	606	Power Drill
	1	605	Torque Wre...
	1	604	Crescent Wr...
	1	603	Pry Bar
	1	602	Screwdriver
	1	601	Hammer



TIP

If at any point you need to remove a row from the preview grid, select the row you wish to remove and hit the Delete key on your keyboard.


Template Label Type

Utilizing Template Label Type


Template Labels allow you to create multiple Labels with different Barcode numbers, while having the same Part Number.

To utilize this feature, you first must have the specific Part Numbers created in **Tools > [Catalog Setup](#)** as template Barcodes require the use of existing Part Numbers to be generated.

When **Template** is selected in the **Label Type** drop down, a Template section will appear on the left-hand side of the **Label Maker** screen.



The **Create Template Barcodes** button will bring up the **Template Barcode Setup** screen.

A screenshot of the "Template Barcode Setup" screen. At the top left is a small icon of three wavy lines. The title "Template Barcode Setup" is at the top. Below it are several input fields: "Catalog Entry:" followed by a text box and a "Search" button; "Quantity:" followed by a text box containing the number "1"; "Barcode Prefix:" followed by a text box; and "Barcode Suffix:" followed by a text box. At the bottom left is the label "Barcode Preview:" followed by a large empty rectangular area. At the bottom right are two buttons: "Done" and "Cancel".

On the **Template Barcode Setup** screen, enter the Part Number into the **Catalog Entry** field and select the **Search** button or hit **Enter** on your keyboard.



Template Barcode Setup

Catalog Entry:

Search

Quantity:

Barcode Prefix:

Barcode Suffix:

Barcode Preview:

Done

Cancel

If the Part Number entered is found, it will be displayed next to **Barcode Preview**.



Template Barcode Setup

Catalog Entry:

Search

Quantity:

Barcode Prefix:

Barcode Suffix:

Barcode Preview:

Done

Cancel

In the **Quantity** field, enter how many template labels you want printed for this Part Number.

Template Barcode Setup

Catalog Entry:

Search

Quantity: 5

Barcode Prefix:

Barcode Suffix:

Numeric characters only

Barcode Preview: HAMMER::

Done

Cancel

In the **Barcode Prefix** and **Barcode Suffix** fields, enter the prefix and suffix that you wish to be used for each Label.

Template Barcode Setup

Catalog Entry:

Search

Quantity: 5

Barcode Prefix: TCMa

Barcode Suffix: 123

Barcode Preview: HAMMER::TCMa123

Done

Cancel

INFO

This will be the unique identifier for each item.

When you have the **Template Barcode Setup** screen filled out, select the **Done** button to return to the **Label Maker** screen.

Template Barcode Setup

Catalog Entry:

Search

Quantity: 5

Barcode Prefix: TCMa

x

Barcode Suffix:

123

Barcode Preview: HAMMER::TCMax123

Done

Cancel

When you return to the **Label Maker** screen, the **Items** you created Template Barcodes for will populate in the grid on the right-hand side of the **Label Data** tab.

Label Maker

File

Label Data Print

Label Type: Template

Tools

Show Label Preview

Clear All Label Data

Data Files

Load Data File

Save Data File

Template Barcodes

Create Template Barcodes

	Number of Labels	PartNumberVa	Barcode Id
▶	1	HAMMER	HAMMER::TCMax123
	1	HAMMER	HAMMER::TCMax124
	1	HAMMER	HAMMER::TCMax125
	1	HAMMER	HAMMER::TCMax126
	1	HAMMER	HAMMER::TCMax127

The columns within the preview grid can be sorted by clicking on the specific column header.

	Number of Labels	PartNumberVa	Barcode Id
▶	1	HAMMER	HAMMER::TCMax123
	1	HAMMER	HAMMER::TCMax124
	1	HAMMER	HAMMER::TCMax125
	1	HAMMER	HAMMER::TCMax126
	1	HAMMER	HAMMER::TCMax127

Once the specific column header is selected, the column will order ascending to descending or vice versa.

For example, the image below will display the Barcode Id column ascending to descending.

	Number of Labels	PartNumberVa	Barcode Id
▶	1	HAMMER	HAMMER::TCMax123
	1	HAMMER	HAMMER::TCMax124
	1	HAMMER	HAMMER::TCMax125
	1	HAMMER	HAMMER::TCMax126
	1	HAMMER	HAMMER::TCMax127

The image below will display the Barcode Id column descending to ascending.

	Number of Labels	PartNumberVa	Barcode Id ▼
▶	1	HAMMER	HAMMER::TCMax127
	1	HAMMER	HAMMER::TCMax126
	1	HAMMER	HAMMER::TCMax125
	1	HAMMER	HAMMER::TCMax124
	1	HAMMER	HAMMER::TCMax123

Along with the sorting feature, you can also reorder columns to move them to a different location.

For example, the image below will display the Barcode Id column next to the 'Part Number Value' column.

	Number of Labels	PartNumberValue	Barcode Id
▶	1	HAMMER	HAMMER::TCMax123
	1	HAMMER	HAMMER::TCMax124
	1	HAMMER	HAMMER::TCMax125
	1	HAMMER	HAMMER::TCMax126
	1	HAMMER	HAMMER::TCMax127

The image below will display the reorder of the Barcode Id column. You will notice the Barcode Id column is now the first column and is located next to the 'Number of Labels' column.

	Barcode Id	Number of Labels	PartNumberValue
▶	HAMMER::TCMax127	1	HAMMER
	HAMMER::TCMax126	1	HAMMER
	HAMMER::TCMax125	1	HAMMER
	HAMMER::TCMax124	1	HAMMER
	HAMMER::TCMax123	1	HAMMER



TIP

If at any point you need to remove a row from the preview grid, select the row you wish to remove and hit the Delete key on your keyboard.

User Label Type

Utilizing User Label Type

When **User** is selected in the **Label Type** drop down, a Users section will appear on the left-hand side of the **Label Maker** screen.



The **Load All Users** button will load all of the users assigned to your selected site.

The **Load Specific Users** button will open the **Select Users to Add** screen.

 Select Users to Add

Username:

User Id:

	UserId	Username
▶	01	Lederman, R...
	02	Sikes, Micha...
	03	Kovacs, Wes ...
	04	Powers, Kris...
	05	Murray, Willi...
	06	Green, Joe [...
	07	Computer 1 ...

Add Selected

Done

From the **Select Users To Add** screen, select a user by highlighting their row and clicking the **Add Selected** button. This will display the user in the main grid in the right-hand side of the screen. The right-hand grid is the selection that will be passed to **Label Maker**.

 Select Users to Add

Username:

User Id:

	Userid	Username
	07	Computer 1 ...
	06	Green, Joe [...]
	03	Kovacs, Wes ...
▶	01	Lederman, R...
	05	Murray, Willi...
	04	Powers, Kris...
	02	Sikes, Micha...

Lederman, Richard A [Demo Adi

Add Selected

Done

When you have all the **Users** selected that you would like to print Labels for, select the **Done** button to return to the **Label Maker** screen.

 Select Users to Add

Username:

User Id:

	Userid	Username
	07	Computer 1 ...
	06	Green, Joe [...]
	03	Kovacs, Wes ...
▶	01	Lederman, R...
	05	Murray, Willi...
	04	Powers, Kris...
	02	Sikes, Micha...

Lederman, Richard A [Demo Adr

Add Selected

Done

When you return to the **Label Maker** screen, the **Users** you selected will populate in the grid on the right-hand side of the **Label Data** tab.

 **Label Maker**

File

Label Data Print

Label Type: User

Tools

Show Label Preview Clear All Label Data

Data Files

Load Data File Save Data File

Users

Load All Users Load Specific Users

Custom Message

Placement: (none)

Message:

	Number of Labels	Username
▶	1	Lederman, Richard ...
	1	Murray, William [D...
	1	Kovacs, Wes [Demo]

The columns within the preview grid can be sorted by clicking on the specific column header.

	Number of Labels	Username
▶	1	Kovacs, Wes [Demo]
	1	Lederman, Richard A [Demo Admin]
	1	Murray, William [Demo]

Once the specific column header is selected, the column will order ascending to descending or vice versa.

Along with the sorting feature, you can also reorder columns to move them to a different location.

For example, the image below will display the Username column next to the 'Number of Labels' column.

	Number of Labels	Username	
▶	1	Murray, William [Demo]	
	1	Lederman, Richard A [Demo Admin]	
	1	Kovacs, Wes [Demo]	

The image below will display the reorder of the Username column. You will notice the Username column is now the first column and is located next to the 'Number of Labels' column.

	Username	Number of Labels
▶	Murray, William [Demo]	1
	Lederman, Richard A [Demo Admin]	1
	Kovacs, Wes [Demo]	1



TIP

If at any point you need to remove a row from the preview grid, select the row you wish to remove and hit the Delete key on your keyboard.

PPC Sync

DISCONTINUED


The hardware and operating system used for the **PPC Sync** has been discontinued by their manufacturers and distributors and is no longer advised to use from Soaring Software Solutions, Inc.

Utilizing PPC Sync

To access **PPC Sync**, select **Tools > PPC Sync** from the Main Screen of TCMaX®.

If your device is connected, the **PPC Sync** screen will appear. For Windows to handshake with your Pocket PC's operating system you need to have **Windows Mobile Device Center** installed.

To sync, you must close TCMaXMobile™ on the Pocket PC.



The screenshot shows the PPC Sync application window. The title bar reads "PPC Sync" with standard window controls. Below the title bar, a status bar indicates "Connected To: ID1026730703". The main area is titled "Shop Codes" and contains a list of items with checkboxes: "TCMax Demo Shop" (checked), "Sheet Metal", "Paint", "NDI", and "Vehicle Maintenance". To the right of this list is a red button labeled "Purge PPC Database". Below the list are two buttons: "Select All" and "Clear All". To the right of these is a blue button labeled "Sync". At the bottom center, the text "Waiting To Sync" is displayed. At the bottom right, there is a dark grey button labeled "Done".

Purge PPC Database

The **Purge PPC Database** button from the **PPC Sync** screen will remove all records currently within the Pocket PCs Database. The status message thread will change and let you know what specific action is being performed in this operation. When this operation is complete you will see a '**Purge Complete**' message.

Shop Code Selection

The **Shop Codes** section from the **PPC Sync** screen gives the user the ability to select which shops records you want to sync with.

Select All and **Clear All** buttons help the user in selecting their shops. Once the appropriate Shop Codes have been selected, click the **Sync** button and the sync process will begin. You will notice that the message thread and status bar will update the user on what function of the sync process is being performed. When the sync is complete, TCMax® will return the user back to the Main Screen. The user can then undock the PPC device and run TCMaxMobile™.

NOTE

Pocket PCs have very little RAM and limited processor speeds. It is considered best practice to only sync shops that you intend on working into the Pocket PC. This will minimize the amount of time it takes to sync and will help keep the Pocket PC operating as fast as possible.

PPC Sample Usage Scenario

INFO

It's important to remember that the PPC and TCMaxMobile™ do not interact in real time with your desktop version of TCMax®. While some models have Bluetooth or wireless capabilities, these technologies are not utilized by TCMaxMobile™. The PPC has its own Windows operating system and Database and operates independent of any connection to the desktop version of TCMax®.

Typical Use

1. (Optional) Purge old Data from PPC Database

2. Sync the shops required to perform your tasks
3. Take the PPC to wherever you need it and do your inventory, update quantities, issue or turn-in items, etc.

When you're done doing the work on the PPC you need to dock it and sync to bring over the records of everything you did on the PPC to your desktop version of TCMax®.

Chart Designer

Just like the charts and graphs available within the [TCMax® Dashboard](#) Data Visualizations, you can create your own utilizing **Chart Designer**. This allows users to build and display their Data in an easy to understand graphic.

The **Chart Designer** screen is located within **Tools > Chart Designer** and requires the logged in user to have the **Access Designers** permission.

The **Chart Designer** screen is divided into 3 tabs (steps): **Graph and Series**, **Axes**, and **Design**.

Before getting started, be sure to set the proper Shop Code in the combo box in the upper right-hand portion of the chart designer window. If All Shops is selected, the chart will be available to all Shops in TCMax. If a specific Shop is selected, the chart will only be available to that one Shop.

 Chart Designer

Step 1: Graph and Series

Step 2: Axes

Step 3: Design

Shop Code:

All Shops

Selected Graph:

New Graph

☐ Enabled

Rename Graph

Delete Graph

Series:

▲

▼

Chart Type:

New Series

Delete Series

Marker Style:

None

Rename Series

Series Color

Series Query

Border Width:

0

X-Axis Field:

Y-Axis Field:

Save

Close

Step 1: Graph and Series

The Graph and Series tab defines each series drawn on the chart, or the Data that is being queried and displayed. The chart type and properties for each series will also be decided on this screen.

Selected Graph

Selecting the **New Graph** button will prompt you for a graph a name, where you begin your steps towards creating a custom graph/chart. You can also choose to rename, delete, and choose to enable this graph from this screen. Graph names are limited to 50 characters.

Chart Designer

Step 1: Graph and Series Step 2: Axes Step 3: Design

Selected Graph:
 Monthly Job Expense ▼
☒ Enabled

New Graph
 Rename Graph
 Delete Graph

Series

The series is the set of Data that is being fetched from the Database. Each new line on a graph is an individual series. Each individual tracker you want displayed will need a series. Selecting the **New Series** button will prompt you for a series name and allow you to rename, delete, or set the color for that series. In addition to that, you can build the query from this area, refer to Series Query.

Series:

Series1

Chart Type: Columns
 Marker Style: None

New Series
 Delete Series
 Rename Series
 Series Color
 Series Query

Selecting **Series Query** will open up our Query Builder window which allows you to browse the tables and Data structure of the Database. It is this query, written in SQL or Transact-SQL that will allow you to pull the Data of your choice. When finished with the Query Builder, click **OK** to return to the Graph Builder page.

Query Builder

Help

SQL Data

TCSDemo

dbo

- ApplicationParameters
- AutoUpdateSettings
- Biometrics
- Catalog
- Chits
- CourseCertifications
- Courses
- CourseStatuses
- CourseStatusesView
- CoursesView
- CustomCombo1
- CustomCombo2
- DataVisualizers
- DeploymentInventories
- EmailAddresses
- EmailEvents
- EmailRecipients
- EmailSettings
- EventLog
- InventorySessionItemDis
- InventorySessionItems
- InventorySessionRestoc
- InventorySessions
- IssuedItems

Main

x

Q

Location nvarchar(50)

XCost object

Visible	Expression	Colu...	Sort Type	Sort Order	Aggregate	Grouping	Crite
☒	x.Location	Job				☒	For g
☒	x.XCost	Exten...			Sum	☐	For g
☐						☐	For v

Q Main

Expressions

Job: Location (x)

ExtendedCost: x.XCost

Objects

x: (Select EventLog.Loca

Q x

Expressions

Location (EventLog)

XCost: (EventLog.Lo

Objects

EventLog (dbo)

Items (dbo)


```

1 select x.Location as Job,
2 Sum(x.XCost) as ExtendedCost
3 from (select EventLog.Location,
4 (EventLog.LogCost * EventLog.Quantity) as XCost
5 from EventLog
6 left join Items on EventLog.ItemId = Items.ItemId
7 where EventLog.EventTimestamp >= DateAdd(d, -30, GetDate()) and


```

OK Cancel


Selecting the **Chart Type** allows you to represent the collected Data (series) in the style you choose. The graph displayed from this screen will only be an example of how the graph is displayed and will not showcase any real Data from your Series Query.



Selecting **Marker Style** will allow you to change the display of each plot or point on your graph per series. Depending on the Chart Type you choose, you may not need to set a Marker Style.



Selecting **Border Width** will allow you to change the thickness or how bold each series is displayed on the graph.



The last two fields allow you to select your axis. After a query is built and your Data has been pulled you will notice the X and Y-Axis Fields are populated with the Column Headers of your query.

Chart Type: Spline

Marker Style: Square

Border Width: 5

X-Axis Field: Job


Y-Axis Field: ExtendedCost

ExtendedCost

Job

Step 2: Axes

Within the Axes tab, you can adjust how your graph is displayed and the different elements that make your graph or chart legible.



Step 3: Design

The changes made to this tab will update the preview to the right. The chart can be made 3-Dimensional and the light sources can be adjusted to create impressive graphs.

You may also add a description to your graph and display a legend which will explain each series to the person viewing the chart.

 **Chart Designer**

Step 1: Graph and Series

Step 2: Axes

Step 3: Design

☐ Toggle 3D

3D Settings

Lighting:

Realistic

Wall width: 7

Point depth: 100

Point gap: 100

☒ Isometric Projection

☐ Cluster Data Series

Graph Orientation



Graph Description

Legend Options

☐ Display Legend

Legend Position



When complete, click the **Save** button then the **Close** button. Your graph will now be visible within the Dashboard (Data Visualization) screen, depending on any restrictions or exclusivity.

i NOTE

For a fee, we can provide custom charts based on your requirements that you can import into your copy of TCMa[®].

Custom Tracker Builder

Status Trackers provide information about your Database day to day operations in TCMMax®. There are a handful of built-in trackers included in the **TCMax® Dashboard** that can be viewed.

You may however, want to create your own Status Tracker that is better suited for your environment or to track a specific event that is not a part of our built-in trackers.

TCMax® by Soaring Software Solutions, Inc.

File Mode = Issue/Turn-in Item QuickTurn @ Shift Change Show Issued Items Item Search Reports Tools Settings Help

Lederman, Richard A [Demo Admin] Logged In Shop Code: TCMMax Demo Shop

Status Trackers Custom Status Trackers Data Visualization

Current Issue Status

- Kits issued: 4
- Child items issued: 4
- Non-Kit items issued: 1

Calibration Status

- Imminent item calibrations: 0
- Overdue item calibrations: 6
- Items being calibrated: 2

Inspection Status

- Imminent inspections: 2
- Overdue inspections: 9

Item Status

- Lost items: 0
- Broken items: 0
- Unserviceable items: 0
- Items issued long term: 0

Reorder Status

- Items below reorder quantity: 1

Beginning of Shift Inventory Status

- Last performance: 9/22/2022 1:14:54 PM -04:00
- Number of discrepancies: 36

End of Shift Inventory Status

- Last performance: 8/29/2022 12:10:19 PM -04:00
- Number of discrepancies: 2

Course Status

- Imminent expiration courses: 0
- Expired courses: 2

Certification Status

- Users with expired certifications: 3
- Users with certifications: 1
- Expired certifications: 8

Kit Status

- Total number of kits: 12
- Number of incomplete kits: 4

Unavailable Status

- Times items were unavailable: 0

Historical Status

Records for: Today Last 24 Hours

- Number of users scanned: 1
- Items issued: 0
- Items consumed: 0
- Total cost of consumables used: \$0.00
- User with the most transactions: Murray, William [Demo]
- Number of transactions made: 1

User Status

- Users with items issued: 5
- Locations users have items issued: 1

Overdue Status

- Users with overdue returns: 0
- Items out past return date: 0

The **Custom Tracker Builder** screen is accessed from **Tools > Custom Tracker Builder** and requires the person logged in to have the **Access Designers** permission.

Custom Status Tracker Builder

Step 1: Create and modify groups

New GroupDelete Group

Rename Group

Assign Selected Group to Shops:

☐ TCMAX Demo Shop

Select AllDeselect All

Step 2: Create and modify status trackers

New Status TrackerDelete Status Tracker

Rename Status TrackerBuild/Modify Query

Step 3: Add status trackers to groups

Select a Status Tracker to Assign:

☐ Filter tracker combo box by selected group

Select a Group to Assign Status Trackers to:

☐ Filter group combo box by selected tracker

Threshold:

0

Add To GroupRemove From Group

Group Preview

Selected Tracker Query Preview:

1

Close

In the Dashboard, there is a tab for Custom Status Trackers which is where custom trackers are displayed. The Custom Status Tracker Builder screen has three main steps and two preview areas.

Trackers are displayed in groups which can be expanded or collapsed. The groups exist to help organize the custom trackers you build. Each individual tracker can have “child” trackers which allow you to quickly limit the displayed data further.

To help illustrate the difference between Groups and Trackers, below is a screen shot of the **Custom Status Tracker** tab in the Dashboard.

Status TrackersCustom Status TrackersData Visualization

Group

Custom Tracker Name:

34

i


NOTE


For a fee, we can provide Custom Trackers based on your requirements that you can import into your copy of TCMax®.

Report Designer

Using Custom Reports in TCMa[®]


The Report Designer can be used to create a brand-new report or edit an existing TCMa[®] report. It can be accessed by navigating to **Tools > Report Designer** from the menu bar on the home screen of TCMa[®].





Familiarizing Yourself With Report Designer

There are two major screens to the **Report Designer**, **Designer**, and **Preview** screens. These screens are located near the bottom left-hand corner of the window.



Designer Screen

When entering the **Report Designer**, the **Designer** screen is the first visible screen. The **Designer** window is where the report controls and fields are created and customized.

Preview Screen

The **Preview** screen will show a preview of the reporting window while running the report. This preview window is limited to 10 pages of Data which will truncate additional pages. If there are any errors in the report design or script, those will display at the top of the report preview.

 Report Designer— □ ×

  Export ▾   100% ▾   ▾   0/0          

 Error:ExecuteReader....Hide Details 

Exception details:

System.InvalidOperationException: ExecuteReader: CommandText property has not been initialized
at GrapeCity.ActiveReports.SectionReport.#1yb(Boolean bDelayedInit)
at GrapeCity.ActiveReports.SectionReport.Run(Boolean syncDocument)
at GrapeCity.ActiveReports.Viewer.Win.AsyncLoader.<>c__DisplayClass7.#cAz(Object , DoWorkEventArgs)
at System.ComponentModel.BackgroundWorker.OnDoWork(DoWorkEventArgs e)
at System.ComponentModel.BackgroundWorker.WorkerThreadStart(Object argument)


Clear All Copy

Modifying an Existing Report


There are many built-in reports in TCMa[®]. However, a report may not contain all the desired Data from the built-in reports, or the user may desire different Data to be displayed.

To modify a built-in TCMa[®] report, the report must be imported to the Report Designer.


To enter the Report Designer, navigate to **Tools > Report Designer**.




From the Report Designer, go to **File > Import** or press **Ctrl + Shift + I** on your keyboard.




This will bring up the import window where you can browse for an existing exported report or choose to import one of the built-in reports that TCMax® already has.



To import an exported report file, use the **Browse** button in **Option 1** to navigate to that file.



To import the desired built-in report, clicking **Option 2's** dropdown box will display a list of built-in reports.



i NOTE

Not all built-in reports can be selected for import.

With the report selected from **Option 1** or **Option 2**, select the **Import** button at the bottom of the Import window.

 **Import**

Option 1: Select a report file.

Option 2: Use a built-in report.

Step 1 from the Save Report window will ask for a report name.

 **Save Report**

Step 1:

Report Name:

Step 2:

Make this report available only to a specific shop code?

☒ Yes

☐ No

Step 2 from the Save Report window can limit the report to specific shops. If any shop should be able to access the report, select **No** and click **Save**.

Save Report

Step 1:

Report Name:

Step 2:

Make this report available only to a specific shop code?

☒ Yes


TCMax Demo Shop

☐ No

Save

Cancel

Once the report has been saved, TCMax® will ask to enable the new report for end users. Selecting **Yes** will make the report accessible from the [Reports](#) screen under "User Generated Reports" tab.



To enable the report later, select the **Tools > Manage Reports** menu option within the Report Designer window once the report has been finalized.



Report Management

Action: Enable/Disable Reports

Reports that are checked will be enabled for client use.

Show reports for: [No Shop Code]

Report List:
(Right click on the selected
report to rename it.)

- ☒ Consumables and Expensables R
- ☒ Consumables and Expensables R
- ☒ Consumables Name Report
- ☒ Discontinued Name Report
- ☒ Employees List
- ☒ Expensables Name Report
- ☒ Item Inventory List Report
- ☒ Item Quick Turn Report
- ☒ Item Status Report

Report Description:

Override built-in report:

Done

From the Report Management screen, you can also set a description for the report and if desired, you can let the report override one of the built-in reports within TCMMax®.


For example, you may repurpose a Part Number field on a report such as **Item Inventory Report** to instead reflect a [custom text box field](#) that is a part of the items details. By overriding the original report you will now see the modified report when you run the Item Inventory Report.

Starting a New Report from Scratch


Design the Report

Often times it is easiest to [import an existing report](#) and strip out the unnecessary elements to use it as a template. However, in some situations you may want to design your very own report from scratch.

The left hand side of the Report Designer screen gives you access to create or drag and drop different elements into your report to begin your design.



When creating a report you will want to pay attention to the upper right-hand corner of this Report Designer screen. The upper right-hand corner is where the report elements are displayed and grouped. Within the image below, you will notice there is a report that contains a PageHeader, Detail, and a PageFooter. There is also a [Parameters](#) element that can include many pre-built parameters that you want to include prior to running the report, such as the Shop Code or Date and Time.



The lower right-hand corner of the screen is where you modify and configure your elements. From here you can also adjust the ScriptLanguage to VB.NET.

Appearance	
ShowParameterUI	True
Watermark	☐ (none)
WatermarkAlignment	Center
WatermarkPrintOnPages	
WatermarkSizeMode	Clip
Behavior	
MaxPages	0
PrintWidth	6.5
ScriptLanguage	C#
Data	
Culture	(default, inherit)
Design	
TrayHeight	80
TrayLargeIcon	False
Misc	
ExpressionErrorMessage	
Version	9.3.4300.0

Query Builder

By navigating to the **Report Query** menu option you can **Create/Modify Query**. This is referred to as the Query Builder. In the Query Builder you can select the fields for the report and set any conditions, grouping, or sorting from this window. When building the query, be sure to occasionally switch over to the Data tab to verify this query is returning Data as expected.

Query Builder

ReportHelp

SQLData

TCS

dbo

ApplicationParameters

AutoUpdateSettings

Biometrics

Catalog

Chits

CourseCertifications

Courses

CourseStatuses

CourseStatusesView

CoursesView

CustomCombo1

CustomCombo2

DataVisualizers

DeploymentInventories

EmailAddresses

EmailEvents

EmailRecipients

EmailSettings

EventLog

InventorySessionItemDis

InventorySessionItems

InventorySessionRestoc

InventorySessions

IssuedItems

IssuedItemsView

ItemInspectionHistoryView

ItemInspections

ItemQuantityView

Items

ItemsHistoryView

ItemsView

LocationFilters

Locations

Locks

LockTypes

MaintenanceActions

MaintenanceCauses

MaintenanceDiscrepanc

Main

Items (dbo)

ItemId int

BarcodeId nvarchar(50)

ShopCodeId int

ParentId int

Name nvarchar(255)

StorageLocation nvarchar(50)

NSN nvarchar(50)

CalDueDate datetime2

DaysToCalibrate int

SerialNumber nvarchar(255)

Quantity int

SingleBarcodeMultiItem bit

IssueMoreThanOne bit

Consumable bit

DoNotTurnIn bit

MinMaxByPN bit

DoNotReorder bit

MaxInStock int

ReorderQuantity int

QuantityInUnit int

UnitOfIssueText nvarchar(50)

Cost money

Notes nvarchar(1000)

Length decimal(18,4)

Width decimal(18,4)

Height decimal(18,4)

Weight decimal(18,4)

ItemType int

Manufacturer nvarchar(50)

ManufacturersPN nvarchar(50)

ShopCodes (dbo)

ShopCodeId int

ShopCode nvarchar(50)

SiteId int

RowVersion timestamp

SyncId uniqueidentifier

CustomCombo1 (dbo)

Combo1Id int

Text nvarchar(255)

RowVersion timestamp

ShopCodeId int

SyncId uniqueidentifier

Visible	Expression	Column	Sort Type	Sort Order	Aggregate	Grouping	Criteria	Or...	Or...
☒	Items.BarcodeId					☐			
☒	Items.ShopCodeId					☐	= @pShop...		
☒	Items.Name					☐			
☒	CustomCombo1....					☐			

1 select Items.BarcodeId,

2 Items.ShopCodeId,

3 Items.Name,

4 CustomCombo1.Text

5 from Items


6 left join ShopCodes on ShopCodes.ShopCodeId = Items.ShopCodeId

7 left join CustomCombo1 on CustomCombo1.Combo1Id = Items.Combo1Id

8 where Items.ShopCodeId = @pShopCodeId and Items.Combo1Id = @pCustomCombo1

Parameters

Adding parameters to a report is also done through the Query Builder. You will notice, from the image above that @pShopCodeID and @pCustomCombo1 is referenced in the query/table Criteria. Once you have called a parameter navigate to **Report > Report Parameters**.



The **Query Parameters** window is displayed, showing you all the parameters that have been called. As directed in the message at the bottom of this window, double click in the Value cell to configure your parameter.

Query Parameters

	Parameter Name	Data Type	Value
▶	@pShopCodeID	Int32	
	@pCustomCombo1	Int32	

Double click in the value column to show the parameters screen.

OK

Cancel

In this case, @pShopCodeID refers to a built-in parameter and @pCustomCombo1 is a user-defined parameter and will be a generic input box. You can decide how you want to configure your parameters and how they should behave.



Create Parameter

Parameter Builder

☐ New Parameter

☒ Parameter From Report

Parameter Name:

Data Type:

Clear

OK

Cancel



Create Parameter

Parameter Builder

☒ New Parameter

☐ Parameter From Report

Parameter Name:

Data Type:

Default Value (Optional):

☒ Prompt User

Prompt (Optional):

Clear



OK

Cancel

For a list of built-in parameters and functions check out the sub-sections under the [Help Menu Options](#).

Help Menu Option

Refer to the Help Menu for information regarding the [Report Parameters](#), [Script Functions](#), and searching the [Database Enumerations](#).



 Script Functions

TCMax.AddSignature(string base64String) [Returns Image]
To use this function, pass in a string value, usually a report parameter such as rpt.Parameters["sigpad_"].Value which is captured through the signature pad and displays the data as an image.

TCMax.AF55SearchCriteria(int ShopCodeId) [Returns string]
To use this function, pass in an integer that represents a ShopCodeId. This function will return a string that contains the primary keys (ItemIds) for the items that belong in the passed-in shop code if they have been checked on the AF 55 Display Settings screen on [Reports > Report Settings](#).

TCMax.AllCaption()
This function returns the string value represented by the "All" combo selection on the report viewer window.

TCMax.CommaSeparatedSelectedShops()
This function returns a string of comma separated shop code names that the user is allowed to view. This is used for Transact SQL.

TCMax.CreateContext()
This function returns a context to query the database that can be used for LINQ to Entities. This is commonly wrapped in a using statement and assigned to a variable.

TCMax.ExcelBuilderSave(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters)
This function allows the report to be saved as an unformatted excel document which is called at ReportEnd.

TCMax.ExcelBuilderSetup(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters)
This function prepares the report to be saved as an unformatted excel document which is called at ReportStart.

TCMax.ExcelDetailBuilder(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters, GrapeCity.ActiveReports.SectionCollection sections, string detailSectionName = "Detail")
This function allows the information printed in the Details section of the report to be saved as an unformatted excel document which is called at Detail_Format.

TCMax.ExcelHeaderBuilder(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters, GrapeCity.ActiveReports.SectionCollection sections, bool newSheetOnPageStart = false, string headerSectionName = "PageHeader", string detailSectionName = "Detail")
This function allows the information printed in the ReportHeader section of the report to be saved as an unformatted excel document which is called at ReportHeader_Format.

TCMax.GetDateSummary(SoaringServices.DataAccess.Models.ComplexTypes.Schedule schedule, DateTime dueDate) [Returns string]
To use this function, pass in the schedule value and due date to return a string usable on reports.

Close

Script Functions Window

Enumerations

—

□

×

Event TypeItem TypeInspection Type

Search by Event:

Search

Filter by Type:

All

	Event	Enumeration
▶	None	0
	TCMaxStarted	1000
	TCMaxShutd...	1001
	LoginSucces...	1002
	LoginFailure	1003
	LoggedOut	1004
	EnteredDbM...	1005
	EnteredImp...	1006
	DatabaseRes...	1007

Close

Database Enumerations Window

Parameter Prefixes

p\{ParameterName\}

Although not required, it is good practice to use a lower-case p in front of your report parameters.

pReq_\{ParameterName\}

This prefix is used when we want the group box containing the parameter to be red (denoting the parameter is required for the report to run). Any required parameter that has not been filled out before the report is attempted to be run will cause the report viewer to display a warning about filling out required criteria and cancel the report run.

opt_\{ParameterName\}

This prefix is used to look for settings for the report that are not asked as criteria in the right-hand pane of the viewer. (Example: Report Options screen to configure the MIL.)

sigPad_\{ParameterName\}

This parameter must be of type string. We use this to capture signature data to display on the report.

pSort_\{ParameterName\}

This parameter must be of type boolean. This adds the parameter to a special list denoting that it must be grouped with other sort parameters allowing the user to only choose one. When we have only one parameter with this prefix, the control generated will be a checkbox. When we have more than one parameter with this prefix, the controls generated will be radio buttons. If you set the default value of one of the parameters to true, the viewer will start with that option already selected.

pRdo_{ParameterName}

This parameter must be of type boolean. This adds the parameter to a special list denoting that it must be grouped with other parameters with the same prefix; allowing the user to only choose one. When we have only one parameter with this prefix, the control generated will be a checkbox. When we have more than one parameter with this prefix, the controls generated will be radio buttons. If you set the default value of one of the parameters to true, the viewer will start with that option already selected.

Preconfigured Parameters

excel_Unformatted

This parameter must be of type boolean. This forces the checkbox to appear for unformatted Excel export on the viewer window.

NOTE

Additional code in the script section is required to export the report unformatted.

pDateFrom & pReq_DateFrom

This parameter should be of type date. This will cause the date time group box to appear.

INFO

Date time controls for “date to” will also appear, as they are all in one group box. If there are no parameters to capture, the values for “date to”, they will be ignored.

pDateTo & pReq_DateTo

This parameter should be of type date. They will cause the date time group box to appear.

INFO

Date time controls for “date from” will also appear, as they are all in one group box. If there are no parameters to capture, the values for “date from,” they will be ignored.

pSite & pReq_Site

This parameter should be of type string. This will show a combo box with the sites that the current machine can view.

pSiteId & pReq_SiteId

[Returns SiteId] This parameter should be of type string. This will show a combo box with the sites that the current machine can view.

pShopCode & pReq_ShopCode

This parameter should be of type string. This will show a combo box with the shop codes that the current machine can view with an option to run the report for all visible shop codes.

pShopCodeId & pReq_ShopCodeId

[Returns ShopCodeId] This parameter should be of type string. This will show a combo box with the shop codes that the current machine can view with an option to run the report for all visible shop codes.

pSingleShopCode & pReq_SingleShopCode

This parameter should be of type string. This will show a combo box with the shop codes that the current machine can view, requiring the user to select a specific shop code.

pSingleShopCodeId & pReq_SingleShopCodeId

[Returns ShopCodeId] This parameter should be of type string. This will show a combo box with the shop codes that the current machine can view, requiring the user so select a specific shop code.

pUsername & pReq_Username

[Returns UserIdKey] This parameter should be of type string. This will show a combo box with a list of users in the database.

pUserShop & pReq_UserShop

This parameter should be of type string. This will show a combo box with a list of CertShop values from the Users table in the database.

pUserOrg & pReq_UserOrg

This parameter should be of type string. This will show a combo box with a list of CertOrg from the Users table in the database.

pOrganization & pReq_Organization

This parameter should be of type string. This will show a combo box with a list of organizations from the Users table in the database.

pParentBarcodeId & pReq_ParentBarcodeId

[Returns ItemId] This parameter should be of type string and used in conjunction with the shop code parameter. This will show a combo box with a list of all the parents from the currently selected shop code.

pMaintenanceProc & pReq_MaintenanceProc

[Returns ItemId] This parameter should be of type string and used in conjunction with the shop code parameter. This will show a combo box with a list of all the maintenance procedures from the currently selected shop code.

pCustomCombo1 & pReq_CustomCombo1

[Returns Combo1Id] This parameter should be of type string and used in conjunction with the shop code parameter. This will show a combo box with a list of all the custom combo box values from the currently selected shop code(s) and any entry not tied to a specific shop code.

pCustomCombo2 & pReq_CustomCombo2

[Returns Combo2Id] This parameter should be of type string and used in conjunction with the shop code parameter. This will show a combo box with a list of all the custom combo box values from the currently selected shop code(s) and any entry not tied to a specific shop code.

pCourseName & pReq_CourseName

[Returns CourseId] This parameter should be of type string and used in conjunction with the shop code parameter. This will show a combo box with a list of all the courses from the currently selected shop code.

pTaskId & pReq_TaskId

[Returns CourseId] This parameter should be of type string and used in conjunction with the shop code parameter. This will show a combo box with a list of all the tasks from the currently selected shop code.

pClassNumber & pReq_ClassNumber

[Returns PeriodId] This parameter should be of type string. This will show a combo box with a list of all the class numbers in the database.

pRoomNumber & pReq_RoomNumber

This parameter should be of type string. This will show a combo box with a list of all the room numbers in the database.

pHideCost & pReq_HideCost

This parameter should be of type boolean. This will show a checkbox to denote if the report should hide cost.

NOTE

Code is required in the script section of the report to hide the cost values.

Script Functions

TCMax.AddSignature(string base64String)

[Returns Image] To use this function, pass in a string value, usually a report parameter such as rpt.Parameters["sigpad_"].Value which is captured through the signature pad and displays the data as an image.

TCMax.AF55SearchCriteria(int ShopCodeId)

[Returns string] To use this function, pass in an integer that represents a ShopCodeId. This function will return a string that contains the primary keys (ItemIds) for the items that belong in the passed-in shop code if they have been checked on the AF 55 Display Settings screen on ***Reports > Report Settings***.

TCMax.AllCaption()

This function returns the string value represented by the "All" combo selection on the report viewer window.

TCMax.CommaSeparatedSelectedShops()

This function returns a string of comma separated shop code names that the user can view. This is used for Transact SQL.

TCMax.CreateContext()

This function returns a context to query the database that can be used for LINQ to Entities. This is commonly wrapped in a using statement and assigned to a variable.

```
TCMax.ExcelBuilderSave(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters)
```

This function allows the report to be saved as an unformatted excel document which is called at ReportEnd.

```
TCMax.ExcelBuilderSetup(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters)
```

This function prepares the report to be saved as an unformatted excel document which is called at ReportStart.

```
TCMax.ExcelDetailBuilder(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters,  
GrapeCity.ActiveReports.SectionCollection sections, string detailSectionName =  
"Detail")
```

This function allows the information printed in the Details section of the report to be saved as an unformatted excel document which is called at Detail_Format.

```
TCMax.ExcelHeaderBuilder(GrapeCity.ActiveReports.SectionReportModel.ParameterCollection parameters,  
GrapeCity.ActiveReports.SectionCollection
```

```
sections, bool newSheetOnPageStart =  
false, string headerSectionName =  
"PageHeader", string detailSectionName =  
"Detail")
```

This function allows the information printed in the ReportHeader section of the report to be saved as an unformatted excel document which is called at ReportHeader_Format.

```
TCMax.GetDateSummary(SoaringServices.Data  
Access.Models.ComplexTypes.Schedule  
schedule, DateTime dueDate)
```

[Returns string] To use this function, pass in the schedule value and due date to return a string usable on reports.

```
TCMax.InCourseRequirementMode()
```

[Returns bool] This function returns a boolean value to let the report know whether or not TCMax is in course requirement mode.

```
TCMax.LoadSubReport(string  
reportResource)
```

(Loads a sub report from the built-in collection of sub reports) To use this function, pass in a report Resource as a string that you want to load as a sub report. You will set this function to the subreport control in the report. Ex. this.subRptControl.Report =
TCMax.LoadSubReport("SubReports.subRpt_IssuedUserLocationQty");

```
TCMax.LoadSubReport(string reportName,  
string shopCode)
```


(Loads a sub report from the database, or user created reports) To use this function, pass in a report Name as a string that you want to load as a sub report and a shopCode as a string which can also be null. You will set this function to the subreport control in the report. Ex. `this.subRptControl.Report = TCMax.LoadSubReport("subRpt_IssuedUserLocationQty", "Shop");`

TCMax.LoggedInUser

[Returns string] This function returns a string that represents the Username of the current logged in user in TCMax.

ReturnDataset(string sSql, List<System.Data.SqlClient.SqlParameter> sqlParameters = null)

[Returns DataSet] To use this function, pass in a Transact SQL statement as a string and, optionally, a list of parameters. This function will return a DataSet from the Transact SQL queried against the database. Ex: `TCMax.ReturnDataset(sSql.ToString(), sqlParameters);`

TCMax.SelectedShopIds()

[Returns List] This function will return a list of ShopCodeIds that are currently selected as visible in TCMax.

TCMax.SelectedShops

[Returns List] This function will return a list of Shop Code Names that are currently selected as visible in TCMax.

TCMax.SetReportCaptions(GrapeCity.ActiveR eports.SectionReportModel.Label labelControl)

[Returns string] To use this function, you must pass in a label control. This function will set the text value of the label control to what the settings in TCMMax captions read for that name, such as lblBarcodeId control's text value would read the caption set for BarcodeId.


TCMax.SplitCamelCase(string str)

[Returns string] To use this function, you must pass in a string. This function will split the string with a space between a left lower-case and right upper-case alpha character.

Database Enumerations

The **Database Enumerations** window will assist you with locating the enumeration associated with certain item, inspections, and event logs.


For example, you may want to create a report to see all the log history of items being marked as Deactivated. This tool helps you quickly find the EventType used in the script/query.



Package Builder

To go along with the [Report Designer](#) and [Status Tracker Builder](#), we have included a **Package Builder** which allows a user to import/export their custom reports, trackers, and charts.

The **Package Builder** is located under **Tools > Package Builder** from the Main Screen of TCMaX®.




When a package is imported/exported from **Package Builder** it will be saved as a SDP file type.

Importing

To import a package, select the **Import** tab.



From the Import tab, select the **Load** button, which will bring up a File Explorer Window that will allow you to select the package to import. Once the package is selected you can click the **Open** button and you will see a list of custom items that are included in the package.



Once the information has been loaded on the Import tab, select the items you wish to import into TCMax® then select the **Import** button.

TCMax® will prompt you to select which Shop Codes the items will be imported to.



Status Tracker Shop Code Assignment

Please select the shop code(s) you would like to assign the selected status trackers.

- ☐ Maintenance
- ☐ IT
- ☒ Support
- ☒ Hydraulic

Select All

Deselect All

Accept

Select the Shop Code(s) and click the **Accept** button. Your custom items will be imported. If there are conflicts you will be presented with a screen explaining what issues exist and how you would like to proceed.



Data Package Conflicts



Some data could not be imported due to conflicts. Please review and resolve all conflicts below before you continue.

Type: **Report**

Error Message: The same report already exists.

Name:

Update existing data?

Consumable and Expendable Items Report

☐ Update ☒ Ignore

Type: **Status Tracker**

Error Message: The same status tracker already exists.

Description:

Update existing data?


Excessive Expendable Usage

☐ Update ☒ Ignore

Continue

In this case, we can choose to update them or ignore them. You can make your selection and click **Continue**.

Once the import process finishes you will be presented with a dialog screen and will see the results in the Package Builder Output Window.



Output Window:


```
[9/13/2022 11:18:22 AM] Loading data package
[9/13/2022 11:18:22 AM] Data package has been loaded successfully Path: 'C:\Users\jerry.p.singh\OneDrive - Soaring Software Solutions, Inc\Desktop\temp.sdp'
[9/13/2022 11:18:25 AM] Import process started
[9/13/2022 11:19:47 AM] All Reports imported successfully [1 of 1]
[9/13/2022 11:19:47 AM] All Status Trackers imported successfully [1 of 1]
[9/13/2022 11:19:47 AM] Import process complete
```

Exporting

To export a package, select the **Export** tab.



From the Export tab, select the custom items you want to export by checking the checkbox next to the items to be included in the package.



Once the information has been selected from the **Export** tab, select the **Export** button. A File Explorer Window will appear that will allow you to select where the package will be exported to.

Settings



Sites and Shops

To access Sites and Shops, select Settings > Sites and Shops from the Main Screen of TC...



User Options

5 items



User Profile Setup

User Profiles are beneficial when making bulk edits to multiple users and to limit access to ...



User Site Assignments

Utilizing User Site Assignments



Chit Manager

Tools Chits are required when an item has the Needs Chit For Issue checkbox enabled fro...

Shift Setup

Shifts can be setup within TCMMax® to further track your employees and records.

User Preferred Items Configuration

User Preferred Items Configuration allows you to assign a User a preferred set of items tha...

IUID Item Field Configuration

Available in TCMMax® Version 9.8.9314.18668 or newer.

Dashboard Limits

To access Dashboard Limits, select Settings > Dashboard Limits from the Main Screen of T...

Email Options

Accessing EMailer

Options

5 items

Lock Configuration


The Lock Configuration is used to configure the setup of the lock types and what user(s) ca...

Serial Event Configuration

Available in TCMax® Version 9.8.9116.26749 or newer.

Sites and Shops

To access **Sites and Shops**, select **Settings > Sites and Shops** from the Main Screen of TCMMax®.



Utilizing Sites and Shops

Shop Codes are used to keep assets organized between separate locations within the same facility.

Sites are used to narrow down the scope of Shop Codes and Users that can be viewed on a particular workstation. Often times Sites are used when the TCMMax® Database is shared across multiple facilities within the same organization.

Sites and Shop Codes

Selected Site:

A site is used to narrow the scope of shop codes and users that can be viewed on this computer. This is helpful when the database you are using is shared across multiple facilities within your organization.

Please select an existing site to join, or create a new site below.

Site to Join:

Default

OR

Create a new site:

Create Site

Selected Shop Codes:

Shop codes are used to keep your assets organized between separate locations within the same facility.

Shop codes may be assigned to only one site, or may be left unassigned if multiple sites require access to the assets within a particular shop.

Shop codes may be assigned or unassigned to the site you have selected on the left using the arrows below. Please select or create the shop code(s) you wish to access on this machine from the below lists.

Selected Shops to Access:

Shop Code(s)
Unassigned a Site

- ☒ Hydraulic
- ☒ IT
- ☒ Maintenance
- ☒ Support
- ☒ TCMMax Demo Shop



OR

Shop Code(s)
Assigned to Selected Site

Create a new shop code:

Create Shop Code (Unassigned)

Create Shop Code (Site)

Primary Shop Code:

Your primary shop code will be automatically selected when TCMMax starts.

In addition, newly created assets will be placed in your primary shop code when a specific shop code has not been selected. Searches will return assets within your primary shop code when multiple shops contain the same searched barcode id.

Please select your primary shop below.

Primary Shop Code:

Support

☐ When launching TCMMax, start by viewing all of your selected shop codes.

Example Site and Shop Diagram

Save

Cancel

Adding a New Site

From the **Sites and Shop Codes** screen, refer to the **Selected Site** section.

A site is used to narrow the scope of shop codes and users that can be viewed on this computer. This is helpful when the database you are using is shared across multiple facilities within your organization.

Site to Join:

OR

Shop codes are used to keep your assets organized between separate locations within the same facility.

Cancel

In the **Selected Site** section, refer to the **Create a new site** textbox. Type in the preferred name of the new Site then hit **Enter** on your keyboard or press **Create Site**.



Sites and Shop Codes

Selected Site:

A site is used to narrow the scope of shop codes and users that can be viewed on this computer. This is helpful when the database you are using is shared across multiple facilities within your organization.

Please select an existing site to join, or create a new site below.

Site to Join:

Default

OR

Create a new site:

Support

Create Site

Upon pressing **Enter** or **Create Site**, your newly created Site will be displayed from the **Site to Join** dropdown list.



Sites and Shop Codes

Selected Site:

A site is used to narrow the scope of shop codes and users that can be viewed on this computer. This is helpful when the database you are using is shared across multiple facilities within your organization.

Please select an existing site to join, or create a new site below.

Site to Join:

Default	▼
Default	
Support	

Create a new site:

Create Site

Adding a New Shop Code

From the **Sites and Shop Codes** screen, refer to the **Selected Shop Codes** section.

 **Sites and Shop Codes**

Selected Site:

A site is used to narrow the scope of shop codes and users that can be viewed on this computer. This is helpful when the database you are using is shared across multiple facilities within your organization.

Please select an existing site to join, or create a new site below.

Site to Join:

Default

OR

Create a new site:

Create Site

Selected Shop Codes:

Shop codes are used to keep your assets organized between separate locations within the same facility.

Shop codes may be assigned to only one site, or may be left unassigned if multiple sites require access to the assets within a particular shop.

Shop codes may be assigned or unassigned to the site you have selected on the left using the arrows below. Please select or create the shop code(s) you wish to access on this machine from the below lists.

Selected Shops to Access:

Shop Code(s)
Unassigned a Site

☒ Hydraulic

☒ IT

☒ Maintenance

☒ Support

☒ TCMMax Demo Shop

>>

<<

Shop Code(s)
Assigned to Selected Site

OR

Create a new shop code:

Create Shop Code (Unassigned)Create Shop Code (Site)

Primary Shop Code:

Your primary shop code will be automatically selected when TCMMax starts.

In addition, newly created assets will be placed in your primary shop code when a specific shop code has not been selected. Searches will return assets within your primary shop code when multiple shops contain the same searched barcode id.

Please select your primary shop below.

Primary Shop Code:

Support

☐ When launching TCMMax, start by viewing all of your selected shop codes.

Example Site and Shop Diagram

Save

Cancel

In the **Selected Shop Codes** section, refer to the **Create a new shop code** textbox.

Type in the preferred name of the new Shop Code then hit **Enter** on your keyboard or press **Create Shop Code (Unassigned)** or **Create Shop Code (Site)**.

When a Shop Code is added to the **Create Shop Code (Unassigned)** section then that indicates the Shop Code in which you are adding is not assigned to your selected Site. This will allow the Shop Code to be seen or selected by all Sites in the dropdown.

When a Shop Code is added to the **Create Shop Code (Site)** section then that indicates the Shop Code in which you are adding is assigned to your selected Site from the **Selected Site** section. This allows the Shop Code to only be seen by the Site it was assigned to. Other Sites will not see this Shop Code

Selected Shops to Access:

Shop Code(s) Unassigned a Site		Shop Code(s) Assigned to Selected Site
☒ Hydraulic ☒ IT ☒ Maintenance ☒ Support ☒ TCMax Demo Shop	>> <<	
OR		
Create a new shop code: Tool Room A Create Shop Code (Unassigned) Create Shop Code (Site)		

! INFO

Shop Codes can be moved between the **Shop Code(s) Unassigned a Site** section and **Shop Code(s) Assigned to a Selected Site** section by highlighting the Shop Code(s) and using the left (<<) or right (>>) arrow buttons.

Selecting a Primary Shop

From the **Sites and Shop Codes** screen, refer to the **Primary Shop Code** section.

Sites and Shop Codes

Selected Site:

A site is used to narrow the scope of shop codes and users that can be viewed on this computer. This is helpful when the database you are using is shared across multiple facilities within your organization.

Please select an existing site to join, or create a new site below.

Site to Join:

Default

OR

Create a new site:

Create Site

Selected Shop Codes:

Shop codes are used to keep your assets organized between separate locations within the same facility.

Shop codes may be assigned to only one site, or may be left unassigned if multiple sites require access to the assets within a particular shop.

Shop codes may be assigned or unassigned to the site you have selected on the left using the arrows below. Please select or create the shop code(s) you wish to access on this machine from the below lists.

Selected Shops to Access:

Shop Code(s)
Unassigned a Site

- ☒ Hydraulic
- ☒ IT
- ☒ Maintenance
- ☒ Support
- ☒ TCMMax Demo Shop
- ☒ Tool Room A



OR

Shop Code(s)
Assigned to Selected Site

Create a new shop code:

Create Shop Code (Unassigned)

Create Shop Code (Site)

Primary Shop Code:

Your primary shop code will be automatically selected when TCMMax starts.

In addition, newly created assets will be placed in your primary shop code when a specific shop code has not been selected. Searches will return assets within your primary shop code when multiple shops contain the same searched barcode id.

Please select your primary shop below.

Primary Shop Code:

Support

☐ When launching TCMMax, start by viewing all of your selected shop codes.

Example Site and Shop Diagram

Save

Cancel

In the **Primary Shop Code** section, refer to the **Primary Shop Code** drop down box.

Select the Shop Code you wish to have as the default Primary Shop Code when the TCMMax® application is launched.


Primary Shop Code:

Your primary shop code will be automatically selected when TCMMax starts.

In addition, newly created assets will be placed in your primary shop code when a specific shop code has not been selected. Searches will return assets within your primary shop code when multiple shops contain the same searched barcode id.

Please select your primary shop below.

Primary Shop Code:

A screenshot of a web application showing a dropdown menu for selecting a primary shop code. The dropdown is open, displaying a list of options: Hydraulic, IT, Maintenance, Support, TCMMax Demo Shop, and Tool Room A. The dropdown is highlighted with a red rectangular border.

Hydraulic
IT
Maintenance
Support
TCMax Demo Shop
Tool Room A

Once the Shop Code has been selected, you will notice in the **Primary Shop Code** section an option appears that states, '**When launching TCMMax, start by viewing all of your selected shop codes**'. If this option is enabled when the TCMMax® application is launched it will view all **Selected Shops** instead of just the primary shop.

Primary Shop Code:

Your primary shop code will be automatically selected when TCMax starts.

In addition, newly created assets will be placed in your primary shop code when a specific shop code has not been selected. Searches will return assets within your primary shop code when multiple shops contain the same searched barcode id.

Please select your primary shop below.

Primary Shop Code:

Support

☐ When launching TCMax, start by viewing all of your selected shop codes.

Once all desired Shop Codes and Sites are entered and a specific Shop Code is set to the Primary Shop Code, press the **Save** button located in the bottom right-hand corner of the **Sites and Shop Codes** screen.



Sites and Shop Codes

Selected Site:

A site is used to narrow the scope of shop codes and users that can be viewed on this computer. This is helpful when the database you are using is shared across multiple facilities within your organization.

Please select an existing site to join, or create a new site below.

Site to Join:

Default

OR

Create a new site:

Create Site

Selected Shop Codes:

Shop codes are used to keep your assets organized between separate locations within the same facility.

Shop codes may be assigned to only one site, or may be left unassigned if multiple sites require access to the assets within a particular shop.

Shop codes may be assigned or unassigned to the site you have selected on the left using the arrows below. Please select or create the shop code(s) you wish to access on this machine from the below lists.

Selected Shops to Access:

Shop Code(s)
Unassigned a Site

- ☒ Hydraulic
- ☒ IT
- ☒ Maintenance
- ☒ Support
- ☒ TCMMax Demo Shop
- ☒ Tool Room A



OR

Shop Code(s)
Assigned to Selected Site

Create a new shop code:

Create Shop Code (Unassigned)

Create Shop Code (Site)

Primary Shop Code:

Your primary shop code will be automatically selected when TCMMax starts.

In addition, newly created assets will be placed in your primary shop code when a specific shop code has not been selected. Searches will return assets within your primary shop code when multiple shops contain the same searched barcode id.

Please select your primary shop below.

Primary Shop Code:

Support

☐ When launching TCMMax, start by viewing all of your selected shop codes.

Example Site and Shop Diagram

Save

Cancel

User Options

To access **User Options**, select **Settings > User Options**.

The **User Options** screen is user dependent and will change based on the User you are currently displaying. Take note of the dropdown box in the upper right-hand corner of the screen, you may select the user you would like to edit from here or scan / type in their User Id in the upper left-hand corner of the screen.

Access to the User Options screen offers full control over TCMax®. Any user who can access this screen will have the permission to edit all users and assign any permissions to themselves or others. For this reason, it is recommended to use [User Profiles](#) to assign permissions to users and limit the users who have access to this screen.

User Options

File

Configure

Search by User Id:

Search by Username:

Kovacs, Wes [Demo]

User Permissions

Group Setup

User List

Current Profile:

⬆

User Permissions

☐ Add/Edit/Delete User Accounts

☐ Allow Deactivating Users Outside of User Options

☐ Allow Profile Assignment Outside of User Options

☐ Deactivated

⬆

Item Permissions

☐ Allow Adding New Items

☐ Allow Deleting of Items

☐ Allow Editing of Items

☐ Receive Custody of Deactivated Items

☐ Allow Override of Constraints ?

☐ Manage Calibrations and allow receiving custody of items with

☐ Edit Item Status

☐ Manage Inspections and allow receiving custody of items with

☐ Complete Inspections

⬆

Screen Access Permissions

☐ Access Catalog Setup

☐ Access Course Modes

⬆

User Password

Force Password Reset At Next Login:

☐

Password:

Confirm Password:

Password Is Not Set.

⬆

User Email Address

Email address:

Not set

Change Email

Remove Email

⬆

User Picture

Set Picture

Remove Picture

Save

Cancel

Account Security Policy (formally known as Password Enforcement Policy)

! INFO

If you are using both the [Password Options](#) from [Settings](#) and the Account Security Policy feature from User Options, passwords must satisfy both options (both validations will be applied).


Enabling Password Policies

To enable Password Policies, navigate to **Settings > User Options > Configure**.

Depending on the specific Version of TCMaX® that you are using, you may see **Password Enforcement Policy** or you may see **Account Security Policy**.


! INFO

Versions [9.8.9160.18261](#) through [9.8.9420.23888](#) of TCMaX® will state **Configure > Password Enforcement Policy**.




! INFO

Versions [9.8.9580.24506](#) or **newer** of TCMaX® will state **Configure > Account Security Policy**.



In Versions 9.8.9160.18261 through 9.8.9420.23888, **only** a Password Enforcement Policy screen will be available, whereas Versions 9.8.9580.24506 or **newer** will **contain both** a Password Enforcement Policy and an Account Lockout Policy. By default, **both** policies are disabled.



To enable either policy, select the appropriate tab then select Enable for that policy.

Password Enforcement Policy

The **Password Enforcement Configuration** window allows you to set rules regarding passwords in TCMaX®.


A screenshot of the 'Password Enforcement Configuration' window. At the top, there is a checkbox labeled 'Enable Password Enforcement Policy' which is checked. Below this, there are several settings with input fields: 'Minimum Length' is set to 5, 'Maximum Length' is set to 50, 'Complex Password' is checked, 'Different Characters' is set to 2, 'Days Until Password Expires' is set to 90, and 'Minimum Password Life (Hours)' is set to 0. At the bottom right, there are two buttons: 'Save' (blue) and 'Cancel' (red).

- **Minimum Length** - The minimum length a password can be.

- **Maximum Length** - The maximum length a password can be.
- **Complex Password** - Password must contain at least 1 lower case letter, 1 upper case letter, 1 number and 1 special character.
- **Different Characters** - Password must include this number of different characters from your last password. For example, if set to 2 and your password was previously 'password1' you could not use 'password2' as that is only 1 difference in characters.
- **Days Until Password Expires** - The number of days that may pass before a user is prompted to change their password upon login.
- **Minimum Password Life (Hours)** - The number of hours that must pass before a user can change their password. For example if set to 24 then a user cannot modify their password again until 24 hours has passed.

Account Lockout

The **Account Lockout window** allows you to define how the TCMAX® software responds when a user enters incorrect login credentials too many times.



☒ Enable Account Lockout Policy

Number of failed login attempts:

Timespan for failed logins (Minutes):

Force Reset After User Reactivation: ☒

- **Number of Failed Login Attempts** - Number of failed login attempts in the minutes defined below before the account gets locked out. When a value of zero (0) is entered, the feature is disabled.
- **Timespan for Failed Logins (Minutes)** - Number of minutes to look for failed login attempts before the account gets locked out. When a value of zero (0) is entered, the feature is disabled.

- **Force Reset After User Reactivation** - Forces a password reset when reactivating any deactivated accounts.

Permissions

The **User Options** screen is user dependent and will change based on the User you are currently displaying as discussed in [User Options](#). This tab is where Permissions can be assigned to individual users.

! INFO

If you are using [Profiles](#), the Profile will trump individual User Permissions. You will not be able to add individual User Permissions when a Profile is set, but you will be able to see the Permissions that are checked and associated with that Profile.

Current Profile:

User Permissions



User Permissions

- ☐ Add/Edit/Delete User Accounts
- ☐ Allow Deactivating Users Outside of User Options
- ☐ Allow Profile Assignment Outside of User Options
- ☐ Deactivated

Add/Edit/Delete User Accounts

Allows the logged in user to add new users, hit the edit button above a user's name on the Main Screen to make changes to the username, and delete users from the User List tab provided they have access to the User Options screen.

Allow Deactivating Users on Profile Configuration

Grants the logged in user the ability to hit the edit button above a user's name on the Main Screen and choose to deactivate the user.

Allow Profile Assignment Outside of User Options

Grants the logged in user the ability to assign a user profile to a user from the Main Screen. The logged in user cannot assign a profile that contains more permissions than they currently have.

Deactivated

Makes the user inaccessible on all screens except the User Options screen. This is to prevent a 'deleted user' from being re-added to TCMMax®.

Item Permissions

 **Item Permissions**

☐

 Allow Adding New Items

☐

 Allow Deleting of Items

☐

 Allow Editing of Items

☐

 Receive Custody of Deactivated Items

☐

 Allow Override of Constraints 

☐

 Manage Calibrations and allow receiving custody of items with overdue calibrations

☐

 Edit Item Status

☐

 Manage Inspections and allow receiving custody of items with overdue inspections

☐

 Complete Inspections

Allow Adding New Items

Grants the logged in user the ability to create items from the Main Screen.

Allow Deleting of Items

Grants the logged in user the permission to delete items from the Item Search screen when the [editable item search](#) option is checked.

Allow Editing of Items

Grants the logged in user the ability to edit the unprotected fields of items on the Main Screen using the edit button on the item details side of the Main Screen and editing unprotected fields for items in the item search grid when the [editable item search](#) option is checked.

Receive Custody of Deactivated Items

Grants the logged in user the ability to receive deactivated items.

Allow Override of Constraints

Grants the logged in user the ability to adjust the issued quantity of expendable items within a 30-day period on the issued expendables tab for a user and receive items beyond their [restricted limitations](#) (See [Settings > Options > Limit the number of items a user can have issued at one time](#)). This permission also allows the override of custody limitations setup in [Catalog Setup](#).

Manage calibrations and allow receiving custody of items with overdue calibrations

Allows the logged in user to add or edit calibration due dates on an item. This permission is required if a user will receive an item with an overdue calibration.

Edit Item Status

Grants the logged in user the ability to mark items with Broken, Unserviceable, Lost and Deactivated statuses as well as returning items from those statuses.

Manage Inspections and allow receiving custody of items with overdue inspections

Allows the logged in user to create and manage inspections for items as well as receiving items with overdue inspections and the "Prevent issuing if this inspection is overdue" checkbox.

Complete Inspections

Allows the logged in user to update inspections without granting them the rights to add/edit/delete the inspections being updated.

Screen Access Permissions

-  [Screen Access Permissions](#)
- ☐ Access Catalog Setup
- ☐ Access Course Modes
- ☐ Access Database Maintenance
- ☐ Access Designers (Reports, Custom Trackers, Charts)
- ☐ Access Email Setup
- ☐ Access Import/Export
- ☐ Access Purchase Orders
- ☐ Access Reports
- ☐ Access Shop Code Transfer
- ☐ Access Sites and Shops
- ☐ Access TCMax, Lock, and Dashboard Options
- ☐ Edit User Permissions/User Profiles
- ☐ Allow Mode Switching

Each of the 'Access' permissions in this section grants the logged in user the ability to access those parts of TCMax®.

Access Catalog Setup

Allows the logged in user to access the Tools > [Catalog Setup](#) screen.

Access Course Modes

Allows the logged in user to access [Training Completion](#) and [Add/Remove Training](#) modes under the Mode = options.

Access Database Maintenance

Allows the logged in user to access File > [Database Maintenance](#) screen.

Access Designers (Reports, Custom Trackers, Charts)

Allows the logged in user to access the [Report Designer](#), [Custom Tracker Builder](#), and [Chart Designer](#) section under the Tools Menu Option.

Access Email Setup

Allows the logged in user to access the Settings > [Email Options](#) screen.

Access Import/Export

Allows the logged in user to access the File > [Import/Export Records](#) screen.

Access Reports

If the option to [restrict reports to those with permission only](#) is checked, allows the logged in user to access the [Reports](#) screen.

Access Shop Code Transfer

Allows the logged in user to access Tools > [Shop Code Transfer](#).

Access Sites and Shops

Allows the logged in user to access Options > [Sites and Shops](#) screen.

Access TCMax, Lock, and Dashboard Options

Allows the logged in user to access Settings > [Options](#), Settings > [Lock Configuration](#), and Settings > [Dashboard Limits](#).

Edit User Permissions/User Profiles

Allows the logged in user to access Settings > User Options and Settings > [User Profile Setup](#) screens.

Allow Mode Switching

Allows the logged in user to select different [Modes of Operation](#) in TCMMax®.

System Permissions

 [System Permissions](#)

☐ Allow Blocking/Unblocking of Locations

☐ Ignore Shop Code Filters

Allow Blocking/Unblocking of Locations

Allows the logged in user to access the [Set Work Location Status](#) screen, add work locations on this screen and change the statuses of the work locations on this screen to blocked or unblocked.

Ignore Shop Code Filters

Will show the logged in user all shop codes and items for this computer's selected site regardless of the shop code options selected in [Sites and Shops](#).

User Password

 [User Password](#)

Force Password Reset At Next Login: ☐

Password:

Confirm Password:

Password Is Set.

[Remove Password](#)

Force Password Reset At Next Login

Checking this box will prompt the user to create a new password upon next login. This can often be used when setting up a new user who may need to login to TCMMax®. You can simply assign them a

generic password such as 01 and check this box. This way they can login using the generic password and create their own password privately.

Password

Enter the desired password for the user.

Confirm Password

Re-type the password and if you see the prompt "**Match**" press enter again to submit and you will see "Password Is Set".

Remove Password

The remove password button will remove the password from the user.

! INFO

You will not be able to remove the Password from the logged in User. The remove password will not be available.

User Email Address



User Email Address

Email address: Not set

Change Email

Remove Email


The **Email Address** section is used to assign or remove an email for a user. Emails may be used with our [Emailer Configuration](#) add-on with proper setup.

User Picture

User Picture

Set Picture

Remove Picture



The **User Picture** section is used to assign or remove a user image.

Group Setup

The **Group Setup** tab is where you can create user groups and assign individuals to different groups. Groups are typically only used when items are issued to groups of people. Responsibility for those items are shared by everyone in the group.

 User Options — □

Search by User Id:

Search by Username:

User Permissions

Group Setup

User List

Groups current user belongs to

	Group Id	Group Name	Organization	Shift
--	----------	------------	--------------	-------

All created groups

	Group Id	Username	Organization	Shift
--	----------	----------	--------------	-------

Add New Group

Add User To Group

Users in selected group

	User Id	Username	Organization	Shift
--	---------	----------	--------------	-------

Save

Cancel

Creating a New Group

To create a new group, click the **Add New Group** button. The following will be displayed after clicking that button.

Create new group

New Group Name:

New Group Id:

Add

Cancel

Enter the Group Name and Id Number for the new group.

! INFO

The Group Id should follow the same character count or prefix rules for employees that were set in **Settings > Options** on the [User and Item Barcodes](#) tab.

Once both parameters are entered, click the **Add** button to add the group to TCMa[®].

Adding Users to a Group

To add a user to a group, select the user from the dropdown box in the top right. Then, highlight the group from the **All created groups** grid and hit the **Add User to Group** button.

All created groups

	User Id	Username	Organization	Shift
▶	50	Group 1		
	51	Group 2		

Add New Group

Add User To Group

This will add the selected user to the selected group.

Removing Users from a Group

To remove a user from a group, highlight the group in the **All created groups** grid, click on the user and press Delete on the keyboard.

	User Id	Username	Organization	Shift
	05	William Mur...	Default	1
▶	06	Joe Green [D...	Default	1

Deleting a Group

To completely delete an entire group, highlight the group in the **All created groups** grid, and press Delete on the keyboard.

	User Id	Username	Organization	Shift
▶	50	Group 1		
	51	Group 2		

Add New Group
Add User To Group

i NOTE

Creation, Adding / Removing Users, and Deletion of Groups are not permanent until pressing **SAVE** in the bottom right corner.

User List

If the logged in user has the [Add/Edit/Delete User Accounts](#) permission, the **User List** tab will be visible.

The User List grid can be limited to a specific individual by entering the appropriate information into either the **User Id** or **Username** fields.

Modifying User Data

To change user information, highlight the Data in the field you want to edit and type or scan in the new information. Permissions can be changed by either checking or unchecking the permission's checkbox.

Deleting a User

There are two ways a user can be deleted in TCMaX®.

Option 1

Highlight the row of the user you wish to delete and hit the **Delete** key on your keyboard.


User Options
_ □

User Permissions
Group Setup
User List

Filters

User Id:
Username:

Clear Search Criteria

Display: Active Users

Deactivate Selected Users

	User Id	Username	Edit Student Requirements	Access Database Maintenance	Access Import Export	Access Report Designer	Access Reports	Access ShopCode Transfer	Allow Mode Switching	Add Edit Items
	01	Lederman, R...	☒	☒	☒	☒	☒	☒	☒	☒
	07	Computer 1 ...	☐	☐	☐	☐	☐	☐	☐	☐
	06	Green, Joe [...]	☐	☐	☐	☐	☐	☐	☐	☐
	03	Kovacs, Wes ...	☐	☐	☐	☐	☐	☐	☐	☐
	05	Murray, Willi...	☐	☐	☐	☐	☐	☐	☐	☐
	04	Powers, Kris...	☐	☐	☐	☐	☐	☐	☐	☐
▶	02	Sikes, Micha...	☐	☐	☐	☐	☐	☐	☐	☐

Save

Cancel

Option 2

Right click on the user you wish to delete and select **Delete User**.


User Options
_ □

User Permissions
Group Setup
User List

Filters

User Id:
Username:

Clear Search Criteria

Display: Active Users

Deactivate Selected Users

	User Id	Username	Edit Student Requirements	Access Database Maintenance	Access Import Export	Access Report Designer	Access Reports	Access ShopCode Transfer	Allow Mode Switching	Add Edit Items
	01	Lederman, R...	☒	☒	☒	☒	☒	☒	☒	☒
	07	Computer 1 ...	☐	☐	☐	☐	☐	☐	☐	☐
	06	Green, Joe [...]	☐	☐	☐	☐	☐	☐	☐	☐
	03	Kovacs, Wes ...	☐	☐	☐	☐	☐	☐	☐	☐
	05	Murray, Willi...	☐	☐	☐	☐	☐	☐	☐	☐
	04	Powers, Kris...	☐	☐	☐	☐	☐	☐	☐	☐
▶			☐	☐	☐	☐	☐	☐	☐	☐

Send to Excel

Remove User from Default Site.

Remove User From All Sites.

Delete User

Changes or Deletion of Users are not permanent until pressing **SAVE** in the bottom right corner.


NOTE

The logged in user, highlighted in gray, cannot be modified.

Register Fingerprint

! INFO

Fingerprints are utilized when the option **Enable Fingerprint Scanner** is checked within **Settings > Options > [Hardware And Third Party Service Options](#) > [Biometrics](#)** from the Main Screen of TCMMax®.

The **Register Fingerprint** tab will only appear if you have a fingerprint scanner attached and the fingerprint drivers are installed.

! INFO

If the device is connected and proper drivers are installed for TCMMax®, but the Register Fingerprint tab is not visible from Settings > User Options, we suggest to restart the TCMMax® software for changes to take effect.


This screen is used to load an employee's fingerprints for use with their TCMMax® User Id.

 User Options

Search by User Id:

Search by Username:

User PermissionsGroup SetupRegister FingerprintUser List

Step 1: Select the finger to enroll.

Step 2: Start enrollment.

Capture

Enrollment Instructions / Details:

Save

Cancel

Adding a Fingerprint

To add a user's fingerprint to the system, enter their User Id in the **User Id** field or select their name from the **Username** dropdown box.

In **Step 1**, select the finger you would like to enroll by clicking on the image of that finger.

Once the finger has been selected, the **Capture** button under **Step 2** becomes active.

Once the **Capture** button is selected you will be prompted to place your finger on the fingerprint scanner.


 User Options

Search by User Id:

Search by Username:

User PermissionsGroup SetupRegister FingerprintUser List

Step 1: Select the finger to enroll.



Step 2: Start enrollment.

Cancel

Enrollment Instructions / Details:

Lift finger off of sensor.

Right Index



NIST Quality: 2

Save

Cancel

You will need to scan each finger three times. If there are any issues or errors with the process, you will be notified in the **Enrollment Instructions/Details** section.

Each User can have up to ten fingerprints.

For any changes to take effect, you must hit the **Save** button before exiting the screen.

Removing a Fingerprint

In order to remove a fingerprint, display the user you would like to remove a fingerprint for in the **Register Fingerprint** tab within User Options. Mouse over the finger that has a print registered and observe the marker turns to a visible red x.

The tooltip off to the right also indicates "Right-click to delete enrollment".

 User Options

Search by User Id:

Search by Username:


User Permissions

Group Setup

Register Fingerprint

User List

Step 1: Select the finger to enroll.



Right-click to delete enrollment.

Step 2: Start enrollment.


Capture

Enrollment Instructions / Details:

Save

Cancel

By right-clicking the marker you will be given a prompt verifying if you would like to remove the fingerprint or cancel. Select **Yes** to remove the fingerprint.




Fingerprint disenrollment is only needed to remove a fingerprint registration entirely. If you want to update or change a fingerprint simply perform the steps in **Adding a Fingerprint** and you will be prompted to overwrite the registered print or cancel.

User Profile Setup

User Profiles are beneficial when making bulk edits to multiple users and to limit access to the user options screen.

Utilizing User Profile Setup


To access **User Profile Setup**, select **Settings > User Profile Setup** from the Main Screen of TCMMax®.



Creating Profiles


To create a user profile, select **Create New Profile** from the User Profile drop down.

User Profile Setup



The 'User Profiles' section of the 'User Profile Setup' dialog box. It contains a checkbox labeled 'Default User Profile' and a 'Delete Profile' button. Below these is a dropdown menu with a red border. The dropdown menu is open, showing a blue bar with the text 'Create New Profile...'.


Once you select **Create New Profile**, a message box will ask for the name of the profile in which you are adding.



The 'New User Profile' dialog box. It has a dark background and a title bar. The main text says 'Please enter name of new user profile.' Below this is a text input field. At the bottom right are 'OK' and 'Cancel' buttons.

Enter the new profile name, then press **OK**. The user profile will be added to the **User Profiles** section.

User Profile Setup



The 'User Profiles' section of the 'User Profile Setup' dialog box. It contains a checkbox labeled 'Default User Profile' and a 'Delete Profile' button. Below these is a dropdown menu with a red border. The dropdown menu is open, showing 'Admin Profile' as the selected option.

Assigning Profiles a Password/Permissions

Once a Profile has been added/selected, refer to the bottom half of the **User Profile Setup** screen.

User Profile Setup

User Profiles

☐ Default User Profile

Delete Profile

Admin Profile

Default Password

Password:

Password Is Not Set



Item Permissions

- ☐ Allow Adding New Items
- ☐ Allow Deleting of Items
- ☐ Allow Editing of Items
- ☐ Receive Custody of Deactivated Items
- ☐ Allow Override of Constraints ?
- ☐ Manage Calibrations and allow receiving custody of items with overdue calibrations
- ☐ Edit Item Status
- ☐ Manage Inspections and allow receiving custody of items with overdue inspections
- ☐ Complete Inspections



Screen Access Permissions

- ☐ Access Catalog Setup
- ☐ Access Database Maintenance
- ☐ Access Designers (Reports, Custom Trackers, Charts)
- ☐ Access Email Setup

Save

Cancel

From the bottom half of the **User Profile Setup** screen, select the permissions you wish for this profile to have.

User Profile Setup

User Profiles

☐ Default User Profile

Delete Profile

Admin Profile

Default Password

Password:

Password Is Not Set

Item Permissions

☒ Allow Adding New Items

☒ Allow Deleting of Items

☒ Allow Editing of Items

☒ Receive Custody of Deactivated Items

☒ Allow Override of Constraints ?

☒ Manage Calibrations and allow receiving custody of items with overdue calibrations

☒ Edit Item Status

☒ Manage Inspections and allow receiving custody of items with overdue inspections

☒ Complete Inspections

Screen Access Permissions

☒ Access Catalog Setup

☒ Access Database Maintenance

☒ Access Designers (Reports, Custom Trackers, Charts)

☒ Access Email Setup

Save

Cancel

When the desired permissions for the profile have been selected, refer to the **Default Password** section located in the upper right-hand corner of the **User Profile Setup** screen.

INFO

A password is only required if you intend on users under this profile to be able to login to TCMaX®.

User Profile Setup

User Profiles

☐ Default User Profile

Delete Profile

Admin Profile

Default Password

Password:

Password Is Not Set



Item Permissions

- ☒ Allow Adding New Items
- ☒ Allow Deleting of Items
- ☒ Allow Editing of Items
- ☒ Receive Custody of Deactivated Items
- ☒ Allow Override of Constraints 
- ☒ Manage Calibrations and allow receiving custody of items with overdue calibrations
- ☒ Edit Item Status
- ☒ Manage Inspections and allow receiving custody of items with overdue inspections
- ☒ Complete Inspections



Screen Access Permissions

- ☒ Access Catalog Setup
- ☒ Access Database Maintenance
- ☒ Access Designers (Reports, Custom Trackers, Charts)
- ☒ Access Email Setup

Save

Cancel

Enter the desired password for the **User Profile**. Once the password has been entered, re-enter the password into the confirm password field. If the passwords match you should see green text that states 'Match'.

User Profile Setup

User Profiles

☐ Default User Profile

Delete Profile

Admin Profile ▼

Default Password

Password: ●●

Confirm Password: ●●

Match

Once you receive 'Match', press enter again to set the password to the **User Profile**. Upon doing so, you should see text that states 'Password Is Set'.

User Profile Setup

User Profiles

☐ Default User Profile

Delete Profile

Admin Profile ▼

Default Password

Password:

Password Set

Remove Password

After permissions and a password have been assigned, click the **Save** button.

User Profile Setup

User Profiles	Default Password
☐ Default User Profile Delete Profile	Password:
Admin Profile	Password Is Set Remove Password

Item Permissions

- ☒ Allow Adding New Items
- ☒ Allow Deleting of Items
- ☒ Allow Editing of Items
- ☒ Receive Custody of Deactivated Items
- ☒ Allow Override of Constraints ?
- ☒ Manage Calibrations and allow receiving custody of items with overdue calibrations
- ☒ Edit Item Status
- ☒ Manage Inspections and allow receiving custody of items with overdue inspections
- ☒ Complete Inspections

Screen Access Permissions

- ☒ Access Catalog Setup
- ☒ Access Database Maintenance
- ☒ Access Designers (Reports, Custom Trackers, Charts)
- ☒ Access Email Setup


Save Cancel

i NOTE

Checking the option **Default User Profile** will automatically cause all new users added to TCMax® to inherit the profile permissions.

Deleting Profiles

To delete a user profile, use the drop-down menu to select the Profile you would like to delete.




User Profiles

☐ Default User Profile Delete Profile

Create New Profile...
Admin Profile

With the Profile selected from the drop-down menu, select **Delete**.




User Profiles

☐ Default User Profile Delete Profile

Admin Profile

You will receive a popup stating 'Continue? Deleting this profile will also set all users tied to this back to their standard permission.' Select **OK** to delete the profile.



Continue?

 Deleting this profile will also set all users tied to this back to their standard permissions.

OK Cancel

Once you have selected **OK** to delete the profile, you will notice the profile has been removed from your drop-down list. Select **SAVE** in the bottom right corner of the **User Profile Setup** screen to save the changes.

User Profiles

☐ Default User Profile Delete Profile

User Profile Setup

User Profiles

☐ Default User Profile Delete Profile

Item Permissions

- ☐ Allow Adding New Items
- ☐ Allow Deleting of Items
- ☐ Allow Editing of Items
- ☐ Receive Custody of Deactivated Items
- ☐ Allow Override of Constraints ?
- ☐ Manage Calibrations and allow receiving custody of items with overdue calibrations
- ☐ Edit Item Status
- ☐ Manage Inspections and allow receiving custody of items with overdue inspections
- ☐ Complete Inspections

Screen Access Permissions

- ☐ Access Catalog Setup
- ☐ Access Database Maintenance
- ☐ Access Designers (Reports, Custom Trackers, Charts)
- ☐ Access Email Setup

Save


Cancel

Assigning Profiles to Users


Once Profiles have been created, they can be assigned to Users from [Settings > User Options](#) or the [Main Screen of TCMax®](#).

Option 1

From the Main Screen of TCMax®, select **Settings > User Options**.



From the **User Options** screen, select a user and choose the desired profile from the Current Profile dropdown.



Once the **User Profile** has been assigned, select the **Save** button located in the lower right-hand corner of the **User Options** screen.

Option 2

From the Main Screen of TCMax®, display a User you want to add a profile to.



Edit

Username Lederman, Richard A [Demo Admin]

Location

When a user is displayed on the Main Screen, a blue edit button will appear above their name.

Select the edit button to display the user details screen.



Lederman, Richard A [Demo Admin]

Set User Details/ Hide User

Username: Lederman, Richard A [Demo Admin]

Email:

Deactivate User

Reset Password

Current Password:

New Password:

Confirm Password:

Set Password

User Profile

A user with the same profile level as the one requested, or higher is required to elevate you to a profile that grants additional privileges.

No Profile...

Update User

Legend:

<Permission> <Current Value> → <New Value>

Access Catalog Setup ☒

→ ☒

Access Database Maintenance ☒

→ ☒

Access Email Setup ☒

→ ☒

Close

This screen will allow you to assign a specific profile from the drop-down list.


Lederman, Richard A [Demo Admin]

Set User Details/ Hide User

Username:

Email:

Deactivate User

Reset Password

Current Password:

New Password:

Confirm Password:

Set Password

User Profile

A user with the same profile level as the one requested, or higher is required to elevate you to a profile that grants additional privileges.

No Profile...

No Profile...

Admin Profile

Update User

Legal

<Permission> <Current Value> → <New Value>

Access Catalog Setup
☒
→
☒

Access Database Maintenance
☒
→
☒

Access Email Setup
☒
→
☒

Close

After selecting the **User Profile**, click the **Update User** button. When clicking the **Update User** button, a login screen will appear to assign an individual to a profile. The credentials entered on the login screen must be for a user who has the same or more permissions, including the permission **Allow Profile Assignment Outside of User Options**.

If you are unsure which users can elevate the selected user to the desired profile, click the **Display Users With These Permissions** hyperlink to view eligible user logins.

User Profile

A user with the same profile level as the one requested, or higher is required to elevate you to a profile that grants additional privileges.

Admin Profile

Update User

[Click To Display Users With These Permissions](#)

NOTE

When a user is under a **User Profile** the permissions set up for that Profile will override the permissions set up for that user in **User Options**.

User Site Assignments

Utilizing User Site Assignments

To access **User Site Assignments**, select **Settings > User Site Assignments** from the Main Screen of TCMax®. Once you have selected **User Site Assignments**, a **Site Manager** screen will appear.

The **Site Manager** screen is broken down into two tabs, **Users** and **Sites**.

INFO

It is not always necessary to manually modify which users belong to which sites. Users that do not belong to a site are automatically added to the site that has been selected in Sites and Shops. If a user is already associated with a site and is scanned into another site, TCMax® will ask to add that person to the additional site.

Users

The **Users** tab allows you to manage which sites a user is assigned to. Users can be assigned to multiple sites. This allows them to view the working shop codes that are assigned to that specific site.

 Site Manager— ✕

Users

Sites

User Id:

Reset

Username:

Search

Add To Site

User List

Username
Doe, John
Green, Joe [Demo]
Kovacs, Wes [Demo]
Lederman, Richard A [Demo Admin]
Murray, William [Demo]
Powers, Kristen [Demo]
Sikes, Michael [Demo]

Selected User Site List

Site Name
Default

Close

To add users to a site, select the individual user from the list on the left-hand side of the **Site Manager** screen or use the search fields in the top left-hand corner to filter the list.

 Site Manager

Users

Sites

User Id:

Reset

Username:

Search

User List

Username
Computer 1 [Demo]
Green, Joe [Demo]
Kovacs, Wes [Demo]
Lederman, Richard A [Demo Admin]
Murray, William [Demo]
Powers, Kristen [Demo]
Sikes, Michael [Demo]

Add To Site

Selected User Site List

Site Name

Close

With a user selected, click the **Add To Site** button.

 Site Manager

Users

Sites

User Id:

Reset

Username:

Search

Add To Site

User List

Username
Computer 1 [Demo]
Green, Joe [Demo]
Kovacs, Wes [Demo]
Lederman, Richard A [Demo Admin]
Murray, William [Demo]
Powers, Kristen [Demo]
Sikes, Michael [Demo]

Selected User Site List

Site Name

Close

The **Select Sites** window will display and allow you to select which site(s) you wish to associate this user with.



Select Sites

Please select the sites you would like to add to the selected user.

- ☒ Civilian
- ☒ Default
- ☒ Guard Unit

Select All

Deselect All

Accept

Cancel

Once you've selected which site(s) to put your user in, click the **Accept** button.

The site(s) that had been selected will now appear from the **Selected User Site List** from the **Site Manager** screen.

 Site Manager

Users

Sites

User Id:

Reset

Add To Site

Username:

Search

User List

Username
Computer 1 [Demo]
Green, Joe [Demo]
Kovacs, Wes [Demo]
Lederman, Richard A [Demo Admin]
Murray, William [Demo]
Powers, Kristen [Demo]
Sikes, Michael [Demo]

Selected User Site List

Site Name
Civilian
Default
Guard Unit

Close


To remove a site from a user, select the user from the **User List** section.

User List	
Username	
Computer 1 [Demo]	
Green, Joe [Demo]	
Kovacs, Wes [Demo]	
Lederman, Richard A [Demo Admin]	
Murray, William [Demo]	
Powers, Kristen [Demo]	
Sikes, Michael [Demo]	

Once the user has been selected, their site(s) will appear in the **Selected User Site List** section. Select the site you wish to be removed and hit the **Delete** key on the keyboard.

Selected User Site List	
Site Name	
Civilian	
Default	
Guard Unit	

To remove all sites from a user, select the user from the **User List** section and hit the **Delete** key on the keyboard. A **Remove Sites** screen will appear letting you know selecting **Yes** will remove all sites from the selected user.



Sites

The **Sites** tab manages which users are assigned to the site(s). It performs the same function as the **Users** tab but is oriented at managing the site rather than the user.

 Site Manager

Users

Sites

Site Name:

Search

Add User

Add Organization

Reset

User Count = 7

Site List

Site Name
Civilian
Default
Guard Unit

Selected Site User List

Username
Doe, John
Green, Joe [Demo]
Kovacs, Wes [Demo]
Lederman, Richard A [Demo Admin]
Murray, William [Demo]
Powers, Kristen [Demo]
Sikes, Michael [Demo]

Close

To add users to a site, select the site from the **Site List** located on the left-hand side of the **Site Manager** screen or use the search field in the top left-hand corner to filter the list.

 Site Manager

Users

Sites

Site Name:

Search

Reset

Site List

Site Name
Civilian
Default
Guard Unit

Add User

Add Organization

User Count = 0

Selected Site User List

Username

Close

Once you have selected the Site, select the **Add User** button. This will bring up a search window which assists with user selection.



User Search

Search by Username

Search by User Id

Search

User Search List

Selected Users

>>

<<

Ok

Cancel

From the **User Search** screen, enter in the user's name in the **Search by Username** field or enter the user's id in the **Search by User Id** field. Any matching records will appear in the **User Search List**.



User Search

Search by Username

Search by User Id

01

Search

User Search List

Lederman, Richard A [Demo Admin]



Selected Users

Ok

Cancel

Once you have the user(s) displayed in the **User Search List**, double click on the user's name or highlight the user's name and utilize the >> button to add the user to the site.



User Search

Search by Username

Search by User Id

User Search List

Sikes, Michael [Demo]

Selected Users

☒ Lederman, Richard A [Demo Admin]

>>

Add Users

<<

Ok

Cancel

Once your list contains all the users you wish to add to this site, click **OK**.

To remove a user from a site, select the site from the **Site List**. Once the site has been selected, click on the user's name and hit the **Delete** key on the keyboard.

Site List


Site Name
Civilian
Default
Guard Unit

Selected Site User List


Username
Lederman, Richard A [Demo Admin]
Sikes, Michael [Demo]

To remove all users from a site, select the site from the **Site List** section and hit the **Delete** key on the keyboard. A **Remove All Users** screen will appear letting you know selecting **Yes** will remove all users

from the selected site.



The **Add Organization** button adds an entire organization of users to a site. This feature works the same as the **Add User** button referenced above.




Chit Manager

Tools Chits are required when an item has the **Needs Chit For Issue** checkbox enabled from the Additional Details tab on the Main Screen of TCMax®.

The screenshot shows the 'Additional Details' tab of the Chit Manager interface. The tab is highlighted with a red box. Below the tab, there is a 'Notes:' section. To the left of the 'Needs Chit For Issue' checkbox, there are several input fields: 'Item Type' (a dropdown menu showing 'Item'), 'Manufacturer', 'Manufacturer P/N', 'Date Received', 'Contract Number', 'Mobility Increment', 'Length', 'Width', 'Height', and 'Weight (g):'. To the right of these fields, there is a list of checkboxes: 'CACRL', 'Local Manufacture', 'Needs Chit For Issue' (highlighted with a red box), 'Password Required For Issue', 'Precious Metal', 'Requires Charging', 'Requires Control Number', 'Shelf Life', 'Spare', 'Technical Order', and 'TMDE'. At the bottom of the screen, there are two tabs: 'Item Details' and 'Issued Items List'.

Utilizing Chit Manager

To access **Chit Manager**, select **Settings > Chit Manager** from the Main Screen of TCMax®.



Chit Manager allows you to assign chits to users for their use in TCMMax®. To assign chits, select their name from the **Username** drop down box or enter their Id number in the **User ID** field.

 Chit Manager

User Id:

Username:

User's Assigned Chits

Unassigned Chits

☐ Ignore User Assignments

Add New Chit

New Chit Id

Chit Name

Add New Chit

<-- Add All

<- Add

Remove ->

Remove All -->>

Barcode Id	Description	User
------------	-------------	------

Close

Once a User is displayed, highlight an unassigned chit from the **Unassigned Chits** box and click the **Add** button.

If you do not have any chits created, refer to the [Creating Chits](#) section before continuing with the next steps.

 Chit Manager

Username: Lederman, Richard A [Demo]

User's Assigned Chits

<-- Add All

<- Add

Remove ->

Remove All -->>

Unassigned Chits

0001

0002

0003

0004

0005

0006

0007

0008

0009

0010

☐ Ignore User Assignments

Add New Chit

New Chit Id

Chit Name

Add New Chit

Once a chit is assigned to a User, that User's Name is placed in the **User** field of the grid. The grid is located at the bottom of the **Chit Manager** screen.

 Chit Manager

User Id:

Username:

Lederman, Richard A [Demo ▼]

User's Assigned Chits

0001

<-- Add All

<- Add

Remove ->

Remove All -->>

Unassigned Chits

0002

0003

0004

0005

0006

0007

0008

0009

0010

☐ Ignore User Assignments

Add New Chit

New Chit Id

Chit Name

Add New Chit

	Barcode Id	Description	User
▶	0001	Chit (0001)	Lederman, Richard A [Demo ...]
	0002	Chit (0002)	
	0003	Chit (0003)	
	0004	Chit (0004)	
	0005	Chit (0005)	
	0006	Chit (0006)	
	0007	Chit (0007)	
	0008	Chit (0008)	
	0009	Chit (0009)	
	0010	Chit (0010)	

Close

To un-assign a chit from a User, select their name from the **Username** drop down or enter their Id number in the **User ID** field.

 Chit Manager

User Id:

Username:

User's Assigned Chits

<-- Add All

<- Add

Remove ->

Remove All -->>

Unassigned Chits

0002

0003

0004

0005

0006

0007

0008

0009

0010

☐ Ignore User Assignments

Add New Chit

New Chit Id

Chit Name

Add New Chit

	Barcode Id	Description	User
▶	0001	Chit (0001)	Lederman, Richard A [Demo ...
	0002	Chit (0002)	
	0003	Chit (0003)	
	0004	Chit (0004)	
	0005	Chit (0005)	
	0006	Chit (0006)	
	0007	Chit (0007)	
	0008	Chit (0008)	
	0009	Chit (0009)	
	0010	Chit (0010)	

Close

Highlight the chit you would like to un-assign and select the **Remove** button.


Chit Manager
□

User Id:

Username: Lederman, Richard A [Demo ▼]

User's Assigned Chits

0001

<<-- Add All

<- Add

Remove ->

Remove All -->>

Unassigned Chits

0002

0003

0004

0005

0006

0007

0008

0009

0010

☐ Ignore User Assignments

Add New Chit

New Chit Id

Chit Name

Add New Chit

The chit will now be removed from the selected User and their name will be removed from the User field in the **Chit Manager** grid.

	Barcode Id	Description	User
▶	0001	Chit (0001)	
	0002	Chit (0002)	
	0003	Chit (0003)	
	0004	Chit (0004)	
	0005	Chit (0005)	
	0006	Chit (0006)	
	0007	Chit (0007)	
	0008	Chit (0008)	
	0009	Chit (0009)	
	0010	Chit (0010)	

Close

Once a chit has been assigned to a User it can then be utilized for issue purposes.

NOTE

If a chit is not assigned to a user, the first time a chit is used to issue out an item to a user, it becomes assigned to that user.



Input Chit

Enter chit id that belongs to Lederman, Richard A [Demo Admin] to attach to the current item.

****Note**** Entering an unassigned chit will link it to the current user.

OK

Cancel

Creating Chits

To add a new **Tool Chit** to your system, enter the Id for the chit in the **New Chit Id** input box.



Chit Manager

User Id:

Username: Lederman, Richard A [Demo Admin] ▼

User's Assigned Chits

Unassigned Chits

☐ Ignore User Assignments

Add New Chit

New Chit Id

0001

Chit Name

Add New Chit

The name of the new chit can be entered in the **Chit Name** field.

 Chit Manager ☐

User Id:

Username:

Lederman, Richard A [Demo ▼]

User's Assigned Chits

Unassigned Chits

☐ Ignore User Assignments

Add New Chit

New Chit Id

0001

Chit Name

New Chit

Add New Chit

<-- Add All

<- Add

Remove ->

Remove All -->>

When all the information for the new chit has been entered, select the **Add New Chit** button.

 Chit Manager ☐

User Id:

Username:

Lederman, Richard A [Demo ▼]

User's Assigned Chits

Unassigned Chits

☐ Ignore User Assignments

Add New Chit

New Chit Id

0001

Chit Name

New Chit

Add New Chit

<-- Add All

<- Add

Remove ->

Remove All -->>

Deleting Chits

To delete a **Tool Chit** from your system, refer to the **Chit Manager** grid. Select the row of the chit you wish to have deleted.

 Chit Manager

User Id:

Username:

Lederman, Richard A [Demo] ▾

User's Assigned Chits

<<-- Add All

<- Add

Remove ->

Remove All -->>

Unassigned Chits

0001

☐ Ignore User Assignments

Add New Chit

New Chit Id

Chit Name

Add New Chit

New chit added

	Barcode Id	Description	User
▶	0001	New Chit	

Once the chit is selected, press **Delete** on your keyboard. The chit will then be removed from the **Chit Manager** screen.

 Chit Manager

☐

User Id:

Username:

Lederman, Richard A [Demo] ▾

User's Assigned Chits

<<-- Add All

<- Add

Remove ->

Remove All -->>

Unassigned Chits

☐ Ignore User Assignments

Add New Chit

New Chit Id

Chit Name

Add New Chit

New chit added

Barcode Id	Description	User
------------	-------------	------

 INFO


From the **Chit Manager**, you will see an option that states **Ignore User Assignments**. This option allows for any chit to be used by any User in TCMa^x®.

Shift Setup

Shifts can be setup within TCMa[®]x to further track your employees and records.

Utilizing Shift Setup

To access **Shift Setup**, select **Settings > Shift Setup** from the Main Screen of TCMa[®]x.



Creating Shifts

To create a shift, click the **New Shift** button and then enter a **Shift Name**, **Start Time**, and **End Time**.

Shift Manager

Select/Create Shifts



New Shift

Modify Shift

Remove Shift

Shift Information

Shift name:

First Shift

Start time:

9:00:00 AM

End time:


5:00:00 PM

Save

Cancel

Add/Remove Users From Shift

Users Without Shift:



Add ->


<- Remove

Users On Selected Shift:



Close

To save the shift, select the **Save** button in the Shift Information section.



The Shift Manager window has a title bar with a logo and the text "Shift Manager". Below the title bar is a section titled "Select/Create Shifts". On the left is a large empty rectangular box. On the right is a "Shift Information" panel. This panel contains a "Shift name:" label followed by a text input field containing "First Shift". Below this are "Start time:" and "End time:" labels, each followed by a time selection control showing "9:00:00 AM" and "5:00:00 PM" respectively. At the bottom of the "Shift Information" panel are two buttons: "Save" and "Cancel". Below the "Select/Create Shifts" section are three buttons: "New Shift", "Modify Shift", and "Remove Shift".

Shift Manager

Select/Create Shifts

Shift Information

Shift name:

First Shift

Start time: 9:00:00 AM


End time: 5:00:00 PM

Save Cancel

New Shift Modify Shift Remove Shift

Deleting Shifts

To delete a shift, highlight the shift you would like to remove and click the **Remove Shift** button.



The Shift Manager window is shown in the same state as the first image, but with additional highlights. In the "Select/Create Shifts" section, the list now contains two items: "First Shift" and "Second Shift". The "First Shift" item is highlighted with a blue background and a red border. In the "Shift Information" panel, the "Save" button is now disabled (grayed out). In the bottom section, the "Remove Shift" button is highlighted with a red border.

Shift Manager

Select/Create Shifts

First Shift
Second Shift

Shift Information

Shift name:

First Shift

Start time: 9:00:00 AM

End time: 5:00:00 PM

Save Cancel

New Shift Modify Shift Remove Shift

Adding Users to Shifts

To add a user to a shift, highlight the shift you would like to add the user to, then highlight the user you would like to add to the shift.

The screenshot shows the 'Shift Manager' application window. It is divided into two main sections: 'Select/Create Shifts' and 'Add/Remove Users From Shift'.

Select/Create Shifts:

- A list of shifts is shown on the left, with 'First Shift' highlighted in blue.
- On the right, the 'Shift Information' panel shows the selected shift's details: 'Shift name: First Shift', 'Start time: 9:00:00 AM', and 'End time: 5:00:00 PM'. There are 'Save' and 'Cancel' buttons at the bottom of this panel.
- Below the shift list are three buttons: 'New Shift' (blue), 'Modify Shift' (grey), and 'Remove Shift' (red).

Add/Remove Users From Shift:

- On the left, a list of users is shown under the heading 'Users Without Shift:'. The user 'Green, Joe [Demo]' is highlighted in blue.
- In the center, there are two buttons: 'Add ->' and '<- Remove'.
- On the right, there is an empty box under the heading 'Users On Selected Shift:'.

At the bottom right of the window is a 'Close' button.

Once the shift and user has been selected, click the **Add ->** button to add the user to the selected shift.

Shift Manager

Select/Create Shifts

First Shift
Second Shift

Shift Information

Shift name:

First Shift

Start time:

9:00:00 AM

End time:

5:00:00 PM

Save

Cancel

New Shift

Modify Shift

Remove Shift

Add/Remove Users From Shift

Users Without Shift:

Green, Joe [Demo]

Add ->

<- Remove

Users On Selected Shift:

Close

After selecting the **Add ->** button, the user will be displayed in the **Users On Selected Shift** section.

Select/Create Shifts

First Shift

Second Shift

Shift Information

Shift name:

First Shift

Start time:

9:00:00 AM

End time:

5:00:00 PM

Save

Cancel


New Shift

Modify Shift

Remove Shift

Add/Remove Users From Shift

Users Without Shift:



Add ->

<- Remove

Users On Selected Shift:

Green, Joe [Demo]

Close

Removing Users from Shifts

To remove a user from a shift, highlight the user you would like to remove then click the **<- Remove** button.

Add/Remove Users From Shift

Users Without Shift:

Green, Joe [Demo]

...

...

...

...

...

...

...

...

...

Add ->

<- Remove

Users On Selected Shift:

Green, Joe [Demo]

After selecting the **<- Remove** button, the user will be displayed back in the **Users Without Shift** section.

Add/Remove Users From Shift

Users Without Shift:

...

...

...

Green, Joe [Demo]

...

...

...

...

...

Add ->

<- Remove

Users On Selected Shift:

User Preferred Items Configuration

User Preferred Items Configuration allows you to assign a User a preferred set of items that is displayed in the bottom left-hand quadrant of the Main Screen of TCMax®. The preferred list of items will only appear when the User is displayed on the Main Screen and the appropriate option, **Display user preferred items when a user is brought up on the Main Screen**, is enabled. This option can be enabled from [Settings > Options > Display Options](#).

[illegible]

Utilizing User Preferred Items Configuration

Assigning Users Preferred Items

To assign a **User Preferred Items**, display a User on the Main Screen of TCMax®.



Lederman, Richard A [Demo Admin] Logged In




Edit

Username Lederman, Richard A [Demo Admin]

Location

With a User displayed on the Main Screen of TCMax®, navigate to **Settings > User Preferred Items Configuration**.



i NOTE

If a User is not displayed on the Main Screen when attempting to navigate to **Settings > User Preferred Items Configuration** it will be grayed out and a message will appear stating **Please bring up a user to adjust preferred items**.

With the **Preferred Items** screen displayed, you will notice in the **Username** field that your displayed User appears.



Preferred Items

	Barcode Id	Item Name	Storage Location	Serial Number	NSN

Add Item

Username Lederman, Richard A [Demo Admin]

ShopCode

Barcode Id

TCMax Demo Shop

Done

To assign Users Preferred Items, click in the **Barcode Id** field and scan/type in the Barcode Id of the item(s) you wish to add.



Preferred Items

	Barcode Id	Item Name	Storage Location	Serial Number	NSN

Add Item

Username Lederman, Richard A [Demo Admin]

ShopCode

Barcode Id 600

TCMax Demo Shop

Done

Upon entering the Barcode Id into the **Barcode Id** field, you will notice the **Preferred Items** appear in the grid.



Preferred Items

	Barcode Id	Item Name	Storage Location	Serial Number	NSN
▶	600	Tool Box	Tool Room	122422321	

Once you are done adding Items to your selected User, press **Done** from the **Preferred Items** screen.



Preferred Items

	Barcode Id	Item Name	Storage Location	Serial Number	NSN
▶	600	Tool Box	Tool Room	122422321	
	601	Hammer	Top Drawer	134354235	
	602	Screwdriver	Top Drawer	3424FSDE43	

Add Item

Username Lederman, Richard A [Demo Admin]

ShopCode

Barcode Id

TCMax Demo Shop

Done

Upon selecting Done, the **Users Preferred Items** will now appear from the Main Screen of TCMax® in the lower left-hand quadrant.

Barcode Id	Item Name	Storage Location	Shop Code
600	Tool Box	Tool Room	TCMax Dem...
601	Hammer	Top Drawer	TCMax Dem...
602	Screwdriver	Top Drawer	TCMax Dem...

Event Logs | User's Issued Items | User's Expendables | User Attachments

Removing Users Preferred Items

To remove a **User Preferred Items**, display a User on the Main Screen of TCMax®.

 TCMax® by Soaring Software Solutions, Inc.

File Mode = Issue/Turn-in Item QuickTurn @ Shift Change Show Issued

Lederman, Richard A [Demo Admin] Logged In



With a User displayed on the Main Screen of TCMax®, navigate to **Settings > User Preferred Items Configuration**.

- Sites And Shops
- User Options
- User Profile Setup
- User Site Assignments
- Chit Manager
- Shift Setup
-
- Dashboard Limits
- Email Options
- Options
- Lock Configuration

! INFO

If a User is not displayed on the Main Screen when attempting to navigate to **Settings > User Preferred Items Configuration** it will be grayed out and a message will appear stating **Please bring up a user to adjust preferred items'**.

With the **Preferred Items** screen displayed, you will notice in the **Username** field that your displayed User appears.

 **Preferred Items**

	Barcode Id	Item Name	Storage Location	Serial Number	NSN

Add Item

Username

Lederman, Richard A [Demo Admin]

ShopCode

TCMax Demo Shop ▼

Barcode Id

Done

To remove Users Preferred Items, select the item(s) you wish to remove to highlight them then hit **Delete** on your keyboard.



Preferred Items

	Barcode Id	Item Name	Storage Location	Serial Number	NSN
▶	600	Tool Box	Tool Room	122422321	
	601	Hammer	Top Drawer	134354235	
	602	Screwdriver	Top Drawer	3424FSDE43	

Upon pressing **Delete**, the item(s) will be removed from the **Preferred Items** grid.



Preferred Items

	Barcode Id	Item Name	Storage Location	Serial Number	NSN
▶	601	Hammer	Top Drawer	134354235	
	602	Screwdriver	Top Drawer	3424FSDE43	

IUID Item Field Configuration


! INFO

Available in TCMa^x® Version 9.8.9314.18668 or newer.

An **IUID Data Matrix** (Item Unique Identification) is a two-dimensional barcode used by the U.S. Department of Defense (DoD) to uniquely identify assets that are in compliance with the MIL-STD-130N. These matrices compactly combine multiple data regions—such as issuing agency code (CAGE), part number, serial number, etc. into a single barcode that ensures unique identification and traceability of items across their entire lifecycle.

Configuring IUID Barcodes

To access **IUID Item Field Configuration**, select **Settings > IUID Item Field Configuration** from the Main Screen of TCMa^x®.



By default, a preconfigured mapping will exist for **PNO** → **Part Number** within the TEI Format.

Configure IUID Map

Configure IUID data qualifiers maps here.

When creating a new item we will map the value in the data qualifier to the selected item field.

Format: TEI (Type Entity Identifier) ▼

Add

PNO --> PartNumber

Close

Select your format type to configure the mappings.

TCMax® supports formats 5 (AI: Application Identifier), 6 (DI: Data Identifier), and 12 (TEI: Type Entity Identifier). These formats are outlined in the **MIL-STD-130N Change 1**.

Format: TEI (Type Entity Identifier) ▼

DI (Data Identifier)

AI (Application Identifier)

TEI (Type Entity Identifier)

Add

PNO --> PartNur

Mapping IUID Regions

Once a format is selected, selecting **Add** will display a new window allowing you to add new mappings.

 Configure IUID Field ✕

When an IUID Barcode is scanned to create a new item, we will look for the data qualifier and map it to the item field if it exists.

Data Qualifier

Item Field

▼

OK

Cancel

When creating new mappings, input the region you want mapped from the IUID Barcode as the **Data Qualifier** and select the field you want that mapped to in the **Item Field** drop down.

 Configure IUID Field ✕

When an IUID Barcode is scanned to create a new item, we will look for the data qualifier and map it to the item field if it exists.

Data Qualifier

Item Field

▼

Item Name
Part Number
NSN
Serial Number
Custom Txt Box 1
Custom Txt Box 2
Custom Txt Box 3
Custom Txt Box 4
Custom Txt Box 5
Custom Txt Box 6

Selecting **OK** will add the newly mapped region to the **Configure tab list**, example **SEQ → Serial Number**.

 Configure IUID Field ✕

When an IUID Barcode is scanned to create a new item, we will look for the data qualifier and map it to the item field if it exists.

Data Qualifier

SEQ

Item Field

Serial Number ▼

OK

Cancel

Below is a screenshot of the **Configure** tab with the newly added **SEQ (Serial Number) Data Qualifier**.

 Configure IUID Map ✕

Configure

Validate

Configure IUID data qualifiers maps here.

When creating a new item we will map the value in the data qualifier to the selected item field.

Format:

TEI (Type Entity Identifier) ▼

Add

PNO --> PartNumber

SEQ --> SerialNumber

Close

Validating an IUID Barcode

IUID Data Matrices can be verified and decoded by scanning the barcode using the **Validate** tab.

Configure IUID Map

Configure

Validate

Barcode Scanned Input

Decoded Input

Validation Result

Close

Below is a sample IUID barcode:



When the sample IUID barcode is scanned into the **Validate** tab from the **Configure IUID Map** screen in TCMax®, we will display the decoded input value and the validation results of what is embedded into the barcode. You can see the UII (which we use as the **BarcodeId**) and the three regions available for mapping (**CAG, PNO, SEQ**).

Configure IUID Map

Configure Validate

Barcode Scanned Input

Decoded Input

[>R₅12G₅CAG 12345G₅PNO 234TYUG₅SEQ 6789R₅EOT

Validation Result

Validation Result: Valid IUID String

UII: D12345234TYU6789

IUID Segments:

CAG: 12345

PNO: 234TYU

SEQ: 6789

Close

Deleting a Configured IUID Data Qualifier

To delete an **IUID Data Qualifier**, use the drop-down menu to select the **Format** you need to delete from.

Format: TEI (Type Entity Identifier) ▼

DI (Data Identifier)

AI (Application Identifier)

TEI (Type Entity Identifier)

When the Format is selected, select the specific **Data Qualifier** you wish to delete. This will highlight the line item.

Configure IUID Map

Configure Validate

Configure IUID data qualifiers maps here.

When creating a new item we will map the value in the data qualifier to the selected item field.

Format: TEI (Type Entity Identifier) Add

SEQ --> SerialNumber
PNO --> PartNumber

Hit **Delete** on your keyboard. This will produce a popup stating "Confirm Delete. Are you sure you want to delete this item?".

Confirm Delete


 Are you sure you want to delete this item?

Yes No

Select **Yes**. This will remove the Data Qualifier.

Dashboard Limits

To access **Dashboard Limits**, select **Settings > Dashboard Limits** from the Main Screen of TCMa[®].



The **Dashboard Limits / Captions Configuration** screen allows you to set the captions and warning thresholds for the Dashboard's Status Trackers.

 Dashboard Limits / Captions

Current Issue Status

Kits issued

0

Child items issued

0

Non-Kit items issued

0

Calibration Status

Imminent item calibrations

0

Overdue item calibrations

0

Items being calibrated

0

Inspection Status

Imminent inspections

0

Overdue inspections

0

Item Status

Number of lost items

0

Number of broken items

0

Number of unserviceable items

0

Items issued long term

0

Reorder Status

Items below reorder quantity

0

User Status

Users with items issued

0

Locations users have items issued

0

Overdue Status

Users with overdue returns

0

Items out past return date

0

Beginning of Shift Inventory Status

Last performed

0 day(s) ago

Number of discrepancies

0

End of Shift Inventory Status

Last performed

0 day(s) ago

Number of discrepancies

0

Course Status

Imminent expiration courses

0

Expired courses

0

Certification Status

Users with expired certifications

0

Users with certifications

0

Expired certifications

0

Kit Status

Total number of kits

0

Number of incomplete kits

0

Unavailable Status

Times items were unavailable

0

Historical Status

Number of users scanned

0

Items issued

0

Items consumed

0

Total cost of consumables used

0

User with the most transactions

N/A

Number of transactions made

0

Save

Restore Default Values

Cancel

Changing Captions

To change the captions, select the word(s) you want to modify and enter the new caption.

 Dashboard Limits / Captions

Current Issue Status

Kits issued

0

Child items issued

0

Non-Kit items issued


0

Enter new caption here

When captions are modified it does not alter the information they display. For example, no matter what you change the caption to, the **Overdue Inspections** tracker will always show items with Overdue Inspections.

Changing Warning Limits

To change the warning limit, click in the box to the right of the caption and enter a number. This will then give a visual and verbal warning, so your attention is brought to the threshold being monitored.



 Dashboard Limits / Captions

Current Issue Status

Kits issued	0
Child items issued	0
Non-Kit items issued	0

Once you are finished, you can click **Save** to apply the changes.

How Dashboard Limits Work

Dashboard Limits are recognized within the **Status Tracker** tab of the Dashboard. When a **Dashboard Limit** has been met the specific subcategory under the Status Tracker will be highlighted red.

⬆ [Current Issue Status](#)

Kits issued :	2
Child items issued:	3
Non-Kit items issued:	0

⬆ [User Status](#)

Users with items issued:	2
Locations users have items issued:	1

⬆ [Item Status](#)

Number of lost items:	2
Number of Broken items:	2
Number of Unserviceable items:	0
Items issued long term:	0

When a **Dashboard Limit** has been met TCMa[®] will also play an “**Attention**” audio prompt when each of these limits have been triggered (This can be disabled within **Settings > Options > [Dashboard Options](#)**).

If you want to create new Status Trackers that pull specific information you must create your own by going to **Tools > [Custom Tracker Builder](#)**.


Email Options

Accessing Emailer

TCMax® offers a standalone application called the TCMax® Service Installer (available through our website) that when configured correctly on a Server, allows for emails to be generated and sent off once triggered. This can range from daily reports to when specific items or users perform tasks.




In order to setup your emailer once the Sync Console has been properly configured on the host, navigate to **Settings > Email Options**. The Data entered in these fields will be Shop Code specific unless certain options are enabled.



i NOTE

The emailer will only work with email servers configured to use SMTP.



Email Settings

Recipient Message Settings

Start by selecting the category you would like to setup automatic emails for. When expanding the category you will see the settings for the recipients along with other options such as **Subject Line**, **Message**, and **Occurrence, Part Number, Report** etc.

The following image shows the details and options within the **Calibration** category.

 **Emailer Configuration** — □ ×

Email Settings

Shop Code: TCMMax Demo Shop

 Calibration

Subject: Calibration Report

Message: The following items are due for calibration this week.

Select Email Recipient(s)

Email about items 7 days before they require calibration.

Email sending schedule

Send date: 9/26/2022 Send time: 7:00:00 AM

Occurrence: Weeks

Repeat every: 1

Schedule on: ☐ S ☒ M ☐ T ☐ W ☐ T ☐ F ☐ S

Next Email Attempt: Weekly on Monday

 Inspection


 Transfer Alert

Close

Based off of the above settings, an email will be generated every Monday morning at 7:00 AM Local Time, warning the recipients of calibrations that will be due within the next 7 days.

Choosing Recipients

To choose the recipient(s), select the box **Select Email Recipient(s)** and a new window will display, allowing you to select from already established email addresses associated with your users.




The dialog box is titled "Email Selection". It features two main panels: "Emails:" on the left and "Selected emails:" on the right. Both panels contain a list of email addresses, which are currently blurred. Between the panels are two small square buttons with ">" and "<" symbols. Below the "Emails:" panel is a button labeled "Add New Email". At the bottom right of the dialog are two buttons: "Accept" and "Cancel".

Simply select the email(s) you wish to assign to the trigger and move them to the right box by selecting the  button.

Adding New Emails

If you would like to provide an email that is not a current user in the Database, you can do so by selecting **Add New Email**.



The dialog box has a dark background and is titled "Enter email address". It contains a label "Enter an email address to add:" above a text input field. At the bottom are two buttons: "OK" and "Cancel".

Once you are satisfied with the email addresses associated with the trigger. Select **Accept** to return to the EMailer Configuration window.

You have now successfully set-up your first email trigger. You may set up as many as you would like.

Options

Part Numbers

Several of the email triggers have Part Number settings that can be implemented. In the grids that contain the Part Number and warning level, you can set it so that you will only be notified of a Part Number’s status if the number of items associated with the Part Number entered has reached the warning level.

The **Only send an email for the following part numbers** checkbox will cause the emails to be sent out only for the Part Numbers entered into the grid that exceed the warning level.

Items with the part numbers listed below will only be emailed when the quantity of lost items with this part number has reached the specified warning level.

☐ Only send an email for the following part numbers:

	PartNumber	WarningLevel
*		

 INFO

Part Numbers are not required, and if the checkbox to **Only send an email for the following part numbers** is left unchecked than an email will be triggered for all items being marked as lost, broken, etc.

Schedule

Several of the email triggers have a schedule that can be implemented. In the **Email sending schedule** you can configure when and how often an email gets sent regarding the trigger.

Email sending schedule

Send date: 9/ 5/2022 

Send time: 7:00:00 AM 

Occurrence: Months 

Repeat every: 1

Schedule by: ☐ Day of the month ☒ Day of the week

Next Email Attempt: Monthly on the first Monday

INFO

By not providing an **Occurrence**, you can configure an email to be sent one time on the date and time of your choice.

Categories

Lost

The **Lost Category** will send out emails concerning items that get marked as Lost.

Broken

The **Broken Category** will send out emails concerning items that get marked as broken.

Unserviceable

The **Unserviceable Category** will send out emails concerning items that get marked as Unserviceable.

Long Term

The **Long Term Category** will send out emails concerning items that get marked as Long Term.

Reorder

The **Reorder Category** will send out emails concerning items that have dropped below their reorder quantities. The emails can be sent out either at a specific time of day or periodically, depending on which option you select.

Issued Items At End of Shift

The **Issued Items at End of Shift Category** will send out emails concerning items that remain issued out to a user once the end of their shift has elapsed.

For this to be effective you must be using the shift feature in TCMAX® found by going to **Settings > Shift Setup** from the Main Screen. You must have the shifts created, assigned times. and the employees must be assigned to a shift.

You can set the amount of time after the end of the shift to send a warning email to the relative user and the amount of time after the end of shift to send out emails to the designated recipient(s).

Calibration

The **Calibration Category** will send out emails concerning items that are overdue for calibration or becoming overdue within a window of days.

Inspection

The **Inspection Category** will send out emails concerning items that are overdue for inspections or becoming overdue within a window of days.

Transfer Alert

The **Transfer Alert Category** will send out emails concerning items that have been transferred either into or out of the Shop Code that the email has been set up for.

Secure Inventory

The **Secure Inventory Category** will send out emails concerning items that work in conjunction with CompX® locks provided by TCMAX® Systems to notify the user about unauthorized access and unsecured closures of the lock system.


Custom Reports

The **Custom Reports Category** can send user generated reports as emails if the report requires no input from the user (parameters). You can select the report you would like emailed from the list on the left side of this section and input the recipient and email information in the appropriate areas. You can then set the date and time for the initial email as well as the schedule for the email.

This section also allows you to Add Event(s) for the trigger. Allowing you to have a set schedule along with immediate attention after a specific trigger occurs.

Options

The **Options** that can be selected in TCMa[®] are unique to the Local Machine. In other words, each instance of TCMa[®] connected to the same Database can have different sets of Options.



The screenshot shows the 'Options' dialog box with the 'General Options' tab selected. The dialog has a title bar with a close button and a search bar. The 'General Options' tab is active, showing three sections: 'Calibration And Inspection Options', 'Course Options', and 'Dashboard Options'. Each section contains several checkboxes and input fields. The 'Calibration And Inspection Options' section includes checkboxes for 'Ask for date calibration or inspection was actually performed for reports' (unchecked) and 'Do not check grandchildren for overdue calibrations and inspections' (checked). Below these are two input fields for 'day lead time for calibration warnings' and 'day default lead time for imminent inspection warnings', both set to '30'. The 'Course Options' section includes a checkbox for 'Ask for date expired when course interval is 0' (unchecked) and an input field for 'day lead time for imminent courses' set to '0'. The 'Dashboard Options' section includes checkboxes for 'Disable dashboard' (unchecked), 'Display dashboard on startup' (unchecked), 'Display mini tracker pane on startup' (unchecked), and 'Play 'Attention' audio for status trackers that have exceeded their threshold' (unchecked). Below these is a 'Startup Page' section with three radio buttons: 'Status Trackers' (selected), 'Custom Status Trackers', and 'Data Visualization'. At the bottom right of the dialog are 'Save' and 'Cancel' buttons.

Options

General Options | User And Item Barcodes | Captions and Presets | Custom Captions | Audio Prompts

Search:

Calibration And Inspection Options

- ☐ Ask for date calibration or inspection was actually performed for reports
- ☒ Do not check grandchildren for overdue calibrations and inspections
- day lead time for calibration warnings
- day default lead time for imminent inspection warnings

Course Options

- ☐ Ask for date expired when course interval is 0
- day lead time for imminent courses

Dashboard Options

- ☐ Disable dashboard
- ☐ Display dashboard on startup
- ☐ Display mini tracker pane on startup
- ☐ Play 'Attention' audio for status trackers that have exceeded their threshold

Startup Page

- ☒ Status Trackers
- ☐ Custom Status Trackers
- ☐ Data Visualization

Save Cancel

NOTE

Presets can be loaded when on a Server Hosted Database, ensuring all your connected computers follow the same options.

General Options Tab

Calibration and Inspection Options

Calibration And Inspection Options

☐ Ask for date calibration or inspection was actually performed for reports

☒ Do not check grandchildren for overdue calibrations and inspections

day lead time for calibration warnings

day default lead time for imminent inspection warnings

Ask for Date Calibration or Inspection was Actually Performed for Reports

When performing inspection and calibration updates, instead of using the current date, the User is asked for the date the inspection or calibration was performed. Often times this option is utilized to backlog when the inspection or calibration was completed.

Do Not Check Grandchildren for Overdue Calibrations and Inspections

TCMax® will restrict the issuing of items that have overdue inspections or calibrations to the parent and children items only, allowing grandchildren with an overdue inspection or calibration to be issued.

Set Lead Time for Calibration Warning

When interacting with an item that has a calibration, you can specify when you want TCMax® to warn you with an audible and visual warning for imminent calibrations that are not overdue but coming due.

Set Lead Time for Inspection Warning

When interacting with an item that has an inspection, you can specify when you want TCMa[®] to warn you with an audible and visual warning for imminent inspections that are not overdue but coming due.

Course Options

Course Options

☐ Ask for date expired when course interval is 0

day lead time for imminent courses

Ask for Date Expired When Course Interval is 0

When a course interval is set to 0, TCMa[®] will ask for the expiration date each time the course is completed. This is used if you want different expiration dates.

Set Lead Time for Imminent Courses

When interacting with courses that are assigned to users, you can specify when you want TCMa[®] to warn you with a visual warning for imminent courses that are not overdue but coming due.

Dashboard Options

Dashboard Options

☐ Disable dashboard

☐ Display dashboard on startup

☐ Display mini tracker pane on startup

☐ Play 'Attention' audio for status trackers that have exceeded their threshold

Startup Page

☒ Status Trackers

☐ Custom Status Trackers

☐ Data Visualization

Disable Dashboard

The Dashboard panel will not open when clicking the blue line on the Main Screen.

Display Dashboard on Startup

The Dashboard panel will appear by default upon launching TCMax®.

Display Mini Tracker Pane on Startup

When TCMax® is started, the first column of the status trackers on the Dashboard panel will be displayed in a mini pane on the right-hand side of the Main Screen of TCMax®.

Play 'Attention' Audio for Status Trackers that have Exceeded their Threshold

TCMax® will play the 'Attention' audio if any of the Dashboard's default status trackers fall on or above the limits set in [Settings > Dashboard Limits](#) when viewing the dashboard panel.

Startup Page

Selecting one of these radio buttons: Status Trackers, Custom Status Trackers, or Data Visualization, will cause the corresponding tab on the Dashboard to open by default when the Dashboard panel is opened.

Display Options

Display Options

- ☐ Display user preferred assets when a user is brought up on the main screen
- ☐ Enable color prompts for issue and turn-in mode
- ☐ Exclude temporarily transferred items on screens
- ☐ Filter the issued items view on main screen with the same filters in Issued Items
- ☐ Hide all input entered into main input box
- ☐ Hide cost for all items on screen and in reports
- ☐ Load the issued items screen only showing filtered items
- ☐ Load the issued items screen with filters disabled
- ☐ Only show temporarily transferred items in screens
- ☐ Default the Issued Items tab to show on the main screen when TCMax starts
- ☐ Default the pictures tab to show on the main screen
- ☐ Default the log notes tab to show on the main screen
- ☐ Show the "Item Quick Turn" menu
- ☐ Display logo by default instead of eventlog grid

Picture and Attachment Path

Current Set Path:

C:\Users\Public\Documents\TCMax\Images

Set to Default

Set Path

Display User Preferred Assets when a User is Brought Up on the Main Screen

The **user preferred assets** grid will display under the user's issued items tab when the user is selected on the Main Screen. The user preferred assets grid will provide a list of assets that this user prefers, such as a favorite camera or weapon.

Enable Color Prompts for Issue and Turn-in Mode

When an item is turned in, the screen will flash transparent yellow.

When an item is issued, the screen will flash transparent green.

When there is some sort of warning, the screen will flash transparent red.

This is helpful for high noise environments or for the hearing impaired.

Exclude Temporarily Transferred Items on Screens

All items that are transferred using the **Temporary Item Transfer** functionality will not be displayed on TCMa^x® screens.

Filter the Issued Items View on Main Screen with the Same Filters in Issued Items

The Issued Items List tab, on the Main Screen of TCMa^x®, will be filtered using the same settings the "Show Issued Items" screen uses.

Hide All Input Entered into Main Input Box

All characters entered into the input box on the Main Screen will appear as hidden characters.

Hide Cost for All Items on Screen and in Reports

Masks the cost field on the Main Screen and masks the cost columns in reports.

Load the Issued Items Screen Only Showing Filtered Items

The "Show Issued Items" screen with display with the filter reversed, displaying only items that are filtered.

Load the Issued Items Screen with Filters Disabled

The "Show Issued Items" screen with display with the filter disabled or turned off.

Only Show Temporarily Transferred Items in Screens

Only the items that have been transferred via the **Temporary Item Transfer** function will be displayed in TCMa^x®. Once selected, you can also select the destination(s) that you would like any new items that may be added to reside.

Default the Issued Items Tab to Show on the Main Screen When TCMa^x® Starts

When TCMa^x® is started, the Issued Items tab on the Main Screen will be the default view.

Default the Pictures Tab to Show on the Main Screen

The Main Screen will automatically select the pictures tab to view when an item is displayed on the Main Screen.

Default the Log Notes Tab to Show on the Main Screen

The Main Screen will automatically select the log notes tab to view when an item is displayed on the Main Screen.

Show “Item Quick Turn” Menu

The **Item Quick Turn @ Shift Change** menu item will show on the top toolbar of the Main Screen when selected. If the option is not selected, this **Item Quick Turn @ Shift Change** will not appear on the top toolbar of the Main Screen.

Display Logo by Default Instead of EventLog Grid

This will display the Logo you set in place of the Event Log Grid. When enabling, you will need to browse and choose a photo to set as the display on the Logo tab on the Main Screen instead of the Event Log tab.

Picture and Attachment Path

The default source for pictures is **C:\Users\Public\Documents\TCMa^x\Images** but you can change that path by clicking the **Set Path** button. This is often required when on a server hosted Database as attachments will need to be stored on a shared network path.

Hardware and Third-Party Service Options

Biometrics

BioMetrics

☒ Enable Fingerprint Scanner

Match Threshold

☒ Secure ☐ Convenient

Spoof Detection Level

☒ Secure ☐ Convenient

Usage Type

☒ Verification ☐ Identification

☐ Use fingerprint authentication for issue turn-in

Enable Fingerprint Scanner

Enable the use of our fingerprint scanner within TCMAX®. When this option is enabled, you are presented with options as to how the fingerprint scanner will operate as well as a new tab to assign fingerprints to users within [User Options](#).

Match Threshold

The match threshold dictates how many points on your fingerprint need to match up with the fingerprint record in the Database. Secure is the most secure option as it matches up the most points. The Convenient option can speed up the fingerprint recognition process since it does not need to match up as many points.

Spoof Detection Level

The spoof detection level protects against someone taking a picture or image of your fingerprint and using it to gain access to the system. Secure offers the most protection while convenient will read and process more quickly.

Usage Type

The usage type dictates how the fingerprint scanner will operate within the system.

Verification mode will ask you for a fingerprint instead of a password on the various log-in screens.

Identification mode will use your fingerprint as both your user id and password on various log-in screens. This mode works in conjunction with the F2 shortcut on the Main Screen.

Use Fingerprint Authentication for Issue Turn-In

This option will allow you to use the fingerprint scanner to display users on the Main Screen for the issue/turn-in process.

Barcode Scanners

Barcode Scanners

Serial port barcode scanner is connected on:

Serial Port Barcode Scanner is Connected On

To use a serial port scanner, you must indicate the comm port that the scanner is connected to in this field.

Scales

Scales

☒ Display weight in metric units

Display Weight in Metric Units

This will display weights in metric units throughout various parts of TCMMax®.

Signature Pad

Signature Pad

☐ Automatically clear users off the screen after a signature is captured

Signature Pad Message

Automatically Clear Users Off the Screen After a Signature is Captured

Once you sign for issued item(s), TCMa[®]x clears the Main Screen.

Signature Pad Message

Displays the desired message input on the signature pad when a user is prompted for a signature.

Snap-On ATC Configuration

Snap-on ATC Configuration
☒ Show ATC items status in the TCMa[®]x Dashboard

Show ATC Items Status in the TCMa[®]x Dashboard

TCMa[®]x Dashboard will include ATC items in its queries.

Inventory Options

Inventory Options

☐ Default receive inventory mode to update quantities based on unit quantity

Default Receive Inventory Mode to Update Quantities Based on Unit Quantity

When using the receive inventory mode, the quantity updated will be based on the quantity in unit entered for that item by default.

Issue Options

Issue Options

- ☐ Ask for the expected return date when in Issue/Turn-in mode
- ☐ Ask for a Control Number when in Issue/Turn-in mode
- ☐ Allow the issue of chargeable items that have not been fully charged
- ☐ Restrict the issue of items that are overdue an inspection
- ☐ Limit the number of items a user can have issued at one time
- ☐ Limit the number of items (of a particular part number) a user can have issued at one time
- ☐ Force users to scan a linked chit after each item that is issued
- ☐ Facility keys require password for issue and turn-in functions
- ☐ Do not allow children to be issued or turned in
- ☐ Do not allow a parent to be issued if it has missing/overdue children

Ask for Expected Return Date when in Issue/Turn-in Mode

TCMax® will add an expected return date to the issue process. This allows you to monitor items that are to be issued for more than one day and warn you via a report when items have not been returned by that expected return date.

Ask for a Control Number when in Issue/Turn-in Mode

TCMax® will add an additional step and ask for control number when issuing items.

Allow the Issue of Chargeable Items that have not been Fully Charged

Items that are not fully charged will still issue to users.

Restrict the Issue of Items that are Overdue an Inspection

TCMax® will restrict issuing items that are overdue inspection unless you have permission to [override inspection](#) issue restrictions.

Limit the Number of Items a User can have Issued at One Time

Entering the maximum number of items in the input box will prevent TCMMax® from issuing more than that total number of items to any user.

Limit the Number of Items (of a particular Part Number) a User can have Issued at One Time

Entering the maximum number of items in the input box will prevent TCMMax® from issuing more than that amount of a specific part number to any user.

Force Users to Scan a Linked Chit after Each Item that is Issued

When issuing an item, a chit barcode must be scanned after the item has been scanned to complete the process. Upon turn-in, the chit must also be scanned.

Facility Keys Require Password for Issue and Turn-in Functions

This option will force a user to enter their password while issuing/turning in items that have the item type of Facility Key.

Do Not Allow Children to be Issued or Turned In

Users will not be able to issue children individually from their parents.

Do Not Allow a Parent to be Issued if it has Missing/Overdue Children

Items that have children will not be able to be issued if any of its children are issued or overdue on calibration.

Item Options

Item Options

☐ Restrict duplicating barcodes that exists across the database when adding a new item

Restrict Duplicating Barcodes that Exists Across the Database when Adding a New Item

Barcode Ids must be unique per Shop Code. This option will not allow the same Barcode Id to be used in two different Shop Codes. It will make Barcode Ids unique across the entire Database instead of just per Shop Code.

Item Quantity Options

Item Quantity Options

- ☐ Default newly created items to a quantity of zero
- ☐ Default new items to have the 'multiple issue with a single scan' option checked
- ☐ Default new items to have the 'multiple items with this same barcode number' option checked
- ☐ Do not allow issue when there are not enough in stock
- ☐ Default to the issue input box on the multiple quantity screen if issuing is available

Default Newly Created Items to a Quantity Zero

New items added into TCMaX® will have a zero quantity.

Default New Items to have the 'Multiple Issue with a Single Scan' Option Checked

New items added into TCMaX® will have the **Multiple issue with a single scan** checkbox checked.

Default New Items to have the 'Multiple Items with This Same Barcode Number' Option Checked

New items added into TCMaX® will have the **Multiple items with the same barcode number** checkbox checked.

Do Not Allow Issue when there are Not Enough in Stock

TCMaX® will not allow the issue of multiple quantity items if the input quantity exceeds the quantity available.

Default to the Issue Input Box on the Multiple Quantity Screen if Issuing is Available

TCMax® will default the cursor placement to the issue quantity field regardless of if a user already has a quantity issued of the scanned item.

Login and User Options

Login and User Options

- ☐ Allow users to set item status with out being logged in
- ☐ Clear main screen when same user id is entered twice
- ☐ Close TCMax when the Windows user account is locked
- ☐ Display user organization and shift
- ☐ Display login prompt at startup
- ☐ Do not allow access to log search screen without logging in
- ☐ Hide user id field on all screens
- ☐ Link Windows IDs to TCMax user accounts
- ☐ Require someone to be logged in before you can perform an issue or turn-in
- ☐ Restrict reports to those with permission only
- ☐ Automatically log user off after selected number of minutes
- ☐ Automatically clear user on main screen after selected number of minutes

Password Options

Passwords must be a minimum of characters

Users must change their password every days(s)

Allow Users to Set Item Status Without Being Logged In

If a user is scanned on the Main Screen of TCMax®, items will be able to have their status changed.

Clear Main Screen When Same User Id is Entered Twice

Scanning the barcode of the current user displayed on the Main Screen of TCMMax® will clear the Main Screen.

Close TCMMax® When the Windows User Account is Locked

This option will close TCMMax® when the Windows account the user is logged in with is locked. This can help customers using LocalDB when users forget to close the software before locking their accounts which causes Windows to lock the LocalDB service to their account.

Display User Organization and Shift

TCMax® will display organization and shift information for users on various screens throughout the software. To create shifts, you must set them up using the [Shift Setup](#) screen. The shift indicator on the Main Screen of TCMMax® must be changed manually to indicate the current shift. If you attempt to issue items to a user that is assigned to a different shift, TCMMax® will first say “Attention”, and then it says “Issue” as necessary.

Display Login Prompt at Startup

TCMax® asks for a login when launched.

Do Not Allow Access to Log Search Screen Without Logging In

This prevents the ability to open the Log Search screen without a user logged in to TCMMax®.

Hide User Id Field on Main Screen

All user ids will be removed from various screens in TCMMax®.

Link Windows IDs to TCMMax® User Accounts

TCMax® will look at the computer’s Windows Login ID to see who has already logged into the computer. If it matches a record in the database, then it will automatically log the person into TCMMax®.

Require Someone to be Logged in Before You Can Perform an Issue or Turn-In

Before items can be issued or turned in, a user must be logged into TCMaX®.

Restrict Reports to Those With Permission Only

Before anyone can view any reports, they must be given permission through the [Settings > User Options](#) screen and then logged in to TCMaX®.


Automatically Log User Off After Selected Number of Minutes

TCMaX® will log users off after the desired number of minutes have passed without any activity.

Automatically Clear User on Main Screen After Selected Number of Minutes

TCMaX® will clear the Main Screen after the desired number of minutes have passed without any activity.

Password Options



Password Options

Passwords must be a minimum of characters

Users must change their password every days(s)

When entering a number greater than zero (0) into the entry boxes the options will then be enabled in the TCMaX® software.

The first option, **Password must be a minimum of ___ characters**, requires a minimum length to be set when assigning a user a password.

The second option, **Users must change their password every ___ day(s)**, requires users with a password to change their password every 'x' amount of days.

! INFO

A **Password Policy feature** was added in TCMaX® Version 9.8.9160.18261.

If you are using both the Password Options from Settings and the Password Policy feature from User Options, passwords must satisfy both options (both validations will be applied).

Printer Options

Printer Options

- ☐ Print 2 copies of a receipt
- ☐ Print receipt at end of the issue and turn-in actions
- ☐ Include barcodes on the receipts
- ☐ Include a barcode to return all items at once on that receipt
- ☐ Include a message on all receipts
- ☐ Hide long term items on receipt
- ☐ Ask for quantity of labels when printing item labels

Print 2 Copies of a Receipt

Prints 2 copies of the receipt from the specified receipt printer for each transaction.

Print Receipt at End of the Issue and Turn-In Actions

TCMaX® automatically prints receipts when a user is displayed, and the Main Screen is cleared afterwards. When selecting this option, you will also have a choice to **Always print receipt (Even if it is blank)**.

Include Barcodes on the Receipts

Prints the barcode of issued items on the receipt. When selecting this option, you will also have a choice to **Include turn-in barcode on receipts** that will be located at the top of the printed receipt.

Include a Barcode to Return All Items at Once on that Barcode

Prints a "Return All" barcode on the receipt that will return all issued items on the receipt with a single scan.

Include a Message on All Receipts

The message entered in the text box will appear on all receipts printed.

Hide Long Term Items on Receipt

All items that are issued to a location of long term or are marked long term within the 'Show Issued Items' screen will not be visible on the printed receipt.

Ask for Quantity of Labels When Printing Item Labels

TCMax® will ask you how many labels you would like to print when using print label buttons throughout TCMax®.

Report Options

Report Options

- ☐ Automatically print an AF 1297 at the end of the issue/turn-in process
- ☐ Automatically print an issued items report at the end of the issue/turn-in process
- ☐ Automatically print a DA 2062 report at the end of the issue/turn-in process

Automatically Print an AF 1297 at the End of the Issue/Turn-In Process

An AF 1297 is automatically printed to the page printer when either the TCMax® Main Screen is cleared or you switch usernames.

Automatically Print an Issued Items Report at the End of the Issue/Turn-In Process

An Issued Items Report is automatically printed to the page printer when the user is cleared from the Main Screen, or you switch usernames.

Automatically Print a DA 2062 Report at the End of the Issue/Turn-In Process

A DA 2062 report is automatically printed to the page printer when a user is cleared from the Main Screen, or you switch usernames.

Transfer Options

Transfer Options

☐ Auto transfer items to the currently selected shop code

Auto Transfer Items to the Currently Selected Shop Code

When an item is scanned that exists in a different shop, it will be transferred to the shop that is currently selected in the drop-down menu from the upper right-hand corner of the Main Screen.

Turn-In Options

Turn-in Options

- ☐ Ask for current miles/hours when an item is turned in with miles/hours greater than zero
- ☐ Use issued location for turn-in
- ☐ Use the currently displayed user on the main screen for turn-in records
- ☐ The user logged in cannot turn in their own items
- ☐ Prompt before turning in another user's items
- ☐ Only the user who took an item can turn it back in
- ☐ If an item is turned in within one minute of being issued, delete the log records for that transaction
- ☐ Facility keys require 2nd user for turn-in
- ☐ Do not display user selection when turning in a multiple quantity item that does not allow the issue of more than one at a time
- ☐ Do not allow turn-in actions to be performed unless someone is logged in
- ☐ Do not allow a parent to be turned in if it is missing children
- ☐ Check to require a username and location before a turn-in can be performed
- ☐ Check if a second user is required to turn-in items
- ☐ Ask for the number of times an item was actually used when the times used is greater than zero
- ☐ Ask for items marked as chargeable, if the item needs to be charged

Ask for Current Miles/Hours When an Item is Turned in with Miles/Hours Greater Than Zero

When you turn in an item with miles or hours greater than zero, TCMMax® will ask you to enter the current miles or hours and update the respective values accordingly.

Use Issued Location for Turn-In

When turning in an item, the location that the item was issued to will be written to the location field for the turn-in log record.

Use the Currently Displayed User on the Main Screen for Turn-In Records

The person displayed on the Main Screen at time of turn in will have their name associated with the turn in records.

The User Logged in Cannot Turn-In Their Own Items

The person who is logged into TCMaX® will not be able to turn in items that are issued to their user ID.

Prompt Before Turning in Another User's Items

When a user on the Main Screen scans an item that is issued to a different person, TCMaX® will ask if the intent is to turn that item in.

Only the User Who Took an Item Can Turn it Back in

The user who is issued an item must be displayed on the Main Screen to turn that item in.

If an Item is Turned in Within One Minute of Being Issued, Delete the Log Records for that Transaction

When an item is turned in within one minute of being issued, the issue / turn-in log records for that item is removed from the logs.

Facility Keys Require 2nd User for Turn-In

This option will force a person other than the one to whom the Facility Keys were issued to turn the facility key(s) in.

Do Not Display User Selection When Turning in a Multiple Quantity Item That Does Not Allow the Issue of More Than One at a Time

When scanning an item that is multiple quantity and doesn't allow more than one issue at a time, if there is a user on the screen, the item will either be issued or turned in. If no users are on the screen, a selection list will appear.

Do Not Allow Turn-In Actions to be Performed Unless Someone is Logged In

Checking this option requires someone to be logged into TCMaX® to be able to turn in items.

Do Not Allow a Parent to be Turned In if it is Missing Children

This prevents someone from turning in a toolbox/kit (parent) that has items that are missing.

Check to Require a Username and Location Before a Turn-In can be Performed

Checking this box forces you to enter a user id and location for an item to be turned in.

Check if a Second User is Required to Turn-In Items

If a person tries to turn in their own items an "Attention" audio is heard and a message of "Second User is Required for Turn-In" will populate, and the item will not be turned in. To turn in the item, a different user must enter their Id on the Main Screen.

Ask For the Number of Times an Item was Actually Used When the Times Used is Greater Than Zero

When an item is turned in that has a Times Used value greater than zero, a prompt will say "Attention" then ask you to enter the number of times this item was used during this issue period. That number is added to the Times Used.

Ask for Items Marked as Chargeable, if the Item Needs to be Charged

When an item marked with "Requires Charging" is turned in, TCMax® will ask if the item requires the charging. Selecting Yes will not allow the issue of the item until the charging duration is complete. Selecting No will ignore the charging duration and allow the issue of the item at any time.

Work Location Options

Work Location Options

☒ Display Location buttons

Location Buttons

☐ Allow only buttons for use in setting a Location

	Location Value

Shop Code:

TCMax Demo Shop

[Location Shop Help](#)

New Location

Add Location

☐ Do not allow Location to be blank

☐ Do not ask for Location when issuing items

☐ Show button and enable setting of default Location for individual users

☒ Check to make sure Location are not existing User or Item barcodes

Display Location Buttons

When TCMax® asks for a location, it will display a new window with locations as buttons to choose from. The locations displayed in this window will be compiled from the displayed grid in Options under Location Buttons and from the Set Locations Status screen.

Location Buttons

You can add new locations that will be displayed as buttons in this area (if that option is checked). Enter the location in the **New Location** box then select from the Shop Code dropdown, what shop code this location corresponds to (if it applies to all shops select the “All” option from the dropdown), then click the **Add Location** button. Clicking the **Allow only buttons for use in setting a Location** checkbox will force a user to select one of the provided options instead of also having an input box where they can type a location that is not given.

Do Not Allow Location to be Blank

A location will be required in the Location field before being able to scan items when issuing.

Do Not Ask for a Location When Issuing Items

TCMax® no longer asks for a location or displays that field on the Main Screen.

Show Button and Enable Setting of Default Location for Individual Users

Enables the ability to set a default location for individual users. When set, the user enters their User Id, the Default Location automatically appears, and they are ready to issue items to that location.

To set a Default Location, enter a User Id and enter a Location as normal. The **Set Default** button appears to the right of the Location text box. Select the button, the default is set, and the button changes to Un-Set Default. To un-set the Default Location for this user, just click the Un-Set Default button.

Check to Make Sure Location are not Existing User or Item Barcodes

When entering a location in TCMax®, an “attention” will play if you enter in a user or item barcode, preventing you from using that location.

User and Item Barcodes Tab

The **User and Item Barcodes** tab tells TCMa^x® how to process scanned inputs and how to decide whether you are entering an Item Barcode or a User Id.

 Options — □ ×

General Options

User And Item Barcodes

Captions and Presets

Custom Captions

Audio Prompts

Barcode Id Configuration

New items can be entered into the system simply by entering / scanning an Id you wish to use for an item given that it does not conflict with any settings reserved to identify users.

However, if you create an item using the "New Item" menu option (F3), the Id will be generated using the primary prefix and suffix to the right. To generate a barcode using the secondary values, you can use ctrl + F3.

The prefix can be set to an alpha numeric value, while the suffix can only be a numeric value. This constraint on the suffix is due to the incrementing of the suffix as new items are added.

Primary

Secondary

Prefix:

Prefix:

Suffix:

Suffix:

User Id Configuration

You can set up to four different barcode lengths to use for user Ids. Enter the number of characters in your user Id into one of the boxes below. If you wish to disable having multiple character lengths for user Ids, place a 0 in any of the remaining boxes.

TCMa^x will assume that any entered / scanned barcode that has a character count outside of the defined lengths for user Ids is an item.

The prefix and suffix are used to create a new user using the "New User" menu option (F4). The prefix may be an alpha numeric value, while the suffix can only be set to a numeric value.

User Id Length 1:

User Id Length 3:

User Id Length 2:

User Id Length 4:

Use first 15 digits of Id card only. (US Military, makes barcode on front and back equal.) ☐

Use characters 2 through 15 of Id card only. (Use if the above option doesn't work for newer cards.) ☐

Any barcode starting with the user prefix will be treated as a user. ☐

Differentiate Item / User Based on Leading Character

Use these to base user vs item on first character only. This will take prior setup on creating barcodes.

First character Alpha = User, Numeric = Item ☐

First character Numeric = User, Alpha = Item ☐

Check Barcode Length

Click in this box, Scan your ID card, displayed to the right is the number of characters in your ID card.

Save

Cancel

Barcode Id Configuration

Barcode Id Configuration

New items can be entered into the system simply by entering / scanning an Id you wish to use for an item given that it does not conflict with any settings reserved to identify users.

However, if you create an item using the "New Item" menu option (F3), the Id will be generated using the primary prefix and suffix to the right. To generate a barcode using the secondary values, you can use ctrl + F3.

The prefix can be set to an alpha numeric value, while the suffix can only be a numeric value. This constraint on the suffix is due to the incrementing of the suffix as new items are added.

	Primary	Secondary
Prefix:		
Suffix:	001	001

From the **Barcode Id Configuration** section, you will see Primary and Secondary Prefix and Suffix values. The **Primary** and **Secondary Prefix and Suffix** are used as a shortcut on the Main Screen to create new item Barcode Ids with a single keystroke. TCMax® will use these values to find the next available Barcode Id, keeping the newly created items in sequential order.

	Primary	Secondary
Prefix:		
Suffix:	001	001

The **Prefix** value can be alpha/numeric. The **Suffix** value must be numeric only.

! INFO

The Suffix is how TCMax® will increment to find the next available Barcode Id, TCMax® cannot increment alpha characters.

Once a **Primary** or **Secondary Prefix and Suffix** is set, the hot keys to create an item on the Main Screen can be utilized. The **F3** key can now be utilized to create a new item from the Primary Prefix and next available Primary Suffix. The **Ctrl + F3** key can now be utilized to create a new item from the Secondary Prefix and next available Secondary Suffix.

Partial barcodes can be generated as well by hitting the **F9 key** from the Main Screen. TCMax® places the **Prefix** from the Primary barcode sequence in the Main Input box so you can type your own **Suffix**. Hitting **Ctrl + F9** adds the **Prefix** from the **Secondary** barcode sequence.

Example Scenarios of Barcode Id Configuration

If you want your item Barcode Ids to be all numeric then leave the **Prefix** box blank.

If you want your Barcodes to be six digits long but want to start with the number **one thousand**, then you should enter **001000** in the **Suffix** box.

If you want to use three-digit Barcodes and want to start with the Barcode Id **one**, then you should enter **001** in the **Suffix** box.

User Id Configuration

User Id Configuration

You can set up to four different barcode lengths to use for user Ids. Enter the number of characters in your user Id into one of the boxes below. If you wish to disable having multiple character lengths for user Ids, place a 0 in any of the remaining boxes.

TCMax will assume that any entered / scanned barcode that has a character count outside of the defined lengths for user Ids is an item.

User Id Length 1: User Id Length 3:
User Id Length 2: User Id Length 4:

☐ Use first 15 digits of Id card only. (US Military, makes barcode on front and back equal.)
☐ Use characters 2 through 15 of Id card only. (Use if the above option doesn't work for newer cards.)
☐ Any barcode starting with the user prefix will be treated as a user.

The prefix and suffix are used to create a new user using the "New User" menu option (F4). The prefix may be an alpha number value, while the suffix can only be set to a numeric value.

Prefix:
Suffix:

The **User Id Configuration** section will provide options on how to specify how users will be distinguished in TCMax®. The **User Id Configuration** section will provide four different barcode lengths, prefix and suffix values, along with additional configuration settings that can be selected.

User Id Length 1, User Id Length 2, User Id Length 3, User Id Length 4

User Id Lengths 1-4 are the four different barcode length values that can be filled in to identify the character count of your users. If no additional configuration settings are configured in the **User Id Configuration** section, this method will be used by default.

The number of characters in the User Id must be different than your items in TCMax®. When utilizing User Id Lengths 1-4, when anything is scanned, TCMax® counts the characters. If the length matches any of the numbers in these four boxes, then TCMax® treats it as a user. Anything else will be considered an item.

NOTE

To only use some of the pre-defined lengths, zero (0) out the remaining fields.

For example, if you only want to recognize two-character User Ids then zero (0) out lengths 2 through 4.

Use first 15 digits of Id card only, U.S. Military

This option is used when you use U.S. Military Id cards and have a 2-D barcode scanner. It makes both front and back barcodes read the same value.

If you check this box, make sure one of the User Id Length values equal 15.

Use 2 – 15 digits of Id card only

This option is used when you use U.S. Military Id cards and the first character on the front and back are different. With this option selected, TCMax® will skip the first character and move on to the second character.

If you check this box, make sure one of the User Id Length values equal 15.

Any Barcode Starting with the User Prefix will be Treated as a User

This option is used when User Ids begin with the same character(s). When this option is enabled, enter the **Prefix** your User Ids begin with in the **Prefix** box. When a user barcode is scanned that begins with the **Prefix**, TCMax® will treat that barcode as a user, no matter the length of characters.

Differentiate Item/User Based on Leading Character

Differentiate Item / User Based on Leading Character

Use these to base user vs item on first character only. This will take prior setup on creating barcodes.

First character Alpha = User, Numeric = Item ☐

First character Numeric = User, Alpha = Item ☐

Differentiate Item/User Based on Leading Character allows you to tell TCMax® the first character style of all users and items.

Checking the top box, **First character Alpha = User, Numeric = Item**, recognizes anything scanned that's first character is a letter between 'A' to 'Z' as a user. Anything beginning with a number between

zero and nine is recognized as an item.

Checking the bottom box, **First character Numeric = User,Alpha = Item**, recognizes anything scanned that's first character is a number between zero and nine as a user. Anything beginning with 'A' to 'Z' is recognized as an item.

 INFO

The **User Id length counts 1-4** will no longer matter when using one of these options, as TCMax® will determine if the entered value is a user or item based on the leading character.

Check Barcode Length

Check Barcode Length

Click in this box, Scan your ID card, displayed to the right is the number of characters in your ID card.

To check the number of characters in any barcode, click in the box at the bottom of the **User and Item Barcodes** tab and scan the barcode. Once the barcode has been scanned, the character count will appear to the right in the textbox along with how TCMax® currently recognizes that barcode (item or user).

16 - User

12 - Item

Captions and Presets Tab

The **Captions and Presets** tab will provide different captions that can be customized along with different preset options that can be selected and customized.

Options

General Options | User And Item Barcodes | **Captions and Presets** | Custom Captions | Audio Prompts

Reset Custom Captions

Barcode Id:

Parent Barcode Id:

Item Name:

Location:

NSN:

Part Number:

Cal Due Date:

Mobility Increment:

Cost:

Length:

Width:

Height:

Weight:

Serial Number:

Maintenance Procedure:

Unserviceable:

TMDE:

Broken:

Warranty:

Contract Number:

CACRL:

Preset Options

Default | U.S. ARMY

Schools | U.S. Air Force

Police | USAF Security Forces

Fire Departments

Custom Option Presets

Load Custom Preset | **Create New Custom Preset**

Delete Custom Preset | Save Custom Preset

Save | Cancel

Custom Captions

From the **Captions and Presets** tab, you will have the capability to customize the default captions in TCMaX®. The captions can be changed by editing what you see in the text box next to the caption, once those changes have been made, they will then be displayed throughout the software upon save.

Reset Custom Captions	
Barcode Id:	Barcode Id
Parent Barcode Id:	Parent Barcode Id
Item Name:	Item Name
Location:	Storage Location
NSN:	NSN
Part Number:	Part Number
Cal Due Date:	Calibration Due Date
Mobility Increment:	Mobility Increment
Cost:	Cost
Length:	Length
Width:	Width
Height:	Height
Weight:	Weight
Serial Number:	Serial Number
Maintenance Procedure:	Maintenance Procedure
Unserviceable:	Unserviceable
TMDE:	TMDE
Broken:	Broken
Warranty:	Warranty

Not all captions in TCMax® can be customized, but a wide variety can be customized.

Provided below will contain the different field captions that can be modified.

(Barcode Id, Parent Barcode Id, Item Name, Location, NSN, Part Number, Cal Due Date, Mobility Increment, Cost, Length, Width, Height, Weight, Serial Number, Maintenance Procedure, Unserviceable, TMDE, Broken, Warranty, Contract Number, CACRL, Precious Metals, Tool Chit, Shelf Life, Local Manufacture, User Name, Work Location, and Control Number)

Changing the caption will not change the functionality of the field; it will only change how that caption is displayed.

Preset Options

TCMax® has several preconfigured option sets that have been developed over years of interactions with our customers. The preset buttons, when clicked, will apply the options and captions set that we have found to be the most standard amongst specific types of installations.

Custom Option Presets

As the options and captions in TCMax® are stored and referenced on your local machine, if you would like to save your captions and options for later or for easier Deployment across multiple machines you can load, create, delete, and save your custom presets by using the corresponding buttons.

INFO

Presets can be automatically loaded against specific Shop Codes to maintain standardization on server hosted Databases by configuring [Auto Load Presets](#).

Custom Captions Tab

The **Custom Captions** tab allows you to edit the captions for the CheckBoxes, TextBoxes, and ComboBoxes that are available on the Main Screen from the Custom tab. This allows for additional details to be added to items that may not already be available within TCMMax®.

In addition to modifying the captions from the **Custom Captions** tab, you can also enter values that you want displayed for the two ComboBoxes that are available.

Options

General Options | User And Item Barcodes | Captions and Presets | **Custom Captions** | Audio Prompts

CheckBox 1 Caption: User_CheckBox1

CheckBox 2 Caption: User_CheckBox2

CheckBox 3 Caption: User_CheckBox3

CheckBox 4 Caption: User_CheckBox4

ComboBox 1 Caption: User_ComboBox1

ComboBox 2 Caption: User_ComboBox2

TextBox 1 Caption: User_TextBox1

TextBox 2 Caption: User_TextBox2

TextBox 3 Caption: User_TextBox3

TextBox 4 Caption: User_TextBox4

TextBox 5 Caption: User_TextBox5

TextBox 6 Caption: User_TextBox6

ComboBox1 Values

Text

Add for Shop Code

TCMax Demo Shop

New ComboBox Value

Add ComboBox 1 Value

Add ComboBox 2 Value

ComboBox2 Values

Text


Save Cancel

If the **Custom** tab is utilized in TCMMax®, one of the advantages is an audio (wave) file is available and can be played whenever an item is issued if any of the CheckBox options are checked. This works as all the other audio files work. On the **Audio Prompts** tab, under the Item Prompts section in blue, there

are audio prompt settings for the User CheckBox values from this screen. These audio prompts will play when interacting with items that have the corresponding checkbox checked.

Audio Prompts

The **Audio Prompts** tab is used for customizing the audio/verbal prompts in TCMMax®. The **Audio Prompt** tab allows you to set what audio is played after different interactions within the software.



The screenshot shows the 'Options' dialog box with the 'Audio Prompts' tab selected. The dialog has a title bar with a minimize, maximize, and close button. Below the title bar is a tabbed interface with five tabs: 'General Options', 'User And Item Barcodes', 'Captions and Presets', 'Custom Captions', and 'Audio Prompts'. The 'Audio Prompts' tab is active. Inside the tab, there are two buttons: 'Expand All' and 'Collapse All'. To the right of these buttons is a dropdown menu labeled 'Audio Language:' with 'English' selected. Below the buttons and dropdown is a list of eight categories, each with a downward arrow icon and a label: 'Informational and Warning Prompts', 'Inspection and Calibration Prompts', 'Inventory Audio Prompts', 'Issue/Turn in Prompts', 'Item Prompts', 'Item Status Prompts', 'Login/Logout Prompts', and 'User Prompts'. At the bottom right of the dialog are two buttons: 'Save' and 'Cancel'.

Options

General Options User And Item Barcodes Captions and Presets Custom Captions Audio Prompts

Expand All Collapse All

Audio Language: English

- Informational and Warning Prompts
- Inspection and Calibration Prompts
- Inventory Audio Prompts
- Issue/Turn in Prompts
- Item Prompts
- Item Status Prompts
- Login/Logout Prompts
- User Prompts

Save Cancel

The Audio Language dropdown box allows you to select what language audio files will be used in or to disable the sound functionality altogether.

Attention Prompt

Enabled

☐ Use Text To Speech

☒ Use Audio File

Reset

Play Sample

Browse

Attention(en).wav

Each audio prompt has two options for what will be played, either **Use Text To Speech** or **Use Audio File**. The **Use Audio File** option will play a wave file that is stored in your **C:\Users\Public\Documents\TCMax\Audio** folder that corresponds to the given action.

You can use any wave file for audio prompts. As long as you can Browse and can see that wave file, it can be used.

The **Use Text To Speech** option is a new addition and allows you to type in what you would like the prompt to say in the text input box and to select the voice used (depending on your version of Windows). Once you type in an audio prompt you can click the **Play Sample** to play the audio file as a preview.

i NOTE

The text to speech functionality uses the speech engine provided by Microsoft in their Windows OS, depending on what operating system (OS) you are using voices may sound different from machine to machine.

Example of Customizing Wave Files for Certain Items

For example, the TMDE field in TCMax® can be used to play a .wav file. As an example, one customer has a “52 Card” inspection signature due on certain items. Edit the “TMDE” caption to “52 Card” from the [Captions and Presets Tab](#). From the **Audio Prompts** tab, locate the **Item Prompts** section. Once in the **Item Prompts** section, find the TMDE Prompt.

Item Prompts

CACRL Prompt

Disabled

☐ Use Text To Speech
 ☒ Use Audio File

Reset

Play Sample

Browse

CACRL(en).wav

New Item Prompt

Enabled

☐ Use Text To Speech
 ☒ Use Audio File

Reset

Play Sample

Browse

NewItem(en).wav

TMDE Prompt

Disabled

☐ Use Text To Speech
 ☒ Use Audio File

Reset

Play Sample

Browse

TMDE(en).wav

In the TMDE Prompt section, you can utilize the text to speech option and type in what you would like to hear.

TMDE Prompt

Enabled

☒ Use Text To Speech
 ☐ Use Audio File

Reset

Play Sample

TMDE

Female

Or you can create your own audio file then click the Browse button and navigate to that wave file.

TMDE Prompt

Enabled

☐ Use Text To Speech
 ☒ Use Audio File

Reset

Play Sample

Browse


TMDE(en).wav

Once those changes have been made, press **Save**. Now any item with the TMDE checkbox will automatically have the .wav file played when the item is either issued or turned back in.

Lock Configuration

The Lock Configuration is used to configure the setup of the lock types and what user(s) can access the lock(s). The setup for Lock Configuration can be found from the Main Screen of TCMax® by going to **Settings > Lock Configuration**. A user must have the "**Access TCMax, Lock, and Dashboard Options**" permission enabled to utilize this feature.

Hardware Selection




A screenshot of a software interface titled "Hardware". It contains a list of five radio button options. The first option is "None". The second is "Use Snap-On E-Lock 100 Series". The third is "Use Snap-On VTC lock". The fourth is "Use Snap-On NTC lock (Gen 3-4)". The fifth and selected option is "Use ekPROTRACK lock", which is highlighted in blue.

Hardware

- ☐ None
- ☐ Use Snap-On E-Lock 100 Series
- ☐ Use Snap-On VTC lock
- ☐ Use Snap-On NTC lock (Gen 3-4)
- ☒ Use ekPROTRACK lock

The Hardware section can be used to select what type of lock you are using. The configuration options will change based on your selection.

Snap-On Locks



A screenshot of a "Lock Settings" dialog box. It has two input fields: "Baud rate:" with the value "115200" and "Comm port number:" with the value "0". Below these fields is a button labeled "Test Connection".

Lock Settings

Baud rate: 115200

Comm port number: 0

Test Connection

When selecting any of the Snap-on locks, you will need to enter the proper baud rate for your lock and the comm port that it is connected to. To ensure your settings are correct, you can click the **Test**

Connection button.

ekPROTRACK Lock

Lock Configuration

Hardware

☐ None

☐ Use Snap-On E-Lock 100 Series

☐ Use Snap-On VTC lock

☐ Use Snap-On NTC lock (Gen 3-4)

☒ Use ekPROTRACK lock

If you wish to give individual users access to the ekPROTRACK lock you will need to add the connected lock below.

Add Connected Lock

Default

New Lock: 0000000094462575 - Connected

New Lock: 0000510094594135

Lock Setup

User Access

Configure

Lock Description

Serial Number: 0000000094462575

Computer Name: NEAL

Shop Code: TCMax Demo Shop

Name: New Lock: 0000000094462575

☐ Configure Manually

Lock Settings

Baud rate: 833333

Comm port number: 3

Test Connection

Lock Type

Default

Add New Lock Type

Edit Description

☐ Set max timeout (1 hour)

Lock Timeout

Time (Seconds): 30

Done

When selecting the ekPROTRACK lock, the connection configuration screen will change. TCMax® can automatically detect and configure the connection for this lock type. Clicking the **Add Connected Lock** will prompt the user to setup the lock on the **Lock Setup** tab.

Lock Setup Tab

When configuring a lock, whether it is new or existing, the user can change what Shop Code the lock belongs to, the name of the lock, manual configuration of the lock, the lock type, and the lock timeout.

Lock Types can be created and configured to allow for controlling the access of a lock to a specific list of users.

A Lock timeout can be set to close the lock automatically after the designated time has passed.

The screenshot shows a software interface with two tabs at the top: "Lock Setup" and "User Access". The "User Access" tab is active. Below the tabs, there are three distinct sections for configuring user access:

- A) - Lock Type**: This section contains instructional text: "Here you can add individual users to access all locks of the same selected lock type. If you would rather add a user to an individual lock instead of a type, you can do so below." It features a dropdown menu labeled "Select a lock type:" with "Default" selected. Below the dropdown is a button labeled "Add User(s)".
- B) - Individual User**: This section contains instructional text: "If you wish to allow access to users for an individual lock, select the lock you wish to modify then select the add user button below." It features a button labeled "Add User(s)".
- C) - All Users**: This section contains the text "Allow all TCMax users to access the selected lock." followed by an unchecked checkbox.

User Access Tab

Users' lock access is managed in one of three ways: lock type (pre-configured user list), individual access (specific user list per lock), or open access (open to all users).

A) - Lock Type

Use this section to configure users' access to the selected Lock Type. Click the **Add User(s)** button and use the User Search screen to configure the Selected Users list. You will be able to search for the User(s) you would like to add by Username or User Id. Move the desired User from the User Search List to the Selected Users list. Once all Users are added for this lock type, click 'Ok'.



User Search

Search by Username

Search by User Id

Search

User Search List

Sikes, Michael [Demo]

Kovacs, Wes [Demo]

Powers, Kristen [Demo]

Murray, William [Demo]

Green, Joe [Demo]

Computer 1 [Demo]



Selected Users

☒ Sikes, Michael [Demo]

☒ Powers, Kristen [Demo]

Ok

Cancel

B) - Individual User

To assign individual users to a lock, select the lock from the list on the left side of the Lock Configuration Screen. Click the **Add User(s)** button on the **User Access** tab. You will be able to search for the User(s) you would like to add by Username or User Id. You will be able to search for the User(s) you would like to add by Username or User Id. Move the desired User from the User Search List to the Selected Users list. Once all Users are added for this lock, click 'Ok'.

C) - All Users

To allow open access to the lock, select the lock on the list on the left side of the Lock Configuration Screen. Select the **User Access** tab and check the box to "Allow all TCMAX® users to access the selected lock." in section C).


Serial Event Configuration

Available in TCMa^x® Version 9.8.9116.26749 or newer.

The **Serial Event Configuration** is used to configure the setup of serial devices. The main purpose of this feature is for anyone who wishes to configure issue, turn-in, and user events from the Main Screen and bridge it with a hardware device. A user must have the "**Access TCMa^x, Lock, and Dashboard Options**" permission enabled to utilize this feature.

Utilizing Serial Event Configuration

The setup for Serial Event Configuration can be found from the Main Screen of TCMa^x® by going to **Settings > Serial Event Configuration**.



Creating Serial Event Configurations

To create a Serial Event Configuration, select **Click to Edit Event Configurations**.

Configure Serial Event Connection X

Event Connection Settings

Selected Event Configuration

None v

[Click to Edit Event Configurations](#)

Com Port: COM0 v

Baud Rate: 115200 v

Flow Control: RequestToSend v

Test Connection

This will produce a Serial Event Manager Confirmation screen. Select **Add Config**.

Serial Event Manager Config X

Event Configs

These are the configs saved in the database.

There must be at least one config in the database to link your local connection to.

[Add Config](#)

Details

Event Config Name:

Events

Reset to defaults

User Logged In

☒ Enabled

Event that fires whenever a user is logged in.

Available objects: logUser

Event Message:

User Logged Out

☒ Enabled

Event that fires whenever a user is logged out.

Available objects: logUser

Event Message:

User Scanned

☒ Enabled

Save Cancel

Give the Event Configuration a name in the **Event Config Name field**; Names must be unique.

Serial Event Manager Config X

Event Configs

These are the configs saved in the database.

There must be at least one config in the database to link your local connection to.

Details

Event Config Name:

Events

[Reset to defaults](#)

Once a Configuration is added, you then have the ability to use the default for events or you can adjust the information that will display.

! INFO

The only information that can be selected for each specific Event is what is listed in the Available Objects under each Event.

If information is adjusted and you need to resort back to defaults, there is a **Reset to defaults** button to go back to the original configuration.


Available Events

The following Events are available once a Configuration is created:

- User Logged In
- User Logged Out
- User Scanned
- User Cleared
- Item Issued
- Item Turned In

Selecting a Serial Event Configuration

To select an Event Configuration, refer to the **Selected Event Configuration** section and select the drop down menu to view all Configurations.



Choose the Configuration you would like to use. Once the Configuration is selected, you are able to adjust your Com Port, Baud Rate, and Flow Control. **Flow Control** is a serial communication feature used to manage and configure how data is transmitted through serial ports.

By default, we populate any Com Ports we find a connection to or you are able to manually enter a Com Port if you know which one you will be using.

Configure Serial Event Connection

×

Event Connection Settings

Selected Event Configuration

Configuration 1

▼

[Click to Edit Event Configurations](#)

Com Port: COM0

▼

Baud Rate: 115200

▼

Flow Control: RequestToSend

▼

Test Connection

When the Com Port, Baud Rate, and Flow Control have been configured, press **Done** to Save those changes.

Deleting a Serial Event Configuration

To delete a serial event configuration, select **Click to Edit Event Configuration**.

Configure Serial Event Connection

×

Event Connection Settings

Selected Event Configuration

None

▼

[Click to Edit Event Configurations](#)

Com Port: COM0

▼

Baud Rate: 115200

▼

Flow Control: RequestToSend

▼

Test Connection

This will produce a Serial Event Manager Confirmation screen. Select the **Configuration** you would like to delete by choosing it on the left-hand side of the screen. This will highlight the Configuration blue.

Serial Event Manager Config

Event Configs

These are the configs saved in the database.

There must be at least one config in the database to link your local connection to.

Configuration 1

Configuration 2

Configuration 3

Add Config

Details

Event Config Name: Configuration 3

Events

User Logged In

☒ Enabled

Event that fires whenever a user is logged in.

Available objects: logUser

Event Message: USR.LOGIN:<LogUser.UserId>

User Logged Out

☒ Enabled

Event that fires whenever a user is logged out.

Available objects: logUser

Event Message: USR.LOGOUT:<LogUser.UserId>

User Scanned

☒ Enabled

Reset to defaults

Save

Cancel

With the Configuration highlighted, press **Delete** on your keyboard. When that is completed, select **Save** for changes to take effect.

Version: 9.x

Help



Resources

[Existing User Data Migration Manual](#)

Resources

Existing User Data Migration Manual

The [Existing User Data Migration Manual](#) menu option will direct you to our Version 8 to Version 9 Data Migration Guide. This Manual will assist in the migration process from TCMax® Version 8 to TCMax® Version 9.X.

Issue/Turn-In Instructions

The **Issue/Turn-In Instructions** menu option outlines the issue and turn-in process for items in TCMax®.



Issuing Instructions

Log in to TCMax

Enter the User Id of the User who is receiving items

Enter or Select (from buttons) a Work Location (can be left blank)

Enter the Barcode Ids for the items to be issued

Follow any additional item specific on-screen prompts

Turn-in Instructions (Single Qty Items)

Log in to TCMax

Enter or Select (from buttons) a Work Location (can be left blank)

Enter the Barcode Ids for the items to be returned

Follow any additional item specific on-screen prompts

Turn-in Instructions (Multiple Qty Items)

Log in to TCMax

Enter the UserId of the User who is turning in items

Enter or Select (from buttons) a Work Location (can be left blank)

Enter the Barcode Ids for the items to be returned

Follow any additional item specific on-screen prompts

Close

Shortcuts (F1)

The **Shortcuts** menu option will display different shortcuts/hotkeys that are available for use within TCMax®. The **Shortcuts** menu option can also be access by hitting **F1** on your keyboard.

Database Shortcuts

F11: Backup the database that is connected

Item Shortcuts

F3: Create a new item (with a barcode from primary barcode settings)

Ctrl + F3: Create a new item (with a barcode from secondary settings)

F9: Generate partial barcode with primary prefix values

Ctrl + F9: Generate partial barcode with secondary prefix values

Ctrl + Shift + D: Generate Display only function in main input box

Ctrl + H: Open asset history screen (Asset tracking must be enabled)

Ctrl + K: Open the kit builder screen

Ctrl + N: Create a log note for the item currently displayed on the screen

Ctrl + P: Print a label for the item displayed on the screen

Ctrl + W: Open maintenance history screen

Ctrl + Shift + I: Open inventory screen

Ctrl + Shift + R: Open restock screen

Main Screen Functions

Esc: Clear the user and item from the main screen

Ctrl + I: Open issued items screen

Ctrl + L: Toggle the lower left grid between the event log, user's issued items, and user's expendables

Ctrl + S: Toggle the item information area of the main screen with issued items

F7: Display quick functions

Report Shortcuts

Ctrl + 1: Print an Issue History report for the user on the screen

Ctrl + 2: Print a Log Notes History report for the item on the screen

Ctrl + 4: Print an AF1297 for the user on the screen (issued today only)

Ctrl + Shift + 4: Print an AF1297 for the user on the screen (all issued items)

Alt + 5: Show AF2005 setup screen

Ctrl + 5: Print an AF2005 for the item on the screen

Alt + 6: Show DD 1348-6 setup screen

Ctrl + 6: Print a DD 1348-6 for the item on the screen

Ctrl + 7: Print an AF143 for the item on the screen

Ctrl + Shift + 7: Print an AF310 for the user on the screen

Ctrl + 8: Print a 703 cover sheet for the item on the screen

Ctrl + Shift + 8: Print a 703C cover sheet for the item on the screen

User Shortcuts

F2: Identify a user using the fingerprint reader

F2: Bring the user that is logged in up on the main screen

F4: Create a new user with the next available user barcode from settings
F6: Prompt the user to sign for the items that are issued to that user
F10: Create an 'Item Not Available' log record
F12: Log out the currently logged in user and prompt for login
Ctrl + D: Log that the User is taking the issued items to multiple work locations
Ctrl + R: Print a receipt for the items that are issued to this user
Ctrl + Shift + P: Print a label for the user that is on the main screen
Ctrl + Shift + W: Assign windows user account to a new TCMMax login

Close

User Manual

The **User Manual** menu option will direct you to our digital **User Manual** that contains different guides, instructions, and information regarding the TCMMax® software.

About

The **About** menu option will contain several important pieces of information regarding TCMMax®. Provided below are the fields of what is displayed on the **About** menu.

Build Date

The **Build Date** field signifies when the current installed Version of TCMMax® was published.



About



Build Date:

Thursday, September 1, 2022
at 10:51 AM

Product Version:

9.8.8279.19555


Database Version:

9.8.8279.19555

Product Version and Database Version

The **Product Version** field is used to identify the current installed Version of TCMMax®.

The **Database Version** field is used to identify what Version of TCMMax® your Database is upgraded to.



Licensed To

The **Licensed To** field signifies the company/unit that the TCMMax® installation is licensed to.

Licensed to: Soaring Software

Support Id: S-12345

Status Code: Internal Use Only

Data Source: (localdb)\MSSQLLocalDB

Database: TCMMax

Connected by: Windows Authentication or SQL Server Authentication

Database Location: C:\Users\Public\Documents\TCMax\TCMax.mdf

Support Id

The **Support Id** field is an identifier for your company/unit. Often times when reaching out to our Customer Support Department you will be asked to provide your company/unit Support Id.

Licensed to: Soaring Software
Support Id: S-12345
Status Code: Internal Use Only
Data Source: (localdb)\MSSQLLocalDB
Database: TCMaX
Connected by: Windows Authentication or SQL Server Authentication
Database Location: C:\Users\Public\Documents\TCMaX\TCMaX.mdf

Status Code

The **Status Code** field is used for internal purposes at Soaring Software Solutions, Inc.

Licensed to: Soaring Software
Support Id: S-12345
Status Code: Internal Use Only
Data Source: (localdb)\MSSQLLocalDB
Database: TCMaX
Connected by: Windows Authentication or SQL Server Authentication
Database Location: C:\Users\Public\Documents\TCMaX\TCMaX.mdf

Data Source

The **Data Source** field is used to identify how your current TCMaX® installation is connected.

Typically, if connected to a Stand-Alone, Local Database you will see the following information in your Data Source.

Licensed to: Soaring Software
Support Id: S-12345
Status Code: Internal Use Only
Data Source: (localdb)\MSSQLLocalDB
Database: TCMaX
Connected by: Windows Authentication or SQL Server Authentication
Database Location: C:\Users\Public\Documents\TCMaX\TCMaX.mdf

If connected to a Microsoft SQL Server® you will typically find a bunch of letters or numbers in your Data Source displaying the SQL Server Name.

Database

The **Database** field is used to identify what TCMaX® Database your installation is currently connected to.

Licensed to: Soaring Software
Support Id: S-12345
Status Code: Internal Use Only
Data Source: (localdb)\MSSQLLocalDB
Database: TCMaX
Connected by: Windows Authentication or SQL Server Authentication
Database Location: C:\Users\Public\Documents\TCMaX\TCMaX.mdf

Connected By

The **Connected By** field is used to identify if your TCMaX® Installation is connected by Windows Authentication or SQL Server Authentication.

Licensed to: Soaring Software
Support Id: S-12345
Status Code: Internal Use Only
Data Source: (localdb)\MSSQLLocalDB
Database: TCMaX
Connected by: Windows Authentication or SQL Server Authentication
Database Location: C:\Users\Public\Documents\TCMaX\TCMaX.mdf

Database Location

The **Database Location** field is often only displayed if the [Data Source](#) is set to (localdb)\MSSQLLocalDB as the Database itself is stored locally. When connected to a Microsoft SQL Server®, you will not find a **Database Location** option as the Database is not stored on the local workstation.

Licensed to: Soaring Software
Support Id: S-12345
Status Code: Internal Use Only
Data Source: (localdb)\MSSQLLocalDB
Database: TCMax
Connected by: Windows Authentication or SQL Server Authentication
Database Location: C:\Users\Public\Documents\TCMax\TCMax.mdf

Within the **About** menu, you will also see a **Software License Agreement** and a **Run in Debug Mode** option. The **Run in Debug Mode** option should only be changed when instructed by a Soaring Software Representative.

Visit TCMax Online

The [Visit TCMax Online](#) menu option will direct you to our Soaring Software Solutions, Inc. website.