

# MRC Board Meeting Agenda

## MRC Board Meeting Agenda –9/28/2022

Call to Order

Pledge

Minutes: Additions or Corrections? Motion to approve as read/corrected.

Treasurers Report: Questions?

Membership Report:

Disciplines Reports: Only need to report issues, problems, or wants

- Air Gun Challenge –
- AR Competition –
- Black Powder –
- Bolt Gun –
- Bullseye –
- CMP/DCPM –
- Cowboy –
  - Want to move the big 4-day shoot from 9/21/2023 – 9/24/2023 to 8/17/2023 8/20/2023
- High Power –
- JROTC –
- Junior Smallbore –
- MPS –
- PPC –
- Smallbore Silhouette –
- Smallbore –
- YSSA –
- Pop & Snacks –
- Grounds / Buildings –
  - The floor scrubber is mis-behaving. Greenwood will be picking it up for repair.

# MRC Board Meeting Agenda

## Old Business

- Project for Guy Johnson memorial gift
- New overhead map w/graphics: Current picture is way out of date
  - Move to south side.
  - Wait until smallbore range complete
- Springfield Armory Range Rental:
  - Raffle 1 at January 2022 annual meeting, 1 for possible use at 100-year celebration
  - Need to ask B&B to hold the guns until then
- The orientation video needs updating:
  - 25yd and 50' entry door instructions
  - Ventilation system operation
  - Stress no SG on plywood target backers
  - 25 each, commercial grade Delta 2 handle faucets are \$100 - \$150 each.
- Project for John Miller's money: Looks like \$14,000 is available.
  - Ordered 4+ person golf cart from Harris Golf Cars in Dubuque
- Replace Doolittle Dump Trailer with a Utility Trailer
  - Few people have a truck that can tow it (GVW is 10,000 lbs.). It is 6' X 10', and weighs 3,000 lbs. empty.
  - Hasn't been used in several years. If we need rock, dirt, sand, etc. I think we would have it delivered.
- Instructor Request:
  - Adam Medina wants to use MRC for training. He will be at October meeting
- 25yd Entrance Door:
  - The window insert has been installed.
- Roof:
  - Work was done 9/13 – 9/15
  - Payment has been sent
- 600yd Pit Rebuild:
  - Joyce Taylor presented a plan developed by High Power shooters.
  - Cost estimate is \$50,000
- Conventional Pistol Range Safety Issue:
  - Another occurrence of errant rounds on 9/23 (Fri) at Fall Round-Up. I went through the video and have images of the offender doing CC drills from 7yd line. Also shooting "SBR" from 10yd line.

## MRC Board Meeting Agenda

- I have asked Jerry Kristan, Stan DeMay, and Nick Pappas to look into solutions and bring recommendations to the board.
- The 15yd and 25yd baffles need repairing.
- Need to add 50yd baffle or raise the impact baffle.
- Added some warning signage to firing line, but people can't/don't read or don't care.
- Will replace with "No Shooting Forward Of The Firing Line". Monthly email needs to mention the new restriction.
- Smallbore Range Status:
  - Added 2 "Coming Soon" signs from Hale Printing
- Competition Range Bay 9 Drainage:
  - Board approved \$1,500 for adding a surface drain.
  - Jim electronically accepted the proposal and informed Paul Reinartz to coordinate with Wildt.
- New Well Status:
  - Nate Brockhouse says there is a pump issue that he will correct "sometime".
  - Water test results were "Satisfactory", but county only tested for bacteria.
  - Want a test for iron and manganese as these are causing plumbing issues.
- 100th Year Items:
  - Steve Mathias and Jeff Siirila work to get cap logo worked out
  - Send out survey to see if membership wants a "do"
  - Hat logo survey results
- 25yd Indoor Range Carriers:
  - Current carriers are dropping the cardboard
  - Dan Ide is looking into better carriers.

## MRC Board Meeting Agenda

### New Business

- Move Low Temp Alarm Light
  - Need to move the wellhouse low temp alarm light to south side of block scoring building. Much better visibility to people using lower ranges.
- Coat the Bathroom Floor
  - Would like to coat the bathroom and closet floors with same product as we used on 25yd range.
  - Would make cleaning easier and reduce the unpleasant odors.
  - I have someone who will do it for \$750 – about \$3 per square foot.
  - A one day job, but requires 48 hour cure.
- Run Conduit in Maintenance Building
  - Want conduit run across maintenance building for future circuits in tractor shelter and benchrest building. We have the conduit and this prepares us for better gas barrels.
-