Practical no 1

Aim : To design a user-friendly, responsive, and visually appealing Yoga Day website that promotes the importance of yoga and a healthy lifestyle. The website aims to provide easy access to yoga sessions, event schedules, wellness information, and a simple registration process, encouraging users to participate in Yoga Day activities and practice mindfulness.

Code :

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Yoga Day | Find Your Balance</title>
 <style>
  :root {
   --green: #315c45;
   --light-green: #e6efe4;
   --cream: #faf8f0;
   --orange: #e7a66b;
   --text: #27382e;
   --white: #ffffff;
  }

  * {
   box-sizing: border-box;
   margin: 0;
   padding: 0;
  }

  body {
   font-family: Arial, sans-serif;
   background: var(--cream);
   color: var(--text);
   line-height: 1.6;
  }

  header {
   display: flex;
   justify-content: space-between;
   align-items: center;
   padding: 18px 7%;
   background: var(--white);
   position: sticky;
   top: 0;
   z-index: 10;
   box-shadow: 0 2px 12px #0000000a;
```

```
}

.logo {
  color: var(--green);
  font-size: 24px;
  font-weight: bold;
}

nav {
  display: flex;
  gap: 22px;
  align-items: center;
}

nav a {
  color: var(--text);
  text-decoration: none;
  font-size: 14px;
}

.btn {
  display: inline-block;
  border: none;
  background: var(--green);
  color: white;
  padding: 12px 22px;
  border-radius: 30px;
  cursor: pointer;
  text-decoration: none;
  font-size: 14px;
  transition: 0.2s;
}

.btn:hover {
  background: #234331;
  transform: translateY(-2px);
}

.hero {
  display: grid;
  grid-template-columns: 1.1fr 0.9fr;
  align-items: center;
  gap: 35px;
  padding: 70px 8%;
  background: var(--light-green);
}

.eyebrow {
  color: var(--green);
  font-weight: bold;
  letter-spacing: 2px;
```

```
  font-size: 13px;

  text-transform: uppercase;
}

h1 {
  font-size: clamp(38px, 5vw, 64px);
  line-height: 1.1;
  margin: 16px 0;
  color: var(--green);
}

.hero p {
  max-width: 480px;
  margin-bottom: 25px;
}

.hero-art {
  min-height: 310px;
  display: grid;
  place-items: center;
  border-radius: 45% 45% 20px 20px;
  background: #d3e2ce;
  font-size: 125px;
}

section {
  padding: 65px 8%;
  scroll-margin-top: 85px;
}

.section-heading {
  text-align: center;
  margin-bottom: 35px;
}

.section-heading h2 {
  color: var(--green);
  font-size: 32px;
  margin-bottom: 8px;
}

.grid {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 22px;
}

.card {
  background: var(--white);
  border-radius: 18px;
  padding: 25px;
```

```
  box-shadow: 0 6px 24px #243b2b0b;
}

.card-icon {
  background: var(--light-green);
  width: 65px;
  height: 65px;
  border-radius: 16px;
  display: grid;
  place-items: center;
  font-size: 32px;
  margin-bottom: 18px;
}

.card h3 {
  color: var(--green);
  margin-bottom: 8px;
}

.meta {
  color: #69766d;
  font-size: 13px;
  margin: 10px 0 16px;
}

.tag {
  display: inline-block;
  background: #f7eadc;
  padding: 4px 10px;
  border-radius: 20px;
  font-size: 12px;
  margin-bottom: 12px;
}

.schedule {
  background: var(--light-green);
}

.schedule-item {
  display: flex;
  gap: 20px;
  align-items: center;
  background: white;
  border-radius: 12px;
  padding: 18px;
  margin-bottom: 12px;
}


.time {
  min-width: 100px;
  font-weight: bold;
```

```
  color: var(--green);
 }

 .form-wrap {
  max-width: 560px;
  margin: auto;
  background: white;
  padding: 30px;
  border-radius: 20px;
  box-shadow: 0 6px 24px #243b2b0b;
 }

 label {
  display: block;
  margin: 14px 0 6px;
  font-weight: bold;
  font-size: 14px;
 }
```

Output:



Practical no 2

Aim: To design a professional digital visual design system for Nike that maintains brand consistency through colors, typography, UI components, and responsive layouts, enhancing user experience and brand recognition.

Code :

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>NIKE | Visual Design System</title>

<style>
:root {
  --black: #111111;
  --white: #ffffff;
  --orange: #ff5a1f;
  --gray: #f4f4f4;
  --muted: #737373;
}

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: Arial, sans-serif;
  background: var(--gray);
  color: var(--black);
  line-height: 1.6;
}

header {
  background: var(--black);
  color: var(--white);
  padding: 25px 8%;
  display: flex;
  justify-content: space-between;
  align-items: center;
}

.logo {
  font-size: 30px;
```

```
  font-weight: 900;
  letter-spacing: 3px;
}

header span {
  color: #cccccc;
  font-size: 13px;
}

main {
  max-width: 1100px;
  margin: auto;
  padding: 40px 20px;
}

.hero {
  background: var(--black);
  color: var(--white);
  padding: 55px 40px;
  border-radius: 18px;
  margin-bottom: 30px;
}

.hero p {
  color: #cccccc;
  margin: 12px 0 24px;
}

h1 {
  font-size: clamp(35px, 6vw, 60px);
  line-height: 1.1;
  letter-spacing: -2px;
}

h2 {
  font-size: 22px;
  margin-bottom: 18px;
}

.section {
  background: var(--white);
  padding: 30px;
  border-radius: 16px;
  margin-bottom: 22px;
}

.subtitle {
  color: var(--muted);
  font-size: 14px;
  margin-bottom: 20px;
}
```


```
.colors {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 14px;
}

.swatch {
  height: 90px;
  border-radius: 10px;
  margin-bottom: 10px;
}

.color-name {
  font-weight: bold;
  font-size: 14px;
}

.hex {
  color: var(--muted);
  font-size: 12px;
}
```

Output:-



Practical no 3

Aim: To design and develop a user-friendly, responsive social media webpage that enables users to explore content, view engagement statistics, and create and share posts through an interactive interface.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>SocialHub | Social Media Design</title>

<style>
:root {
  --primary: #6558e8;
  --dark: #202033;
  --light: #f5f5fc;
  --white: #ffffff;
  --muted: #77778b;
}

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: Arial, sans-serif;
  background: var(--light);
  color: var(--dark);
}

header {
  background: var(--dark);
  color: white;
  padding: 22px 7%;
  display: flex;
  justify-content: space-between;
  align-items: center;
}

.logo {
  font-size: 26px;
  font-weight: bold;
}
```

```
.logo span {
  color: #a9a0ff;
}

header a {
  color: white;
  text-decoration: none;
  margin-left: 20px;
}

main {
  max-width: 1100px;
  margin: auto;
  padding: 35px 20px;
}

.hero {
  background: linear-gradient(120deg, #6558e8, #a69cff);
  color: white;
  padding: 45px;
  border-radius: 20px;
  margin-bottom: 30px;
}

.hero h1 {
  font-size: clamp(30px, 5vw, 48px);
  margin-bottom: 12px;
}

.hero p {
  margin-bottom: 22px;
}

button {
  padding: 12px 20px;
  border: none;
  border-radius: 25px;
  cursor: pointer;
  font-weight: bold;
  background: var(--primary);
  color: white;
}

.hero button {
  background: white;
  color: var(--primary);
}


h2 {
  margin-bottom: 18px;
}
```

```
.stats {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 18px;
  margin-bottom: 35px;
}

.card {
  background: white;
  padding: 24px;
  border-radius: 16px;
  box-shadow: 0 5px 20px #2020330a;
}

.card p {
  color: var(--muted);
  font-size: 14px;
}
```

Output:-



Practical No.4

Aim: To design a simple mobile-friendly web interface using HTML and CSS, understanding web and mobile design principles.

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>DeviceLab | Web & Mobile Design</title>

  <style>
    /* Reset */
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    :root {
      --primary: #6558e8;
      --primary-dark: #5143ce;
      --dark: #191a35;
      --text: #666982;
      --light: #f7f7ff;
      --white: #ffffff;
    }

    html {
      scroll-behavior: smooth;
    }

    body {
      font-family: Arial, Helvetica, sans-serif;
      color: var(--dark);
      background: var(--white);
      line-height: 1.6;
    }
```

```
a {
  text-decoration: none;
}

.container {
  width: min(1120px, 90%);
  margin: auto;
}

/* Navigation */
header {
  background: rgba(255, 255, 255, 0.96);
  border-bottom: 1px solid #eeeeF7;
  position: sticky;
  top: 0;
  z-index: 10;
}

.navbar {
  min-height: 76px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 20px;
}

.logo {
  font-size: 25px;
  font-weight: 800;
  letter-spacing: -1px;
  color: var(--dark);
}

.logo span {
  color: var(--primary);
}

.nav-links {
  display: flex;
  align-items: center;
  gap: 30px;
}
```

```
<!-- Navigation -->
<header>
  <div class="container navbar">
    <a href="#home" class="logo">Device<span>Lab.</span></a>

    <nav class="nav-links" aria-label="Main navigation">
      <a href="#home">Home</a>
      <a href="#features">Explore</a>
      <a href="#about">About</a>
      <a href="#features" class="nav-button">Get Started ↗</a>
    </nav>
  </div>
</header>

<main>
  <!-- Hero Section -->
  <section class="hero" id="home">
    <div class="container hero-content">

      <div class="hero-text">
        <span class="eyebrow">DESIGN FOR EVERY DEVICE</span>

        <h1>
          One experience.<br>
          <span>Every screen.</span>
        </h1>

        <p>
          Great design goes beyond the screen size.
          Discover how web and mobile design work
          together to create simple, beautiful and
          user-friendly digital experiences.
        </p>

        <div class="hero-actions">
          <a href="#features" class="btn">
            Explore the Guide →
          </a>

          <a href="#about" class="text-link">
            Learn more ↗
          </a>
        </div>
```

```
      <div class="hero-note">
        Responsive design · Better usability · Modern UI
      </div>
    </div>

    <!-- CSS-created device mockup -->
    <div class="device-stage" aria-label="Illustration of a website on desktop and mobile">
      <div class="glow"></div>

      <div class="float-tag tag-one">
        ✦ Designed for people
      </div>

      <div class="desktop">
        <div class="screen-top">
          <span class="dot"></span>
          <span class="dot"></span>
          <span class="dot"></span>
          <span class="screen-line"></span>
        </div>

        <div class="screen-body">
          <span class="mini-label">WELCOME TO DEVICELAB</span>
          <h3>Design without<br>boundaries.</h3>
          <p>
            Build better digital experiences
            for every screen and every user.
          </p>
          <span class="mini-button">Discover More ↗</span>


          <div class="screen-bottom">
            <div class="mini-card">
              <span></span><i></i>
            </div>
            <div class="mini-card">
              <span></span><i></i>
            </div>
            <div class="mini-card">
              <span></span><i></i>
            </div>
          </div>


<!-- About / Call to action -->
<section class="cta" id="about">
```

```
        <div class="container">
          <div class="cta-box">
            <h2>Good design works everywhere.</h2>
            <p>
              Learn the basics of web and mobile design
              and create digital experiences that feel
              natural on every device.
            </p>
            <a href="#home" class="btn">
              Back to Top ↑
            </a>
          </div>
        </div>
      </section>
    </main>

    <!-- Footer -->
    <footer>
      <div class="container footer-content">
        <a href="#home" class="logo">Device<span>Lab.</span></a>
        <p>UI/UX Design Practical | Design for Devices</p>
        <p>© 2026 DeviceLab</p>
      </div>
    </footer>
  </body>
</html>
```

Output:-





Practical No.5

Aim: To identify target customers through a sample survey and create user personas and empathy maps to understand their needs, feelings, and preferences.

Code:-

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>User Persona and Empathy Map</title>

  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }
    body {
      font-family: Arial, sans-serif;
      background: #f4f6fb;
      color: #263047;
      line-height: 1.6;
    }
    header {
      background: #5145cd;
      color: white;
      padding: 25px 15px;
      text-align: center;
    }

    header h1 {
      font-size: 28px;
    }

    header p {
      margin-top: 5px;
    }
    .container {
```

```
    max-width: 1000px;
    width: 90%;
    margin: 30px auto;
}
.section-title {
    margin-bottom: 18px;
    color: #5145cd;
}
.card {
    background: white;
    padding: 22px;
    border-radius: 12px;
    box-shadow: 0 4px 15px #0000000c;
    margin-bottom: 25px;
}
/* Survey summary */
.stats {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 15px;
    margin-bottom: 30px;
}
.stat {
    background: white;
    padding: 20px;
    border-radius: 12px;
    text-align: center;
    border-bottom: 4px solid #7468ed;
}
.stat h2 {
    color: #5145cd;
    font-size: 28px;
}
<!-- Survey Results -->
<h2 class="section-title">Sample Survey Results</h2>

<section class="card">
    <table>
      <thead>
        <tr>
          <th>Question</th>
          <th>Popular Response</th>
          <th>Percentage</th>
        </tr>
```

```
        </thead>

        <tbody>
          <tr>
            <td>Preferred device?</td>
            <td>Mobile phone</td>
            <td>70%</td>
          </tr>


          <tr>
            <td>Important website feature?</td>
            <td>Easy navigation</td>
            <td>60%</td>
          </tr>

          <tr>
            <td>What attracts customers?</td>
            <td>Affordable prices</td>
            <td>75%</td>
          </tr>

          <tr>
            <td>What causes frustration?</td>
            <td>Slow loading</td>
            <td>65%</td>
          </tr>
        </tbody>
      </table>

      <p style="margin-top: 15px; font-size: 12px; color: #697386;">
        Note: The survey figures above are illustrative sample
        data for this college practical, not actual survey findings.
      </p>
    </section>
  </main>
  <footer>
    <p>UI/UX Design Practical No. 5 | User Research</p>
  </footer>
</body>
</html>
```

Output:-


User Persona & Empathy Map
Understanding Our Customers Through a Sample Survey
Survey Overview
20
Sample Respondents
70%
Prefer Mobile Shopping
60%
Prefer Easy Navigation
Customer Persona
Shubham Prajapati
College Student | Age: 21
Mobile Shopper
Priya is a college student who uses her smartphone to browse products, compare prices, and shop online. She prefers websites that are simple and easy to use.
Goals
Find affordable products and shop quickly.
Needs
Clear product details and simple navigation.
Frustrations
Slow websites and complicated checkout forms.
Preferences
Mobile-friendly design and secure payments.

Practical No. 6

Aim: To design a simple low-fidelity wireframe representing the basic layout and structure of a website.

Code:-


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Low-Fidelity Wireframe</title>
  <style>
    * {
      box-sizing: border-box;
      margin: 0;
      padding: 0;
    }
    body {
      font-family: Arial, sans-serif;
      background: #eeeeee;
      color: #333333;
      padding: 20px;
    }
    .wireframe {
      max-width: 900px;
      margin: auto;
      background: white;
      padding: 15px;
```

```
    border: 2px dashed #888888;
}
.header {
    border: 2px solid #777777;
    background: #dddddd;
    text-align: center;
    padding: 22px;
    margin-bottom: 12px;
}
.navbar {
    display: flex;
    justify-content: space-around;
    gap: 10px;
    background: #cccccc;
    border: 2px solid #777777;
    padding: 14px;
    margin-bottom: 15px;
}
.navbar span {
    background: #eeeeee;
    border: 1px solid #888888;
    padding: 8px 15px;
}
.hero {
    border: 2px solid #777777;
    background: #e5e5e5;
    text-align: center;
    padding: 35px 15px;
    margin-bottom: 15px;
}
```

```
.hero h2 {
   margin-bottom: 10px;
}
.button {
   display: inline-block;
   margin-top: 15px;
   padding: 10px 22px;
   background: #bbbbbb;
   border: 2px solid #777777;
}
.content {
   display: grid;
   grid-template-columns: 2fr 1fr;
   gap: 15px;
   margin-bottom: 15px;
}
.main-content,
.sidebar {
   border: 2px solid #777777;
   background: #eeeeee;
      <header class="header">
   <h1>Website Header / Logo</h1>
</header>
<nav class="navbar">
   <span>Home</span>
   <span>About</span>
   <span>Services</span>
   <span>Contact</span>
</nav>
<section class="hero">
```

```
        <h2>Main Heading</h2>
        <p>Short description of the website</p>
        <div class="button">Call to Action</div>
      </section>
      <div class="content">
        <section class="main-content">
          <h2>Main Content</h2>
          <div class="placeholder">Image Placeholder</div>
          <div class="line"></div>
          <div class="line short"></div>
        </section>
        <aside class="sidebar">
          <h3>Sidebar</h3>
          <div class="line"></div>
          <div class="line"></div>
          <div class="placeholder">Image / Info</div>
        </aside>
      </div>
      <footer class="footer">
        <p>Footer | Copyright Information</p>
      </footer>
    </div>
</body>
</html>
```

Output:-


Website Header / Logo
Home
About
Services
Contact
Main Heading
Short description of the website
Call to Action
Main Content
Image Placeholder
Sidebar
Image / Info
Footer | Copyright Information

Practical No. 7

Aim : To design a simple and attractive user interface (UI) by selecting appropriate colours and typography to improve readability, visual appeal, and user experience.

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Student Dashboard UI/UX</title>
<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700;800&display=swap" rel="stylesheet">

<style>
:root {
 --primary: #6750e8;
 --secondary: #9278ff;
 --background: #f5f6fc;
 --surface: #ffffff;
 --text: #20213a;
 --muted: #8589a5;
 --accent: #ffb86b;
 --success: #32b995;
}
* {
 margin: 0;
 padding: 0;
 box-sizing: border-box;
```

```
}
body {
  font-family: 'Poppins', sans-serif;
  background: var(--background);
  color: var(--text);
}
.layout {
  display: flex;
  min-height: 100vh;
}
.sidebar {
  width: 245px;
  background: #fff;
  padding: 30px 20px;
  border-right: 1px solid #eeeef5;
  flex-shrink: 0;
}
.logo {
  color: var(--primary);
  font-size: 23px;
  font-weight: 800;
  margin-bottom: 40px;
}
.logo span {
  color: var(--text);
}

.menu-title {
  color: var(--muted);
  font-size: 11px;
  margin: 22px 12px 12px;
```

```
  letter-spacing: 1.5px;
}
.nav a {
  display: block;
  text-decoration: none;
  color: #777b96;
  padding: 12px;
  border-radius: 12px;
  margin: 5px 0;
  font-size: 13px;
  transition: .25s;
}
.nav a:hover,
.nav a.active {
  background: #eeeaff;
  color: var(--primary);
  font-weight: 600;
}
.main {
  flex: 1;
  padding: 30px 35px;
  min-width: 0;
}
.topbar {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 15px;
  margin-bottom: 35px;
}
.search {
```


```
  background: white;
  border: 1px solid #e9e9f3;
  border-radius: 12px;
  padding: 12px 16px;
  width: 270px;
  font-family: inherit;
  outline: none;
}
.search:focus {
  border-color: var(--primary);
}
.profile {
  display: flex;
  align-items: center;
  gap: 12px;
  font-size: 13px;
  font-weight: 600;
}
.avatar {
  width: 43px;
  height: 43px;
  border-radius: 50%;
  background: #e4dcff;
  display: grid;
  place-items: center;
  font-size: 22px;
}
h1 {
  font-size: clamp(24px, 3vw, 32px);
  font-weight: 700;
  letter-spacing: -1px;
```

```
    <div class="profile">
      <div class="avatar">👨‍🎓</div>
      <div>
        Student Name
        <div style="color:#8589a5;font-size:11px;font-weight:400">
          MSc Computer Science
        </div>
      </div>
    </div>
  </header>

  <h1>Welcome back, Student! 👋</h1>
  <p class="subtitle">Keep learning, keep growing. Your future starts here.</p>
 document.getElementById('noResults').style.display =
  visible ? 'none' : 'block';
});

function showTip() {
 const tips = [
  'Believe in yourself and keep moving forward! 🌟',
  'Consistency is the key to success. 💪',
  'Every expert was once a beginner. 🚀',
  'Learn something new every day! 📚'
 ];
 const randomTip = tips[Math.floor(Math.random() * tips.length)];
 document.getElementById('motivation').textContent = randomTip;
}
</script>
</body>
</html>
```

Output:-


EduSpace.
MAIN MENU
Dashboard
My Courses
Assignments
My Progress
PERSONAL
Study Tips
Settings
Search courses...
Student Name
MSc Computer Science
Welcome back, Student!
Keep learning, keep growing. Your future starts here.
Learning made beautiful
Every small step brings you closer to your goals. Continue your courses and achieve something amazing today.
Explore My Courses →
Your Overview
Enrolled Courses
06
Completed Lessons
24
Learning Progress
75%

Practical No. 8

Aim :- To design a simple and user-friendly e-commerce interface using HTML, CSS, and JavaScript, featuring product images, search functionality, category filters, and a shopping cart to enhance the online shopping experience.

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>ShopEasy - E-Commerce</title>
 <style>
  * {
   margin: 0;
   padding: 0;
   box-sizing: border-box;
   font-family: Arial, sans-serif;
  }
  body {
   background: #f5f6fa;
   color: #222;
  }
  header {
   background: #ffffff;
   padding: 18px 8%;
   display: flex;
   justify-content: space-between;
   align-items: center;
```

```
  box-shadow: 0 2px 8px #ddd;
  gap: 15px;
  flex-wrap: wrap;
}
header h2 {
  color: #5b4bdb;
}

header input {
  padding: 10px;
  width: 40%;
  border: 1px solid #ddd;
  border-radius: 6px;
}
.cart {
  background: #5b4bdb;
  color: white;
  padding: 10px 15px;
  border-radius: 6px;
}
.hero {
  margin: 30px auto;
  width: 84%;
  padding: 45px 30px;
  background: #e8e5ff;
  border-radius: 12px;
  text-align: center;
}
.hero h1 {
  font-size: 32px;
  margin-bottom: 12px;
```

```
}
.hero p {
  margin-bottom: 20px;
  color: #555;
}
.hero button, .product button {
  background: #5b4bdb;
  color: white;
  border: none;
  padding: 11px 16px;
  border-radius: 6px;
  cursor: pointer;
}
.hero button:hover, .product button:hover {
  background: #4032ad;
}
.section {
  width: 84%;
  margin: 30px auto;
}
.section h2 {
  margin-bottom: 20px;
}
.filters {
  display: flex;
  gap: 10px;
  flex-wrap: wrap;
  margin-bottom: 22px;
}
.filters button {
  padding: 9px 16px;
```

```
  border: 1px solid #5b4bdb;
  border-radius: 20px;
  cursor: pointer;
  background: white;
  color: #5b4bdb;
}
.filters button.active {
  background: #5b4bdb;
  color: white;
}
.products {
  display: grid;
  grid-template-columns: repeat(4, minmax(0, 1fr));
  gap: 20px;
}
.product {
  background: white;
  border-radius: 10px;
  padding: 15px;
  box-shadow: 0 3px 10px #e5e5e5;
  transition: transform 0.2s;
}
.product:hover {
  transform: translateY(-5px);
}
.product img {
  width: 100%;
  height: 155px;
  object-fit: contain;
  margin-bottom: 12px;
}
```


```
.product h3 {
  font-size: 17px;
  margin-bottom: 8px;
}
.product p {
  color: #666;
  margin-bottom: 12px;
}
function filterProducts() {
  const query = search.value.toLowerCase();
  let visibleCount = 0;
  products.forEach(product => {
    const matchesSearch =
      product.textContent.toLowerCase().includes(query);
    const matchesCategory =
      selectedCategory === "All" ||
      product.dataset.category === selectedCategory;
    const visible = matchesSearch && matchesCategory;
    product.hidden = !visible;

    if (visible) visibleCount++;
  });

  empty.hidden = visibleCount !== 0;
}
search.addEventListener("input", filterProducts);
document.querySelectorAll(".filters button").forEach(button => {
  button.addEventListener("click", () => {
    selectedCategory = button.dataset.category;
    document.querySelectorAll(".filters button")
```

```
      .forEach(btn => btn.classList.remove("active"));
    button.classList.add("active");
    filterProducts();
  });
});
</script>
</body>
</html>
```

Output:-



Practical No. 9

Aim:- To design a simple and attractive homepage for a mobile shop using HTML, CSS, and JavaScript, featuring smartphone products, functionality, special offers, and a shopping cart to provide a user-friendly shopping experience.

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>MobileZone | Premium Smartphones</title>
 <style>
  * {
   margin: 0;
   padding: 0;
   box-sizing: border-box;
   font-family: Arial, sans-serif;
  }
  body {
   background: #f5f7fb;
   color: #172033;
  }
  /* Navigation */
  header {
   background: #10172a;
   color: white;
   padding: 18px 7%;
   display: flex;
```

```
  justify-content: space-between;
  align-items: center;
  gap: 20px;
  flex-wrap: wrap;
}
.logo {
  font-size: 27px;
  font-weight: bold;
  color: #56e0c1;
}
nav {
  display: flex;
  align-items: center;
  gap: 22px;
  flex-wrap: wrap;
}
nav a {
  color: white;
  text-decoration: none;
  font-size: 14px;
}
nav a:hover {
  color: #56e0c1;
}
.cart {
  background: #56e0c1;
  color: #10172a;
  border: none;
  padding: 11px 16px;
  border-radius: 9px;
  font-weight: bold;
```

```
  cursor: pointer;
}
/* Hero section */
.hero {
  min-height: 410px;
  padding: 65px 7%;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 35px;
  flex-wrap: wrap;
  background: linear-gradient(120deg, #10172a, #253e69);
  color: white;
}
.hero-content {
  flex: 1 1 300px;
}
.hero-content span {
  color: #56e0c1;
  font-weight: bold;
  letter-spacing: 2px;
}
.hero h1 {
  font-size: clamp(35px, 5vw, 58px);
  line-height: 1.15;
  margin: 18px 0;
}
.hero p {
  color: #d3dced;
  line-height: 1.8;
  margin-bottom: 25px;
```


```
  max-width: 470px;
}
        <button class="add-btn" onclick="addToCart(${index})">
          + Add to Cart
        </button>
      </div>
    </article>
  `;
 }).join("");
}

function setCategory(category, button) {
 selectedCategory = category;

 document.querySelectorAll(".filter-btn").forEach(btn => {
  btn.classList.remove("active");
 });
 button.classList.add("active");
 renderProducts();
}
function addToCart(index) {
 cart.push(products[index]);
 document.getElementById("cart-count").textContent = cart.length;
 alert(products[index].name + " added to your cart!");
}
function showCart() {
 if (cart.length === 0) {
  alert("Your cart is empty!");
  return;
 }
```

```
    const total = cart.reduce((sum, item) => sum + item.price, 0);
    const items = cart.map(item =>
      item.name + " - " + formatPrice(item.price)
    ).join("\n");
    alert(
      "YOUR SHOPPING CART\n\n" +
      items +
      "\n\nTotal: " + formatPrice(total) +
      "\n\nCheckout functionality can be connected to your store."
    );
  }
  renderProducts();
 </script>
</body>
</html>
```

Output:-



Practical No. 10

Aim:- Create separate responsive website interfaces for two different brands using HTML, CSS, and JavaScript, with a preview for each.

A) Apple website — Minimalist design

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Apple — Think Different</title>
<style>
:root {
  --bg: #f5f5f7;
  --ink: #1d1d1f;
  --muted: #6e6e73;
  --blue: #0071e3;
}
* { box-sizing: border-box; margin: 0; padding: 0; }
html { scroll-behavior: smooth; }
body {
  font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Arial, sans-serif;
  background: var(--bg);
  color: var(--ink);
}
a { color: inherit; text-decoration: none; }
header {
  min-height: 52px;
```

```
  padding: 12px 6%;
  background: #ffffffee;
  backdrop-filter: blur(16px);
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 18px;
  position: sticky;
  top: 0;
  z-index: 10;
  border-bottom: 1px solid #ddd8;
}
.logo { font-size: 23px; font-weight: 700; letter-spacing: -1px; }
nav { display: flex; gap: 24px; align-items: center; flex-wrap: wrap; }
nav a { font-size: 13px; color: #333; }
nav a:hover { color: var(--blue); }
.bag {
  border: 0; background: var(--ink); color: white;
  border-radius: 18px; padding: 8px 13px; cursor: pointer;
}
.announcement {
  text-align: center; padding: 12px;
  background: white; font-size: 13px; color: #424245;
}
.announcement a { color: var(--blue); }
.hero {
  text-align: center; padding: 65px 6% 35px; overflow: hidden;
}
.eyebrow {
  font-size: 13px; font-weight: 600;
  color: var(--muted); letter-spacing: .5px;
```

```
}
.hero h1 {
  font-size: clamp(42px, 7vw, 76px);
  line-height: 1.02; letter-spacing: -3.5px; margin: 12px 0;
}
.hero p {
  font-size: clamp(17px, 2vw, 22px);
  color: var(--muted); margin: 0 auto 22px; max-width: 650px;
}
.actions {
  display: flex; justify-content: center; gap: 12px; flex-wrap: wrap;
}
.btn {
  border: 0; border-radius: 24px; padding: 12px 20px;
  font-weight: 600; cursor: pointer; font-size: 14px;
}
.primary { background: var(--blue); color: white; }
.secondary {
  background: transparent; color: var(--blue);
  border: 1px solid var(--blue);
}
.hero-visual {
  margin: 35px auto 0; max-width: 720px; min-height: 270px;
  border-radius: 28px;
  background: radial-gradient(circle at 50% 30%, #fff, #dfe5f0 65%, #cfd4de);
  display: flex; align-items: center; justify-content: center;
  document.getElementById("bagCount").textContent = bag.length;
  alert(name + " added to your demo bag.");
}
function showBag() {
  if (bag.length === 0) {
```

```
    alert("Your bag is empty. Explore a product to get started.");
    return;
   }
   alert(
    "Your demo bag:\n\n" +
    bag.map((item, index) => (index + 1) + ". " + item).join("\n")
   );
  }
  </script>
  </body>
 </html>
```

Output:-



B) Nike website — Bold, sporty design

Code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name= bora"viewport" content="width=device-width, initial-scale=1.0">
<title>Nike — Just Do It</title>

<style>
:root {
  --black: #111;
  --white: #fff;
  --lime: #d7ff00;
  --gray: #f1f1f1;
  --muted: #6b6b6b;
}
* { box-sizing: border-box; margin: 0; padding: 0; }
html { scroll-behavior: smooth; }
body {
  font-family: Impact, "Arial Narrow", Arial, sans-serif;
  background: white;
  color: var(--black);
}
a { color: inherit; text-decoration: none; }
.promo {
  background: #e9e9e9; text-align: center;
  padding: 9px 15px; font: 12px Arial, sans-serif;
  letter-spacing: .3px;
```

```
}
header {
  display: flex; align-items: center; justify-content: space-between;
  padding: 16px 6%; gap: 18px; border-bottom: 1px solid #eee;

  background: white; position: sticky; top: 0; z-index: 5;
}
.logo {
  font-size: 30px; font-weight: 1000; font-style: italic;
  letter-spacing: -2px; transform: skew(-10deg);
}
nav { display: flex; gap: 24px; align-items: center; flex-wrap: wrap; }
nav a { font: 700 13px Arial, sans-serif; text-transform: uppercase; }
nav a:hover { border-bottom: 2px solid #111; }
.cart {
  border: 0; border-radius: 30px; padding: 10px 15px;
  background: #111; color: white; cursor: pointer; font-weight: bold;
}
.hero {
  background: var(--lime); padding: 50px 7% 45px;
  display: grid; grid-template-columns: 1fr 1fr;
  align-items: center; gap: 25px; min-height: 390px;
}
.kicker { font: 800 12px Arial, sans-serif; letter-spacing: 2px; }
.hero h1 {
  font-size: clamp(56px, 9vw, 112px);
  line-height: .84; text-transform: uppercase;
  letter-spacing: -4px; margin: 20px 0;
}
.hero p {
  font: 16px/1.6 Arial, sans-serif;
```

```
  max-width: 440px; margin-bottom: 23px;
}
.btn {
  border: 0; border-radius: 30px; padding: 13px 22px;
  background: #111; color: white; font: 700 13px Arial, sans-serif;

  text-transform: uppercase; cursor: pointer; display: inline-block;
}
.btn:hover { background: #333; }
.hero-art {
  min-height: 240px; display: flex;
  align-items: center; justify-content: center; position: relative;
}
.circle {
  width: min(300px, 70vw); aspect-ratio: 1; border-radius: 50%;
  background: white; display: flex; align-items: center;
  justify-content: center; transform: rotate(-13deg);
  box-shadow: 15px 18px 0 #111;
}
.shoe {
  font-size: clamp(70px, 12vw, 130px);
  filter: drop-shadow(0 15px 6px #0002);
  transform: rotate(-18deg);
}
.section { padding: 50px 7%; }
.section-head {
  display: flex; align-items: end; justify-content: space-between;
  gap: 18px; margin-bottom: 24px; flex-wrap: wrap;
}
.section-head h2 {
  font-size: clamp(32px, 5vw, 54px);
```

```
line-height: .95; text-transform: uppercase; letter-spacing: -1px;


  const total = bag.reduce((sum, item) => sum + item.price, 0);
  const items = bag.map((item, index) => {
    return (index + 1) + ". " + item.name +


      " — ₹" + item.price.toLocaleString("en-IN");
  }).join("\n");
  alert(
    "YOUR BAG\n\n" + items +
    "\n\nTotal: ₹" + total.toLocaleString("en-IN")
  );
}
</script>
</body>
</html>
```

Output:-

