Directed Acyclic Graphs

Sociol 114


6 Feb 2025

Learning goals for today


At the end of class, you will be able to:

- 1. Read a Directed Acyclic Graph
- 2. Recognize causal paths
- 3. Understand two key structures
 - ► Fork structures ($\bullet \leftarrow \bullet \rightarrow \bullet$)
 - ► Collider structures ($\bullet \rightarrow \bullet \leftarrow \bullet$)
- 4. List all paths in a DAG
- Determine which paths are blocked under a particular adjustment set
- 6. Select a sufficient adjustment set to isolate causal paths


A hypothetical experiment: Conditional randomization




Outcome: Employed at age 40



- ▶ **Nodes** (X, A, Y) are random variables
- ▶ **Edges** (\rightarrow) are causal relationships.
 - ► X has a causal effect on A
 - ➤ X has a causal effect on Y
 - ► A has a causal effect on Y




A **path** is a sequence of edges connecting two nodes.



A path is a sequence of edges connecting two nodes.

Between A and Y, what are the two paths?



A path is a sequence of edges connecting two nodes.

Between A and Y, what are the two paths?


- ightharpoonup A
 ightarrow Y
- $\blacktriangleright \ A \leftarrow X \rightarrow Y$



A path in which arrows point in the same direction


 $\bullet \to \bullet \to \bullet$

A path in which arrows point in the same direction



ullet o o o


A path in which arrows point in the same direction



$$\begin{array}{l} A \rightarrow Y \\ A \rightarrow M \rightarrow Y \\ A \leftarrow X \rightarrow Y \end{array}$$

ullet o o o


A path in which arrows point in the same direction



$$egin{array}{ll} A
ightarrow Y & {
m causal\ path} \ A
ightarrow M
ightarrow Y \ A \leftarrow X
ightarrow Y \end{array}$$

ullet o o o


A path in which arrows point in the same direction



$$A o Y$$
 causal path $A o M o Y$ causal path $A \leftarrow X o Y$

 $\bullet \to \bullet \to \bullet$

A path in which arrows point in the same direction



$$A o Y$$
 causal path $A o M o Y$ causal path $A \leftarrow X o Y$ not a causal path

Causal path: Marginal dependence

 $\bullet \to \bullet \to \bullet$

A causal path $A \to \cdots \to B$ will make the variables A and B statistically dependent

Example:

 $(\text{visits grocery store}) \rightarrow (\text{buys ice cream}) \rightarrow (\text{eats ice cream})$

Causal path: Marginal dependence

 $\bullet \to \bullet \to \bullet$

A causal path $A \to \cdots \to B$ will make the variables A and B statistically dependent

Example:

(visits grocery store) \rightarrow (buys ice cream) \rightarrow (eats ice cream)

What if we condition: filter to those with (buys ice cream = FALSE)?

Causal path: Conditional independence

ullet o o o

A causal path $A \to \cdots \to B$ will not make the variables A and B statistically dependent if we condition on a variable along the path

Example:

 $(\text{visits grocery store}) \rightarrow \Big| \, (\text{buys ice cream}) \, \Big| \rightarrow (\text{eats ice cream})$

Causal path: Conditional independence

 $\bullet \to \bullet \to \bullet$

A causal path $A \to \cdots \to B$ will not make the variables A and B statistically dependent if we condition on a variable along the path

Example:

$$(\text{visits grocery store}) \rightarrow \Big| \, (\text{buys ice cream}) \, \Big| \rightarrow (\text{eats ice cream})$$

Among people who didn't buy ice cream today, those who went to the store and didn't are equally likely to be eating ice cream.

Causal path: Conditional independence

 $\bullet \to \bullet \to \bullet$

A causal path $A \to \cdots \to B$ will not make the variables A and B statistically dependent if we condition on a variable along the path

Example:

$$(\text{visits grocery store}) \rightarrow \boxed{(\text{buys ice cream})} \rightarrow (\text{eats ice cream})$$

Among people who didn't buy ice cream today, those who went to the store and didn't are equally likely to be eating ice cream.

Conditioning on (buys ice cream = FALSE) **blocks** this path.

Fork structure




A sequence of edges within a path in which two variables are both caused by a third variable: $A \leftarrow C \rightarrow B$

Fork structure



A sequence of edges within a path in which two variables are both caused by a third variable: $A \leftarrow C \rightarrow B$

In our initial graph, what path contains a fork structure?



Recall that there are two paths:


- 1. $A \rightarrow Y$
- 2. $A \leftarrow X \rightarrow Y$

Fork structure



A sequence of edges within a path in which two variables are both caused by a third variable: $A \leftarrow C \rightarrow B$

In our initial graph, what path contains a fork structure?



Recall that there are two paths:

- 1. $A \rightarrow Y$
- 2. $A \leftarrow X \rightarrow Y$ (this path contains a fork structure)

 $\bullet \leftarrow \bullet \rightarrow \bullet$

A fork structure $A \leftarrow C \rightarrow B$ will make A and B statistically dependent (because C causes both).

Example:

(completed college) \leftarrow (top 25% of high school) \rightarrow (employed at 40)

 $\bullet \leftarrow \bullet \rightarrow \bullet$

A fork structure $A \leftarrow C \rightarrow B$ will make A and B statistically dependent (because C causes both).

Example:

 $(\mathsf{lifeguard}\ \mathsf{rescues}) \leftarrow (\mathsf{temperature}) \rightarrow (\mathsf{ice}\ \mathsf{cream}\ \mathsf{sales})$

 $\bullet \leftarrow \bullet \rightarrow \bullet$

A fork structure $A \leftarrow C \rightarrow B$ will make A and B statistically dependent (because C causes both).

Example:

 $(\mathsf{lifeguard}\ \mathsf{rescues}) \leftarrow (\mathsf{temperature}) \rightarrow (\mathsf{ice}\ \mathsf{cream}\ \mathsf{sales})$

On days with many lifeguard rescues, there are also many ice cream sales. Warm temperature causes both.

 $\bullet \leftarrow \bullet \rightarrow \bullet$

A fork structure $A \leftarrow C \rightarrow B$ will make A and B statistically dependent (because C causes both).

Example:

 $(\mathsf{lifeguard}\ \mathsf{rescues}) \leftarrow (\mathsf{temperature}) \rightarrow (\mathsf{ice}\ \mathsf{cream}\ \mathsf{sales})$

On days with many lifeguard rescues, there are also many ice cream sales. Warm temperature causes both.

What if we look only at days with a given temperature?

Fork structure: Conditional independence

$$\bullet \leftarrow \bullet \rightarrow \bullet$$

A fork structure $A \leftarrow \boxed{C} \rightarrow B$ does not make A and B statistically dependent if we condition on C.

Example:

$$(\mathsf{lifeguard\ rescues}) \leftarrow \boxed{(\mathsf{temperature})} \rightarrow (\mathsf{ice\ cream\ sales})$$

Among days with a given temperature, lifeguard rescues and ice cream sales are unrelated.

Conditioning on (temperature) blocks this path.

Collider structure



A sequence of edges within a path in which two variables both cause a third variable: $A \to C \leftarrow B$

Collider structure

ullet o o \leftarrow extstyle

A sequence of edges within a path in which two variables both cause a third variable: $A \rightarrow C \leftarrow B$

Example:

- ► sprinklers on a timer
- ► rain on random days
- ▶ either one can make the grass wet

 $(\mathsf{sprinklers}\ \mathsf{on}) \to (\mathsf{grass}\ \mathsf{wet}) \leftarrow (\mathsf{raining})$

Collider structure

$$ullet$$
 o o \leftarrow $extstyle$

A sequence of edges within a path in which two variables both cause a third variable: $A \rightarrow C \leftarrow B$

Example:

- ► sprinklers on a timer
- ► rain on random days
- ▶ either one can make the grass wet

$$(\mathsf{sprinklers}\ \mathsf{on}) \to (\mathsf{grass}\ \mathsf{wet}) \leftarrow (\mathsf{raining})$$

Are (sprinklers on) and (raining) statistically related?

Collider structure: Marginal independence

$$ullet$$
 o o \leftarrow $extstyle$

In a collider structure $A \rightarrow C \leftarrow B$, A and B are marginally independent.

$$(\mathsf{sprinklers}\ \mathsf{on}) \to (\mathsf{grass}\ \mathsf{wet}) \leftarrow (\mathsf{raining})$$

Knowing (sprinklers on = TRUE) tells me nothing about whether (raining = TRUE)

Collider structure: Marginal independence

$$\bullet \to \bullet \leftarrow \bullet$$

In a collider structure $A \rightarrow C \leftarrow B$, A and B are marginally independent.

$$(\mathsf{sprinklers}\ \mathsf{on}) \to (\mathsf{grass}\ \mathsf{wet}) \leftarrow (\mathsf{raining})$$

Knowing (sprinklers on = TRUE) tells me nothing about whether (raining = TRUE)

What if I condition: look only at days when the grass is wet?

Collider structure: Conditional dependence

ullet o o o

 $(\mathsf{sprinklers}\ \mathsf{on}) \to \boxed{(\mathsf{grass}\ \mathsf{wet})} \leftarrow (\mathsf{raining})$

Collider structure: Conditional dependence

$$\bullet \to \bullet \leftarrow \bullet$$

$$(\mathsf{sprinklers}\;\mathsf{on}) \to \boxed{(\mathsf{grass}\;\mathsf{wet})} \leftarrow (\mathsf{raining})$$

```
Among days when (grass wet = TRUE), if (sprinklers on = FALSE) then it must be (raining = TRUE) (grass had to get wet somehow!)
```

Collider structure: Conditional dependence

$$\bullet \to \bullet \leftarrow \bullet$$

$$(\mathsf{sprinklers}\;\mathsf{on}) \to \boxed{(\mathsf{grass}\;\mathsf{wet})} \leftarrow (\mathsf{raining})$$

Among days when (grass wet = TRUE), if (sprinklers on = FALSE) then it must be (raining = TRUE) (grass had to get wet somehow!)

In a collider structure $A \rightarrow [C] \leftarrow B$, A and B are conditionally dependent.

Three structures

		\boldsymbol{A} and \boldsymbol{B}	\boldsymbol{A} and \boldsymbol{B}
		marginally	conditionally
Name	Structure	dependent?	dependent given C?
Causal path	$A \rightarrow C \rightarrow B$	Yes	No
Fork	$A \leftarrow C \rightarrow B$	Yes	No
Collider	$A \rightarrow C \leftarrow B$	No	Yes

A path can involve forks, colliders, and causal paths

 $(\mathsf{timer}\;\mathsf{displays}\;\mathsf{clock}) \leftarrow (\mathsf{timer}\;\mathsf{works}) \rightarrow (\mathsf{sprinklers}\;\mathsf{on}) \rightarrow (\mathsf{grass}\;\mathsf{wet}) \leftarrow (\mathsf{raining})$

```
 \begin{tabular}{ll} (timer \ displays \ clock) \leftarrow (timer \ works) \rightarrow (sprinklers \ on) \rightarrow (grass \ wet) \leftarrow (raining) \\ (timer \ displays \ clock) \ is \ statistically \ related \ to \ which \ variables? \\ timer \ works \\ sprinklers \ on \\ grass \ wet \\ raining \end{tabular}
```

```
 \begin{tabular}{ll} (timer \ displays \ clock) \leftarrow (timer \ works) \rightarrow (sprinklers \ on) \rightarrow (grass \ wet) \leftarrow (raining) \\ (timer \ displays \ clock) \ is \ statistically \ related \ to \ which \ variables? \\ timer \ works \ \ yes \\ sprinklers \ on \\ grass \ wet \\ raining \end{tabular}
```

```
 \begin{tabular}{ll} (timer \ displays \ clock) \leftarrow (timer \ works) \rightarrow (sprinklers \ on) \rightarrow (grass \ wet) \leftarrow (raining) \\ (timer \ displays \ clock) \ is \ statistically \ related \ to \ which \ variables? \\ timer \ works \ \ yes \\ sprinklers \ on \ \ yes \\ grass \ wet \\ raining \end{tabular}
```

```
 \begin{array}{l} ({\sf timer \ displays \ clock}) \leftarrow ({\sf timer \ works}) \rightarrow ({\sf sprinklers \ on}) \rightarrow ({\sf grass \ wet}) \leftarrow ({\sf raining}) \\ \\ ({\sf timer \ displays \ clock}) \ {\sf is \ statistically \ related \ to \ which \ variables?} \\ \\ {\sf timer \ works \ \ yes} \\ {\sf sprinklers \ on \ \ yes} \\ {\sf grass \ wet \ \ \ yes} \\ \\ {\sf raining} \end{array}
```

```
(timer displays clock) ← (timer works) → (sprinklers on) → (grass wet) ← (raining)
(timer displays clock) is statistically related to which variables?
timer works yes
sprinklers on yes
grass wet yes
raining no
```

```
 \begin{array}{ll} \text{(timer displays clock)} \leftarrow \text{(timer works)} \rightarrow \text{(sprinklers on)} \rightarrow \text{(grass wet)} \leftarrow \text{(raining)} \\ \\ \text{(timer displays clock)} \text{ is statistically related to which variables?} \\ \\ \text{timer works} & \text{yes} \\ \\ \text{sprinklers on} & \text{yes} \\ \\ \text{grass wet} & \text{yes} \\ \\ \text{raining} & \text{no} \\ \end{array}
```

We just learned: One collider can block an entire path

 $(\mathsf{timer\ displays\ clock}) \leftarrow (\mathsf{timer\ works}) \rightarrow \boxed{(\mathsf{sprinklers\ on})} \rightarrow (\mathsf{grass\ wet}) \leftarrow (\mathsf{raining})$

```
(timer displays clock) ← (timer works) → (sprinklers on) → (grass wet) ← (raining)

(timer displays clock) is statistically related to which variables?

timer works yes
grass wet no
raining no
```

We just learned: One conditioned non-collider can block an entire path

Rules for whether paths are open or blocked

- ▶ If a path contains an unconditioned collider, it is blocked
- ▶ If a path contains a conditioned non-collider, it is blocked
- ► Otherwise, the path is open


Open paths create statistical dependence. Blocked paths do not.

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent


How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent



How do you know if two nodes are dependent?


- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent



- $ightharpoonup A
 ightharpoonup B \leftarrow C$
- $ightharpoonup A \leftarrow X \rightarrow D \leftarrow C$

How do you know if two nodes are dependent?


- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent



- $ightharpoonup A
 ightharpoonup B \leftarrow C$
- $ightharpoonup A \leftarrow X \rightarrow D \leftarrow C$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




- $\triangleright A \rightarrow B \leftarrow C$
- $ightharpoonup A \leftarrow X \rightarrow D \leftarrow C$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent

Practice: Are A and C statistically independent or dependent?




- $ightharpoonup A
 ightharpoonup B \leftarrow C$
- $ightharpoonup A \leftarrow X \rightarrow D \leftarrow C$

No unblocked paths. A and C are independent!


How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent



How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




- $\blacktriangleright A \to B \leftarrow C \to D$
- $ightharpoonup A \leftarrow X \rightarrow D$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent

Practice: Are A and D statistically independent or dependent?




$$ightharpoonup A
ightharpoonup B \leftarrow C
ightharpoonup D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

One remains. A and D are dependent!

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent




$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

How do you know if two nodes are dependent?

- 1. List all paths between the two nodes
- 2. Cross out any blocked paths that are blocked
- 3. If any paths remain, the two nodes are dependent



$$\blacktriangleright \ A \to B \leftarrow C \to D$$

$$ightharpoonup A \leftarrow X \rightarrow D$$

Learning goals for today

At the end of class, you will be able to:

- 1. Read a Directed Acyclic Graph
- 2. Recognize causal paths
- 3. Understand two key structures
 - ► Fork structures ($\bullet \leftarrow \bullet \rightarrow \bullet$)
 - ► Collider structures $(\bullet \to \bullet \leftarrow \bullet)$
- 4. List all paths in a DAG
- Determine which paths are blocked under a particular adjustment set
- 6. Select a sufficient adjustment set to isolate causal paths