


CHECKLIST

DIGITAL FLOW

AUDIT

A simple check sheet to audit landing pages for ADA accessibility and speed friction - with a detailed AI prompt for every checkpoint.



ACCESSIBILITY // SPEED // CLARITY

HOW TO USE AI FOR THE AUDIT

These instructions work in ChatGPT, Claude, and Gemini. AI can organize evidence and draft fixes, but it cannot replace keyboard testing, zoom testing, screen-reader testing, or real performance measurements.

01 COLLECT

Open one landing page. Gather the exact URL, desktop and mobile screenshots, copied page text, relevant HTML/CSS, keyboard notes, form errors, and current PageSpeed or Lighthouse results.

02 PREPARE

Create one message or document for the audit. Label each item clearly: PAGE URL, GOAL, SCREENSHOTS, PAGE COPY, CODE, TEST RESULTS, and NOTES. Remove passwords, private customer data, API keys, and confidential analytics.

03 ATTACH OR PASTE

ChatGPT: attach screenshots/files with the paperclip or paste text below the prompt. Claude: add files to the chat or paste long documents after the prompt. Gemini: use Add files/Drive or paste the evidence directly into the chat.

04 RUN + VERIFY

Paste the matching prompt from this book. Replace every bracketed placeholder. Ask the AI to cite the supplied evidence for each finding. Then manually test every recommended fix before marking it complete.

SAFE INPUT RULE

Never paste passwords, payment details, private medical information, customer records, API keys, or proprietary data unless you have permission and have removed identifying details. Use screenshots only when the visible information is safe to share.

AUDIT 01

PAGE STRUCTURE + HEADING ORDER

WHY THIS MATTERS

A clear heading hierarchy gives screen-reader users a usable outline and helps every visitor scan the promise, proof, and next step.

CHECK THE FLOW

- ☐ Confirm there is one clear H1 describing the page purpose.
- ☐ Check that H2 and H3 levels follow a logical order.
- ☐ Avoid using headings only to make text look larger.
- ☐ Make section labels meaningful outside the visual design.

PASS STANDARD

A visitor can understand the page outline from headings alone, with no skipped or misleading levels.

AUDIT 01 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

URL; copied page headings; HTML or builder export; desktop screenshot.

PROMPT

Act as an accessibility auditor. Review the landing-page heading structure I provide. Identify the H1, H2, H3, and any visual text that should be a heading. Flag skipped levels, duplicate or vague headings, and headings used only for styling. Return: (1) current outline, (2) accessibility problems ranked critical/high/medium/low, (3) a corrected semantic outline, and (4) revised heading copy that preserves the brand voice. Page materials: [PASTE URL, HTML, PAGE COPY, OR SCREENSHOTS].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 02

KEYBOARD + FOCUS FLOW

WHY THIS MATTERS

A landing page fails when people cannot reach, understand, or activate links, buttons, menus, forms, popups, and media without a mouse.

CHECK THE FLOW

- ☐ Press Tab from the top and follow every focus stop.
- ☐ Confirm focus is visible against every background.
- ☐ Verify focus order matches the visual reading order.
- ☐ Test Enter, Space, Escape, arrow keys, and popup close controls.

PASS STANDARD

Every interactive element is reachable, visibly focused, logically ordered, and usable with a keyboard alone.

AUDIT 02 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

URL; numbered Tab-order notes; screenshots of focus states; relevant code.

PROMPT

Act as a WCAG keyboard-accessibility specialist. Using my notes, screenshots, and code, map the expected tab order for this landing page. Flag missing focus states, keyboard traps, illogical order, non-button clickable elements, inaccessible popups, and controls that require a mouse. Provide exact fixes in plain language and sample HTML/CSS/JavaScript only where needed. End with a keyboard retest script I can follow step by step. Materials: [PASTE URL, CODE, SCREENSHOTS, AND TEST NOTES].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 03

COLOR CONTRAST + READABILITY

WHY THIS MATTERS

Low contrast, tiny type, long lines, and text over busy artwork create fatigue and can make essential information unreadable.

CHECK THE FLOW

- ☐ Check normal text contrast against its exact background.
- ☐ Check large text, icons, borders, and focus indicators.
- ☐ Zoom to 200% and confirm content remains usable.
- ☐ Review line length, spacing, all-caps blocks, and text over images.

PASS STANDARD

Core text meets WCAG contrast targets, survives 200% zoom, and remains readable without overlap or horizontal scrolling.

AUDIT 03 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

Foreground and background hex colors; font sizes; 100% and 200% screenshots; CSS.

PROMPT

Act as a visual accessibility and readability auditor. Analyze the colors, typography, screenshots, and CSS I provide. Calculate or estimate contrast risks, identify text that may fail WCAG AA, and flag small type, excessive line length, all-caps overuse, weak spacing, text baked into images, and content that may break at 200% zoom. Return a table with element, issue, severity, current colors/size, recommended colors/size, and a brand-consistent fix. Inputs: [PASTE HEX COLORS, CSS, SCREENSHOTS, OR URL].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 04

IMAGES, ICONS + MEDIA ALTERNATIVES

WHY THIS MATTERS

Images and media must communicate the same meaning to visitors who cannot see, hear, or easily process the visual experience.

CHECK THE FLOW

- ☐ Give meaningful images concise, contextual alt text.
- ☐ Use empty alt text for purely decorative images.
- ☐ Label icon-only buttons by purpose, not appearance.
- ☐ Provide captions or transcripts for essential audio and video.

PASS STANDARD

Every meaningful visual or media element has an equivalent; decorative assets are correctly ignored by assistive technology.

AUDIT 04 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

Image filenames; screenshots; nearby page copy; current alt text; video/audio links or transcripts.

PROMPT

Act as an accessible-content editor. Review the image list, screenshots, captions, icon buttons, and media descriptions I provide. Classify each asset as informative, functional, decorative, complex, or redundant. Write concise alt text for informative images, accessible names for functional icons, empty-alt recommendations for decorative assets, and transcript/caption requirements for media. Avoid phrases like image of unless context requires it. Return the result as an implementation checklist. Assets/context: [PASTE IMAGE NAMES, SCREENSHOTS, PAGE COPY, OR URL].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 05

FORMS, ERRORS + CALLS TO ACTION

WHY THIS MATTERS

Forms and calls to action are conversion points. Unclear labels, vague buttons, inaccessible validation, or disappearing errors block both access and revenue.

CHECK THE FLOW

- ☐ Confirm every input has a persistent programmatic label.
- ☐ Explain required fields before submission.
- ☐ Make errors specific, visible, and announced.
- ☐ Use action-focused button text that states the result.

PASS STANDARD

A user can understand, complete, correct, and submit the form with keyboard and assistive technology.

AUDIT 05 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

Form field list; labels and placeholder text; error screenshots; button copy; HTML or builder settings.

PROMPT

Act as an accessibility-focused conversion auditor. Review this landing-page form and its calls to action. Flag missing labels, placeholder-only instructions, unclear required fields, poor autocomplete attributes, vague buttons, inaccessible errors, timeout risks, and confusing confirmation states. Rewrite all labels, helper text, error messages, button copy, and success messaging. Then provide semantic HTML recommendations and a manual test checklist for keyboard and screen-reader users. Form/page materials: [PASTE COPY, HTML, SCREENSHOTS, OR URL].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 06

MOBILE REFLOW + TOUCH TARGETS

WHY THIS MATTERS

Mobile visitors need content that reflows cleanly, controls that are easy to tap, and no precision gestures or hidden sideways content.

CHECK THE FLOW

- ☐ Test narrow widths in portrait and landscape.
- ☐ Check that text and controls do not overlap or clip.
- ☐ Confirm tap targets have comfortable size and spacing.
- ☐ Avoid horizontal scrolling except for essential data tables.

PASS STANDARD

The page works at narrow widths with readable text, separated touch targets, complete content, and no accidental horizontal scroll.

AUDIT 06 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

Screenshots at 320, 375, 390, and 768 px; device/browser; CSS; notes on clipping or scrolling.

PROMPT

Act as a mobile accessibility auditor. Review the responsive screenshots, CSS, and component structure I provide. Identify clipping, overlap, hidden content, horizontal scrolling, fixed elements covering content, small or crowded touch targets, gesture-only interactions, and mobile reading-order problems. Rank findings by impact and give responsive CSS or layout fixes. Include a retest matrix for common narrow widths and portrait/landscape use. Inputs: [PASTE SCREENSHOTS, CSS, URL, AND DEVICE NOTES].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 07

ABOVE-THE-FOLD SPEED

WHY THIS MATTERS

The hero area controls first impression. Heavy backgrounds, oversized images, blocking fonts, and delayed scripts can make the page feel broken before it becomes usable.

CHECK THE FLOW

- ☐ Measure the largest visible hero asset and its format.
- ☐ Check font files, preload choices, and render blocking.
- ☐ Delay nonessential scripts and widgets.
- ☐ Confirm the primary headline and CTA appear quickly.

PASS STANDARD

The main message and primary action render quickly, without waiting for decorative media or third-party tools.

AUDIT 07 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

PageSpeed/Lighthouse link or pasted results; hero image dimensions and file size; font list; waterfall screenshot.

PROMPT

Act as a web performance engineer. Analyze the Lighthouse/PageSpeed results, waterfall details, asset list, and page code I provide. Focus on the above-the-fold experience and Largest Contentful Paint. Identify oversized hero media, render-blocking CSS/fonts, slow server response, unnecessary preload, third-party delays, and elements that hide the headline or CTA. Return prioritized fixes with expected impact, implementation difficulty, and exact recommendations for compression, formats, loading, caching, and code changes. Inputs: [PASTE URL, TEST RESULTS, WATERFALL, OR ASSET LIST].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 08

LAYOUT STABILITY + INTERACTION DELAY

WHY THIS MATTERS

Unexpected movement and delayed response cause missed clicks, confusion, and frustration - especially for users with motor or cognitive limitations.

CHECK THE FLOW

- ☐ Reserve width and height for images, video, ads, and embeds.
- ☐ Prevent banners and fonts from shifting content after load.
- ☐ Reduce long JavaScript tasks and delayed button response.
- ☐ Test menus, accordions, forms, and CTA clicks under load.

PASS STANDARD

Content stays in place while loading and primary interactions respond promptly without freezing or delayed feedback.

AUDIT 08 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

Core Web Vitals results; video of layout shifts; console/performance notes; relevant scripts and components.

PROMPT

Act as a Core Web Vitals specialist. Review the performance report, code, and screenshots I provide for Cumulative Layout Shift and Interaction to Next Paint risks. Identify unsized media, late banners, font swaps, injected widgets, sticky elements, long JavaScript tasks, excessive listeners, and delayed form or CTA feedback. Return a root-cause table, prioritized fixes, sample code where useful, and a retest plan that measures improvement. Inputs: [PASTE URL, CWV RESULTS, CODE, OR OBSERVATIONS].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 09

PAGE WEIGHT + THIRD-PARTY FRICTION

WHY THIS MATTERS

Every extra script, tracker, embed, animation, and uncompressed asset competes with the visitor's device, data plan, battery, and attention.

CHECK THE FLOW

- ☐ List all scripts, trackers, chat tools, embeds, and pixels.
- ☐ Remove duplicates and tools with no current purpose.
- ☐ Compress, resize, lazy-load, or replace heavy media.
- ☐ Check caching, minification, and unused CSS or JavaScript.

PASS STANDARD

Every loaded asset supports the page goal, and nonessential assets do not delay reading, interaction, or submission.

AUDIT 09 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

Network export or screenshot; script/plugin list; asset sizes; analytics and conversion tools that must remain.

PROMPT

Act as a landing-page performance and technical-debt auditor. Review my network requests, asset list, tag-manager setup, plugins, and page code. Group resources into essential, useful but deferrable, redundant, and removable. Flag duplicate tracking, unused libraries, heavy embeds, uncompressed media, missing caching, excessive requests, and privacy/accessibility side effects. Produce a deletion/defer/optimize plan with estimated impact and a safe testing sequence that protects analytics and conversions. Inputs: [PASTE NETWORK EXPORT, URL, SCRIPT LIST, OR CODE].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

AUDIT 10

COPY CLARITY + COGNITIVE FRICTION

WHY THIS MATTERS

Accessibility also means reducing uncertainty. Dense copy, competing actions, unexplained jargon, and hidden next steps slow comprehension and decision-making.

CHECK THE FLOW

- ☐ State the main promise near the top in plain language.
- ☐ Use one dominant next step per section.
- ☐ Break long blocks into descriptive sections and lists.
- ☐ Explain pricing, requirements, privacy, and what happens next.

PASS STANDARD

A first-time visitor can explain the offer, audience, value, and next action after a quick scan.

AUDIT 10 PROMPT

COPY + PASTE AI AUDIT PROMPT

WHAT TO COLLECT BEFORE PASTING

Full page copy in reading order; screenshots; target audience; desired action; required brand phrases.

PROMPT

Act as a cognitive-accessibility and conversion copy editor. Review the landing-page copy I provide. Identify jargon, vague claims, long sentences, dense paragraphs, competing calls to action, missing expectations, unclear form instructions, and information that appears too late. Rewrite the page into a plain-language hierarchy while preserving the brand voice. Return: original issue, why it causes friction, revised copy, recommended placement, and a five-second comprehension test. Page copy/context: [PASTE FULL COPY, SCREENSHOTS, OR URL].

HOW TO INPUT THIS INTO CHATGPT, CLAUDE, OR GEMINI

1. Start a new chat and paste the prompt above.
2. Replace every bracketed placeholder with your real evidence. Attach screenshots or files when available.
3. Add: "Do not guess. Mark anything you cannot verify as NEEDS MANUAL TESTING. Cite the supplied evidence for every finding."
4. Send the message. Then ask: "Turn the top three findings into step-by-step fixes and a retest checklist."

DIGITAL FLOW SCORECARD

Score every category from 0 to 4 after testing. Use the notes area to capture the first fix that matters most.

AUDIT AREA	0-4	PRIORITY
01 PAGE STRUCTURE + HEADING ORDER	☐	H / M / L
02 KEYBOARD + FOCUS FLOW	☐	H / M / L
03 COLOR CONTRAST + READABILITY	☐	H / M / L
04 IMAGES, ICONS + MEDIA ALTERNATIVES	☐	H / M / L
05 FORMS, ERRORS + CALLS TO ACTION	☐	H / M / L
06 MOBILE REFLOW + TOUCH TARGETS	☐	H / M / L
07 ABOVE-THE-FOLD SPEED	☐	H / M / L
08 LAYOUT STABILITY + INTERACTION DELAY	☐	H / M / L
09 PAGE WEIGHT + THIRD-PARTY FRICTION	☐	H / M / L
10 COPY CLARITY + COGNITIVE FRICTION	☐	H / M / L

NOTES

TURN THE AUDIT INTO ACTION

Choose one landing page and one high-impact barrier. Small, verified improvements are more valuable than a long list of untested ideas.

00-05 MIN

Choose the page goal and collect evidence.

05-15 MIN

Run the highest-priority accessibility or speed test.

15-23 MIN

Use the matching AI prompt to organize findings and draft fixes.

23-28 MIN

Apply one fix that removes a real blocker.

28-30 MIN

Retest the same interaction and record the result.

FINAL RULE

Do not mark an item complete because the design looks better. Mark it complete only after the same user task works more clearly, quickly, and accessibly. Keep the original test evidence and the retest evidence together.