ESTRUCTURA DE DATOS 2 Código ST0247

Laboratory practice No. 2: Brute Force

Santiago Ochoa Castaño

Universidad Eafit Medellín, Colombia sochoac1@eafit.edu.co Miguel Angel Zapata Jiménez

Universidad Eafit Medellín, Colombia mazapataj@eafit.edu.co

3) Practice for final project defense presentation

- **3.1** The problem was solved using brute force and DFS (Depth first search) by a recursive function that takes the index of a node and starts exploring one of its adjacent nodes. After reaching a new vertex, it explores a new adjacent vertex until there is nothing connected to that vertex. Then, it comes back and repeat the process recursively. To avoid visiting a node more than once, it is used a boolean visited array. The minimum cost, it is defined by calculating all the permutations and choosing which has the low cost.
- **3.2** The complexity of the Hamiltonian path is **O(V*E)**.
- **3.3** The letter "V" represents the number of vertex and the letter "E" of edges.
- **3.4** For this algorithm were implemented two different data structures. In the first place, to represent the board was used a matrix with n rows and n columns. On the other hand, an array was made to put a queen in a specific position, where the array indexes symbolize the columns, and the values symbolizes the rows of the board. This algorithm works by iterating recursively the columns after verifying with a conditional if a queen can be placed in a row. Besides, another conditional is needed to check if there is not an asterisk in the board position.
- 3.5 The complexity of the n-queens algorithm is defined by O(n²).
- **3.6** The letter "n" represents the number of row and columns of the matrix.

PhD. Mauricio Toro Bermúdez

Professor | School of Engineering | Informatics and Systems Email: mtorobe@eafit.edu.co | Office: Building 19 – 627

Phone: (+57) (4) 261 95 00 Ext. 9473







ESTRUCTURA DE DATOS 2 Código ST0247

4) Practice for midterms

```
4.1
4.1.1 if(actual > maximo)
4.1.2 O(n²)

4.2
4.2.1. ordenar(arr, k+1)
4.2.2 O(n²)

4.3
4.2.1 return i – j
4.2.2 n
4.2.3 O(n)

4.4

4.5
4.5.1 int j = i + 1
4.5.2 left = right
```

PhD. Mauricio Toro Bermúdez

Professor | School of Engineering | Informatics and Systems Email: mtorobe@eafit.edu.co | Office: Building 19 – 627

Phone: (+57) (4) 261 95 00 Ext. 9473





