THE CONSULT

PRIVATE ENTERPRISE EXECUTIVE OFFICE

Cross-Platform Executive AI Office

CLAUDE CODE MASTER BUILD PROMPT

One assistant. Complete enterprise capabilities.
One shared browser-based HTML interface.

15 capability modules
152 role functions covered
360 reference positions represented
67 original services retained

Windows, macOS, ChromeOS and Linux.
Local HTML core plus permitted browser integrations.
No hosting. Portable encrypted workspace files.

Use the matching Markdown file as the complete instruction file for Claude Code. This PDF contains the same directive and coverage appendices.

Contents

1. Your assignment 3

2. Nonnegotiable: cross-platform use without hosting 3

3. Compact AI design: capabilities instead of 360 agents 5

4. The fifteen capability modules 6

5. Skill and workflow contracts 7

6. Cross-platform architecture and project structure 7

7. Data model, provenance and client boundaries 9

8. The durable browser work engine 10

9. Autonomous action policy and owner control 11

10. End-to-end commercial and delivery lifecycle 12

11. Sector skills and practical deliverables 13

12. Corporate and executive capabilities 15

13. Research, prospecting and optional integrations 15

14. Browser security and local confidentiality 16

15. The internal cross-platform experience 17

16. Budget, performance and measured capacity 18

17. Workflow scenarios that must work 18

18. Verification and release gates 19

19. Implementation sequence and persistence 20

20. Required final deliverables from Claude Code 20

Appendix A. Complete role-to-capability coverage 22

Appendix B. Complete original service coverage 29

Appendix C. Implementation references and source authority 32

1. Your assignment

You are the lead software architect, cross-platform browser application engineer, AI systems engineer, enterprise operating designer, financial systems engineer, and implementation lead for THE CONSULT. Build the actual application described here. Do not stop at a proposal, a static dashboard, a collection of chatbot personas, or a scaffold with nonfunctional buttons.

THE CONSULT is a Private Enterprise Executive Office serving business owners, entrepreneurs, real estate investors, portfolio companies, private equity sponsors, and family enterprises. Its operating promise is: "We help owners turn complex objectives into executed, measurable outcomes."

Its execution method is Diagnose -> Structure -> Mobilize -> Execute -> Measure -> Optimize. The initial diagnostic product is the Enterprise Value & Execution Blueprint, adaptable to a portfolio, company, property, acquisition, or capital program.

Translate the existing future-state organization into software capabilities. The reference organization has 152 staffing role lines representing 360 positions: 210 across seven sector practices; 70 in PMO, M&A, and owner services; and 80 in the executive office and corporate platform. Appendix A maps the full role-function coverage to this initiative, with internal technology roles focused on the firm's own systems and operations. These are reference staffing weights, not a requirement to create employee records, digital employees, or separate AI agents.

The $100 million annual service-revenue organization is a future-state design reference. Do not represent it as THE CONSULT's current revenue, headcount, credentials, client list, or operating history. Build a system that is useful to a single principal now and can handle increasing workload over time.

The product is INTERNAL SOFTWARE. It does not need a public website, client login portal, SaaS billing, tenant provisioning, app store release, investor-facing demo site, or public deployment. It must support multiple segregated client engagements within one firm's local browser workspace.

2. Nonnegotiable: cross-platform use without hosting

The owner currently uses a Chromebook, but the product must support Windows, macOS, ChromeOS and Linux through one shared browser-based core. Initially support desktop Chrome on all four. Do not make ChromeOS or any single operating system the exclusive target. No .exe, .dmg, native Linux package, Electron runtime, Linux/Crostini container on a Chromebook, terminal, Node, Python, Docker, database server or Claude Code installation may be needed to RUN the completed application. Development may occur in a supported build environment; the developer's environment is separate from the end-user runtime.

Produce two local distributions from the same capability core. Business logic, skills, calculations, client records and reports must be shared; optional browser permissions belong in adapters:

Distribution	Setup	Supported behavior
Chrome extension - advanced functions	Use the same built extension directory in supported Chrome on any of the four target operating systems; Load unpacked if device policy permits.	Full-tab HTML workspace, stable extension origin, local structured storage, owner-approved host permissions, browser-safe tools and resumable workflows.
Standalone HTML - portable core	Open the same bundled HTML artifact in supported Chrome using the verified local-file procedure for the chosen OS.	Local calculations, document/file imports, records and portable workspace save/load, reports and manual AI handoffs; connected and background features enabled only when actually supported and tested.

2.1 Required platform and browser scope

Target	Initial supported browser	Required delivery behavior
Windows	Supported desktop Chrome	Same portable HTML and extension assets; no Windows-specific installer or runtime service.
macOS	Supported desktop Chrome	Same core and artifacts; no native app bundle, Homebrew or OS-specific service.
ChromeOS	Supported desktop Chrome	Same core; no Linux environment or ChromeOS system Developer Mode. Verify the Chromebook Files-to-Chrome opening procedure.
Linux	Supported desktop Chrome	Same core and artifacts; no Python/Node daemon, package manager or localhost server required at runtime.

OS independence does not mean that every browser exposes identical APIs. Keep a browser-compatibility adapter and feature detection so Firefox, Edge and Safari can be evaluated later without rewriting the capability core. Do not mark an untested browser supported. Preserve ordinary HTML/file-import/export fallbacks where available; extension manifests, authentication, file access and worker lifecycle may need browser-specific adaptations.

Design a responsive interface suitable for future Android/iOS/tablet use, but do not promise equivalent mobile extension support, background automation, local model capacity or file workflows. Mobile and additional browsers are separately tested feature targets. The initial full desktop release gate is the four OS/Chrome combinations above.

Use runtime capability detection rather than user-agent or OS-name assumptions to enable File System Access, OPFS, WebGPU, storage persistence and extension APIs. An unavailable feature must fall back or show its actual limitation. Never fork the fifteen capability modules into four separately maintained OS versions.

A locally loaded extension does not require publishing a website, running a server, or listing the product in the Chrome Web Store. Explain Chrome's Extensions-page Developer mode only as needed to load the local folder; do not instruct the user to enable ChromeOS system Developer Mode, disable OS protections, or Powerwash the device. Managed devices may restrict extensions. If local loading is blocked, retain the standalone HTML fallback and identify the exact limitations; do not bypass device policy.

Use a full extension tab or app window with bundled HTML/CSS/JavaScript for the main workspace, not a tiny toolbar popup that disappears when focus changes. Package manifest.json, the UI, local scripts, any permitted background service worker, calculators, templates, parsers, fonts and icons. The standalone fallback must bundle its necessary assets so file-origin module fetching or CDN availability does not determine whether it starts.

No hosted origin, public URL, DNS change, subscription hosting, backend proxy, localhost server, remote database, or mandatory cloud service is permitted. Do not quietly substitute a hosted PWA or serverless API for the local design. A plain file:// HTML page and an extension have different permissions and storage behavior; feature-detect and test both rather than claiming they are equivalent.

Local structured data should use IndexedDB in the verified extension origin, with chrome.storage.local for appropriate small settings and metadata. Use explicit encrypted workspace export/import for portable backups and fallback persistence. Feature-detect File System Access and OPFS where helpful; do not require either when unavailable. Browser storage is not a backup: extension removal, profile changes, device resets and storage failures require a real recovery path. Do not depend on undefined file-URL localStorage behavior.

Support three AI operating modes, independent of the local distribution:

Mode	Required setup	Real behavior
Local tools and assisted handoff	No AI provider	Deterministic calculations, file workflows, records, templates, PMO and reports; export a scoped task packet for use in a separate AI conversation and import reviewed results with evidence.
Compatible browser-local AI	A tested browser-capable model/runtime and sufficient resources on the current device	Optional WebGPU/WASM inference using locally packaged code and approved model assets; available only after capability and quality tests pass. No local server or native sidecar.
Connected AI	Owner-supplied provider access, internet and approved extension host permissions	Direct permitted outbound model calls from the controlled extension context. No hosted proxy or hidden relay; unsupported providers remain unavailable or use manual handoff.

Do not promise a large local model on an unknown device, including the owner's Chromebook. Detect browser version, WebGPU availability, storage limits and resource failures. Show model download/storage needs before installation, avoid repeatedly downloading weights, and keep local tools usable when inference is unavailable. API access is optional and can have charges; no hosting fee does not mean every AI service is free.

A local tab can be closed or suspended, an extension service worker can be terminated, and the device can sleep. Persist jobs and reconcile state on resume. Optional extension alarms are event triggers, not a guarantee of always-on processing. Do not use unsupported keep-alive hacks, an offscreen document as an unrestricted daemon, or a model call that depends on an immortal worker. The default work session is explicit: workspace open, required vault unlocked, permission granted, data available.

3. Compact AI design: capabilities instead of 360 agents

Use one Executive Orchestrator, an on-demand Specialist Executor worker pool, and a separate Independent Reviewer execution context. The deterministic local Tool Broker performs authorized actions. It is an ordinary software service inside the app, not another personality that spends tokens.

Do not create 360 AI agents, 360 agent files, 360 browser sessions, or 360 always-running processes. Do not create one runtime agent for every role in Appendix A. Do not keep fifteen agents awake merely because there are fifteen capability modules.

Implement fifteen reusable capability modules as structured skills, tools, workflow templates, report schemas, reference methods, and evaluation suites. The same Specialist Executor can load the finance module for one task and the construction module for another. Load only the relevant skills and authorized client context for the task.

Initial concurrency is two model calls globally, including review calls. One client should not monopolize the queue. Make the cap configurable after measuring memory, response latency, provider quotas, and cost. Serialize writes to the local database. Do not confuse reference positions, available capabilities, queued jobs, active model calls, and completed work.

Distinguish capability breadth from production throughput. The goal is comprehensive coverage of the organization's work, with measured automation capacity. There is no defensible automatic claim that one laptop equals 360 full-time professionals. Benchmark accepted work units, quality, latency, rework, cost, and human review time. Never manufacture an "FTE equivalent" by dividing tokens or outputs by an arbitrary number.

The assistant must know when to operate, when to calculate, when to research, when to draft, when to invoke a qualified specialist, and when to request a specific owner decision. It must not answer every request with advice when the necessary authorized tools and data are available to perform the work.

4. The fifteen capability modules

ID	Module	Core responsibilities
M01	Executive Orchestration & Strategy	Board preparation, CEO/COO support, strategy, prioritization, corporate development, chief-of-staff work, executive administration, management cadence and decision preparation.
M02	Growth, Research & Client Relationships	Prospect research, contact verification, CRM, qualification, outreach preparation, authorized communication, proposals, partnerships, account plans, renewals, marketing and bid coordination.
M03	Enterprise PMO & Delivery	Intake, engagement setup, work breakdown, schedules, capacity, dependencies, risks, changes, reporting, quality gates, benefits tracking, acceptance, handover and closeout.
M04	Business & Business Development	Strategy, growth, pricing, operating models, cost improvement, process redesign, organizational change, training and commercial systems.
M05	Client Finance & Capital Advisory	Client bookkeeping workflows, close support, fractional CFO analysis, FP&A, liquidity, margins, loan packages, credit readiness, payroll coordination and capital scenarios.
M06	Construction & Capital Projects	Owner representation support, estimates, budgets, WIP/job cost, schedules, bids, procurement, contracts, pay-application review, changes, QA/HSE coordination and closeout.
M07	Real Estate	Market research, investment education, underwriting, portfolio/asset strategy, NOI, property operations, rent analysis, acquisition/disposition support and development coordination.
M08	Client Technology & Digital Transformation	Technology roadmaps, systems selection, ERP/CRM requirements, integrations, automation, analytics, AI deployment support, cloud/cyber assessment, testing and adoption.
M09	Logistics & Supply Chain	Network design, procurement, freight/drayage/fleet analytics, warehouse processes, inventory, demand planning, TMS/WMS requirements and supplier performance.
M10	Energy & Infrastructure	Energy economics, solar/storage, EV charging, oil and gas, fueling/C-store operations, feasibility, deployment plans, permits/HSE coordination and vendor evaluation.
M11	M&A, Transactions & Value Creation	Acquisition/exit readiness, target research, diligence, valuation preparation, deal scenarios, data rooms, integration, carve-outs and synergy tracking.
M12	Owner & Family Enterprise	Owner cash/net worth, education, financial planning support, insurance needs analysis, succession, retirement coordination, family governance, tax/estate/philanthropy coordination and business-to-wealth planning.
M13	Internal Technology, Data & Automation	Internal application development and maintenance, data intake and quality, local knowledge management, workflow automation, testing, cybersecurity, corporate IT support and internal user enablement.
M14	Corporate Services, Risk & Controls	THE CONSULT's own finance, treasury analysis, billing, payroll coordination, public-reporting preparation, legal/contract administration, compliance, privacy, people operations, procurement and partner management.
M15	Independent Assurance & Quality	Separate-context review, reconciliation checks, evidence review, control testing, policy exceptions, project assurance, model evaluations and escalation.

Capability modules are not job titles and do not create authority to act as a licensed professional, corporate director, independent auditor, or officer. Human ownership of professional judgments and formal corporate decisions remains explicit.

5. Skill and workflow contracts

Create a capability registry in versioned JSON/YAML and a searchable interface. Each module contains practical skills, not just a system prompt saying "you are an expert."

Every skill record must include: stable skill ID; module; covered source roles/services; purpose; trigger; required inputs; optional inputs; applicability by sector/client type; permitted tools; calculation method; source requirements; execution steps; deliverable schema; quality checks; escalation conditions; action permissions; expected runtime/cost class; version; and evaluation fixtures.

Examples of specific skills include reconstructing a trial balance, reconciling a cash forecast, estimating construction cost-to-complete, screening property acquisitions, preparing a carrier bid comparison, checking an EV charging business case, drafting a scoped SOW, and translating diligence findings into a 100-day integration plan.

Do not store the entire master prompt in every task context. Retrieve the module summary, selected skill, authorized data references, relevant policies, and narrow task history. Store structured facts separately from narrative summaries. Keep source excerpts bounded. Cache stable research and deterministic calculations with explicit invalidation rules.

Use a typed task contract. At minimum include:

```
{
  "task_id": "stable-id",
  "firm_id": "local-firm",
  "client_id": "required-for-client-work",
  "engagement_id": "optional-engagement",
  "module_id": "M05",
  "skill_id": "finance.cash_forecast.prepare",
  "objective": "Prepare a reconciled 13-week cash forecast",
  "input_refs": [],
  "acceptance_criteria": [],
  "policy_snapshot_id": "versioned-policy",
  "allowed_actions": [],
  "budget_limit": {"currency": "USD", "amount": "0.00"},
  "deadline": null,
  "dependencies": [],
  "status": "ready"
}
```

Use decimal strings or exact numeric representations for money. Define schemas for task results, evidence, recommendations, approval requests, artifacts, and tool receipts. A result must identify completed actions, generated artifacts, assumptions, unresolved inputs, quality-check results, and the next action. Never mark a task successful merely because an LLM returned text.

6. Cross-platform architecture and project structure

Inspect the existing repository and instructions first. Preserve useful work and user data. Choose pinned compatible browser libraries, a Manifest V3 toolchain, document parsers/generators, decimal arithmetic, local storage and optional browser inference after checking current official documentation. No native Node package may be a required runtime dependency.

Use TypeScript for development and ship bundled JavaScript. React is optional. Keep the domain logic independent of extension APIs so both the extension and portable standalone HTML share the same calculators,

schemas, templates and capability registry across all target operating systems. Use browser workers for supported heavy processing, with cancellation, progress and resource limits.

Component	Responsibility
Extension package	Manifest V3, full-tab local interface, minimal permissions, stable extension identity, local loading/update instructions.
HTML workspace	Forms, dashboards, command center, approvals, source review, reports and a clear operating-mode indicator.
Validated message bridge	Typed, scoped messages between trusted extension contexts; check sender, action, client, payload and authorization. No arbitrary URL/file/shell passthrough.
Tool Broker	Policy-checked browser operations, deterministic calculations, approved network adapters, artifact generation and real action receipts.
Orchestrator	Task decomposition, selected skills, priorities, dependencies, review routing and synthesis within browser-supported execution.
Specialist workers	On-demand scoped AI reasoning and browser-compatible processing. They are not native processes or separate employees.
Reviewer	Separate task context checking evidence, calculations, authorization and acceptance criteria.
Local queue	Durable IndexedDB jobs, leases, checkpoints, retries, cancellation and reconciliation after tab/worker restart.
Data and artifacts	Client-scoped IndexedDB records, encrypted payloads, source blobs, versions, exports and recovery manifests.
Provider adapters	Permitted direct cloud API calls, optional browser-local inference, manual handoff and labeled test doubles.

Separate Claude Code as the BUILD tool from AI in the finished product. The user must not keep Claude Code open to run the result. Do not embed the Claude Code CLI, Claude Agent SDK binary, native inference sidecars or an Electron bridge into the browser product. Use browser-compatible direct API tools where the provider permits them and extension permissions support them. Never claim a connected provider worked without a real connection test.

Give the extension a stable identity across local updates, following the documented manifest key/identity process if appropriate. A public extension identity key is not a private secret. Do not rotate identity during routine updates and silently strand the old origin's data. Provide update, backup and recovery instructions, including what removal or profile changes do to local data.

Bundle all executable code and libraries. Do not load remote scripts, eval model output, or download arbitrary executable skill code. Optional model weights are data, subject to integrity/license/storage checks. Keep extension CSP compatible with the actual libraries; add narrowly justified WASM permission only if required and supported.

No shell tool, arbitrary executable launch, OS directory crawl or hidden filesystem watcher is part of the default browser toolset. Native automation scripts may be generated as artifacts for an authorized external environment, but the app must not claim it executed native scripts on any target OS through browser permissions alone. Research URLs and APIs must flow through a constrained, permission-aware adapter, not a generic fetch-anything message handler.

Maintain README, architecture decisions, BUILD_STATE.md, requirements traceability, browser data migrations, capability registry, tool schemas, workflow templates, templates, extension packaging and standalone fallback build instructions. One concise CLAUDE.md may guide development. Do not generate hundreds of redundant agent files.

6.1 Portable build and adapter boundaries

Keep business rules, calculations, workflow definitions, evidence formats and document schemas in an OS-neutral package. Put host permissions, browser identity, file handles, storage, networking, worker scheduling and download behavior behind typed adapters. Use relative packaged asset URLs, browser-safe paths and logical source/artifact IDs. Do not embed drive letters, absolute developer-machine paths, OS shell commands or native binary names in runtime logic.

Build one standalone distribution and one Chrome extension distribution for all four desktop operating systems. OS-specific text is limited to accurately tested launch/load instructions. Bundle parsers, fonts, workers and optional WASM consistently. Test that case-sensitive paths, archive extraction, filenames, Unicode and local-file launch behavior do not depend on the build machine's OS.

7. Data model, provenance and client boundaries

Implement migrations and typed access for: firm settings; local users/owner identity; clients; legal entities; contacts; sources; opportunities; interactions; campaigns; proposals; SOWs; agreements; engagements; programs; projects; tasks; dependencies; risks; issues; decisions; changes; milestones; time/cost estimates; vendors; purchase requests; budgets; invoices; payment evidence; accounts; ledgers; financial periods; forecasts; KPIs; assets/properties; jobs; acquisitions; energy sites; supply-chain entities; artifacts; skill versions; run records; approvals; action receipts; audit events; and backup manifests.

This is a single-firm local application with client-scoped records. Do not add SaaS tenancy infrastructure. Still enforce firm/client/engagement boundaries in every repository query, tool call, search result, artifact and export. Distinguish THE CONSULT's internal company records from client financial records. Do not solve privacy by relying on the currently selected tab.

Every important figure and factual claim must be tagged as observed, user-provided, calculated, inferred, estimated, or unknown. Store source document ID, page/sheet/cell or row reference, source date, retrieval/import time, applicable period, unit, currency, extraction confidence and version where relevant. Preserve original files as immutable source copies.

Do not silently turn missing entries into zero, invent client performance, infer private emails, or fill a financial statement with balancing numbers. An unresolved difference belongs in a reconciliation queue. Narrative analysis must use the final validated data snapshot, not an earlier file version.

Support CSV, XLSX, PDF, DOCX, TXT/Markdown, JSON, EML and common image imports where supported by packaged dependencies. Scanned PDFs require actual OCR. Label OCR unavailable or low-confidence input as needing review. Detect duplicate files, malformed archives, oversized inputs, formula injection and parser failures.

Use IndexedDB transactions, explicit application-level relationships, schema validation, a migration ledger, optimistic version checks and a safe write strategy. Concurrent tabs or workers must not overwrite the same engagement or forecast. Keep file/blob records and source hashes in the selected local workspace. A tested optional browser database adapter may be added, but native SQLite and server databases are not requirements. In standalone file mode, treat a saved portable workspace archive as the recovery source of truth when origin-based persistence is unavailable or unreliable.

Implement full-text local search first. Optional embeddings must be local by default; cloud embeddings require a separate owner choice and outbound-data disclosure. Search must apply client scope before returning results to a model. Cross-client reuse may use approved generic methods/templates, not identifiable client facts.

7.1 Portable workspaces and optional cross-device sync

Cross-platform access does not automatically synchronize records. The default no-hosting workflow is an encrypted portable workspace export/import. Include a stable workspace ID, schema version, record IDs/versions, device ID, audit/event history, source hashes, artifacts, necessary attachments, cryptographic parameters and a validated manifest. Financial values, periods and timestamps must round-trip without OS-dependent formatting changes.

An export created on any supported target must restore on every other target without rewriting paths or losing links. Preview imports and conflicts before modifying the active workspace. Preserve original backups, prevent duplicate clients/invoices, check schema compatibility, validate integrity and reject incorrect passphrases safely. Do not imply data follows the user merely because the same HTML file opens on another computer.

Optional syncing may use an existing owner-approved storage account through its documented API; it must not require the owner to host an application or backend. It is disabled by default and needs explicit data-location consent, credentials and cost/quota disclosure. Validate record-version conflicts, deleted-record handling, interruption recovery and actual provider capabilities. Do not overwrite a newer device snapshot silently or introduce an unmentioned hosted proxy.

Multiple offline copies cannot reliably coordinate live external actions. Default to one owner-selected active execution device per workspace; make handover, reconciliation of outstanding jobs and action receipts explicit. On a second device, external autopilot remains off until the operator resolves execution ownership. Do not claim a global exactly-once guarantee or an enforceable cross-device lease without a verified shared coordination mechanism.

8. The durable browser work engine

Implement a persistent local workflow engine appropriate to the supported browser across all four target operating systems. Use an IndexedDB-backed queue and dependency graph in the primary extension. The standalone fallback must use the same task schemas, checkpoint to the available storage adapter, and support explicit workspace save/load. A chat transcript is not the workflow database.

Support ready, running, awaiting_input, awaiting_approval, awaiting_unlock, connection_unavailable, retry_scheduled, paused, blocked, failed, cancelled, review_required and completed states. Separate artifact status from delivery status: drafted, validated, approved, exported, sent and accepted are distinct events.

For each job: validate scope/inputs; load the applicable skill and policy snapshot; reserve budget/capacity; run browser-compatible calculations or permitted model/tool calls; validate the result; perform review; persist evidence/artifacts/receipts; then update status and the next action. External authorization must be rechecked at execution time, not merely when a task was scheduled.

Use stable IDs, deduplication keys, input/version hashes, recoverable leases, bounded retries, deadlines, cancellation and dead-letter handling. Checkpoint between bounded steps. An interrupted worker must release or expire its lease and reconcile an uncertain tool outcome before retrying. Repeated startup must not duplicate invoices, messages, CRM opportunities or exports.

Use an outbox for external writes: persist the action, exact approval and payload; execute through the provider adapter; capture the response and external ID; reconcile timeout/unknown outcomes before another send. Use provider idempotency where actually supported. Do not claim exactly-once external delivery when it cannot be guaranteed.

Register extension event handlers appropriately for the selected Chrome version. Use chrome.alarms only for supported scheduled triggers and recreate/check alarms when necessary. Do not rely on in-memory globals surviving service-worker termination or on timers firing while the browser/device is asleep. Long-running AI/OCR work should use a tested foreground workspace/worker strategy with restartable chunks, not a permanently running background event.

Default scheduled work to execution during an open, unlocked work session. If a locked vault or closed workspace prevents work, mark awaiting_unlock or due_on_resume and show it at the next session. Do not persist the owner's passphrase/decryption key in plaintext so the worker can run unattended. Any optional convenience unlocking has to be a separate explicit design choice with stated tradeoffs; it is not required for the primary product.

Support pause, cancel, reschedule and safe retry. A cancelled reasoning run does not undo an already-sent message. Persist truthful action receipts. Closing a tab must show unsaved portable-export status where relevant and explain which jobs pause or can resume later.

Timezone defaults to America/Chicago and is owner-editable. Use consistent internal timestamps, local displays and explicit daylight-saving/missed-run behavior. Distinguish queued work, active execution, completed artifacts, actual sends and human/client acceptance.

9. Autonomous action policy and owner control

Build executable permission policy in the Tool Broker. A prompt telling the model to be careful is not the control. The UI, model output or an untrusted extension message must not bypass authorization by invoking an unchecked message handler or network adapter. Local app policy governs the application; do not claim it is a security boundary against an owner who can edit local code or the browser profile.

Level	Typical work	Required behavior
Internal preparation	Read authorized files, calculate, research approved public sources, draft documents, create internal recommendations and plans.	Execute within the active mandate without asking about each routine step.
Authorized internal updates	Update scoped tasks/CRM, save reports, maintain permitted local records and approved spreadsheet projections.	Execute within standing policy; preserve versions and an action log.
Controlled external actions	Send a message, update a connected system, issue an invoice, schedule a meeting or publish content.	Require a matching standing authorization or one-time approval specifying scope, account, audience, content class and limits. Otherwise prepare the exact action for review.
Material commitments	Contracts, fund movements, securities transactions, official filings, material pricing exceptions, new paid subscriptions, vendor awards or professional certifications.	Require the appropriate human decision and qualified execution route; AI drafts and coordinates the package.

Standing authorization avoids repeated approval requests for work the owner has already authorized. Examples include routine status replies to named existing clients, approved campaign batches, and invoice reminders under an approved billing policy. The scope must be concrete and revocable. It must not be a hidden blanket permission for all future actions.

Approval records must include the exact payload hash, client and provider account, action type, recipients/destination, amounts and currency if relevant, referenced artifact versions, approver identity, timestamp, expiration and policy version. Material changes invalidate the old approval. An AI role cannot approve its own privilege expansion or represent itself as the human principal.

Store all pending decisions in one Approvals Inbox with the complete review package: what will happen, why, exact content, evidence, costs, risks, destination and alternatives where useful. Batch related routine decisions. When an action is blocked, complete all authorized preparation so the owner is approving a concrete result.

Default to internal operation and drafts. Live sending, paid APIs and external writes become enabled only after the owner configures the relevant accounts and policy. Do not mistake a valid API key for permission to contact people or spend without limits.

Keep human board decisions, legal opinions, personalized regulated advice, engineering sign-offs, underwriting decisions, formal audits and official filings assigned to the appropriate accountable person or qualified provider. The corresponding AI skills prepare, analyze, check and coordinate; they do not confer credentials or legal authority.

10. End-to-end commercial and delivery lifecycle

Implement a real, stateful lifecycle:

1. Identify and research prospective clients or receive an inbound request.
2. Verify the organization, relevant decision maker, public contact evidence, sector, ownership context and observable business trigger.
3. Create or enrich a CRM record without duplicates and propose a qualified next action.
4. Draft relevant outreach and route any external send through authorization and suppression controls.
5. Capture discovery notes, identify the economic/operational problem, qualify fit and determine the needed sector mix.
6. Prepare an Enterprise Value & Execution Blueprint with evidence, value drivers, risks, priorities and a proposed execution path.
7. Build the scope, work breakdown, estimated costs, staffing/skill demand, price, timeline, assumptions and deliverable acceptance criteria.
8. Draft the proposal, SOW, supporting agreement package and implementation plan; obtain the appropriate approvals and signatures through the actual authorized process.
9. Set up the engagement, funding/billing milestones, intake checklist, client document workspace, program charter, baseline and communication plan.
10. Execute cross-sector workstreams, track dependencies, produce deliverables and run quality/reconciliation checks.
11. Report progress and financial implications, handle change requests, and maintain issue/decision logs.
12. Prepare invoices from approved terms and completed milestones; track payment from actual evidence, not from model assumptions.
13. Obtain client acceptance, measure realized benefits, hand over operating materials and close the engagement.
14. Prepare a renewal or expansion recommendation and update reusable nonconfidential methods from lessons learned.

Each step must create usable records and artifacts. A completed discovery task must feed scope; scope must feed the PMO; accepted work must feed billing; actual results must feed reporting and the next execution priorities.

Use reference pricing defaults: 10% contingency; 50% target gross margin; 40% floor; deposit up front; deliverable-based milestone billing; cash in before cash out. The Managing Principal can edit the defaults. Below-floor pricing requires a recorded human exception.

Pricing calculation: estimate task hours by skill/role; multiply by approved loaded cost rates; add outside partners, software, travel and other direct costs; apply contingency to the configured eligible base; divide by 1 minus the target margin. Display gross margin and markup separately. Do not invent rates or confuse reference staffing weights with actual chargeable hours. Explain value relative to the proposed price and show cash timing.

11. Sector skills and practical deliverables

11.1 Business and business development

Support strategic diagnostics, business plans, market/competitor research, customer segmentation, unit economics, pricing, sales funnel analysis, partnership mapping, expansion plans, operating models, SOPs, process improvement, cost reduction, restructuring workstreams, organization design and change adoption.

Convert findings into a quantified prioritized roadmap with an accountable owner, baseline, target, economics, dependencies and evidence. Produce business cases, decision memos, operating playbooks, KPI dictionaries, pricing scenarios and implementation plans. Verify source periods and distinguish verified savings from potential savings.

11.2 Finance and capital advisory

Support monthly/catch-up accounting workflows, expense categorization, reconciliation, close checklists, financial statement preparation support, client controller/fractional CFO reporting, budgets, projections, margin improvement, working capital, business credit readiness, loan packaging, capital structure scenarios, tax-ready records and payroll coordination.

Stage proposed accounting adjustments for review; never silently post changes into a connected accounting system. Build lender packages with source-backed revenue, debt, collateral and cash assumptions. Track document deficiencies and lender status. Credit decisions stay with the lender. Tax conclusions go to a qualified tax professional.

Run financial calculations in deterministic code with source-linked inputs, versioned formulas, defined units and explicit rounding. Reconcile ledgers, opening and closing cash, balance-sheet totals and forecast period totals. Flag missing data and unresolved differences; never insert balancing plugs. Keep profitability distinct from liquidity and state the applicable definitions for cash flow, margins, NOI, returns and debt-service metrics.

11.3 Construction and capital projects

Support owner program charters, estimate libraries, quantity/cost assumptions, capital budgets, schedules and critical dependencies, tender/bid analysis, procurement plans, contractor document tracking, commitments, pay applications, approved/unapproved changes, WIP support, cost-to-complete, field issue registers, quality/HSE coordination, punch lists and closeout.

Distinguish original budget, approved revised budget, actual cost, commitments, forecast exposure and estimate-at-completion. Respect the selected accounting treatment and source period. Flag missing lien releases, approvals, inspections or change support as unresolved rather than complete. Physical site observations and professional sign-offs require qualified humans and actual field evidence.

11.4 Real estate

Support buy-and-hold, flip, BRRRR and commercial investment scenarios; market comps; rent rolls; T12 analysis; property underwriting; cash flow; ROI/IRR; debt scenarios; portfolio/asset reporting; acquisition/disposition coordination; sale-leaseback analysis; rehab/development planning; property operating reviews; rent optimization and NOI initiatives.

Produce an investment memo and transparent model with acquisition costs, vacancy, expenses, capex, reserves, financing, exit assumptions and sensitivity. Link portfolio metrics back to individual assets. Separate market asking rents from achieved rents and verified sales from unconfirmed listings. Brokerage, appraisals and legal closing work use the qualified execution route.

11.5 Technology and digital transformation

Support IT inventories, requirements, technology roadmaps, vendor comparisons, ERP/CRM assessments, financial-system implementation plans, data migration maps, integration specifications, workflow automation, analytics, AI-use-case design, security/control assessments, test plans and adoption materials.

Generate working automation scripts only as artifacts for an approved development workspace, and execute only browser-supported automations through the actual available tools. Native scripts and client-system deployments require the appropriately authorized external environment; never report them executed from a bare HTML page. Produce a change plan, rollback plan and test evidence before any authorized connection to a production client system. Do not treat a generic AI security review as a penetration test or professional certification. Keep this client practice separate from the application's own engineering operations.

11.6 Logistics and supply chain

Support network design, carrier/freight bids, drayage cost analysis, route/service comparisons, freight audit workpapers, fleet economics, warehouse labor/process reviews, inventory policy, demand planning, sourcing, supplier scorecards, spend analytics and TMS/WMS requirements.

Normalize shipment, lane, weight, unit, fuel surcharge and service assumptions. Calculate savings against a comparable verified baseline. Produce a sourcing plan, carrier/supplier comparison, warehouse improvement plan and service/cost dashboard. Do not tender or broker freight without the appropriate authorization and provider arrangement.

11.7 Energy and infrastructure

Support solar/storage and EV site screening, utility/tariff data intake, energy economics, deployment planning, vendor/EPC comparisons, interconnection/permit tracking, oil and gas operating analysis, fueling/C-store site economics, capital programs, HSE coordination and energy performance reporting.

Define energy units, load assumptions, tariffs, utilization, capex, operating expense, financing and incentives independently. Verify changing incentive and tariff information from current authoritative sources; do not assume eligibility. Flag electrical, environmental, engineering and site-safety questions for actual qualified review. Produce an energy business case, sensitivity model, deployment plan and permit/utility dependency register.

11.8 M&A and value creation

Support acquisition thesis, target screening, exit readiness, data room indexes, diligence requests, valuation preparation, financial/operational diligence workpapers, transaction scenarios, deal structuring support, Day 1/100-day plans, integration, carve-outs and synergy tracking.

Trace valuation inputs, normalize only with explicit assumptions, distinguish proposed adjustments from verified facts, and separate forecast synergy from realized value. Produce a decision-ready transaction memo, diligence tracker, open-issues register and integration plan. Use qualified counsel, valuation specialists and registered intermediaries where needed; do not label AI work as an independent QoE or fairness opinion.

11.9 Owner and family enterprise

Support personal cash/net worth, budgeting, debt plans, financial education, protection needs, life/key-person insurance planning support, retirement/rollover coordination, owner succession, family governance, estate/tax/wealth-transfer coordination, philanthropy and business-to-real-estate wealth planning.

Separate the owner's personal records from enterprise books. Track goals, assumptions, existing advisors and referral actions. Personalized regulated advice and product execution go through the appropriate qualified provider. Do not assume House Socian or a regulated affiliate has been established. Do not promise wealth acceleration, investment returns, tax results or insurance suitability without actual professional review.

12. Corporate and executive capabilities

M01 must support annual/quarterly strategy, objectives, portfolio priorities, opportunity evaluation, capital allocation analysis, meeting preparation, executive agendas, decision memos, board packs, follow-up, travel/calendar preparation and internal corporate development. It may recommend priorities and assemble decisions; it cannot cast board votes or create binding corporate authority.

M13 supports the firm's internal systems requirements, application maintenance, data quality, knowledge management, automation backlog, software testing, security, IT support and user training. Map its 22 reference positions to reusable internal technology skills. Internal engineering must follow the same browser-based runtime, authorization, backup and change-control requirements as the rest of the application.

M14 must handle THE CONSULT's internal finance separately from client finance: billing terms, invoicing, collections, AP approval packets, treasury/cash scenarios, payroll handoffs, management accounts, forecasts, equity/cap-table workpapers and reporting preparation. Payment status changes require actual evidence. Payment execution is not part of the default autonomous scope.

Corporate legal/administrative skills include agreement intake, clause extraction, template selection, redline preparation, obligations, renewal dates, conflicts checks, policy registers, credential/license tracking, insurer/broker coordination and referral packages. Legal analysis must identify uncertainty and the need for qualified counsel.

People operations include job descriptions, onboarding checklists, training plans, performance review preparation, skills inventory, capacity plans, credential expiration reminders, approved contractor/vendor records and procurement support. Reference AI capacity is not actual employee headcount. Do not make autonomous employment decisions or record fictitious staff.

Support future public-company preparation as an optional internal workstream: reporting calendars, disclosure evidence, financial-control documentation, board materials, policy tracking, external-auditor request lists and investor-communication drafts. It is not a claim that the firm is currently IPO-ready or that AI has replaced independent directors, counsel, officers or auditors.

M15 reviews completed work in a fresh task context using the source data, artifact, method and acceptance criteria. It checks factual support, arithmetic, assumptions, consistency, professional scope, confidentiality and authorization. Give it no ability to rewrite its own policy or approve material commitments. Same-provider AI review is a quality control, not formal audit independence.

13. Research, prospecting and optional integrations

Build local import/export and manual task-packet handoff first, so the application works without connecting an account. Optional Google Drive, Sheets, Docs/exports, Gmail, Calendar and Contacts adapters must use the owner's actual approved access and the correct supported extension OAuth configuration. Never assume access from an email address or domain.

For the primary extension, investigate and use Chrome's documented identity API and the provider's supported extension/public-client flow. Configure the OAuth client with the actual stable extension identity and verify granted scopes. Do not introduce a public callback website, confidential client secret, desktop loopback server, hosted proxy or unsupported copy-paste login flow. Some providers or device policies may make an integration unavailable; keep export/import/manual workflows working and state the exact constraint.

Request minimal optional host permissions when the owner enables a specific integration. Execute cross-origin provider requests only from permitted trusted extension contexts. Content scripts do not inherit unrestricted network access. An authorized host permission is not permission to send email or spend money: the action policy must still pass. No arbitrary URL supplied by a web page or source document may become a credentialed fetch.

Store saved provider credentials only as encrypted vault data, or use the supported identity API's token handling as appropriate. Keep model keys and OAuth tokens out of exported HTML, plain browser storage, prompts and

logs. In a trusted browser app, client-side credentials cannot be made invisible to the device owner or all same-privilege code; do not claim server-secret protection. Display account identity, scopes and connection health; provide disconnect/revoke behavior. Plain file mode must not pretend it has extension identity/host permissions.

For pmsuite.co, build a connector only after locating and verifying its actual supported API or export/import format. Do not invent endpoints or use undocumented private APIs. If no supported API is available, provide CSV/JSON mapping and a manual synchronization workflow while the local PMO remains fully usable.

Research sources may include SEC EDGAR; SBA program/public data; SAM.gov; USAspending.gov; Census/BLS; local permits and procurement; HUD; FMCSA/DOT; EIA; FERC; EPA; OSHA; county property records; and official company websites. Verify endpoint availability, keys, licenses, update dates and rate limits. Some records are research signals, not evidence that a company is a qualified prospect or that a named person controls a decision.

Implement source-adapter interfaces and functioning initial research methods; distinguish connected API, approved web retrieval, imported dataset and manual source entry. Show unsupported connectors as unavailable with the exact missing setup. Never show fabricated results or mark a disconnected provider as live.

Every prospect record should include organization identity, sector, location, ownership/size evidence where available, observed trigger, likely operational issue, service-fit explanation, potential value hypothesis, source URLs/dates, public contact evidence, role verification, confidence, next action and restrictions. Use a documented explainable prioritization method, not invented AI certainty.

Do not infer that a guessed email is verified. Keep verified public email, user-provided email, unverified candidate and unavailable contact separate. Do not purchase enrichment, bypass access controls, or start mass scraping without an explicit provider/configuration choice. Cache queries and avoid repeatedly researching unchanged facts.

Outbound workflows require deduplication, suppression/opt-out lists, account identity, approved content scope, send caps, provider limits, lawful marketing settings, actual send receipts and unsubscribe/stop handling where applicable. Subjects should use Title Case by default. Merge fields such as {{Company}} and {{Firm Name}} must be resolved or block release. A scheduled campaign remains queued until its authorization and connection checks pass.

Support email import and drafts even when sending is disabled. Routine authorized replies should use the relevant client/engagement facts, stay within approved scope and escalate new commercial commitments or disputed facts. Avoid duplicate replies on repeated mailbox syncs.

14. Browser security and local confidentiality

Use Manifest V3 security rules, a restrictive CSP, bundled local code, safe DOM rendering, validated extension messages, trusted-sender checks, narrowly requested host permissions and no unnecessary content scripts. Do not request access to every website, remote debugging, native messaging or broad browsing history merely to simplify implementation. Use packaged workers and libraries compatible with extension CSP. If WASM is necessary, use the documented narrow CSP setting rather than general unsafe eval.

Treat imported HTML, documents, email, web responses and model output as untrusted data. They cannot change tool permissions, inject executable scripts, select another client's data, create approval or supply arbitrary network/file destinations. Prefer text-safe rendering; sanitize any supported rich content and generated reports.

For sensitive local records, attachments and saved API keys, implement a versioned authenticated-encryption vault using established Web Crypto primitives and a suitable passphrase-based key derivation design. Store salts/parameters/version and ciphertext, not the passphrase or reusable plaintext key. Include integrity checks, export/recovery behavior, auto-lock and realistic threat assumptions. Do not invent cryptography or label all storage encrypted if only a provider key is protected.

Keep sensitive content out of chrome.storage.sync so it is not silently synchronized to other devices. Restrict storage/message access to trusted extension contexts using supported APIs. Use IndexedDB for appropriately sized structured/blob storage and small extension storage areas for justified metadata. Detect quotas and failed writes; never mark a change saved after a storage error. Features requiring OPFS, File System Access, WebGPU or workers must be detected and tested in the actual origin.

Provide explicit encrypted workspace backup/export and restore, including necessary source attachments, task state, artifact manifests and schema versions. Explain that uninstalling the extension, changing its identity, profile loss or a device reset can remove access to local data. A browser cache is not a recovery plan. Verify restoration into an isolated test workspace and detect corrupted/wrong-passphrase backups without destroying the original.

Use user-selected file inputs or granted handles, resource-limited parsers and safe downloads/save dialogs. Do not silently read every file on the current device. Respect handle revocation and any requirement for a fresh user gesture. Keep heavy OCR/inference cancellable and the UI responsive.

Before sending client information to any cloud provider, identify the provider/account and permitted data scope. Support local-only clients, redaction and manual task packets. No client-content telemetry or crash upload is enabled by default. Exported HTML must not contain secrets, hidden other-client records, remote tracking or code that silently sends data elsewhere.

Maintain tamper-evident hash-linked action logs and document their limits: a local browser owner can alter local state or code. This is not a tamper-proof independent audit. Preserve evidence through verified portable exports and owner-controlled backups.

15. The internal cross-platform experience

Use THE CONSULT's institutional black/gold direction with restrained accents, readable typography, accessible contrast and a practical light/dark option. Prioritize clear work and review flows over decorative dashboards. Use synthetic demo records only when clearly labeled.

Required working views: Executive Home; Command Center; Clients & Entities; Research/CRM; Opportunities & Proposals; Engagements & PMO; Sector Workspaces; Documents & Deliverables; Owner Services; Corporate Operations; Approvals; Activity & Evidence; Knowledge & Skills; Integrations; Budget/Capacity; and Settings/Backup. Views may share components and navigation; do not build fifteen disconnected apps.

The Command Center accepts plain-language requests and shows a concrete execution plan, selected client, affected records, current status, required decisions and generated artifacts. Give the owner a single coherent assistant. Module names can explain routing, but the owner should not have to manage a conversation with fifteen AI personas.

Executive Home shows today's priorities, client commitments, overdue/blocked work, cash risks, engagement health and decisions requiring attention. Display only actual operational data. Do not invent revenue, savings or progress percentages to fill the screen.

Show capability status separately from task results: available locally, AI provider needed, connector needed, awaiting data, requires qualified review, implemented/tested, or planned. A registry entry alone does not make a skill implemented. A successful export does not mean the client accepted the work.

Reports must adapt to the audience: owner/CEO decisions; CFO reconciliations and drivers; construction cost/schedule/changes; real estate NOI/assets; logistics service/cost; energy economics/permits; M&A diligence/integration; and board-level evidence/risks. Preserve the same underlying numbers while changing detail and emphasis.

16. Budget, performance and measured capacity

Default external spending to disabled until the owner sets a budget and provider. Internal deterministic tools do not require a paid subscription. Cloud inference, some APIs and optional integrations may have charges; no hosting fee is required by this architecture, but zero hosting does not imply zero operating cost.

Track model/provider, input/output usage, available cost estimates, actual provider-reported usage, workflow cost, latency, retries, review time and failure rates. If cost cannot be verified, label it estimated. Use daily/monthly caps, per-job reservations and a stop rule before the next paid call. Do not bypass a budget by changing models or spawning another worker.

Prefer deterministic parsing/calculation, retrieval, caching, incremental updates and reusable templates before a model call. Route routine extraction to a suitable lower-cost/local model when its evaluation passes. Use stronger reasoning for high-ambiguity analysis and review when authorized. Record model identity/version and inference mode with important artifacts.

Create realistic small, medium and large workloads with labeled synthetic data. Benchmark 5 clients/25 mixed jobs; 25 clients/250 queued jobs; and a larger dataset such as 100 clients/2,500 queued jobs for storage/queue/resume behavior. Queue size is not simultaneous inference demand. Run paid inference benchmarks only within an approved budget; use explicit test doubles for deterministic queue/load tests and never report them as real model throughput.

Measure completed accepted work units per hour/day by type, numerical correctness, evidence coverage, quality acceptance, rework, owner review time, cost per work unit, and resource use. Test responsiveness while browser OCR or a compatible local model is active. Detect limited memory/storage, including Chromebook constraints, and unavailable GPU features on the actual device. Chunk large files; cap concurrent processing; report storage quota failures; do not assume desktop-class resources. Report the specific hardware and provider configuration. Scale concurrency only when those results justify it.

17. Workflow scenarios that must work

Build and test these representative end-to-end scenarios with labeled synthetic fixtures, then support real user-supplied data through the same paths:

1. A new prospect is researched from available sources, linked to a verifiable trigger, deduplicated in CRM, matched to an offer and given an outreach draft. Sending is blocked unless authorized.
2. A discovery record becomes a diagnostic Blueprint, priced scope, SOW draft, project plan and approvals package using real linked records.
3. A bookkeeping export and bank data become reconciled client financials, a 13-week cash forecast, KPIs and an executive pack with source lineage and open discrepancies.
4. A construction job produces budget/commitment/actual/change/cost-to-complete views, schedule risks and a management report without treating an unapproved change as approved revenue.
5. A property rent roll and operating history produce underwriting, NOI, financing/return sensitivities and a portfolio action plan.
6. A systems intake becomes a technology roadmap, ERP/CRM requirements, integration plan, test checklist and adoption materials.
7. Freight/warehouse data produces normalized costs, service analysis, supplier comparisons and an implementation backlog.
8. An EV/solar/fueling project produces a sourced economic model, assumption sensitivity, utility/permit dependencies and qualified-review items.

9. A proposed acquisition produces target/diligence records, a documented valuation-preparation model, open-issue register, decision memo and 100-day integration plan.
10. An owner enterprise/wealth request produces separate personal and business records, cash/net-worth workpapers and a coordinated advisor action register.
11. One client program combines acquisition, facility expansion, financing, systems, logistics and energy initiatives under one PMO plan with sector-specific workstreams.
12. An approved milestone produces a reviewable invoice, authorized delivery action if enabled, actual action receipt, and a collections task; duplicate job execution does not duplicate the invoice/send.
13. The browser tab or extension worker is closed/restarted during work and recovers without losing source data, corrupting the database or blindly repeating an uncertain external action.
14. Each target computer can operate offline with local records, calculations, documents, search, portable workspace files and HTML report export. Connected work pauses truthfully.
15. The complete local workspace is backed up, restored into an isolated test workspace, unlocked through the supported recovery method and verified; the same backup also restores on a different target operating system without broken source/artifact links.

18. Verification and release gates

Create a requirements-to-evidence matrix. Every role in Appendix A and service in Appendix B must map to a practical skill/workflow and actual tool/artifact path. Track coded, tested with fixture, tested live, pending connection, requires qualified human, unavailable in current mode, and not implemented separately. Browser restrictions cannot be hidden by a fake success state or by deleting the affected requirement.

Test financial formulas/reconciliation; client scoping; policy checks; sender/message validation; cross-origin adapters; job deduplication/recovery; encrypted backup/restore; export sanitation; secret redaction; parser limits; and the cross-sector operating scenarios. Add UI/integration tests for actual local extension and file-fallback distributions, not just a dev-server preview.

Test malicious source instructions, script/HTML injection, untrusted message senders, unauthorized cross-client retrieval, unauthorized sends, modified approvals, duplicates, disconnected accounts, stale periods, malformed files, budget limits, network loss, model failures and missing browser features. Test service-worker termination, extension reload, tab closing, multiple tabs, revoked file handles, lock/unlock, sleep/resume, missed alarms, storage quotas and recovery after partial writes.

With network access denied, open the built local extension and standalone fallback, import fixture files, calculate, update tasks, save/export a workspace, generate HTML/PDF reports with bundled libraries, close/reopen and restore. File-fallback persistence may rely on its explicit portable workspace file; do not assume file-origin browser storage is reliable across paths or profiles. Report any unsupported browser APIs and prove the fallback.

Verify no runtime server, localhost listener, hosted proxy/backend, Windows program, Linux container, terminal, Node installation or remote asset CDN is necessary. Validate the Manifest V3 package, CSP, host permissions, stable identity and exact Load unpacked procedure. Verify the standalone HTML can start without file-origin module/worker fetch errors in the targeted Chrome environment.

Validate AI and Google connections separately using explicit test accounts/credentials and read/draft-first procedures. Do not send real outreach merely to prove a connector works. Confirm the provider permits the selected direct browser/extension authentication approach; if not, use a truthful unavailable/manual mode instead of adding hidden hosting.

Maintain an OS/browser/distribution acceptance matrix for Windows, macOS, ChromeOS and Linux. Verify both the standalone HTML and extension on each supported combination: launch, import, calculate, save/export, close/reopen, restore, permissions and an authorized connector test where credentials exist. Test cross-OS backup round-trips and device handover as well. Distinguish generic headless-Chromium tests from actual

OS/device validation. If the build environment cannot test a target, deliver its exact acceptance checklist and mark it unverified. Do not claim universal OS/browser/mobile support from a single-machine test.

19. Implementation sequence and persistence

Work in phases and continue after planning. Ask only for decisions that materially change scope or for unavailable secrets/account access. Local development and tests must continue while live credentials, optional models or a particular target device/OS are unavailable.

Phase 0 - Inspect and specify: Review repo, instructions and this directive. Record the shared browser core, four-OS/Chrome support matrix, Manifest V3 adapters, dependency versions, fallbacks, portability and acceptance tests. Create BUILD_STATE.md. No OS-exclusive native runtime assumption is allowed.

Phase 1 - Local browser foundation: Build the full-tab extension UI and standalone HTML fallback, typed tool/message boundary, IndexedDB/portable-file adapters, client scoping, encrypted vault, queue, policy engine, approvals, audit events and backup/restore. Prove no-hosting startup and offline calculations.

Phase 2 - First complete operating loop: Deliver client intake -> local file import -> finance/cash analysis -> executive report -> PMO action register -> artifact review/export. Add provider interfaces, manual AI task-packet handoff, optional connected AI and feature-gated browser-local inference.

Phase 3 - Commercial and delivery operations: Add research/CRM, qualification, Blueprint, proposal/SOW, pricing, engagement setup, due-on-resume scheduling, billing preparation and optional authorized communication. Verify extension network permissions and actual connection behavior.

Phase 4 - Complete capability breadth: Implement all seven sector skill packs, M&A, owner services, corporate functions and assurance against the shared data/workflow/artifact core. Complete all Appendix A/B mappings. A screen or registry entry alone does not finish a capability.

Phase 5 - Integration completion and workflow validation: Complete supported Google connections and verified PMsuite exchange formats. Test data mappings, permissions, client boundaries, connector failures and manual alternatives. Prove the cross-sector scenarios using the implemented sector workflows.

Phase 6 - Browser hardening and delivery: Test worker/tab restart, locked vault, quotas, permission revocation, offline behavior, exports/recovery, security, measured resource use and performance. Deliver the common ready-to-load extension folder/ZIP, self-contained portable HTML, per-OS launch instructions, cross-device backup/handover workflow and an honest four-OS acceptance matrix.

Maintain BUILD_STATE.md, REQUIREMENTS_TRACEABILITY.md, DECISIONS.md and NEXT_ACTIONS.md with evidence, failures, versions, reproducible build commands and next tasks. Checkpoint at context limits and resume concretely. Do not call unfinished or untested device behavior complete.

20. Required final deliverables from Claude Code

Deliver the cross-platform local browser application, full source, a shared built Manifest V3 extension directory plus ZIP, self-contained portable HTML, bundled runtime assets, sample fixtures and reproducible build instructions. The same built application core must serve Windows, macOS, ChromeOS and Linux; the user should receive ready-to-open/load output without needing a development toolchain.

Include a setup guide with tested instructions for each of Windows, macOS, ChromeOS and Linux: extraction, local HTML launch, Chrome's Extensions page, Load unpacked where permitted, full-tab launch, stable-identity updates, offline use and portable backup/restore. Explain that Extensions-page Developer mode is not ChromeOS system Developer Mode. If device management blocks local extensions, do not instruct a bypass; document the useful fallback and unavailable features.

Also deliver capability/skill registry, full role/service coverage, browser storage schemas/migrations, workflow and tool library, deterministic finance tools, document/report templates, integration setup/permission guide, approval policy, encrypted recovery guide, test evidence, measured capacity and the device acceptance checklist.

The final report must identify what works in extension mode versus file mode; which AI/providers/connectors were actually tested; which work needs a qualified human; what pauses when locked, suspended or closed; what requires a compatible optional model; and which OS/browser/device checks remain. Include the portable workspace format, cross-device transfer/handover guide, and the opt-in sync adapter status if any. No hidden server, unsupported native component, phantom integration or fake performance claim is acceptable.

Start now: inspect the project; create build state; establish the shared cross-platform browser foundation; and implement the first complete operating loop. Continue until requirements are implemented and verified or a concrete external/browser/device dependency is documented with the rest functioning.

Appendix A. Complete role-to-capability coverage

This ledger adapts the reference organizational design to this internal initiative. Internal technology role labels are scoped to the firm's systems, data, security, automation and user support. Counts are reference positions only. They must NOT become one runtime agent each. Seed a compact data registry linking these responsibilities to the fifteen modules and their specific skills. The total remains 152 role lines and 360 reference positions.

Reference function	Role / skill family	Reference positions	Module
Executive Office	Founder / Chief Executive Officer	1	M01
Executive Office	President & Chief Operating Officer	1	M01
Executive Office	Chief of Staff	1	M01
Executive Office	VP, Corporate Strategy & Development	1	M01
Executive Office	Executive Assistants	2	M01
Business & Business Development	Managing Director, Business	1	M04
Business & Business Development	Strategy Directors	2	M04
Business & Business Development	Engagement Managers	3	M04
Business & Business Development	Growth & Pricing Consultants	4	M04
Business & Business Development	Operations Director	1	M04
Business & Business Development	Operations Consultants	8	M04
Business & Business Development	Process Improvement Specialists	4	M04
Business & Business Development	Senior Business Analysts	4	M04
Business & Business Development	Business Analysts	6	M04
Business & Business Development	Organization & Change Lead	1	M04
Business & Business Development	Change Consultants	4	M04
Business & Business Development	Training & Adoption Specialists	2	M04
Finance & Capital Advisory	Managing Director, Finance	1	M05
Finance & Capital Advisory	Fractional CFOs	4	M05

Reference function	Role / skill family	Reference positions	Module
Finance & Capital Advisory	Client Controllers	4	M05
Finance & Capital Advisory	Client Accounting Managers	2	M05
Finance & Capital Advisory	Bookkeeping & Cleanup Accountants	5	M05
Finance & Capital Advisory	Payroll Coordination Specialists	2	M05
Finance & Capital Advisory	FP&A Managers	3	M05
Finance & Capital Advisory	Financial Modelers	5	M05
Finance & Capital Advisory	Cash Forecast Analysts	3	M05
Finance & Capital Advisory	Capital Structure Advisors	2	M05
Finance & Capital Advisory	Credit & Loan Packaging Analysts	3	M05
Finance & Capital Advisory	Tax-Ready Finance Coordinator	1	M05
Construction & Capital Projects	Managing Director, Construction	1	M06
Construction & Capital Projects	Capital Program Directors	2	M06
Construction & Capital Projects	Owner Representatives / Project Managers	6	M06
Construction & Capital Projects	Cost Engineers	4	M06
Construction & Capital Projects	Estimators	3	M06
Construction & Capital Projects	Job Cost / WIP Analysts	3	M06
Construction & Capital Projects	Schedulers / Planners	3	M06
Construction & Capital Projects	Procurement Leads	2	M06
Construction & Capital Projects	Construction Contract Administrators	2	M06
Construction & Capital Projects	Field Quality Coordinators	2	M06
Construction & Capital Projects	Safety / Compliance Manager	1	M06
Construction & Capital Projects	Project Document Controllers	3	M06
Real Estate	Managing Director, Real Estate	1	M07

Reference function	Role / skill family	Reference positions	Module
Real Estate	Portfolio Directors	2	M07
Real Estate	Asset Management Consultants	4	M07
Real Estate	Acquisitions Managers	3	M07
Real Estate	Property Underwriting Analysts	6	M07
Real Estate	Market Research Analysts	3	M07
Real Estate	Property Operations Consultants	5	M07
Real Estate	Rent / Revenue Analysts	3	M07
Real Estate	Lease Audit Specialists	2	M07
Real Estate	Development Advisors	3	M07
Real Estate	Disposition / Sale-Leaseback Specialists	2	M07
Real Estate	Transaction Coordinator	1	M07
Technology & Digital Transformation	Managing Director, Technology	1	M08
Technology & Digital Transformation	Solutions Architects	2	M08
Technology & Digital Transformation	Digital Transformation Managers	2	M08
Technology & Digital Transformation	ERP / CRM Implementation Consultants	5	M08
Technology & Digital Transformation	Integration Engineers	4	M08
Technology & Digital Transformation	Automation Developers	3	M08
Technology & Digital Transformation	Client Data Engineers	3	M08
Technology & Digital Transformation	BI / Dashboard Developers	3	M08
Technology & Digital Transformation	Applied AI Analysts	2	M08
Technology & Digital Transformation	Cybersecurity Consultants	2	M08
Technology & Digital Transformation	Cloud Engineers	2	M08
Technology & Digital Transformation	QA / UAT Analysts	2	M08

Reference function	Role / skill family	Reference positions	Module
Technology & Digital Transformation	Digital Adoption Trainer	1	M08
Logistics & Supply Chain	Managing Director, Logistics	1	M09
Logistics & Supply Chain	Supply Chain Strategists	2	M09
Logistics & Supply Chain	Network Modeling Analysts	2	M09
Logistics & Supply Chain	Freight Procurement Consultants	2	M09
Logistics & Supply Chain	Drayage Operations Analysts	2	M09
Logistics & Supply Chain	Fleet Compliance Coordinator	1	M09
Logistics & Supply Chain	Warehouse Improvement Specialists	2	M09
Logistics & Supply Chain	Inventory / Demand Planners	2	M09
Logistics & Supply Chain	Procurement Analytics Analysts	2	M09
Logistics & Supply Chain	TMS / WMS Consultants	2	M09
Energy & Infrastructure	Managing Director, Energy	1	M10
Energy & Infrastructure	Energy Economists / Analysts	2	M10
Energy & Infrastructure	Energy Program Lead	1	M10
Energy & Infrastructure	Solar / Storage Consultants	2	M10
Energy & Infrastructure	EV Deployment Consultants	2	M10
Energy & Infrastructure	Utility / Interconnection Coordinator	1	M10
Energy & Infrastructure	Oil & Gas Operations Advisors	2	M10
Energy & Infrastructure	Fueling / C-Store Consultants	2	M10
Energy & Infrastructure	Energy Data / Financial Modelers	2	M10
Energy & Infrastructure	Permitting / HSE Coordinators	2	M10
Energy & Infrastructure	Energy Vendor Procurement Lead	1	M10
Enterprise PMO & Client Delivery	Head of Enterprise PMO	1	M03
Enterprise PMO & Client Delivery	Portfolio / Program Directors	5	M03
Enterprise PMO & Client Delivery	Engagement / Program Managers	9	M03
Enterprise PMO & Client Delivery	Engagement Administrators	3	M03

Reference function	Role / skill family	Reference positions	Module
Enterprise PMO & Client Delivery	Resource / Capacity Planners	4	M03
Enterprise PMO & Client Delivery	Project Controls Analysts	5	M03
Enterprise PMO & Client Delivery	Quality / Benefits Realization Leads	3	M03
M&A, Transactions & Value Creation	Managing Director, M&A	1	M11
M&A, Transactions & Value Creation	Transaction Directors	2	M11
M&A, Transactions & Value Creation	Financial Due Diligence Specialists	3	M11
M&A, Transactions & Value Creation	Valuation / Deal Modelers	3	M11
M&A, Transactions & Value Creation	Transaction Managers	3	M11
M&A, Transactions & Value Creation	Deal Research Analysts	2	M11
M&A, Transactions & Value Creation	Integration Leads	2	M11
M&A, Transactions & Value Creation	Synergy Tracking Analysts	2	M11
Owner & Family Enterprise Services	Managing Director, Owner Services	1	M12
Owner & Family Enterprise Services	Family Enterprise Advisors	3	M12
Owner & Family Enterprise Services	Financial / Wealth Planners	4	M12
Owner & Family Enterprise Services	Budget, Debt & Net Worth Coaches	3	M12
Owner & Family Enterprise Services	Insurance & Protection Strategists	3	M12
Owner & Family Enterprise Services	Retirement / Investment Service Liaisons	3	M12
Owner & Family Enterprise Services	Tax / Estate / Philanthropy Coordinators	3	M12
Owner & Family Enterprise Services	Owner Client Service & Reporting Associates	2	M12
Internal Technology & Data Operations	Chief Technology & Information Officer	1	M13

Reference function	Role / skill family	Reference positions	Module
Internal Technology & Data Operations	Internal Systems Managers	2	M13
Internal Technology & Data Operations	Software Engineers	6	M13
Internal Technology & Data Operations	Data / AI Engineers	4	M13
Internal Technology & Data Operations	QA Engineers	2	M13
Internal Technology & Data Operations	DevOps / Cloud Engineers	2	M13
Internal Technology & Data Operations	Chief Information Security Officer	1	M13
Internal Technology & Data Operations	IT Support Specialists	2	M13
Internal Technology & Data Operations	Internal Systems Enablement Specialists	2	M13
Commercial & Enterprise Accounts	Chief Commercial Officer	1	M02
Commercial & Enterprise Accounts	Enterprise Account Directors	4	M02
Commercial & Enterprise Accounts	Business Development Managers	3	M02
Commercial & Enterprise Accounts	Proposal / Bid Managers	2	M02
Commercial & Enterprise Accounts	Marketing & Communications Specialists	2	M02
Commercial & Enterprise Accounts	Research / CRM Operations Analysts	2	M02
Corporate Finance & Public Reporting	Chief Financial Officer	1	M14
Corporate Finance & Public Reporting	Corporate Controller	1	M14
Corporate Finance & Public Reporting	SEC / Technical Accounting Manager	1	M14
Corporate Finance & Public Reporting	Corporate Accountants	3	M14
Corporate Finance & Public Reporting	Corporate FP&A Analysts	2	M14
Corporate Finance & Public Reporting	Treasury Manager	1	M14

Reference function	Role / skill family	Reference positions	Module
Corporate Finance & Public Reporting	Billing / Collections Specialists	3	M14
Corporate Finance & Public Reporting	Accounts Payable Specialist	1	M14
Corporate Finance & Public Reporting	Corporate Payroll Specialist	1	M14
Corporate Finance & Public Reporting	Corporate Investor Relations Lead	1	M14
Corporate Finance & Public Reporting	SOX / Internal Controls Manager	1	M14
Legal, Risk & Compliance	General Counsel / Corporate Secretary	1	M14
Legal, Risk & Compliance	Corporate / Commercial Counsel	1	M14
Legal, Risk & Compliance	Chief Compliance Officer	1	M14
Legal, Risk & Compliance	Financial Services Compliance Supervisor	1	M14
Legal, Risk & Compliance	Enterprise Risk / Insurance Lead	1	M14
Legal, Risk & Compliance	Privacy / AI Governance Lead	1	M14
Legal, Risk & Compliance	Contracts Managers / Paralegals	2	M14
People, Partners & Corporate Operations	Head of People & Corporate Operations	1	M14
People, Partners & Corporate Operations	HR Business Partners	2	M14
People, Partners & Corporate Operations	Recruiters / Talent Partners	3	M14
People, Partners & Corporate Operations	Learning & Development Manager	1	M14
People, Partners & Corporate Operations	Partner / Vendor Operations Managers	2	M14
People, Partners & Corporate Operations	Corporate Procurement Administrator	1	M14
People, Partners & Corporate Operations	Workplace / Administrative Specialists	2	M14
Independent Internal Audit	Director of Internal Audit	1	M15
Independent Internal Audit	Senior Internal Auditor	1	M15

Appendix B. Complete original service coverage

All 67 services from the supplied checklist must remain supported through practical workflows, qualified coordination where necessary, and the same local execution system. Adjacent sector services in Section 11 extend this baseline. Module routing is an accountability assignment, not a license or a guarantee of professional outcomes.

Original service	Module	Coordination / qualified execution interface
Business Financial Analysis	M05	Financial analysis
Cash Flow Management & Forecasting	M05	13-week cash and forecasts
Profitability Analysis & Margin Improvement	M05	Profitability and margins
KPI Tracking & Dashboard Creation	M08	Business / Finance define KPIs
Financial Modeling & Projections	M05	Financial models
Monthly Bookkeeping	M05	Client accounting
Catch-Up / Cleanup Bookkeeping	M05	Cleanup accounting
Financial Statement Preparation	M05	Statement preparation; qualified review as scoped
Job Costing (Contractors)	M06	Finance supports WIP / job costing
Expense Tracking & Categorization	M05	Client accounting
Business Planning & Strategy	M04	Strategy
Growth & Scaling Strategy	M04	Growth
Pricing Strategy Optimization	M04	Pricing
Cost Reduction & Efficiency Audits	M04	Operations
Business Restructuring	M04	Finance / M&A / counsel support
Business Credit Development	M05	Credit readiness
Funding Strategy & Capital Structuring	M05	Registered intermediary if required
Loan Packaging & Underwriting Support	M05	Lender retains credit approval
Payroll Setup & Coordination	M05	Payroll vendor coordination
Tax-Ready Financial Preparation	M05	Tax professional handoff
Fractional CFO Services	M05	Fractional CFO
M&A / Acquisition Advisory	M11	Sector diligence; registered intermediary if required
Exit Planning & Valuation Prep	M11	Owner / Finance support
Real Estate Investment Education	M07	Education
Portfolio Strategy Development	M07	Portfolio strategy

Original service	Module	Coordination / qualified execution interface
Market Analysis & Deal Sourcing Guidance	M07	Market and sourcing
Buy-And-Hold / Flip / BRRRR Strategy	M07	Property investment strategy
Property Underwriting	M07	Underwriting
Cash Flow Analysis	M07	Property cash flow
ROI / IRR Projections	M07	Property returns
Risk Assessment	M07	Property / portfolio risk
Acquisition & Negotiation Support	M07	Licensed brokerage / counsel as required
Disposition Planning	M07	Disposition
Off-Market Deal Sourcing Strategy	M07	Sourcing
Sale-Leaseback Advisory	M07	Finance / broker / counsel support
Development & Construction Advisory	M06	Real Estate supports development
Rehab Planning & Budgeting	M06	Rehab budgeting
Contractor Coordination Guidance	M06	Contractor coordination
Property Management Consulting	M07	Property operations
Rent Optimization Strategy	M07	Revenue management
Portfolio Performance Tracking	M07	Portfolio reporting
Life Insurance Strategy	M12	Licensed insurance delivery
Key Man Insurance	M12	Licensed insurance delivery
Income Protection Planning	M12	Licensed insurance delivery
Risk Management Strategies	M12	Scoped personal risk planning
Personal Financial Planning	M12	Qualified financial planning
Budgeting & Cash Flow Structuring	M12	Personal cash structure
Debt Reduction Strategies	M12	Debt planning
Net Worth Tracking	M12	Net worth reporting
Tax Strategy Coordination	M12	Tax professional advises
Estate Planning Coordination	M12	Estate attorney advises
Wealth Transfer Strategies	M12	Attorney / tax / adviser coordination
Investment Education & Guidance	M12	Personalized securities advice via registered adviser
Retirement Planning	M12	Qualified retirement planning

Original service	Module	Coordination / qualified execution interface
IRA / 401(K) Rollovers	M12	Appropriate registered / licensed provider
Asset Allocation Strategy	M12	Personalized advice via registered adviser
Business To Real Estate Wealth Strategy	M12	Real Estate / Finance support
Cash Flow To Asset Conversion Planning	M12	Finance / Real Estate support
Entrepreneur Wealth Building Systems	M12	Business / Finance support
Capital Structuring Across Business & Real Estate	M05	Real Estate / M&A support
Integrated Risk And Growth Strategies	M12	Business / Finance support
Capital Raising Strategy	M05	M&A / registered intermediary as required
Investor Relations Support	M11	Client IR support; corporate IR is separate
Deal Structuring	M11	Finance / counsel / registered provider as required
Strategic Partnerships	M04	Sector / Commercial support
Financial Systems Implementation	M08	Finance supports requirements
Wealth Acceleration Planning	M12	Coordinated planning; no return guarantee

Appendix C. Implementation references and source authority

The reference organizational source is THE_CONSULT_100M_Organization_Mind_Map.pdf, with 152 role lines, 360 reference positions and a complete 67-service crosswalk. The service source is Socian Advisors Service List Checkboxes(3).docx. Appendix A scopes the role functions to this internal initiative while retaining the reference counts; Appendix B retains the complete service baseline. This directive is the controlling build scope. Attaching the originals again is not required to start.

Version 1.3 targets Windows, macOS, ChromeOS and Linux through one shared browser core, initially supporting desktop Chrome; it retains the no-hosting requirement. The owner's Chromebook remains a required target. Additional browsers and mobile devices require explicit compatibility validation. Documentation was checked October 24, 2026; verify actual installed Chrome versions, APIs and provider requirements while implementing. These references support the architecture, not equivalence to 360 human workers.

- Cross-browser extension differences and adapter design: https://developer.mozilla.org/en-US/docs/Mozilla/Add-ons/WebExtensions/Build_a_cross_browser_extension
- Local Chrome extension loading: https://developer.chrome.com/docs/extensions/get-started/tutorial/hello-world
- Extension cross-origin requests and host permissions: https://developer.chrome.com/docs/extensions/develop/concepts/network-requests
- Extension service-worker lifecycle and durable state: https://developer.chrome.com/docs/extensions/develop/concepts/service-workers/lifecycle
- Extension local/session/sync storage behavior: https://developer.chrome.com/docs/extensions/reference/api/storage
- Extension CSP and WebAssembly restrictions: https://developer.chrome.com/docs/extensions/reference/manifest/content-security-policy
- Chrome identity API and OAuth: https://developer.chrome.com/docs/extensions/reference/api/identity
- File System Access, supported contexts and user gestures: https://developer.chrome.com/docs/capabilities/web-apis/file-system-access
- Chromebook Linux support is optional and device/policy dependent: https://support.google.com/chromebook/answer/9145439?hl=en
- Claude Code build-time subagents: https://code.claude.com/docs/en/sub-agents
- Anthropic runtime alternatives: https://code.claude.com/docs/en/agent-sdk/overview

Large always-running agent teams are not required. Preserve all enterprise capabilities through reusable skills, bounded browser execution, deterministic tools, concrete authorization, portable recovery and verified results.

End of master build prompt.