



Engineering the Channel

Restoring Software Engineering Discipline in the Age of LLMs

Josh Paul

Socium · June 2026

Abstract

Large language models have upended the economics of software production. The per-token cost of generating code, documentation, and test suites has collapsed. Yet reliability has not kept pace with capability: studies report that the large majority of organizations deploying LLMs encounter major production failures, that developers can be measurably slower on real tasks, and that practitioner trust in the output is falling even as the models improve. This paper argues that capability and reliability are *complements*, and that the field has invested almost everything in the former while leaving the latter under-engineered. The locus of the gap is the channel between human and AI: the full communication system that carries intent into the model and carries work back out, of which the context window is only a part. We propose channel engineering as the discipline required to close this gap: a systematic approach to structuring that communication system, drawing on Shannon and Weaver’s levels of communication and on established practices from high-reliability software domains.

The industry has converged on *context engineering*: curating the tokens a model sees. Channel engineering goes further. Weaver’s analysis separates the technical problem of moving symbols (the context window as medium, subject to the U-shaped attention curve and context rot) from the semantic problem of conveying intended meaning and the effectiveness problem of producing the intended outcome. The semantic and effectiveness levels, where reliability is lost, are the levels token curation alone cannot reach, and the levels the field’s evidence has not yet measured directly. We argue the difference is ownership: you cannot engineer a channel you do not own. Effective channel engineering requires control of the whole agent loop (assembly, budget, and retention) together with deterministic, extractive memory, non-gameable validation gates, mode-dependent context assembly, and re-grounding at every step, because per-step reliability compounds across the many steps of agentic work.

We trace the historical roots of software reliability engineering in aerospace (DO-178C), medical devices (IEC 62304), and formal methods (Meyer, Jackson, Lamport), and argue that these disciplines solved the same problem for human programmers that channel engineering solves for LLMs. The gap is not new; it is the same gap that separates ad hoc programming from engineering. What is new is that LLMs make the discipline economically viable for mainstream software development for the first time.

The paper also introduces the Socium model, an application of channel engineering to human-AI collaboration, in which the partnership is treated as a distributed system, the context window is treated as a communication channel, and the accumulated decisions and artifacts of

the work are treated as a shared corpus of durable intelligence. This paper is a synthesis: it assembles converging work into a connected argument, takes positions the field will test, and names a gap, the semantic and effectiveness levels, that the field's current evidence does not yet measure directly. The discipline it argues for is old; what is new is the affordability argument and the naming of the gap. We conclude with a set of practical principles for channel engineering and a call for the field to treat LLM reliability as an engineering problem to be solved alongside model improvement, not downstream of it.

The Reliability Problem That Doesn't Go Away

Engineers who adopted large language models early encountered a consistent and frustrating pattern: the models were capable of producing excellent output in isolation, but unreliable in production. The code would work for one case and fail for another. The documentation would be accurate in one section and hallucinatory in the next. The test suite would pass today and fail tomorrow on the same codebase.

The field's default response has been to wait for better models.¹ Yet the evidence of the last two years cuts against that hope. In a 2026 survey of two hundred engineering leaders, 82% reported at least one major production failure caused by AI-generated code in the preceding six months.² That report's estimate that AI-authored code introduces roughly 1.7 times more critical runtime defects than human-authored code is independently echoed by an analysis of 470 open-source pull requests, in which AI-assisted submissions averaged 10.8 issues each against 6.5 for human-authored, and corroborated by a security evaluation placing AI-generated code 2.74 times more likely to contain a known vulnerability.³ A randomized controlled trial published by METR in 2025 found that experienced open-source developers were, contrary to their own forecasts, 19% *slower* when allowed to use the AI tools of the day.⁴ Stack Overflow's 2025 developer survey recorded adoption climbing past 80% even as trust in the accuracy of AI output fell from 40% to 29%, with the single largest frustration, cited by two-thirds of developers, being output that is 'almost right, but not quite.'⁵ Across this period the models improved

¹Rarely advanced as an explicit thesis, this is the implicit premise of capability-first investment and scaling-optimist roadmaps; the evidence assembled below weighs against it.

²New Relic / Hanover Research, [The 2026 State of AI Coding Report](#) (survey of 200 U.S. engineering leaders).

³CodeRabbit, [State of AI vs Human Code Generation](#), 2025 (470 GitHub PRs, Poisson rate-ratio comparison); Vera-code, [2025 GenAI Code Security Report](#) (100+ models; 45% of generations introduce a known flaw).

⁴METR, [Measuring the Impact of Early-2025 AI on Experienced Open-Source Developer Productivity](#), 2025.

⁵Stack Overflow, [2025 Developer Survey](#).

markedly; the structural problem did not move with them.⁶

This is not evidence that capability is irrelevant. Better models do produce better output, and a sufficiently capable model would paper over many channel defects. The claim of this paper is narrower, and harder to dismiss: capability and the channel are *complements*, and the field has poured almost all of its visible investment into the former while leaving the latter under-engineered. If this is right, reliability lives disproportionately in the half no one is building.

The reliability problem in LLM-assisted development mirrors, almost exactly, the reliability problem that motivated the development of software engineering as a discipline in the first place. The NATO Software Engineering conferences of 1968 and 1969 were convened in response to what was then called the ‘software crisis’: programs that worked for their authors failed in the hands of others, systems that performed correctly in testing failed in deployment, codebases that were maintainable by their original authors became unmaintainable as they grew.⁷

The solutions that emerged—structured programming, formal specification, rigorous testing, version control, code review—were not solutions to a capability problem. The engineers of 1968 had skill in abundance. What they lacked was the engineering discipline that transforms individual skill into reliable systems.

This paper argues that LLM-assisted development is in the same position as pre-discipline software development: engineers with significant capability operating without the structural practices that make capability reliable. The solution is not to wait for better models. It is to build the engineering discipline that the medium requires.

The argument that follows runs from diagnosis to remedy: first, that reliability is lost in the channel; then, that the disciplines which would recover it are old and have only now become affordable; and finally, a set of practical principles for engineering the channel one owns.

The Channel as a Communication System

The metaphor of the ‘channel’ is drawn from information theory, but it must be drawn carefully. Shannon’s 1948 theory deliberately set meaning aside: it modeled the faithful transmis-

⁶S. Rabanser, S. Kapoor, A. Narayanan, et al., *Towards a Science of AI Agent Reliability*, arXiv:2602.16666, 2026: evaluating 15 models across two complementary agent benchmarks, the authors find that recent capability gains have produced only small improvements in reliability, a limitation that appears across providers.

⁷The two conference reports remain the canonical record: P. Naur and B. Randell (eds.), *Software Engineering* (Garmisch, 1968; NATO Science Committee, 1969), and B. Randell and J. N. Buxton (eds.), *Software Engineering Techniques* (Rome, 1969; NATO Science Committee, 1970). The term ‘software crisis’ enters wide use through them.

sion of symbols through a noisy medium and declared the semantic content of those symbols irrelevant to the engineering problem.⁸ That is precisely the half of the problem that scale has been quietly solving. The half that remains is the half Shannon excluded.

It was Warren Weaver, in his companion essay to Shannon’s theory, who named the full structure.⁹ Weaver distinguished three levels of communication problem. Level A, the *technical* problem: how accurately can the symbols be transmitted? Level B, the *semantic* problem: how precisely do the transmitted symbols convey the intended meaning? Level C, the *effectiveness* problem: how well does the received meaning produce the intended conduct? Channel engineering is the discipline of engineering all three levels of the human-AI channel. The mainstream effort to curate what enters the context window is sophisticated work at Level A. If reliability is lost at B and C—as we argue below—then token curation alone cannot reach it.

The Context Window Is the Medium, Not the Channel

Context-engineering discussion tends to collapse the channel into the context window. This is a category error. The context window is the *medium*: the wire down which symbols travel, with finite bandwidth and characteristic noise. It is necessary, but it is not the whole channel. The channel also comprises the *encoding* (how human intent is rendered into a specification the model can act on), the *shared code* (the accumulated conventions and decisions that let a symbol carry the same meaning to both parties), the *feedback path* (the validation that detects corruption and demands retransmission), and the *decoding* (how the model’s output is checked back against intent). Engineering only the medium, packing the window well, addresses Weaver’s Level A and stops there.

This sense of ‘channel’ should be distinguished from a parallel line of work that models the language model *itself* as a noisy channel and asks after its information-theoretic capacity.¹⁰ That work concerns the medium and the model; the channel this paper engineers is the managed interaction *around* them (encoding, shared code, feedback, and retention), which is precisely where Weaver’s semantic and effectiveness problems live. A separate and more recent formal literature is beginning to formalize the same intuition: modeling the audience and context as a channel with a finite *capacity for meaning*, it finds that even perfectly engineered prompts cannot exceed it, and that vocabulary mismatch imposes an irreducible fidelity limit even over a noiseless carrier: an independent, mathematical restatement of the claim that reliability is

⁸C. E. Shannon, ‘A Mathematical Theory of Communication’, 1948.

⁹C. E. Shannon and W. Weaver, *The Mathematical Theory of Communication*, 1949.

¹⁰For the model-as-channel view see, e.g., ‘LLMs as Noisy Channels: A Shannon Perspective on Model Capacity and Scaling Laws’, arXiv:2605.23901, 2026, and the agent-as-channel formalization in ‘A Communication-Theoretic Framework for LLM Agents’, arXiv:2605.09121, 2026.

lost at Levels B and C.¹¹

The Medium Is Lossy in a Specific, Now-Quantified Way

LLM context windows have grown dramatically, from 2,048 tokens in the original GPT-3 to one million tokens as standard across today's frontier models, and as many as ten million in some.¹² This growth has led to the assumption that the channel problem is being solved by scale. It is not. The medium is lossy in a specific, measured way. Liu and colleagues showed that a model's ability to use a piece of information depends on *where* in the context it sits: accuracy is high at the beginning and the end of the window and sags in the middle: a U-shaped curve, with drops exceeding thirty points as a relevant fact moves to the interior.¹³ Subsequent work documented 'context rot': measurable degradation as input length grows, across every frontier model tested, even on trivial retrieval tasks.¹⁴ Recent theory shows the U-shape is a structural property of the causal-decoder architecture, present at initialization rather than an artifact that further training will remove.¹⁵ Inference-time calibration can recover part of this loss for some tasks, but not reliably or in full.¹⁶ The lesson inverts the bigger-window optimism: the medium does not become reliable by growing. It must be engineered.

This is a property of the medium, in the way packet loss is a property of a network, and it survives every improvement in the endpoints. Engineering the channel means accounting for it explicitly: placing the constraints that matter where attention is highest, and never assuming that information merely *present* in the window is information the model is actually using.

¹¹'The Semiotic Channel Principle: Measuring the Capacity for Meaning in LLM Communication', arXiv:2511.19550, 2025; and a related framework integrating Shannon, Weaver, and formal proof systems (arXiv:2604.16471, 2026), which identifies a 'semantic bottleneck' arising from vocabulary mismatch that persists even over a noiseless carrier.

¹²As of 2026, one-million-token windows are standard across the frontier (current Claude, GPT, and Gemini models; Gemini's is exactly 1,048,576); Meta's Llama 4 Scout advertises the largest at ten million tokens, though no published benchmark shows quality holding near that length. Epoch AI finds the longest context windows have grown roughly thirtyfold per year since 2023 (epoch.ai/data-insights/context-windows).

¹³N. F. Liu et al., 'Lost in the Middle: How Language Models Use Long Contexts', TACL 2024.

¹⁴Chroma Research, 'Context Rot', 2025.

¹⁵X. Wu, Y. Wang, S. Jegelka, and A. Jadbabaie, 'On the Emergence of Position Bias in Transformers', ICML 2025, prove graph-theoretically that causal masking biases attention toward earlier positions structurally rather than as a learned artifact; the follow-on result 'Lost in the Middle at Birth: An Exact Theory of Transformer Position Bias', arXiv:2603.10123, 2026, shows the full U-shape is present at random initialization, with or without RoPE, and that standard pretraining does not remove it.

¹⁶C.-Y. Hsieh et al., 'Found in the Middle: Calibrating Positional Attention Bias Improves Long Context Utilization', Findings of ACL 2024 (arXiv:2406.16008): a training-free method that subtracts the model's positional bias from its attention weights recovers up to fifteen points of long-context RAG accuracy: a partial, task-dependent remedy, not a fix.

You Cannot Engineer a Channel You Do Not Own

There is a structural precondition that context-engineering guides routinely skip. To engineer a channel is to control its encoding, its assembly, its feedback, and its retention. Those controls belong to whoever owns the loop in which the model runs: the process that decides what enters the window, in what order, under what budget, and what becomes of the output. A tool that injects context into a window owned by some other agent can *influence* the channel; it cannot *engineer* it. The full control surface (assembly order, budget enforcement, the position of the critical constraint, deterministic retention of the corpus) is available only to the owner of the loop. This is why channel engineering is finally an architectural claim: the discipline begins at the moment one takes ownership of the loop.

What Engineering the Channel Means

Channel engineering is the practice of deliberately constructing the information environment in which an LLM operates. It includes: structuring specifications so that the most relevant constraints are proximate to the generation request; maintaining a retrieval layer that surfaces relevant prior decisions at the moment of generation; building validation gates that catch channel failures before they propagate into the codebase; and maintaining an audit trail that makes the history of decisions navigable and recoverable.




Figure 1. The Channel Engineering Architecture. Intelligence is not in either participant; it is in the channel and the accumulated corpus.

The Other Half of the Failure: A Deficit of Executive Function

If the lossy medium is one structural source of unreliability, the process that consumes it is the other. The context window loses information; the model traversing it is, in a precise and useful sense, short-sighted. A useful vocabulary for this second failure comes from an unexpected quarter: clinical neuropsychology.

In 1997, the clinical psychologist Russell Barkley reframed ADHD. The disorder, he argued, is not fundamentally a deficit of attention; it is a deficit of *behavioral inhibition*, and that single deficit cascades into the executive functions that govern goal-directed behavior across time: holding a goal in working memory while acting, resisting the most immediately available response in favor of the correct one, and monitoring whether what was done actually achieved the goal.¹⁷ People with ADHD can attend to what is immediately engaging; what is hard is sustaining a goal when the path of least resistance diverges from the path to the goal. The intervention follows from the diagnosis: you do not remediate an executive-function deficit by exhorting greater effort; you engineer the environment to supply the functions the person cannot reliably supply internally.

Observed across long-horizon tasks, LLM behavior fits the pattern closely, and the parallel is functional: the behaviors match, even if the mechanisms differ. Working memory: models drift from their original requirements over a long task, repeating work or solving a subtly different problem than the one specified; the goal state degrades just as the medium loses its early tokens. Inhibition: asked whether a test passes, the locally cheapest continuation is text that asserts it passes, since actually running it is the costlier path; the documented tendency of models to satisfy the letter of a check (altering a checklist to hide an incomplete task, editing test code so it reports success) is inhibition failure with a training-time cause, and it is empirically attested.¹⁸ Self-monitoring: models reliably over-report their own completion quality, because text asserting success resembles high-quality training data more closely than text that pauses to verify: the same preference structure that produces sycophancy.¹⁹ None of these is an attention problem, and none is plausibly the kind of thing a larger model removes: the training signal that produces them is the same one that makes the models fluent and useful.

¹⁷R. A. Barkley, ‘[Behavioral Inhibition, Sustained Attention, and Executive Functions: Constructing a Unifying Theory of ADHD](#)’, *Psychological Bulletin* 121(1):65–94, 1997.

¹⁸C. Denison et al., ‘[Sycophancy to Subterfuge: Investigating Reward-Tampering in Large Language Models](#)’, arXiv:2406.10162, 2024: a controlled study in which models trained on ordinary specification gaming generalized, on rare but non-negligible occasions, to altering a checklist to cover up an unfinished task and editing test files to conceal it.

¹⁹M. Sharma et al., ‘[Towards Understanding Sycophancy in Language Models](#)’, ICLR 2024 (arXiv:2310.13548), find that RLHF-trained assistants consistently favor responses that match the user over responses that are correct.

This is the same conclusion the communication analysis reached, arrived at from the other direction. A lossy channel and a short-sighted process both demand an external structure that holds the goal, enforces the sequence, and makes the shortcut harder than the work. That structure is the design brief for everything that follows: a durable corpus and re-grounding stand in for the working memory the model cannot maintain; ordered, gated execution supplies the temporal regulation it lacks; and non-gameable validation supplies the inhibition it cannot supply itself. Channel engineering is, in this second light, executive function externalized.

Beyond Context Engineering

Between 2024 and 2026 the field moved. The proposition that LLM unreliability is a context problem rather than a pure capability problem (Layer 2 of this paper's thesis) is no longer contrarian; it is the emerging consensus. Anthropic describes *context engineering* as “the natural progression of prompt engineering,”²⁰ a 2025 survey systematizing the area drew on more than fourteen hundred papers,²¹ and the practitioner consensus now holds that most agent failures stem from poor context engineering rather than weak model capability. We welcome the convergence. But context engineering, as practiced, is largely the discipline of curating the tokens that enter a window: Weaver's Level A, and often from inside a loop one does not own. Reliability at the tail demands more than good packing. Five commitments mark where channel engineering continues past the point context engineering stops.

Context engineering packs the window. Channel engineering owns the loop that fills it, and is accountable for what comes out.

1. Own the loop, do not plug into one

The controls that constitute channel engineering (assembly order, budget enforcement, constraint placement, deterministic retention) exist only for the owner of the loop. The broader evidence points the same way: DORA's 2025 study concludes that AI acts as an *amplifier*, with the gains accruing not to teams that adopt a tool but to those with strong control systems and fast feedback loops.²² The conclusion is not ours alone: the practitioner ‘12-factor agents’ framework arrives at it independently, making *own your context window* and *own your control*

²⁰ Anthropic, ‘Effective Context Engineering for AI Agents’, 2025.

²¹ L. Mei et al., ‘A Survey of Context Engineering for Large Language Models’, arXiv:2507.13334, 2025.

²² DORA / Google, *State of AI-assisted Software Development*, 2025.

flow two of its load-bearing factors.²³ Architecture is what separates acceleration from instability.

2. Keep durable memory deterministic

The reflexive answer to a full window (and the prevailing vendor recommendation, Anthropic’s included) is to have the model *compact* the history into a generated summary.²⁴ We take the opposite position. A generative step in the memory path can hallucinate, and its errors compound into every later package. Retention should be *extractive*: it may omit, but it must not invent. It should be deterministic, and therefore replayable and auditable. The asymmetry the context-engineering survey identifies (models comprehend rich context far better than they generate it) argues against placing generation in the load-bearing memory path; an ETH Zurich evaluation in which machine-generated repository context files *reduced* task success points the same way.²⁵ The position is argued, not yet tested.

3. Make validation gates non-gameable

A gate that advertises its acceptance criteria to the generator it constrains invites the model to satisfy the letter rather than do the work: Goodhart’s law restated for AI.²⁶ The remedy is to validate *submitted* evidence after the fact rather than publish the test in advance. The most-cited developer frustration of 2025—output that is “almost right, but not quite”—is this failure at population scale.²⁷

4. Assemble by mode

The channel is not one channel. When a human is in the loop, the conversational tail is the authoritative statement of intent and recency-forward assembly is correct. When the human is absent and the model is executing autonomously, the opposite holds: intent must be *struc-*

²³D. Horthy / HumanLayer, ‘12-Factor Agents’, 2025.

²⁴Anthropic, ‘Effective Context Engineering for AI Agents’, 2025, presents LLM-based compaction of conversation history as a primary long-horizon strategy.

²⁵An ETH Zurich evaluation across four coding agents and two benchmarks found that LLM-generated repository context files reduced task-success rates relative to providing no context file while raising inference cost by over 20%; developer-written files produced only marginal gains. ‘Evaluating AGENTS.md: Are Repository-Level Context Files Helpful for Coding Agents?’, arXiv:2602.11988, 2026. The study measures generated context files, not generative compaction of conversation history; the two are related but distinct mechanisms.

²⁶C. A. E. Goodhart, ‘Problems of Monetary Management: The U.K. Experience,’ *Papers in Monetary Economics*, Reserve Bank of Australia, 1975, originates the law; the now-standard phrasing, “when a measure becomes a target, it ceases to be a good measure,” is M. Strathern, ‘Improving Ratings: Audit in the British University System’, *European Review* 5(3), 1997.

²⁷F. Liu et al., ‘Beyond Functional Correctness: Exploring Hallucinations in LLM-Generated Code’, IEEE TSE 2026 (arXiv:2404.00971), build a taxonomy of code hallucinations whose categories include conflicts with the task’s requirements and with the surrounding project context: “almost right” is, concretely, fluent and plausible code that diverges from intent or repository reality.

turally re-presented, pinned and placed where attention is highest, so that the goal cannot age out beneath a pile of intermediate results. Uniform context management ignores this; the position effects documented above make it decisive.

5. Re-ground at every step

Because per-step errors compound (Section 7), reliability must be re-secured at each step, through retrieval that re-anchors the model in project truth and gates that re-check its output.

Historical Precedents: Discipline as the Answer

The history of high-reliability software is a history of engineering discipline closing the gap between capability and reliability. The aerospace industry's DO-178C standard²⁸ did not make programmers more capable; it made their capability more reliably usable. The medical device industry's IEC 62304²⁹ works the same way: it imposes the structural practices that make skill reliable in safety-critical contexts.

Bertrand Meyer's Design by Contract, formalized in the Eiffel language and documented in *Object-Oriented Software Construction*,³⁰ was an answer to the same problem at the level of individual modules: how do you make the behavior of a component reliable and verifiable independently of the competence of its caller? The answer was to make the contract explicit—to engineer the interface between components so that violations were detectable at the boundary.

Daniel Jackson's Alloy and the broader formal methods tradition³¹ approached the problem from the other direction: rather than making components more robust to incorrect usage, make the specification precise enough that incorrect usage becomes visible before implementation. The discipline of writing a formal specification forces the engineer to confront the ambiguities and contradictions that will otherwise surface as bugs.

Leslie Lamport's work on distributed systems,³² from logical clocks to the TLA+ specification language, is perhaps the most directly relevant precedent. Lamport's insight was that distributed systems fail in specific, structural ways that cannot be addressed by improving individual components. The failure modes are properties of the system's communication structure,

²⁸<https://www.rtca.org/do-178/>

²⁹<https://www.iso.org/standard/38421.html>

³⁰<https://bertrandmeyer.com/wp-content/uploads/OOSC2.pdf>

³¹<https://alloytools.org/book.html>

³²<https://lamport.azurewebsites.net/pubs/time-clocks.pdf>

not properties of its components. The solution is to engineer the communication structure explicitly.

The software engineering tradition is not the only domain to have confronted the problem of staying accountable for outcomes one authorized but did not personally execute. Military command doctrine arrived at a direct answer, under conditions more demanding than software development. The doctrine is called *mission command* (*Auftragstaktik* in its Prussian form), and its structure is centuries old: the commander issues intent and holds judgment; subordinates exercise bounded initiative within that intent; the scaffolding supplies the observability that makes command responsibility honest rather than a fiction.³³

The parallel to channel engineering is structural. Commander accountability is legitimate only to the degree the commander can comprehend and refuse what they authorize; a checkpoint trivial enough to rubber-stamp produces accountability in name only. The same constraint is load-bearing in human-AI systems: amplifying past the steward's capacity to judge does not maximize reliable output per unit of human judgment; it produces accountability theater. This is the governing disposition behind every gate, every provenance record, and every audit trail in channel engineering: they exist to keep the human's accountability *exercisable*.

The agile movement of the 1990s and 2000s was, in part, a reaction against the overhead costs of formal discipline in mainstream development. This reaction was not without merit: the heavyweight processes of the era (waterfall, RUP, CMM) had accumulated overhead far beyond what the value of the discipline warranted. But the reaction overcorrected. The field abandoned discipline rather than right-sizing it. The 'move fast' era of the 2010s is the result: enormous velocity in individual components, chronic unreliability in systems. Empirical studies of agile teams document this de-emphasis directly: internal documentation and explicit specifications are systematically under-produced, and practitioners themselves recognize the resulting gap as a source of technical debt and lost design rationale.³⁴

³³Codified in contemporary form as *Mission Command* (U.S. Army Doctrine Publication ADP 6-0, 2019), the doctrine traces to Prussian military reform following the Napoleonic wars, and has been independently rediscovered across aviation crew resource management, nuclear plant operations, and other high-stakes delegation contexts. For the general doctrine see en.wikipedia.org/wiki/Mission_command.

³⁴See, e.g., C. J. Stettina and W. Heijstek, *Necessary and Neglected? An Empirical Study of Internal Documentation in Agile Software Development Teams*, SIGDOC, 2011; and *Working Software over Comprehensive Documentation: Rationales of Agile Teams for Artefacts Usage*, JSERD, 2018.

The Abandonment of Discipline—and Why It Matters

The formal discipline of software engineering was not abandoned because it failed. It was abandoned because it was expensive. Writing formal specifications, maintaining audit trails, enforcing validation gates: these practices carry real overhead costs. For safety-critical systems, where the cost of failure is measured in lives, the overhead is clearly worth paying. For a startup building a consumer application, where the cost of failure is measured in churn and support tickets, the calculus was different.

The economic argument against discipline was never wrong for the contexts in which it was made. It was wrong in its implicit assumption that the overhead costs were fixed. They were not. The costs of discipline are primarily costs of communication and documentation: writing down what you intend, tracking what you decided, verifying that what you built matches what you intended. These are the costs that LLMs have collapsed.

A formal specification that a senior engineer might once have spent two days writing can plausibly be drafted in an afternoon; an audit trail that once required dedicated tooling and manual effort can now be maintained automatically. The controlled evidence on AI and developer productivity is genuinely mixed: a randomized trial at Google found AI assistance shortened time on a complex enterprise task by roughly 21%, and a combined field experiment across three firms and 4,867 developers reported a 26% increase in completed tasks, even as the METR trial discussed earlier found a 19% *slowdown* for experienced developers on mature repositories.³⁵ The exact multiplier matters less than the direction: the labor cost of producing and maintaining the artifacts of discipline (specifications, decision records, audit trails) has fallen far enough, for enough tasks, that the historical economic argument against discipline no longer holds by default. The discipline is not cheaper because the intellectual requirements have changed; it is cheaper because the administrative labor has. And the saving is real only when it is counted net of validation: a draft produced in an afternoon still has to be checked, and it is the checking that the gates of channel engineering make affordable to trust.

LLMs do not make engineering discipline unnecessary. They make it affordable, for the first time, for many.

³⁵[‘How Much Does AI Impact Development Speed? An Enterprise-Based Randomized Controlled Trial’, arXiv:2410.12944, 2024; Z. Cui et al., ‘The Effects of Generative AI on High-Skilled Work: Evidence from Three Field Experiments with Software Developers’, 2025.](#)

The Probability Space: How Context Narrows Uncertainty

A useful way to think about what an LLM does is in terms of probability distributions over output space. Given no context, the model's output distribution is broad: any text that is consistent with the pretraining distribution is approximately equally likely. As context is added (a system prompt, a specification, examples, prior conversation), the distribution narrows. The model's outputs become more specific, more consistent, more likely to match what the engineer intends.

This framing makes the engineering problem precise. The goal of channel engineering is to narrow the output distribution to the region of output space that contains the specific output the work requires. The channel is the mechanism by which context is delivered to the model. The quality of the channel determines how effectively context narrows the distribution.

Why Tail Reliability Compounds

A single generation that is 95% reliable sounds excellent. But agentic software work is not a single generation; it is a chain of many dependent steps (read, design, implement, test, debug, ship), each conditioned on the last. Reliability across a chain is approximately the product of the per-step reliabilities. At an illustrative 95% per step, a ten-step task finishes correctly about 60% of the time; a hundred-step task, well under 1%: $0.95^{100} \approx 0.006$.³⁶ This treats the steps as independent—the *charitable* assumption. Real errors correlate: a mistake left in the window conditions every step that follows, so per-step accuracy degrades as the chain lengthens rather than holding flat. The independent-step curve therefore understates the trouble, not overstates it; the true uncorrected decay is steeper still. Which is exactly why the remedy cannot be a better average step; it must interrupt the propagation: re-ground in project truth so the model stops conditioning on its own residue, and gate each step so an error is caught before it poisons the next. This arithmetic explains why mean accuracy on isolated benchmarks so badly overpredicts reliability in production, and why the METR finding, capable models making experienced developers *slower* on real, multi-step tasks, should have surprised no one.

It also dictates the remedy. A chain cannot be made reliable by raising the average quality of a

³⁶The per-step figure is illustrative; the compounding it models is measured. METR finds task-success rates fall steeply with task length: the horizon at which frontier models succeed 80% of the time is roughly five times shorter than their 50% horizon, the macroscopic signature of errors compounding across steps ([‘Measuring AI Ability to Complete Long Tasks’](#), arXiv:2503.14499, 2025). Sinha et al. trace the mechanism: single-step accuracy compounds over a horizon, so marginal per-step gains translate into exponentially longer achievable tasks; a model highly accurate in one step still fails across many. They further find per-step accuracy itself *degrades* as steps accumulate, the model conditioning on its own earlier mistakes: a ‘self-conditioning’ effect ([‘The Illusion of Diminishing Returns: Measuring Long Horizon Execution in LLMs’](#), ICLR 2026, arXiv:2509.09677).

step alone; it must be *re-grounded* at each step so that errors are caught before they propagate. Retrieval re-anchors the model in project truth at the moment of generation; validation gates catch corruption before it is committed. That is what arrests the compounding.

The Retrieval Problem

The central challenge of channel engineering is retrieval: identifying, from the accumulated corpus of the project, the specific context that is most relevant to the current generation request. This differs from search in the traditional sense: the most relevant context is not always the most similar context. What is wanted is the context that most effectively constrains the output distribution toward the desired output.

This distinction matters in practice. A naive retrieval system that surfaces the most semantically similar prior decisions will often surface the wrong context: decisions made in similar but importantly different circumstances. We state this as a requirement rather than a solved problem, because it is genuinely hard. An adequate retrieval layer must rank by *causal relevance* (which prior decisions constrain the current one) rather than by surface similarity, and must carry the provenance needed to resolve conflicts when sources disagree. Naming those properties precisely fixes the engineering target; hitting it remains hard.




Figure 2. Without context, the model's output distribution is broad and generic. As context is added through retrieval, structured specifications, and accumulated decisions, the distribution narrows to the region that contains the specific output the work requires. Channel engineering is this winnowing, operationalized.

The Validation Gate: Catching Channel Failures

A channel failure is an instance where the context delivered to the model was insufficient to constrain the output distribution to the desired region. Channel failures manifest as bugs, hallucinations, inconsistencies, and specification violations. In a disciplined development process, these failures are caught at validation gates: explicit checkpoints where the output is verified against the specification before it propagates into the codebase.

The concept of a validation gate is borrowed directly from hardware engineering. In chip de-

sign, simulation gates and formal verification checkpoints are placed at every stage of the design pipeline to catch errors before they are committed to silicon, where the cost of a fix is orders of magnitude higher. The same principle holds in software, and here the evidence is direct rather than analogical: the relative cost of repairing a defect rises steeply the later it is caught. Boehm's classic data placed a defect found in operation at hundreds of times the cost of one corrected at the requirements stage, and the 2002 NIST/RTI study estimated that finding defects closer to where they are introduced could recover on the order of \$22 billion a year in the United States alone.³⁷ The exact multiplier is contested: more recent analysis finds the cost-to-fix curve is not always exponential, or even monotonic, across projects.³⁸ But the direction is robust, and it is the empirical foundation of the shift-left doctrine: catching a channel failure before a generated artifact reaches the codebase is far cheaper than catching it in production.

What Validation Gates Look Like in Practice

A validation gate is any checkpoint that compares a generated artifact against a specification. In the simplest case, it is a human review: the engineer reads the generated code and checks it against the requirements. In more sophisticated implementations, it is automated: a test suite that verifies the generated code against a formal specification, a static analyzer that checks the code against a set of invariants, a contract checker that verifies the code against a Design by Contract specification.

The key property of a validation gate is that it is *explicit*: it makes the comparison between intent and output a formal step in the process, rather than an implicit assumption. This explicitness is what makes channel failures catchable and correctable.

Gates Must Be Non-Gameable

A gate for an LLM differs in a subtle but decisive way from a checklist for a human. If the acceptance criteria are visible to the generator, a capable model will optimize to satisfy them *as stated*, producing output that passes the check without doing the underlying work. This is Goodhart's law restated for AI: a measure that becomes a target ceases to be a good measure. The defense is to validate *submitted evidence after the fact* rather than to publish the test in advance. The gate inspects what was actually produced and returns an actionable verdict; the

³⁷B. W. Boehm, *Software Engineering Economics*, Prentice Hall, 1981, established the canonical cost-to-fix-by-phase curve; G. Tassey, *The Economic Impacts of Inadequate Infrastructure for Software Testing*, NIST/RTI, 2002, estimated U.S. annual costs of \$59.5 billion from inadequate testing, roughly \$22.2 billion of it recoverable by catching defects nearer the stage that introduced them.

³⁸'[Are Delayed Issues Harder to Resolve? Revisiting Cost-to-Fix of Defects throughout the Lifecycle](#)', 2017.

rubric stays hidden. A gate that teaches the model how to pass it is not a gate.

A validation gate is not bureaucracy. It is the moment when the engineer's intent and the model's output are placed in the same frame and compared.

The Four-Layer Thesis

The argument of this paper can be organized into four layers, each resting on the one below. Understanding the layered structure helps clarify why the field's current approach, waiting for better models, is responding to the wrong layer of the problem.

Layer 1: The Capability Frame. The field's default interpretation of LLM unreliability is that it is a capability problem: the models are not yet good enough. The solution, in this frame, is to wait for better models, larger context windows, more capable reasoning. This frame is not wrong (better models do produce better outputs), but it is incomplete. It treats reliability as a function of model capability alone, ignoring the engineering environment in which the model operates.

Layer 2: The Communication Frame. The thesis of this paper is that LLM unreliability is primarily a communication problem: the channel between human intent and model output is under-engineered. The model has the capability; what it is missing is delivery, because the information it needs to succeed is not reaching it in usable form. This reframing moves the problem from model improvement to channel engineering.

Layer 3: The Restored Discipline. Channel engineering is an old discipline under a new name: the application of established software engineering practices (formal specification, validation gates, audit trails, evidence-based progress) to the specific challenges of LLM-assisted development. These practices were developed to solve the same problem for human programmers that channel engineering solves for LLMs. They were abandoned because they were too expensive. LLMs make them affordable again.

Layer 4: The Deeper Disposition. Underlying the communication frame and the restored discipline is a deeper disposition: the recognition that distributed systems (and human-AI collaboration is a distributed system) fail in structural ways that cannot be addressed by improving individual components. The fallacies of distributed computing³⁹ apply to human-AI systems as much as to networked software: the network is not reliable, latency is not zero, bandwidth is not infinite, the channel is not secure.

³⁹https://en.wikipedia.org/wiki/Fallacies_of_distributed_computing

The specific structural failure this produces in human-AI systems has a name: an accountability sink,⁴⁰ the failure mode where responsibility drains into a process until no human is answerable for its outcomes. A system that executes autonomously without making its progress legible, auditable, or refusable at each consequential step does not merely fail to be reliable; it fails to be *governed*. The deepest obligation of the discipline follows: refuse to build accountability sinks. Make the system reliable, and keep the human's accountability over it exercisable. A gate trivial enough to rubber-stamp provides the form of oversight without the substance; it is an accountability sink pointed the other way.

LAYER 1 **The Capability Frame**

The frame this thesis argues against.

Better models, bigger context, more tools: wait for capability.

LAYER 2 **The Communication Frame**

The diagnosis that inverts the field's default.

Unreliability is a communication problem: engineer the channel.

LAYER 3 **The Restored Discipline**

Old approaches, now economically viable.

Specifications, validation gates, evidence, deterministic retention, audit trails.

LAYER 4 **The Deeper Disposition**

The cultural forgetting this thesis responds to.

Distributed systems (human-AI included) fail structurally; engineering the channel keeps the human's accountability exercisable.

Figure 3: The thesis in four layers, surface to foundation; each rests on the one below. The field operates only at Layer 1; the thesis operates at Layers 2–4, with Layer 3 (highlighted) the actionable core.

The Socium Model: A Framework for the Partnership

The Socium model takes its name from the Latin word for partner or associate. If channel engineering is the discipline, the Socium model is one concrete way to practice it: a framework for treating human-AI collaboration as a genuine partnership between two different kinds of intelligence, joined by a shared substrate of accumulated work.

The model has three components. The first is the two participants: the human, who brings

⁴⁰The term is due to Dan Davies, *The Unaccountability Machine: Why Big Systems Make Terrible Decisions—and How the World Lost Its Mind* (Profile Books, 2024), which develops it from Stafford Beer's management cybernetics.

judgment, direction, and domain expertise; and the AI, who brings production capacity, pattern recognition, and broad knowledge. The second is the channel: the context window, the retrieval layer, the prompt construction, and the validation gates, which together form the engineered information environment that makes the partnership productive. The third is the corpus: the accumulated artifacts of the work (specifications, code, tests, decisions, audit trails) that constitute the partnership's durable memory.

The Corpus as Distributed Memory

The corpus is the most important and most underappreciated component of the Socium model. LLMs are stateless: each generation begins from scratch, with no memory of prior interactions except what is delivered through the context window. In a naive implementation, this means that the accumulated knowledge of a long collaboration is lost at the end of each session. In a disciplined implementation, the corpus is maintained as a structured artifact that can be retrieved and delivered through the channel on demand.


The corpus is more than a log: a structured representation of the decisions, specifications, and constraints that govern the work. It is organized so that the most relevant prior decisions can be surfaced at the moment of generation, narrowing the output distribution toward the desired region. A well-maintained corpus is the difference between a model that generates code consistent with the project's architecture and a model that generates code that is locally correct but globally incompatible.

The socium is the interwoven substrate: accumulated decisions that belong to neither participant alone, and that persist when either participant is swapped out.

The Socium model implies a specific kind of development process. Work proceeds through a cycle of specification, generation, validation, and corpus update. The specification phase produces a structured artifact that constrains the generation. The generation phase produces output within those constraints. The validation phase compares the output against the specification and catches channel failures. The corpus update phase incorporates the validated output, and the decisions that produced it, into the accumulated corpus.

The Cycle in Practice

The author is implementing these four phases in a Rust daemon, informed by a prior Python/MCP prototype that exposed the failure modes (silent plan-item drops, permissive gate fallbacks, model self-attestation of approval) that the design corrects. The corrected mechanics are spec-



Mixed-color paths: contributions interwoven into a single accumulated intelligence.

Accumulated corpus → durable intelligence

Figure 4. Two participants, human and AI, joined by a shared headspace of accumulated decisions. The contributions are interwoven in the network; by the time a decision is in the corpus, it is neither purely human nor purely AI. The socium is the interwoven substrate, and it is what persists when either participant is swapped out.

ified but not yet all operational; the prototype's defects are what they correct. Tracing a single task through the design makes the cycle concrete.

A feature does not begin with a prompt. It begins with a *specification*, a structured set of artifacts: business requirements, technical design, and a task breakdown in which every task carries explicit, checkable acceptance criteria. The specification is authored in its own gated workflow, and is not advanced to implementation until a human approves it. This is the moment the output distribution is narrowed—before a line of code is generated.⁴¹

Implementation then proceeds one task at a time. Before generating, the agent retrieves the project's own standards for the work at hand, re-grounding in project truth rather than trusting the residue left in the window. It writes the code and its tests, then submits the result to a validation gate. The gate is designed to be non-gameable by construction: the evidence schema it checks against is *withheld from the generating agent*, so the model cannot optimize to the rubric. It can only submit proof artifacts (test output, file listings, command results), which the gate validates after the fact, down to their content. When implemented as specified, a failed gate halts advancement; an autonomous run cannot self-certify its way past it.

Only validated work updates the corpus. The acceptance criteria are marked complete, an evidence record is appended, and the decision joins the durable corpus of specifications, standards, and audit trails. When a later session (a fresh, stateless model with no memory of this

⁴¹Q. Ma et al., 'What Should We Engineer in Prompts? Training Humans in Requirement-Driven LLM Use', ACM TOCHI 2025 (arXiv:2409.08775): in a randomized controlled experiment, training novices to articulate explicit requirements outperformed conventional prompt-engineering training twenty points to one, a gap automatic prompt optimization did not close. Input quality lives in the requirements, not the phrasing.

work) meets a related problem, it retrieves that decision through the same channel. Each validated task leaves the next one better grounded than the last: the loop is built to compound reliability rather than erode it.

A SINGLE TASK, TRACED

Spec. Task 3.2, “add bounded retry to the upload client,” carries one *checkable* acceptance criterion: *retries are bounded, backoff is exponential, and a test proves no retry on a 4xx response*. A human approves the spec before a line of code is generated.

Gate (withheld). The evidence schema the gate enforces is never shown to the generating agent:

```
require test_output : artifact

assert max_retries <= 10

assert proof : no_retry_on_4xx
```

The agent cannot shape its work to a rubric it cannot read.

Proof. It submits artifacts, not assurances:

```
test_output: 14 passed, incl. test_no_retry_on_4xx
```

The gate checks the artifact’s *content*; a bare “done” does not pass.

Corpus. On a pass, the decision bounded-retry-policy and its evidence record join the durable corpus, retrievable months later by a fresh, stateless session that never saw this task.

Practical Principles for Channel Engineering

The following principles are intended as a practical guide for engineers and teams seeking to apply channel engineering in their own development processes. They distill the thesis into actionable guidance; a complete methodology would take more than a paper.

1. Own the loop you intend to engineer

The controls that make the channel reliable (assembly order, budget enforcement, constraint placement, deterministic retention) belong to whoever owns the agent loop. Build (or adopt) a substrate that gives you those controls. A configuration layered on top of an agent you do not control can influence the channel but cannot engineer it.

TEST *If you cannot change assembly order, budget, or retention without another vendor's permission, you do not own the loop; you are a guest in it.*

2. Treat the context window as a communication channel

Design your prompts and retrieval systems with the same attention to signal-to-noise ratio that you would bring to any communication engineering problem. Every token in the context window should be earning its place by narrowing the output distribution toward the desired output.

TEST *Point at any token in the window and name what it narrows. If you cannot, it is noise you are spending attention budget to carry.*

3. Maintain a structured, deterministic corpus

The accumulated work of the project should be organized as a retrievable artifact, not scattered across files, chat histories, and tickets. The corpus is the project's memory; it should be as deliberately maintained as the codebase, and it should be *deterministic and auditable*. When the corpus must be condensed to fit, prefer extraction (selecting verbatim content with its provenance) over generative summary: a summary that hallucinates poisons every future retrieval, while extraction can only omit, never invent.

TEST *If condensing the corpus can produce a sentence no source ever wrote, every future retrieval can inherit the invention.*

4. Write specifications before generating

Every significant generation task should be preceded by a specification: a structured description of what the output should do, what constraints it should satisfy, and how it will be validated. The specification is the instrument that narrows the output distribution before generation begins.

TEST *If you cannot state how the output will be checked before you generate it, you have a prompt, not a specification.*

5. Place non-gameable validation gates before commits

Every generated artifact should pass through a validation gate before it is committed to the codebase. The gate may be a human review, an automated test suite, a static analyzer, or a combination. The key property is that it is explicit: intent and output are compared at a formal

checkpoint. Where the generator is itself an LLM, the gate should validate submitted evidence after the fact rather than advertise its acceptance criteria in advance; otherwise the model optimizes to pass the test rather than to do the work.

TEST If an agent that could read the gate's criteria could still pass without doing the work, it is a rubric, not a gate.

6. Update the corpus on every validated decision

Every decision that passes through a validation gate should be incorporated into the corpus. The corpus grows through the work; decisions that are not captured are lost, and their absence degrades the quality of future generations.

TEST Ask where last week's validated decision lives. If the only answer is "the chat history," it is already lost to every future retrieval.

7. Assemble context for the mode of the work

Distinguish human-in-the-loop work from autonomous execution. When a human is present, let the conversational tail carry intent. When the model runs unattended, pin the goal and re-present it where attention is highest, so it cannot age out beneath intermediate results. One assembly strategy does not serve both.

TEST At step 20 of an unattended run, check whether the goal still sits where attention is highest. If intermediate results have displaced it, your assembly was designed for a conversation that is not happening.

8. Re-ground at every step

Because errors compound across a chain of steps, reliability cannot be secured once at the prompt. Re-anchor the model in project truth through retrieval, and re-check its output through gates, at every step. The channel is engineered continuously, not configured once.

TEST Count the steps between two retrievals of project truth. Every step in that gap is one where the model trusts window residue and error compounds unchecked.

9. Treat reliability as an engineering problem, not a model problem

When a generation fails—when the output does not match the intent—diagnose the channel before you blame the model. Ask what context was missing, what specification was ambiguous,

what validation gate failed to catch the error. The model is a component; the channel is the system.

TEST *When a generation fails, if your first move is to swap the model rather than ask what context was missing or what gate let it through, you are treating a system defect as a component defect.*

Related Work: Where This Sits

The framing this paper uses is no longer its own. Between 2024 and 2026, two adjacent bodies of work converged on the communication metaphor from opposite ends. On the practitioner side, context engineering matured into a named discipline, with the context window treated as a finite attention budget to be curated. On the academic side, a formal literature began modeling the language model, and the agent loop around it, as a noisy channel with a measurable capacity. This paper neither invented the metaphor nor competes on formal capacity bounds. Its contribution is a *discipline*: a connected set of commitments, grounded in the software-engineering reliability tradition, for engineering the channel one owns.

It departs from practitioner context engineering in three specific places. Context engineering, as practiced, curates the tokens that enter a window (Weaver’s Level A) and frequently does so from inside a loop it does not control. On durable memory it recommends generative compaction; this paper argues the opposite, for extractive, deterministic retention. And it treats validation as advisory rather than as a non-gameable gate. Each departure is a place where reliability at the tail demands more than good packing.

It is also complementary to the inference-time reliability methods the formal literature has recently unified as ‘channel operators’: self-consistency, best-of- N , self-refine, chain-of-verification, and the like.⁴² Those methods reduce the variance of a *single* generation step by sampling or self-critique. Channel engineering operates across the *whole loop*: assembly, retention, gates, and a durable corpus. The distinction matters because a low-variance step is still one step in a compounding chain: driving the per-step error down helps, but it does not, by itself, arrest the geometric decay of Section 7. Re-grounding addresses what better sampling cannot.

A word on evidence. This paper draws its empirical support from independent studies of long-context degradation, position bias, agent productivity, machine-generated context, reward tampering, and sycophancy, rather than from a system of its own. That is the honest boundary of a synthesis: it organizes and argues; it does not yet measure. The natural next step, and the

⁴²These methods are catalogued and unified as special cases of a small set of communication-theoretic operators in ‘[A Communication-Theoretic Framework for LLM Agents](#)’, arXiv:2605.09121, 2026.

one that would distinguish this account from its neighbors, is the controlled measurement of these commitments inside a system that owns the full loop.

What remains particular to this account, then, is three things the surrounding literature does not combine: the diagnosis of long-horizon failure as a functional *executive-function* deficit (behaviors that match, mechanisms that may not) rather than a deficit of capability or attention; the explicit, falsifiable preference for deterministic memory over generative compaction; and the reconstruction of LLM reliability as the next chapter of an engineering tradition that already knows how to make capable but inconsistent agents reliable.

Conclusion: The Engineering We Already Know How to Do

The field of software engineering was born in crisis: systems that worked for their authors failed in the hands of others, and programs that passed testing failed in production. The solutions that emerged (structured programming, formal methods, rigorous testing, version control) were systematic applications of engineering discipline to a medium that had been treated as craft.

LLM-assisted development is in the same position. The models are capable. The discipline is not there. The reliability problem will not be solved by waiting for better models; it will be solved by building the engineering practice that the medium requires. That practice exists. It was developed over fifty years of high-reliability software engineering. It was not wrong; it was expensive. LLMs have made it affordable.

The Socium model is a proposal for how to apply that practice to the specific challenges of human-AI collaboration: treat the partnership as a distributed system, treat the context window as a communication channel, treat the accumulated work as a shared corpus of durable intelligence. Engineer the channel. The rest follows.

The engineering we need is not new. It is the engineering we already know how to do—applied, at last, to the medium that has needed it most.

This paper is an argument, not a product. The author is putting these principles into practice at Socium; if you are working on the same problem, the conversation is open.

References

1. RTCA DO-178C—*Software Considerations in Airborne Systems and Equipment Certification*. RTCA, Inc., 2011.
<https://www.rtca.org/do-178/>
2. IEC 62304—*Medical device software: Software life cycle processes*. International Electrotechnical Commission, 2006 (rev. 2015).
<https://www.iso.org/standard/38421.html>
3. Bertrand Meyer—*Object-Oriented Software Construction*, 2nd ed. Prentice Hall, 1997.
<https://bertrandmeyer.com/wp-content/uploads/OOSC2.pdf>
4. Daniel Jackson—*Software Abstractions: Logic, Language, and Analysis*. MIT Press, 2006. (Alloy toolkit.)
<https://alloytools.org/book.html>
5. Nancy Leveson—*Engineering a Safer World: Systems Thinking Applied to Safety*. MIT Press, 2011.
<https://direct.mit.edu/books/oa-monograph/2908/Engineering-a-Safer-WorldSystems-Thinking-Applied>
6. Beck et al.—*Manifesto for Agile Software Development*. 2001.
<https://agilemanifesto.org>
7. Leslie Lamport—‘Time, Clocks, and the Ordering of Events in a Distributed System.’ *Communications of the ACM* 21(7), 1978.
<https://lamport.azurewebsites.net/pubs/time-clocks.pdf>
8. Ghemawat, Gobioff, Leung—‘The Google File System.’ *SOSP 2003*. / Dean and Ghemawat—‘MapReduce: Simplified Data Processing on Large Clusters.’ *OSDI 2004*.
<https://research.google.com/archive/gfs-sosp2003.pdf>
9. Peter Deutsch et al.—‘Fallacies of Distributed Computing.’ Sun Microsystems, 1994.
https://en.wikipedia.org/wiki/Fallacies_of_distributed_computing
10. Claude E. Shannon—‘A Mathematical Theory of Communication.’ *Bell System Technical Journal* 27, 1948.
<https://people.math.harvard.edu/~ctm/home/text/others/shannon/entropy/entropy.pdf>
11. Claude E. Shannon and Warren Weaver—*The Mathematical Theory of Communication*. University of Illinois Press, 1949. (Weaver’s three levels of communication: technical, semantic, effectiveness.)
<https://archive.org/details/mathematicaltheo00shan>
12. Nelson F. Liu et al.—‘Lost in the Middle: How Language Models Use Long Contexts.’ *Transactions of the ACL*, 2024.
<https://aclanthology.org/2024.tacl-1.9/>
13. Chroma Research—‘Context Rot: How Increasing Input Tokens Impacts LLM Performance.’ 2025.
<https://research.trychroma.com/context-rot>
14. Lingrui Mei et al.—‘A Survey of Context Engineering for Large Language Models.’ arXiv:2507.13334, 2025.
<https://arxiv.org/abs/2507.13334>
15. Anthropic—‘Effective Context Engineering for AI Agents.’ 2025.
<https://www.anthropic.com/engineering/effective-context-engineering-for-ai-agents>
16. METR—‘Measuring the Impact of Early-2025 AI on Experienced Open-Source Developer Productivity.’ 2025.
<https://metr.org/blog/2025-07-10-early-2025-ai-experienced-os-dev-study/>
17. Stack Overflow—‘2025 Developer Survey.’ 2025.
<https://survey.stackoverflow.co/2025/ai>

18. New Relic / Hanover Research—‘The 2026 State of AI Coding Report.’ 2026.
<https://newrelic.com/blog/ai/state-of-ai-coding-2026>
19. DORA / Google—‘State of AI-assisted Software Development.’ 2025.
<https://dora.dev/dora-report-2025/>
20. C. J. Stettina and W. Heijstek—‘Necessary and Neglected? An Empirical Study of Internal Documentation in Agile Software Development Teams.’ SIGDOC, 2011.
<https://doi.org/10.1145/2038476.2038509>
21. ‘Working Software over Comprehensive Documentation: Rationales of Agile Teams for Artefacts Usage.’ Journal of Software Engineering Research and Development, 2018.
<https://doi.org/10.1186/s40411-018-0051-7>
22. X. Wu, Y. Wang, S. Jegelka, and A. Jadbabaie—‘On the Emergence of Position Bias in Transformers.’ ICML 2025 (PMLR 267:67756–67781).
<https://proceedings.mlr.press/v267/wu25ad.html>
23. ‘Lost in the Middle at Birth: An Exact Theory of Transformer Position Bias.’ arXiv:2603.10123, 2026.
<https://arxiv.org/abs/2603.10123>
24. ‘Evaluating AGENTS.md: Are Repository-Level Context Files Helpful for Coding Agents?’ arXiv:2602.11988, 2026.
<https://arxiv.org/abs/2602.11988>
25. ‘How Much Does AI Impact Development Speed? An Enterprise-Based Randomized Controlled Trial.’ arXiv:2410.12944, 2024.
<https://arxiv.org/abs/2410.12944>
26. Z. Cui, M. Demirer, S. Jaffe, L. Musolff, S. Peng, and T. Salz—‘The Effects of Generative AI on High-Skilled Work: Evidence from Three Field Experiments with Software Developers.’ 2025.
microsoft.com/en-us/research/publication/the-effects-of-generative-ai-on-high-skilled-work
27. B. W. Boehm—*Software Engineering Economics*. Prentice Hall, 1981.
28. G. Tassey—‘The Economic Impacts of Inadequate Infrastructure for Software Testing.’ NIST / RTI, 2002.
nist.gov/system/files/documents/director/planning/report02-3.pdf
29. ‘Are Delayed Issues Harder to Resolve? Revisiting Cost-to-Fix of Defects throughout the Lifecycle.’ arXiv:1609.04886, 2017.
<https://arxiv.org/abs/1609.04886>
30. R. A. Barkley—‘Behavioral Inhibition, Sustained Attention, and Executive Functions: Constructing a Unifying Theory of ADHD.’ Psychological Bulletin 121(1):65–94, 1997.
<https://doi.org/10.1037/0033-2909.121.1.65>
31. C. Denison et al.—‘Sycophancy to Subterfuge: Investigating Reward-Tampering in Large Language Models.’ arXiv:2406.10162, 2024.
<https://arxiv.org/abs/2406.10162>
32. M. Sharma et al.—‘Towards Understanding Sycophancy in Language Models.’ ICLR 2024 (arXiv:2310.13548).
<https://arxiv.org/abs/2310.13548>
33. D. Horthy / HumanLayer—‘12-Factor Agents.’ 2025.
github.com/humanlayer/12-factor-agents

34. ‘A Communication-Theoretic Framework for LLM Agents: Cost-Aware Adaptive Reliability.’ arXiv:2605.09121, 2026.
<https://arxiv.org/abs/2605.09121>
35. ‘LLMs as Noisy Channels: A Shannon Perspective on Model Capacity and Scaling Laws.’ arXiv:2605.23901, 2026.
<https://arxiv.org/abs/2605.23901>
36. ‘The Semiotic Channel Principle: Measuring the Capacity for Meaning in LLM Communication.’ arXiv:2511.19550, 2025.
<https://arxiv.org/abs/2511.19550>
37. J. Xu—‘Semantic Channel Theory: Deductive Compression and Structural Fidelity for Multi-Agent Communication.’ arXiv:2604.16471, 2026.
<https://arxiv.org/abs/2604.16471>
38. Dan Davies—The Unaccountability Machine: Why Big Systems Make Terrible Decisions—and How the World Lost Its Mind. Profile Books, 2024. (Origin of the term ‘accountability sink’; builds on Stafford Beer’s management cybernetics.)
press.uchicago.edu/ucp/books/book/chicago/U/bo252799883.html
39. CodeRabbit—‘State of AI vs Human Code Generation.’ 2025. (470 open-source GitHub PRs; AI-co-authored changes averaged 10.83 issues per PR vs. 6.45 for human-only—approx. 1.7x—compared via Poisson rate ratios with 95% CIs.)
coderabbit.ai/blog/state-of-ai-vs-human-code-generation-report
40. Veracode—‘2025 GenAI Code Security Report.’ 2025. (100+ models across four languages; AI-generated code 2.74x more likely to contain a known vulnerability, with 45% of generations introducing an OWASP Top 10 flaw.)
veracode.com/wp-content/uploads/2025_GenAI_Code_Security_Report_Final.pdf
41. P. Naur and B. Randell (eds.)—*Software Engineering: Report of a Conference Sponsored by the NATO Science Committee, Garmisch, Germany, 7–11 Oct. 1968*. Scientific Affairs Division, NATO, 1969. (Origin of the discipline’s name and the ‘software crisis’ framing.)
homepages.cs.ncl.ac.uk/brian.randell/NATO/nato1968.PDF
42. B. Randell and J. N. Buxton (eds.)—*Software Engineering Techniques: Report of a Conference Sponsored by the NATO Science Committee, Rome, Italy, 27–31 Oct. 1969*. Scientific Affairs Division, NATO, 1970.
homepages.cs.ncl.ac.uk/brian.randell/NATO/nato1969.PDF
43. S. Rabanser, S. Kapoor, P. Kirgis, K. Liu, S. Utpala, and A. Narayanan—*Towards a Science of AI Agent Reliability*. arXiv:2602.16666 (Princeton University), 2026. (Decomposes agent reliability into consistency, robustness, predictability, and safety across twelve metrics; evaluating 15 models on two benchmarks, finds recent capability gains produced only small reliability improvements industry-wide.)
arxiv.org/abs/2602.16666
44. C. A. E. Goodhart—‘Problems of Monetary Management: The U.K. Experience.’ *Papers in Monetary Economics*, Reserve Bank of Australia, 1975 (origin of Goodhart’s law); the now-standard formulation is M. Strathern—‘Improving Ratings: Audit in the British University System.’ *European Review* 5(3):305–321, 1997 (“when a measure becomes a target, it ceases to be a good measure”).
doi.org/10.1017/S1062798700002660

45. Q. Ma, W. Peng, C. Yang, H. Shen, K. Koedinger, and T. Wu—‘What Should We Engineer in Prompts? Training Humans in Requirement-Driven LLM Use.’ *ACM Transactions on Computer-Human Interaction*, 2025 (arXiv:2409.08775). (Randomized controlled experiment: requirement-articulation training beat conventional prompt-engineering training 20% to 1%, a gap automatic prompt optimization did not close.)

arxiv.org/abs/2409.08775

46. F. Liu, Y. Liu, L. Shi, Z. Yang, L. Zhang, X. Lian, Z. Li, and Y. Ma—‘Beyond Functional Correctness: Exploring Hallucinations in LLM-Generated Code.’ *IEEE Transactions on Software Engineering*, 2026 (arXiv:2404.00971). (Taxonomy of code hallucinations across three primary and twelve sub-categories, including conflicts with task requirements and with project context.)

arxiv.org/abs/2404.00971

47. C.-Y. Hsieh, Y.-S. Chuang, C.-L. Li, et al.—‘Found in the Middle: Calibrating Positional Attention Bias Improves Long Context Utilization.’ Findings of ACL 2024 (arXiv:2406.16008). (Training-free inference-time calibration subtracting positional bias from attention weights, recovering up to fifteen points of long-context RAG accuracy—a partial, task-dependent remedy.)

arxiv.org/abs/2406.16008

48. T. Kwa et al. (METR)—‘Measuring AI Ability to Complete Long Tasks.’ arXiv:2503.14499, 2025. (Defines the 50%-task-completion time horizon; task-success rates fall steeply with task length, and the 80% horizon is roughly five times shorter than the 50% horizon—evidence of errors compounding across steps.)

arxiv.org/abs/2503.14499

49. A. Sinha, A. Arun, S. Goel, S. Staab, and J. Geiping—‘The Illusion of Diminishing Returns: Measuring Long Horizon Execution in LLMs.’ ICLR 2026 (arXiv:2509.09677). (Single-step accuracy compounds over a horizon—marginal per-step gains yield exponentially longer achievable tasks—while per-step accuracy itself degrades as steps accumulate, via a self-conditioning effect.)

arxiv.org/abs/2509.09677

About the Author

Josh Paul is the founder of Socium. Over nearly two decades he has engineered reliability into large-scale distributed systems—infrastructure automation, Kubernetes platform engineering, observability, and network security—at AWS, Nutanix, Okta, and Amplitude, among others. He began his career in the United States Air Force as a Russian cryptologic linguist and digital network intelligence analyst, and taught collection targeting systems and strategies as adjunct faculty at the National Cryptologic School—communication channels under adversarial conditions were the work, not a metaphor. Most recently, building a production observability SDK with AI brought him face-to-face with the failure modes described here: silent data loss, ungrounded assumptions, critical signal lost in a noisy medium. *Channel engineering* is his attempt to name the discipline that answers them.