


Ulf Skutnabba, twitter: @skutis77


Taito K1100319A


Sheet: /


File: risle.kicad_sch

Title: Rainbow Islands ExtraSize: A3 | Date: 2023-06-13
KiCad E.D.A. kicad-cli 7.0.10-7.0.10-ubuntu20.04.1Rev:
Id: 1/8









Ulf Skutnabba, twitter: @skutis77

Taito K1100319A


Sheet: /Color mixer/


File: color_mixer.kicad_sch

Title: Rainbow Islands Extra

Size: A3 Date: 2023-06-13
KiCad E.D.A. kicad-cl 7.0.10-7.0.10-ubuntu20.04.1

Rev: Id: 4/8





Ulf Skutnabba, twitter: @skutis77

Taito K1100319A




Sheet: /Sound/

File: sound.kicad_sch

Title: Rainbow Islands Extra

Size: A3 Date: 2023-06-13
KiCad E.D.A. kicad-cl 7.0.10-7.0.10-ubuntu20.04.1


Rev: 6/8



Horizontal and vertical synch timing diagrams


The pixel clock is derived from the 26.686MHz oscillator.
Pixel clock OVCK: $f = 26.686\text{MHz} / 4 = 6.6715\text{MHz}$

The numbers in the HSYNC and HBL diagram are pixel clock cycles.
All edges are synchronised to the rising edge of OVCK.



HSYNC and HBL
Frequency $f = 6.6715\text{MHz} / 424 = 15.734670\text{kHz}$.
Period $T = 1/f = 63.5539\text{us}$.

The numbers in the VSYNC and VBL diagram are HSYNC cycles.
All edges are synchronised to the falling edge of HSYNC.



VSYNC and VBL:
Frequency $f = 15.734670\text{kHz} / 262 = 60.05599\text{Hz}$
Period $T = 1/f = 1 / 15.734670\text{kHz} = 16.6511\text{ms}$

Ulf Skutnabba, twitter: @skutis77

Taito K1100319A

Sheet: /Misc/

File: misc.kicad_sch

Title: Rainbow Islands Extra

Size: A3 Date: 2023-06-13
KiCad E.D.A. kicad-cliv 7.0.10-7.0.10-ubuntu20.04.1

Rev: 7/8