

Seleção em tempo real de nó controlador em ambiente IoT dinâmico e heterogêneo

Sócrates Soares Araújo Júnior - 85263

Vitor Barbosa Carlos de Souza (Orientador)



Névoa





Imagem 2. Conceito de névoa



Controle como Serviço (CaaS)

Imagem 3. Exemplo de controlador em Névoa.

Cronograma

	8	9	10	11	12
Revisão de literatura	x	x	x	x	x
Busca e definição do simulador		x			
Aprendizado do simulador		x	x	x	x
Busca pela estratégia de seleção					x

Referências

Imagem 1. Rede IoT, Pixabay. Acesso em:

<https://pixabay.com/en/network-iot-internet-of-things-782707/>, Setembro 2018.

Imagem 2. Conceito de névoa: V. B. Souza, X. Masip-Bruin, E. Marín-Tordera, S. Sànchez-López, J. Garcia, G. J. Ren, A. Jukan, A. Juan Ferrer, *Towards a proper service placement in combined Fog-to-Cloud (F2C) architectures*, Future Generation Computer Systems, Volume 87, 2018, Pages 1-15, ISSN 0167-739X.

Imagem 3. Exemplo de controlador em névoa; Artigo referência:

Souza, V. B. et al. Towards a Fog-to-Cloud Control Topology for QoS-Aware End-To-End Communication. In *2017 IEEE/ACM 25th International Symposium on Quality of Service (IWQoS)*, 2017, (pp. 1-5).