

GitHub CLI One-Click Kit — Detailed Guide (GUIDE)

This document explains **every step from install to removal in detail**, so that even people **new to computers and IT tools** can follow along. For a short version, see [README.en.md](#).

This kit is an **UNOFFICIAL helper**. It has no affiliation, sponsorship, or endorsement from GitHub, Inc. 한
국어 버전: [GUIDE.md](#)

Table of contents

1. [Before you begin](#)
 2. [Prerequisites / required software](#)
 3. [How to download](#)
 4. [How to install \(in detail\)](#)
 5. [How to run](#)
 6. [Quick start — the Easy Start wizard](#)
 7. [How to sign in](#)
 8. [How to use — menu-by-menu](#)
 9. [Workflows \(common flows\)](#)
 10. [Command reference \(menu → actual gh command\)](#)
 11. [How to uninstall](#)
 12. [Troubleshooting](#)
 13. [File locations / document locations](#)
 14. [FAQ](#)
 15. [Developer notes](#)
 16. [License · copyright · trademarks · commercial use](#)
 17. [Disclaimer \(no warranty\)](#)
-

1. Before you begin

GitHub is a place to store code (program files) online and work together with others. **GitHub CLI** (`gh`) is the **official program by GitHub** that lets you use GitHub from your computer with **commands** instead of the website.

The catch is that using `gh` normally means **memorizing and typing English commands**. This kit replaces that with a **menu** so you only need to **pick a number**.

The kit consists of **3 executable files**.

File	Role	When to use
<code>INSTALL.bat</code>	Install	Once, at the very start
<code>RUN.bat</code>	Use	Every time you use GitHub
<code>UNINSTALL.bat</code>	Remove	When you no longer need it

2. Prerequisites / required software

Item	Details	Required?
OS	Windows 10 (22H2+) or Windows 11	Yes
Internet	Needed for install, login, most features	Yes
GitHub account	Free signup at https://github.com	Yes
winget	Install tool built into Windows 10 22H2+/11	Any one of the three
Scoop	Optional install tool (https://scoop.sh)	Any one of the three
(neither)	Kit downloads the official <code>.msi</code> directly	Any one of the three

In short: there is **nothing to install in advance**. With Windows, internet, and a GitHub account, `INSTALL.bat` does the rest.

To check whether winget exists (optional): open `cmd` from the Start menu and type `winget --version`. If a version number appears, you have it. If not, the kit handles it anyway, so don't worry.

3. How to download

1. Get the **folder or ZIP file** containing this kit.
2. **If you received a ZIP, be sure to extract it.**
 - Right-click the ZIP → **Extract All**.
 - Running directly from inside a ZIP may break some features.
3. When you see these three files in the extracted folder, you're ready:
 - `INSTALL.bat` · `RUN.bat` · `UNINSTALL.bat`

Tip — Unblock: Windows may mark a ZIP downloaded from the internet as "blocked." Right-click the ZIP → **Properties** → check **[Unblock]** → **OK** before extracting to reduce SmartScreen prompts. (Optional.)

4. How to install (in detail)

4.1 The basics — just do this

1. **Double-click** `INSTALL.bat`.
2. A black window opens and proceeds automatically. Just follow the on-screen prompts.
3. At the end, when **"Start now? [Y/n]"** appears, press **Y**. `RUN.bat` opens automatically.

If a **"Windows protected your PC" (SmartScreen)** dialog appears → click **More info** → **Run anyway**.

4.2 What happens during install (5 stages)

`INSTALL.bat` runs in this order, with each stage shown on screen.

Stage	What it does
Already-installed check	If gh exists, asks "Upgrade?"
Admin check	If not elevated, offers [1] restart as admin / [2] continue anyway
Internet check	If offline, only warns (does not block) and lets you continue
[2/5] Install-tool check	Looks for winget or Scoop
[3/5] Install	Installs via winget/Scoop, or downloads the official <code>.msi</code> if neither exists
[4/5] Refresh PATH	Updates PATH so gh is found in the current window
[5/5] Verify	Prints the gh version to confirm

4.3 When administrator privileges are needed

Installing GitHub CLI usually needs **administrator privileges** to finish. If you don't have them, `INSTALL.bat` asks:

- **[1] Restart as administrator (recommended)** — a Windows **UAC dialog** appears. Click **Yes** to re-run with privileges.
- **[2] Continue anyway** — proceeds without privileges. (If it fails, try [1].)

If you chose [1] but nothing happened, you may have clicked "No" on the UAC dialog. Double-click `INSTALL.bat` again and choose [1], or right-click the file → **Run as administrator**.

4.4 A SmartScreen warning appeared

A `.bat` downloaded from the internet may trigger a protection dialog on first run. This is **not** a danger signal — it's a **general notice for files of unverified origin**.

→ Click **More info**, then click **Run anyway**.

4.5 When neither winget nor Scoop exists (automatic download)

If no install tool is present, `INSTALL.bat` asks: "**Download and install automatically? [Y/n]**"

- Press **Y** → it downloads the **official installer (.msi)** matching your computer type (amd64/arm64) from GitHub's official server and installs it.
- If the automatic download fails → the official download page opens in your browser. There, download the file whose name contains `windows_amd64.msi` and **double-click** it. (Official page: <https://github.com/cli/cli/releases/latest>)

4.6 Confirming the install worked

When done, you'll see a line like `gh version 2.x.x ...` and "**Install confirmed [OK]**". If you see "**gh not found in the current window**", restart the terminal window or your PC to apply it.

5. How to run

1. **Double-click** `RUN.bat` .
2. The top shows the current gh version and **login status**, with **17 menus** below.
3. Type the **number** of the feature you want and press **Enter**.
4. After each action, "Press any key" appears. Press a key to return to the menu.
5. To quit, press `0` .

If you enter an invalid number (e.g., 99), you'll see "**Please enter a number from 0 to 17.**"

6. Quick start — the Easy Start wizard

If you're new, you don't need all 16 menus — just `[17] Easy Start` .

1. **[Step 1] Login check** — if you're not signed in, it asks to do so now (browser login).

2. **[Step 2] What do you want to do?** — choose one of three:

- [1] Get someone's code onto my PC (clone)
- [2] Create a new repository
- [3] Just look around for now

3. **Done!** From then on, use the main menu for more features.

7. How to sign in

Most features **require login**. Do it under menu [1] Login .

Easiest — browser login ([1] Login → [1] Login - Browser)

1. An **8-digit code** (e.g., ABCD-1234) appears on screen.
2. **Copy** it (or write it down).
3. Paste it into the **browser that opens automatically** (or the address shown).
4. Click **Authorize**. Login is complete.
5. Back in the menu, the status at the top changes to "**Logged in.**"

Other login methods

- [2] Login - Token : log in with a token string created on GitHub. (Create a token: <https://github.com/settings/tokens>)
 - [3] Login - Enterprise : enter your company GitHub server (host) to log in.
 - [4] Check status / [5] Logout / [6] View token / [7] Refresh token / [8] Switch account
-

8. How to use — menu-by-menu

Each menu shows sub-items when selected. Items that need input will prompt you.

[1] Login

Sign in/out, check status, view/refresh token, switch accounts. (See [7. How to sign in].)

[2] Repository

Create, clone, and manage code repositories.

- Clone, create, list my repos, view info, fork, rename, **delete (permanent, YES confirm)**, open in browser, my activity, archive.
- For clone/fork/rename, enter `owner/repo` (e.g., `cli/cli`) or a URL.

[3] Pull Request

A proposal that says "let's change the code like this."

- List, create, view, checkout, **merge**, close, reopen, diff, status, mark ready, review, checks. Most ask for a **PR number**.

[4] Issue

Record tasks, bugs, and questions.

- List, create, view, close, reopen, edit, comment, status, pin, transfer, labels (list/create/**delete YES**). Most ask for an **issue number**.

[5] Gist

Quickly share code snippets or notes.

- My list, create (private/public), view, edit, **delete (YES)**, clone.

[6] Release

Create distributable versions.

- List, create (enter tag, e.g. `v1.0.0`), view, download, edit, **delete (YES)**.

[7] Workflow / Actions

View GitHub automation runs.

- Run list/view/watch/re-run failed/cancel, workflow list/run, download artifacts, view logs.

[8] SSH / GPG keys

Manage keys for secure access (SSH) and signing (GPG).

- For each: list/add/**delete (YES , irreversible)**.

[9] Extensions

Add-on programs that extend gh.

- List, install, upgrade, upgrade all, remove, create, browse.

[10] Config / Alias

Settings and shortcuts for frequent commands.

- Config list/view/set (e.g., `editor` , `git_protocol` , `browser` , `pager`).
- Alias list/create/delete/import.

[11] GitHub Search

- Search repositories / issues / PRs / code / commits. Enter a search term.

[12] Codespace

Cloud development environments online.

- List, create, SSH, open in VS Code, stop, delete, logs.

[13] API call (advanced)

Call the GitHub API directly (for developers).

- GET / POST requests, view your info (`/user`), rate limit (`/rate_limit`), GraphQL query.

[14] Version / Update

- Check the installed gh version, update via winget/Scoop, detailed version info.

[15] Direct command (advanced)

- Type any command after `gh`. Example: `repo list --limit 10`.
- Type `back` to return to the main menu.

[16] Troubleshoot

- Auto-checks internet/gh-install/login/current-folder and explains problems **and fixes in Korean**.
- Can save the result to `gh-help-log.txt` (useful when asking for help).

[17] Easy Start

- Guided 1-2-3 steps for new users. (See [6. Quick start].)

9. Workflows (common flows)

A. Total beginner — from install to your first repo

1. Double-click `INSTALL.bat` → install → press **Y** at the end (start now)
2. In `RUN.bat`, choose `[17] Easy Start`
3. Log in → `[2] Create a new repository` → follow the prompts

B. Get someone's project

1. `RUN.bat` → `[2] Repository` → `[1] Clone`
2. Enter `owner/repo` or URL → download to your PC

C. Track tasks/bugs with issues

1. [4] Issue → [2] Create issue → follow prompts for title/body

D. Handle pull requests (PRs)

1. [3] Pull Request → [1] List → [3] View (number) → [5] Merge if needed

E. When something doesn't work

1. [16] Troubleshoot for auto-check → follow the Korean guidance

10. Command reference (menu → actual gh command)

Selecting a menu runs the `gh` command below. (You can also type these in [15] Direct command.)

Menu	Action	Actual command
Login	Browser login	<code>gh auth login --web</code>
Login	Status / logout	<code>gh auth status</code> / <code>gh auth logout</code>
Repository	Clone / create	<code>gh repo clone <owner/repo></code> / <code>gh repo create</code>
Repository	List / view	<code>gh repo list --limit 30</code> / <code>gh repo view</code>
Repository	Fork / archive / delete	<code>gh repo fork</code> / <code>gh repo archive</code> / <code>gh repo delete --yes</code>
PR	List / create / view	<code>gh pr list</code> / <code>gh pr create</code> / <code>gh pr view <num></code>
PR	Merge / checkout / diff	<code>gh pr merge <num></code> / <code>gh pr checkout <num></code> / <code>gh pr diff <num></code>
Issue	List / create / view	<code>gh issue list</code> / <code>gh issue create</code> / <code>gh issue view <num></code>
Issue	Comment / labels	<code>gh issue comment <num> --body "..."</code> / <code>gh label list</code>
Gist	Create (public) / list	<code>gh gist create <file> --public</code> / <code>gh gist list</code>
Release	Create / list	<code>gh release create <tag></code> / <code>gh release list</code>
Workflow	Run list / logs	<code>gh run list</code> / <code>gh run view <ID> --log</code>
SSH/GPG	List / add	<code>gh ssh-key list</code> / <code>gh ssh-key add <file></code>
Extensions	List / install	<code>gh extension list</code> / <code>gh extension install <owner/name></code>
Config	List / set	<code>gh config list</code> / <code>gh config set <key> <value></code>

Menu	Action	Actual command
Search	Repos / code	<code>gh search repos "<term>" / gh search code "<term>"</code>
Codespace	List / create	<code>gh codespace list / gh codespace create</code>
API	Your info / call	<code>gh api /user / gh api <path></code>
Version	Check	<code>gh --version</code>

For all commands, type `help` in [15] Direct command , or see the official manual (<https://cli.github.com/manual>).

11. How to uninstall

1. **Double-click** `UNINSTALL.bat` .
2. If gh settings exist, it asks "**Back up settings? [y/N]**".
 - Press `y` to back up into a `gh-config-backup` folder inside the kit folder.
3. A **warning** appears and it asks "**Type YES to remove.**"
 - It proceeds only if you type `YES` (uppercase).
4. In order: log out of GitHub → remove gh (winget/Scoop) → clean settings/cache → verify removal.

After removal, the kit folder (.bat files and docs) remains. If you no longer need it, move the folder to the Recycle Bin. You may keep or delete the `gh-config-backup` folder.

12. Troubleshooting

Try first: `RUN.bat` → [16] **Troubleshoot** (auto-check + Korean guidance).

Symptom	Likely cause	Fix
gh not found	PATH not updated right after install	Restart terminal/PC
Install fails	Lacking admin privileges	Right-click <code>INSTALL.bat</code> → Run as administrator
No winget/scoop	No install tool present	Use INSTALL's auto <code>.msi</code> (Y), or download from the official page
English error appears	Internet down / firewall	Check Wi-Fi/cable; on a corporate network check the firewall

Symptom	Likely cause	Fix
Korean text is garbled	File saved as ANSI/CP949	Use the original file (keep UTF-8 when editing)
SmartScreen warning	File from the internet	More info → Run anyway
Login won't finish	Code not pasted / browser didn't open	Paste the 8-digit code in the browser and Authorize
Most features blocked	Not logged in	Log in via [1] Login

When asking for help: in [16] Troubleshoot, save the result to `gh-help-log.txt` and share it — it makes diagnosis faster.

13. File locations / document locations

All files of this kit live **in the same folder**.

```
(kit folder)
├─ INSTALL.bat           install
├─ RUN.bat               use (menu control panel, 17 menus)
├─ UNINSTALL.bat        uninstall
├─ README.md / README.en.md  short guide (KO / EN)
├─ GUIDE.md / GUIDE.en.md    detailed guide (KO / EN, this doc)
├─ README.pdf / README.en.pdf  same content as PDF
├─ GUIDE.pdf / GUIDE.en.pdf    same content as PDF
├─ 사용법-먼저읽기.txt      shortest start guide (plain text, KO)
├─ LICENSE               full Apache License 2.0
└─ NOTICE               copyright / trademark / non-affiliation
```

Files that may be created: `gh-help-log.txt` (troubleshoot save), `gh-config-backup/` (uninstall backup).

14. FAQ

Q. Is it free? A. The kit and GitHub CLI are free. A GitHub account is free by default too.

Q. Do I really need the internet? A. Yes. Install, login, search, repository actions, and almost everything use the internet.

Q. Is it safe? Could my password leak? A. Login uses GitHub's **official** process (`gh`); the kit does not store your password. Everything runs **on your own computer**.

Q. I'm worried I'll delete a repository by accident. A. Dangerous actions like delete/remove require you to type `YES` to proceed.

Q. Does it work on macOS / Linux? A. The `.bat` files in this kit are **Windows-only**.

15. Developer notes

- **Encoding:** the `.bat` files display Korean via **UTF-8 (no BOM)** + the first line `chcp 65001` . **Re-saving as ANSI/CP949 (e.g., in Notepad) breaks all Korean.** Always save as **UTF-8** when editing.
 - **Structure:** the menus are standard batch scripts built from labels (`:MENU`) and `goto` .
 - **Install fallback:** it tries winget → Scoop → official `.msi` (PowerShell download), in order.
 - **Privileges:** `INSTALL.bat` checks admin via `net session` and offers UAC elevation when needed.
-

16. License · copyright · trademarks · commercial use

- **License:** **Apache License 2.0** (full text = [LICENSE](#)).
 - **Copyright:** Copyright 2026 SoDam AI Studio.
 - **Commercial use: Permitted.** When redistributing, you must ① include a copy of `LICENSE` , ② state changes if modified, and ③ keep the `NOTICE` notices.
 - **Trademarks:** "GitHub" and "GitHub CLI" are trademarks of GitHub, Inc.; "Windows" is a trademark of Microsoft. Used for description only; the license grants no trademark rights.
 - **No affiliation:** an unofficial helper with no affiliation/sponsorship/endorsement from GitHub, Inc.
 - **Third-party software:** `gh` is not bundled; it is a separate product by GitHub, Inc. under the **MIT License** (<https://github.com/cli/cli>).
-

17. Disclaimer (no warranty)

- This kit is provided **"AS IS"** with **no warranty** of any kind.
- The author is **not liable for any damages** from its use. You use it **at your own risk**.
- See Sections 7 (warranty disclaimer) and 8 (limitation of liability) of [LICENSE](#) .