

Netlify One-Click Kit - Beginner Guide (English)

Beginner's Guide — Netlify One-Click Kit

Written so that even a first-time computer user can follow it **exactly as shown on screen**. Hard words are explained in parentheses. Korean guide: [사용설명서.md](#). Short overview: [README.en.md](#).

What is this tool? Netlify = a service that **publishes your website to the internet**. This kit lets you use it through a **Korean menu, with no commands**.

Fastest path: double-click 시작하기.bat → follow the single >> What to do now line. That's all.

Table of Contents

1. [5 words to know first](#)
 2. [What the screen looks like \(preview\)](#)
 3. [Prerequisites & required programs](#)
 4. [Download & unblock](#)
 5. [How to install \(one-time\)](#)
 6. [How to run · how to choose menu items](#)
 7. [Log in \(connect account, incl. sign-up\)](#)
 8. [Practice deploy with the sample site \(1-minute success\)](#)
 9. [Prepare your site · deploy your folder](#)
 10. [Full workflow](#)
 11. [How to uninstall](#)
 12. [When a problem or error happens](#)
 13. [File / doc / data locations](#)
 14. [Command reference](#)
 15. [FAQ](#)
 16. [License · Copyright · Commercial use](#)
-

1. 5 words to know first

Don't panic if you see unfamiliar words. These five are enough.

- **Node.js** = a supporting program like a car **engine**. The Netlify tool needs it to run. Install it **once**.
- **Black window (console/terminal)** = a window where you tell the computer to do things with text. The kit **opens and closes it for you**. It's normal, not scary.
- **Netlify account** = your **ID** for Netlify. If you don't have one, **sign up free first** (email or GitHub, no card).
- **Deploy** = **putting your website on the internet** so it has an address (URL).
 - **Preview** = a temporary address only **you** check (safe, for practice). **Production** = **anyone** can see it (be careful).
- **CLI** = "command-line tool." Since we only **press menu items**, there's nothing to memorize.

2. What the screen looks like (preview)

When you double-click 시작하기.bat, you'll see something like this. (Real colors: green = good/recommended, yellow = to-do, red = caution.)

```
=====
Netlify 원클릭 키트 - 시작하기   (Start Here)
=====

[My computer status]
- Node.js (required part) : present  [OK]
- Netlify CLI              : missing [install needed]

>> What to do now: press [1] Install.

How to choose: Up/Down arrows + Enter, or number keys (1-9)
Fast path: just Enter = run the green recommended item.  ESC = cancel/back
-----

> [1] Install      (put the Netlify tool on this PC)   <- this one!
  [2] Use          (log in / sites / deploy)
  [3] Something's wrong? (self-diagnosis - in Korean)
  [4] Uninstall    (clean removal; your code is kept)  (caution)
  [5] Guide        (open the beginner guide)
  [6] Open Netlify dashboard (manage my sites)
  [0] Exit

>> Now selected: Installs the Netlify tool. One-time only.
```

Just read the bottom >> **What to do now** line and the >> **Now selected** description. They change with your state.

3. Prerequisites & required programs

What you prepare yourself

1. **Windows 10 or 11** — this kit is Windows-only.
2. **Internet connection** — needed for install, login, and deploy.
3. **Node.js (required part) v20.12.2 or newer** — the kit does **NOT** install Node.js automatically. Install it yourself (see section 5).
4. **A Netlify account (free)** — needed at the login step. Sign up at <https://app.netlify.com> (no card).

What the kit installs for you

- **netlify-cli** — the Netlify tool itself. **[1] Install** does it automatically.

At a glance: **You prepare** = Windows + Internet + Node.js + Netlify account. **Kit handles** = installing netlify-cli.

4. Download & unblock

Windows sometimes **locks** files downloaded from the internet. Just unblock them.

- **Method 1 (easiest):** Before unzipping, right-click the zip → **Properties** → check 'Unblock' at the bottom → **OK**. Then unzip.
- **Method 2:** Right-click 시작하기.bat → **Properties** → check 'Unblock' → **OK**, then double-click.
- If a blue "Windows protected your PC" dialog appears → **More info** → **Run anyway**.

Once 시작하기.bat runs, the lock on the rest of the files is **removed automatically**. (So usually you only deal with this once.)

5. How to install (one-time)

1. 시작하기.bat → choose **[1] Install**.
2. **No admin prompt appears now.** (Netlify installs only into your user folder %APPDATA%\npm, so no admin rights are needed.)
3. A black window runs 6 steps in English. **Do not close it; wait (3–10 min).**
 - ⚠ **Important:** the text may look **frozen for a while — that's normal** (downloading files). **Don't close the window.** Closing it breaks the install and you'll start over. Just wait.
4. ALL DONE! NETLIFY CLI IS INSTALLED. means success. It looks like:

```
[Verify] Checking that Netlify CLI works...
Netlify CLI is ready: 26.x.x [OK]
```

```
=====
ALL DONE! NETLIFY CLI IS INSTALLED.
=====
```

If it says Node.js is missing? → The kit does not install Node.js automatically. Get it yourself: 1. Open <https://nodejs.org> in your browser 2. Download the big green **LTS** button (version 20 or higher) and install it 3. Close the window and **run** 시작하기.bat **again** → then [1] Install

If right after install it says "netlify command not found", close all windows and open 시작하기.bat in a **new** window. (Windows needs a new window to recognize a new program.)

6. How to run · how to choose menu items

Double-clicking 시작하기.bat automatically checks your status (Node / CLI / login) and tells you **what to do now** in one line.

How it works (how it operates): the Korean panel (lib\start.ps1) **re-reads your computer state every time** and **calls the English engines** (INSTALL.bat / RUN.bat / UNINSTALL.bat) on your behalf for the actual install / run / removal. So you only press Korean menu items, and the black window opens and closes automatically.

How to choose (remember just 4 things): - Move with **Up/Down arrows + Enter**, or press a **number key** (1–9) directly. - The **"Now selected: ..."** line below shows what each item does **before you press**, so you choose accurately. - **Just Enter** runs the green **recommended** item. (Fastest path.) - **ESC = cancel and go back.** You can safely exit even if you entered the wrong place.

Start menu (7 items): [1] Install · [2] Use · [3] Something's wrong? (self-diagnosis) · [4] Uninstall · [5] Guide · [6] Netlify dashboard · [0] Exit.

[2] Use → Korean “frequent tasks” submenu: [1] Log in · [2] Check login · [3] List my sites · **[4] Practice deploy with sample site (recommended)** · [5] Deploy my folder · [6] Open full menu (English, 26 items) · [0] Back.

7. Log in (connect account, incl. sign-up)

No account? Sign up free first! Logging in means entering an account you already have, so it won't work without one. 1. Open <https://app.netlify.com> in your browser 2. Click **Sign up** → register with email or a GitHub account (**free, no credit card**) 3. Once registered, proceed with login below.

1. 시작하기.bat → **[2] Use** (the Korean “frequent tasks” menu opens)
2. Choose **[1] Log in**
3. Your browser opens automatically → **log in / Authorize** with your Netlify account
4. When you see “Success”, close that tab and return to the black window.

You only log in once; it remembers you afterward. To confirm it worked, use **[2] Check login**; to see your sites, **[3] List my sites**.

8. Practice deploy with the sample site (1-minute success)

You **don't need your own website yet**. The kit includes a **practice example** so you can safely experience a deploy.

1. 시작하기.bat → **[2] Use** → **[4] Practice deploy with sample site**
2. Choose **[1] Preview** (safe). (Not a real public release.)
3. After a moment a **temporary URL (Draft URL)** appears. Open it.
4. If you see **“Congratulations! 🎉 Your first site is on the internet”**, it's a **success**.

Once you complete this loop (install → login → deploy → check the live URL), you can publish **your real website** the same way.

9. Prepare your site · deploy your folder

Order matters: **log in** → (if needed) **link a site** → **deploy**

Don't have a website yet? Try section 8 "practice deploy" first. To create a real site, use the full menu: 시작하기.bat → [2] Use → [6] Open full menu (English, 26 items) → **9) Start a new Netlify website here (init)** to start this folder as a new site. (If you already have one, use **10) Link.**)


To deploy your website: 시작하기.bat → [2] Use → [5] Deploy my folder - It first **checks whether this folder has a website**. If not, it safely asks you to enter the website folder path. (Prevents publishing the wrong folder.) - Then you choose between **[1] Preview (safe)** and **[2] Production**. - Production proceeds only after you type **YES (uppercase)**.

Netlify keeps you safe with **two kinds of deploy**: - **Preview (Draft)** — visible only at a temporary URL; the real site is untouched. **Always practice with this first!** - **Production** — visitors see it immediately. Proceeds only after **YES (uppercase)**. Do it only when you're sure.

If unsure, check with preview first, and do production once it looks right.

10. Full workflow

Double-click 시작하기.bat



11. How to uninstall

1. 시작하기.bat → [4] Uninstall
2. Use [1] **Preview** to see what will be removed, then type **YES** in [2]
3. It's cleanly removed.

Rest assured: after removal, - your **website code files** are kept - **Node.js** is kept - the **live sites** on Netlify's servers are kept. (Only the Netlify tool, login key, and cache are removed.)

12. When a problem or error happens (don't panic)

If you don't know what's wrong? Use 시작하기.bat → [3] **Something's wrong? (Self-diagnosis)**. It automatically checks Node.js / install / login / internet and tells you the **fix in Korean** right away. (It changes nothing, so it's safe.)

If you see this	Do this
OH NO - NETLIFY CLI IS NOT INSTALLED	Run 시작하기.bat → [1] Install first
Installed but netlify ... not found	Close all windows and reopen 시작하기.bat in a new window
Node.js is NOT on this computer	Install LTS from https://nodejs.org , then [1] again
Your Node.js is TOO OLD	Reinstall the latest LTS from nodejs.org , then [1] again
The install did not finish	Follow "When internet/install fails" below
permission or EACCES error (rare)	Right-click INSTALL.bat → Run as administrator just once
Wrong number in a menu	It just returns to the menu. No worries.

When internet/install fails (do these one by one)

1. **Check the internet first:** open any site (e.g., google.com) in your browser. If it fails, fix Wi-Fi/LAN first.
2. **Pause antivirus briefly:** antivirus (Defender, etc.) often blocks install files. Turn it off for **10 minutes** and run [1] again.
3. **On a company/school Wi-Fi:** such networks often block external downloads. Switch to **home Wi-Fi or a phone hotspot** and retry. (Fastest fix.)

4. **Still stuck (advanced):** in the black window, type these one line at a time:
 - `npm cache clean --force` (clears partial files)
 - `npm install -g netlify-cli` (reinstall)
 5. If nothing works, your corporate network may need a **proxy** setting. Ask your IT admin for the "npm proxy address."
-

13. File / doc / data locations

Files inside the kit folder

File/folder	What it does
<code>시작하기.bat</code>	Korean start panel. Start here.
<code>INSTALL.bat</code>	Install the Netlify CLI (English engine)
<code>RUN.bat</code>	26-item full menu: login, sites, deploy (English engine)
<code>UNINSTALL.bat</code>	Clean removal (English engine)
<code>lib\start.ps1</code>	The actual content of the Korean panel
<code>sample-site\index.html</code>	A one-page practice sample site
<code>README.md</code> / <code>README.en.md</code>	Overview (Korean / English)
<code>사용설명서.md</code> / <code>GUIDE.en.md</code>	Detailed guide (Korean / English)
<code>LICENSE</code> / <code>NOTICE</code>	License & notices

Where your data is stored (Windows)

- **Login key & settings:** `%APPDATA%\netlify\Config\config.json`
 - **Where the Netlify tool installs:** `%APPDATA%\npm` (user folder — that's why no admin is needed)
 - **Note:** `%APPDATA%` is usually `C:\Users\your name\AppData\Roaming`.
-

14. Command reference

You **don't need to memorize commands** — the menu runs them. For the curious, here is what each number in the English full menu (`RUN.bat`) actually runs:

Full-menu No.	Command run	Meaning
1	<code>netlify --version</code>	Show version
4 / 5 / 6	<code>netlify login / logout / status</code>	Log in / out / status
7	<code>netlify switch</code>	Switch to another account
8	<code>netlify sites:list</code>	List my sites
9	<code>netlify init</code>	Start this folder as a new site
10 / 11	<code>netlify link / unlink</code>	Link / unlink folder ↔ site
12	<code>netlify sites:create</code>	Create a new empty site
13	<code>netlify dev</code>	Local preview server (stop: Ctrl+C)
14	<code>netlify build</code>	Build the project
15 / 16	<code>netlify functions:list / serve</code>	List / run functions locally
17	<code>netlify deploy</code>	Preview deploy (safe)
18	<code>netlify deploy --prod</code>	Production deploy (needs YES)
19	<code>netlify watch</code>	Watch recent deploys
20 / 21 / 22	<code>netlify env:list / set / unset</code>	View / set / remove env vars
23 / 24	<code>netlify open:site / open:admin</code>	Open my site / admin page
25	<code>netlify help</code>	Full help
26	(type your own)	Run any command after <code>netlify</code> (advanced)

15. FAQ

Q. Do I have to memorize commands? A. No. Just use arrows or numbers. (Advanced users can type a command directly via full-menu item **26**.)

Q. Does it cost money? A. Netlify has a **free tier**. Heavy usage may incur charges — check the Netlify dashboard. (The kit itself is free and unrelated to billing.)

Q. What if I press the wrong thing and break something? A. Dangerous actions (production deploy, uninstall) all require typing **YES** again. In menus you can go back safely with **ESC**, or just close the window.

Q. Can I take down a site I published? A. Yes. Manage or delete sites in the Netlify dashboard (menu [6]). See Netlify's help for details.

Q. The Korean panel won't open. A. If `시작하기.bat` fails, you can double-click **INSTALL.bat** → **RUN.bat** → **UNINSTALL.bat** directly; they work the same (in English).

16. License · Copyright · Commercial use

Please follow this **strictly**. The full texts are [LICENSE](#) and [NOTICE](#) in this folder.

This kit (the files we authored)

- **License: Apache License 2.0** — © 2026 **SoDam AI Studio**.
- **Commercial use allowed:** copy, modify, distribute, internal and commercial use are all permitted (under Apache-2.0 terms).
- Conditions: when redistributing, **include** [LICENSE](#) / [NOTICE](#), state significant changes, keep attribution. **Trademarks are separate** (below).

External programs the kit installs/uses (not ours)

- **netlify-cli** — **MIT License** © Netlify, Inc. (<https://github.com/netlify/cli>). Commercial use allowed.
- **Node.js** — MIT-style license © OpenJS Foundation and contributors. You install it from nodejs.org.

Trademark · Service · Non-affiliation (important)

- **"Netlify"** is a **trademark** of **Netlify, Inc.** This kit is an **independent** tool, **not affiliated with, endorsed, or sponsored by** Netlify.
- **Code license and use of the Netlify service are separate.** Hosting, deployment, and fees are governed entirely by **Netlify's own Terms of Service and pricing** (<https://www.netlify.com>). **Exceeding the free tier may incur charges.**
- A trademark mention does not grant a code license. To use the "Netlify" name/logo in a commercial service, review Netlify's trademark policy separately.

Disclaimer

- This kit is provided **"AS IS"** with **no warranty of any kind**.

- **You are responsible** for the results of use (deploys, charges, data, etc.). **Always review your content before a production deploy.**