

Obsidian-CLI One-Click Kit — Obsidian-CLI_One-Click_Kit

A beginner-friendly kit that helps **anyone** — **even first-time computer users** — install, run, use, and remove `notesmd-cli`: a terminal tool to work with your Obsidian notes **without opening Obsidian**.

 GitHub repository: `sodam-ai/Obsidian-CLI_One-Click_Kit`

us **English** = **this file** · KR 한국어 → [README.md](#)  New or stuck? → [왕초보 시작 가이드.en.md](#) (Korean: [왕초보 시작 가이드.md](#))  PDF of this file → [README.en.pdf](#) (identical content)

0. At a glance (when you're in a hurry)

1. Double-click `시작하기.bat` ("Start Here") → **1 Install** → then **2 Use**.
2. Stuck? Run `자가진단.bat` (Self-check). To remove: `UNINSTALL.bat` (your notes are kept).

The rest of this document explains every step in full detail.

1. What is all this? (concepts first)

Term	Plain meaning
Obsidian	A free app to organize notes. https://obsidian.md
Vault	One folder that holds your notes (<code>.md</code> files). e.g. a folder named <code>MyNotes</code>
<code>.md</code> (Markdown)	A lightweight text format. One note = one <code>.md</code> file

Term	Plain meaning
NotesMD CLI	A tool to create/find/open notes by typing commands, without opening Obsidian
CLI	A program you use with text commands instead of mouse clicks
This kit	Wrappers so a beginner can install and use the tool with a one-click Korean menu

Key point: **you need one "vault" (a folder) to use this tool.**

2. Prerequisites · Required programs

Item	Required?	Notes
Windows 10 / 11	Yes	This kit is Windows-only.
Windows PowerShell	Yes (built-in)	Ships with Windows. No separate install.
Internet	Yes (for install/update)	The tool is downloaded from GitHub.
certutil · tar	Yes (built-in)	Built into Windows. Used automatically.
Obsidian + 1 vault	Effectively required	To use a vault by name, it should be registered in Obsidian.

 Obsidian does **not** need to be running — you only need the vault (folder) to exist.

3. How to download

3-1. Get this kit

- If you got a ZIP, **unzip the whole folder**. The `lib` folder and the `.bat` files must stay **together in one folder**. Do not move files out (especially `lib`).

3-2. Get the tool (automatic)

- Clicking Install downloads `notesmd-cli.exe` **automatically** from the latest GitHub release.
- Source: <https://github.com/Yakitrak/notesmd-cli/releases>

3-3. Manual download (fallback if automatic fails)

1. Open the releases page → download `notesmd-cli_X.X.X_windows_amd64.tar.gz`.
 2. Extract: `tar -xzf filename.tar.gz`
 3. Copy `notesmd-cli.exe` into `%USERPROFILE%\bin`.
 4. Add `%USERPROFILE%\bin` to your Windows user PATH.
-

4. Quick start (3 steps)

1. Double-click `시작하기.bat` → a Korean start screen appears.
2. **1 Install** → the tool is installed (usually 30s–2min).
3. **2 Use** → **1 Set default vault** first, then create/search/open notes.

Not sure where to start? Just run `시작하기.bat`. The screen shows a "recommended next step".

5. How to choose (selecting in menus)

- Use **↑ ↓ arrows** to move and **Enter** to run. (Number keys also jump.)
 - Press **Enter alone** to pick the **★ recommended** item. (Unsure? Just press Enter.)
 - **Red items = dangerous (delete/overwrite)**. They also require typing `YES / Y`.
 - If arrow keys aren't available, it falls back to number-typing automatically.
-

6. How to install (in detail)

1. `시작하기.bat` → **1 Install** (or run `INSTALL.bat`).
2. Steps `[1/4] – [4/4]` run: check PowerShell → check built-in tools/folder → check existing install → download & install.

3. **INSTALLATION COMPLETE** means success.
4. Install location: `%USERPROFILE%\bin\notesmd-cli.exe`.
5. PATH is registered so the tool is found. This kit's 시작하기 / 사용하기 work **without opening a new terminal**.

Time: usually 30s–2min depending on your connection.

7. How to run (the Start hub)

시작하기.bat opens a Korean hub showing **current status** (installed / vault set / Obsidian detected).

Menu	What it does
1) Install	Installs the tool on this PC
2) Use	Create/search/open notes (Korean menu)
3) Self-check	Diagnose what works + save a report
4) Remove	Removes the tool only (keeps notes)
5) Plain explanation	Explains the concepts again
0) Exit	Close

8. How to use (the 15 menu items)

시작하기 → 2) Use opens the Korean menu below. **Always do 1 Set default vault first.**

#	Menu	What / When	Underlying command
1	Set default vault	Once, first. Type the vault folder name	<code>set-default <vault></code>
2	Vault info	See current vault name/path	<code>print-default</code> / <code>--path-only</code>
3	Open note	Open in Obsidian/editor	<code>open <note></code> <code>[--editor]</code> <code>[--section H]</code> <code>[--vault V]</code>
4	Daily note	Today's note	<code>daily</code> <code>[--vault V]</code>

#	Menu	What / When	Underlying command
5	Quick search	By file name	<code>search [--vault V] [--editor]</code>
6	Content search	By text	<code>search-content <term> [--vault V] [--editor]</code>
7	List	Vault/subfolder listing	<code>list [path] [--vault V]</code>
8	Print note	Print note contents	<code>print <note> [--vault V]</code>
9	Create/update	empty/content/overwrite/append	<code>create <note> [--content C] [--overwrite --append] [--open] [--editor]</code>
10	Move/rename	Move/rename (links auto-updated)	<code>move <old> <new> [--vault V] [--open] [--editor]</code>
11	Delete note	Permanent (caution)	<code>delete <note> [--vault V]</code>
12	Frontmatter	View/edit/delete YAML fields	<code>frontmatter <note> --print --edit --key K --value V --delete --key K</code>
13	Version	Installed tool version	<code>--version</code>
14	Update	Reinstall latest version	(reruns install engine)
15	Full help	Tool's own help (English)	<code>--help</code>
0	Back	Back to start	—

9. How it works (what happens inside — simply)

When you click Install, the kit automatically:

1. Asks GitHub for the latest version.
2. Uses built-in `certutil` to safely unpack the install script (avoids long-line issues).
3. Verifies the file is a real executable (MZ header check).
4. Extracts archives with a **triple fallback**: `tar.exe` → pure PowerShell extraction → verify.
5. Places it in `%USERPROFILE%\bin` and registers PATH.

A beginner just clicks "Install" once — all of the above is automatic.

10. Workflow (typical usage)

[Once]

시작하기.bat → 1) Install

시작하기.bat → 2) Use → 1) Set default vault (type the vault folder name)

[Daily]

시작하기.bat → 2) Use →

9) Create note

4) Daily note

5) Quick search / 6) Content search

7) List

[Occasionally]

14) Update

자가진단.bat (self-check)

[To remove]

4) Remove / UNINSTALL.bat (notes are safe)

11. Command reference (notesmd-cli v0.3.3)

With the menu you don't need to memorize these. This table is for terminal users.

Command	Description
set-default <vault>	Set the default vault
print-default [--path-only]	Print default vault name/path
create <note> [--content C] [--overwrite --append] [--open] [--editor]	Create/update note
open <note> [--vault V] [--section H] [--editor]	Open note
daily [--vault V]	Today's note
list [path] [--vault V]	List

Command	Description
<code>print <note> [--vault V]</code>	Print contents
<code>search [--vault V] [--editor]</code>	Filename search
<code>search-content <term> [--vault V] [--editor]</code>	Content search
<code>move <old> <new> [--vault V] [--open] [--editor]</code>	Move/rename (auto-updates links)
<code>delete <note> [--vault V]</code>	Delete (permanent)
<code>frontmatter <note> --print --edit --key K --value V --delete --key K</code>	Manage YAML frontmatter
<code>completion <shell></code>	Shell autocompletion (advanced)
<code>--version / --help</code>	Version / help

12. Troubleshooting

First: run `자가진단.bat` (Self-check). It checks PowerShell, install, vault, PATH, and internet, and saves a report to your Desktop as `NotesMD-CLI_진단결과.txt`.

Symptom	Cause	Fix
Cannot find <code>lib\welcome.ps1</code>	<code>lib</code> folder missing/moved	Re-unzip the whole folder ; keep <code>.bat</code> and <code>lib</code> together
<code>notesmd-cli NOT FOUND</code>	Not installed	Run <code>1) Install</code> first
Vault not found in Obsidian config file	Default vault not set (or no Obsidian)	<code>2) Use</code> → <code>1) Set default vault</code> ; type the exact folder name ; needs an Obsidian vault
<code>Install failed / certutil decode failed</code>	Internet/firewall/transient	Check internet, retry; else use manual download (3-3)
<code>MZ header missing</code>	Corrupt download	Retry; check antivirus/firewall exceptions
Garbled characters	Ran a <code>.bat</code> directly / console encoding	Always launch via <code>시작하기.bat</code>

English error messages come from the tool (notesmd-cli) itself; the table explains them.

13. File locations · Document locations

Kit files (in this folder)

File/Folder	Role
시작하기.bat	Korean start screen (begin here)
자가진단.bat	Self-check + save report
INSTALL.bat	Install engine
RUN.bat	Original English menu (optional)
UNINSTALL.bat	Safe removal
lib\	Korean UI (PowerShell) — never delete/move
README.md / README.en.md	Docs (KO/EN)
왕초보_시작_가이드.md / .en.md	Step-by-step guide (KO/EN)
*.pdf	PDF versions (identical content)
LICENSE / NOTICE	License & notices

Install/result locations (on your PC)

Item	Location
Tool executable	%USERPROFILE%\bin\notesmd-cli.exe
Self-check report	Desktop NotesMD-CLI_진단결과.txt
Obsidian vault list	%APPDATA%\obsidian\obsidian.json (read-only)

14. How to remove

1. 시작하기 → 4) Remove (or UNINSTALL.bat).

2. Type `uninstall` to proceed.
 3. Removed: tool executable (`bin\notesmd-cli.exe`), Scoop install (if any), PATH entry.
 4. **Notes (`.md`) and vaults are never deleted.** Reinstall anytime via `INSTALL.bat` .
-

15. Safety

- Dangerous actions (delete/overwrite/remove) show in **red** and require typing `YES / uninstall` .
 - **Notes and vaults are preserved**, even on removal. The kit only touches tool files.
 - No login/password/token is stored (the tool has no login).
 - No personal data is sent out. The internet is used **only to download the tool from GitHub**.
-

16. License · Copyright · Commercial use (strict)

This kit involves **three separate things**, each with a different license.

(1) This kit itself — files we made (`시작하기.bat` , `자가진단.bat` , `lib\*` , docs)

- License: **Apache License 2.0**, © 2026 **SoDam AI Studio**. ([LICENSE](#), [NOTICE](#))
- **Commercial use: allowed**. When redistributing, **keep the copyright/license/NOTICE**, and **mark modified files** as changed.
- **AS IS, no warranty**. The authors are not liable for data loss/malfunction/damages (Apache-2.0 §7-§8). Use at your own risk.

(2) The installed tool `notesmd-cli` — not bundled; downloaded at install time

- License: **MIT License**, © 2023 **Kartikay Jainwal** (Yakitrak). Source: <https://github.com/Yakitrak/notesmd-cli>
- **Commercial use: allowed**, keep the copyright/license notice. **No warranty**.
- This kit is an **unofficial installer helper** and is **not affiliated** with the tool's author.

(3) Obsidian — a separate program, not included here

- Obsidian is **proprietary (closed-source)** software but, per its official license, is **free for all uses including personal, commercial, and non-profit**. (Source: <https://obsidian.md/license>)
- A business **Commercial License is optional support, not a requirement**.
- This kit is **not affiliated** with Obsidian; follow Obsidian's own terms.

Trademarks · Disclaimer

- "Obsidian", "GitHub", and related names are trademarks of their owners. This kit is **unofficial** and not affiliated with any company.
 - This license summary is **informational, not legal advice**. The original license texts govern.
-

17. Credits · Sources

- Tool: **notesmd-cli** — © 2023 Kartikay Jainwal (Yakitrak), MIT — <https://github.com/Yakitrak/notesmd-cli>
- Notes app: **Obsidian** — <https://obsidian.md>
- This kit: © 2026 SoDam AI Studio — Apache-2.0