

Railway CLI One-Click Kit - README

Railway CLI One-Click Kit

A beginner-friendly kit that lets you **install, use, and remove the Railway CLI** with a few clicks on Windows. You don't need to memorize any commands — a Korean guide panel tells you **the one number to press next**.

What is Railway? A service that runs your app / server / database on the internet and gives it a URL. (e.g. chatbot, backend, API server, Discord bot)

📄 A **PDF with identical content** ships next to this file → `README.pdf` kr Korean (default): `README.md` / `README.pdf` 🧑 Gentle step-by-step guide: `사용설명서.md` (Korean), `GUIDE.en.md` / `GUIDE.en.pdf` (English)

1. Quick start (just remember this)

1. **Double-click** `시작하기.bat` (means "Start Here") in the folder.
2. Press the number it **highlights on a blue background** (arrow keys + Enter, or number keys).
3. Usual order: **[1] Install** → **[2] Login** → **[5] Common tasks** for deploy/logs.

That's it. The panel guides the rest. If you get stuck, press **[9] Health check**.

2. Prerequisites · required programs

Item	Required?	Notes
Windows 10 or 11	✅ Yes	This kit is Windows-only.
Internet connection	✅ Yes	Needed for install, login, and deploy.

Item	Required?	Notes
Railway account	✅ Yes (free)	Sign up free at https://railway.com . Login opens your browser.
Node.js (LTS)	☁ Recommended (optional)	Smoothest install. Without it , the kit automatically tries another method (downloading the program binary). Get the LTS build from https://nodejs.org .
Administrator rights	❌ Not needed	This kit needs no admin rights. No Windows “User Account Control (UAC)” prompt appears — the program installs only into your own user folder.

3. Download · unblock

1. Put the received **zip file** in any folder.
2. **Before** extracting, right-click the zip → **Properties** → **check “Unblock” at the bottom** → **OK**. (This clears the lock Windows places on files downloaded from the internet.)
3. Extract (right-click → Extract All).
4. Double-click `시작하기.bat` in the folder.
 - If a blue **“Windows protected your PC”** dialog appears → **More info** → **Run anyway**.
 - Once `시작하기.bat` runs once, the rest of the files in the folder are **unblocked automatically**.

4. What’s in this folder

File / folder	What it does
시작하기.bat	Korean guide panel. Start here. Detects your PC state and tells you the next step.
INSTALL.bat	Installs the Railway CLI. (English screen, automatic, no admin prompt.)
RUN.bat	Full 30-function menu: login, projects, deploy, logs, etc. (English + Korean.)
UNINSTALL.bat	Clean removal. (Your code files are kept; type DELETE to confirm.)
lib\start.ps1	The Korean menu engine that 시작하기.bat runs (internal; no need to open).
사용설명서.md / .pdf	Step-by-step beginner guide (Korean).
README.md / .pdf	Korean overview.
README.en.md / GUIDE.en.md (+ .pdf)	This English overview and guide.
LICENSE / NOTICE	License and copyright notices.

5. Home menu at a glance (시작하기.bat)

When you run 시작하기.bat , this menu appears. Above it you see your **PC state** (Node.js / Railway / login) and a one-line “**what to do now**”.

No.	Menu	Description
1	Install / Update	Installs or updates the Railway CLI.
2	Login	Connects to your Railway account via browser.
3	Check login status	Shows who you are logged in as.
4	View my projects	Lists your Railway projects.

No.	Menu	Description
5	Common tasks	Easy menu for deploy/logs/status (see section 6).
6	Remove	Clean uninstall (your code is kept).
7	User manual	Opens the beginner guide (사용설명서 .md).
8	Railway dashboard	Opens the Railway web console in your browser.
9	Health check / troubleshoot	Self-diagnosis when stuck (see section 7).
0	Quit	Closes the panel.

6. [5] Common tasks (the easy menu)

Pressing **[5]** opens a small Korean menu of the most-used actions (arrow-key selection) instead of the scary 30-item English menu.

No.	Menu	What it does	Safety gate
1	Init project	Creates a new Railway project for this folder (<code>railway init</code>)	—
2	Link project	Links this folder to an existing project (<code>railway link</code>)	—
3	Deploy	Publishes this folder to the internet (<code>railway up</code>)	YES confirmation

No.	Menu	What it does	Safety gate
4	Redeploy	Re-publishes the latest (<code>railway redeploy</code>)	YES confirmation
5	View live logs	Live server logs (<code>railway logs</code>)	Stop: Ctrl+C
6	Project status	Current link/deploy status (<code>railway status</code>)	—
7	View variables	List of settings (<code>railway variables</code>)	—
8	Open all 30 functions	Opens the advanced menu (<code>RUN.bat</code>) in a new window	—
0	Back	Returns home	—

Deploy (3) is hard to undo (it publishes to the internet), so it asks for uppercase **YES** right before running. Pressing Enter cancels.

7. [9] Health check / troubleshoot (when stuck!)

Pressing **[9]** runs an **automatic check** on one screen and tells you, in Korean, **what to press** for each item.

- Whether Node.js is present
- Whether the Railway CLI is present / its version / install location
- Whether you are logged in
- **Internet connection** (checks railway.com within ~4 seconds)

Then it offers **quick fixes**:

No.	Action	When to use
1	Reinstall / update	When install failed or broke
2	Refresh PATH	When you just installed but it still shows “missing” (makes it recognized without reopening)
3	Re-check	After a fix, re-run the check
0	Back	Home

8. All 30 functions (RUN.bat)

The full menu for advanced users. Open it via home [5] → [8] **Open all 30 functions**, or double-click `RUN.bat`. Each line shows **number · Korean · English**.

ACCOUNT — 1 Login (browser) · 2 Login (no browser) · 3 Logout · 4 Show current user
VERSION — 5 Show version · 6 Update **PROJECT** — 7 Init new project · 8 Link to project · 9 Unlink · 10 List projects · 11 Project status · 12 Open in browser **DEPLOY** — 13 **Deploy (up)** YES · 14 **Redeploy** YES · 15 **Take down** YES · 16 Select service · 17 Add database/plugin **LOGS + SHELL** — 18 Live logs · 19 Build logs · 20 Open shell · 21 Run command · 22 SSH · 23 Connect to plugin **CONFIG** — 24 Variables · 25 Environment · 26 Custom domain · 27 Volumes **HELP** — 28 Open docs · 29 Help · 30 Run custom command - 0 Quit (q / exit / 종료 also work)

Stray spaces in the number (e.g. 13) are handled automatically. Pressing an invalid number just returns to the menu — nothing breaks.

9. Standard workflow (start to finish)

```
[Download + Unblock]
  ↓
Double-click 시작하기.bat
  ↓
[1] Install / Update      ← once
```

```
↓
[2] Login (browser)      ← once
↓
[5] Common tasks
    ├── [1] Init project  or  [2] Link project
    ├── [3] Deploy (YES)   ← publish to internet
    ├── [5] Live logs      ← verify it works
    └── [6] Project status
↓
(stuck?) [9] Health check / troubleshoot
↓
(done?) [6] Remove ← optional
```

10. By task (install · run · use · remove)

Install

1. 시작하기.bat → **[1] Install / Update**.
2. A black English window runs automatically. **Don't close it; wait** (usually 1–10 min).
3. Success when you see **INSTALLATION COMPLETE** or similar.
4. No Node.js? The kit tries another method automatically. If it still fails, install LTS from <https://nodejs.org> and run [1] again.

Run

- Always start with 시작하기.bat (Korean panel).
- If the Korean panel won't open, double-click **INSTALL.bat → RUN.bat → UNINSTALL.bat** directly (English) — same result.

Use (up to deploy)

1. **[2] Login** (once).
2. In your app (code) folder: **[5] → [1] Init project** (or [2] Link).
3. **[5] → [3] Deploy** → type uppercase **YES** → published to the internet.
4. **[5] → [5] Live logs** to verify it's running.

Remove

1. 시작하기.bat → [6] Remove.
2. Review what gets deleted, then type uppercase DELETE .
3. Only the program is removed. **Your code files, Node.js, and your apps on Railway's servers are kept.**

11. Command reference (menu ↔ actual Railway command)

What the kit runs under the hood. You don't need to memorize these.

Task	Railway command	Menu
Login (browser)	<code>railway login</code>	Home[2], RUN 1
Login (no browser)	<code>railway login --browserless</code>	RUN 2
Logout	<code>railway logout</code>	RUN 3
Who am I	<code>railway whoami</code>	Home[3], RUN 4
Version	<code>railway --version</code>	RUN 5
Update	<code>railway upgrade (fallback npm i -g @railway/cli)</code>	Home[1], RUN 6
Init project	<code>railway init</code>	[5]→1, RUN 7
Link project	<code>railway link</code>	[5]→2, RUN 8
Unlink	<code>railway unlink</code>	RUN 9
List projects	<code>railway list</code>	Home[4], RUN 10
Project status	<code>railway status</code>	[5]→6, RUN 11
Open in browser	<code>railway open</code>	RUN 12
Deploy (up)	<code>railway up</code>	[5]→3, RUN 13
Redeploy	<code>railway redeploy</code>	[5]→4, RUN 14
Take down	<code>railway down</code>	RUN 15
Select service	<code>railway service</code>	RUN 16

Task	Railway command	Menu
Add DB/plugin	<code>railway add</code>	RUN 17
Live logs	<code>railway logs</code>	[5]→5, RUN 18
Build logs	<code>railway logs --build</code>	RUN 19
Open shell	<code>railway shell</code>	RUN 20
Run command	<code>railway run <cmd></code>	RUN 21
SSH	<code>railway ssh</code>	RUN 22
Connect plugin	<code>railway connect</code>	RUN 23
Variables	<code>railway variables</code>	[5]→7, RUN 24
Environment	<code>railway environment</code>	RUN 25
Custom domain	<code>railway domain</code>	RUN 26
Volumes	<code>railway volume</code>	RUN 27
Docs	<code>railway docs</code>	RUN 28
Help	<code>railway help</code>	RUN 29
Custom	<code>railway <your args></code>	RUN 30

Install uses `npm install -g @railway/cli` by default; if Node.js is missing, it auto-downloads the **binary from GitHub Releases**.

12. Troubleshooting · error handling

First press **Home [9] Health check** — it usually finds the cause and the fix.

Screen / symptom	Cause	Do this
"Windows protected your PC / blocked"	Downloaded file is locked	Right-click → Properties → Unblock → OK. Or More info → Run anyway .

Screen / symptom	Cause	Do this
RAILWAY CLI IS NOT INSTALLED	Not installed yet	Home [1] Install / Update.
Installed but <code>railway ...</code> not found	Current window doesn't know the new program yet	[9] → [2] Refresh PATH , or close all windows and rerun <code>시작하기.bat</code> .
<code>Node.js</code> warning	No Node.js	Leave it; the kit tries another way. Else install LTS from https://nodejs.org and rerun [1].
The install did not finish etc.	Internet / antivirus / corporate network block	Check [9] → Internet . Turn off antivirus for 10 min and retry. Try a personal network if on a corporate one.
Deploy fails	No project linked / wrong folder	Run [5]→[1] Init or [2] Link in your app folder first.
Wrong number in menu	—	It just returns to the menu. No harm.
Korean panel won't open	PowerShell blocked etc.	Double-click <code>INSTALL.bat</code> → <code>RUN.bat</code> → <code>UNINSTALL.bat</code> (English).

13. File · document · config · log locations

What	Path
This kit folder	Wherever you extracted it
Railway CLI (default)	<code>%APPDATA%\npm\railway.cmd</code> (npm install)
Railway CLI (fallback)	<code>%LOCALAPPDATA%\Programs\Railway\railway.exe</code> (no Node)
Login info (config)	<code>%USERPROFILE%\railway\config.json</code>

What	Path
Install log	%TEMP%\railway_install.log
Uninstall log	%TEMP%\railway_uninstall.log
Korean guide	사용설명서.md / 사용설명서.pdf
Korean overview	README.md / README.pdf
English overview/guide	README.en.md · README.en.pdf / GUIDE.en.md · GUIDE.en.pdf
License / notice	LICENSE / NOTICE

%APPDATA%, %TEMP% etc. are aliases for folders in your user account. Paste them into the File Explorer address bar to jump there.

13-1. Environment variables · build · test

- **Environment variables:** This kit (*.bat / lib\start.ps1) **needs no environment variables of its own**. Just extract and run.
 - Environment variables for your Railway *service* (your app's settings) are managed via full menu **24 Variables** or **[5] → [7] View variables** (railway variables).
 - Login info (token) is stored at %USERPROFILE%\railway\config.json. **It is secret — be careful when sharing or screenshotting.**
- **Build: There is no build step.** This kit is a set of scripts that need no compilation — extract and use.
- **Test (follow along):**
 1. Double-click 시작하기.bat → the menu appears in Korean = OK.
 2. **[9] Health check** → Node.js / Railway / login / internet are shown = OK.
 3. (Optional) **[1] Install → [2] Login → [5] → [6] Project status** completing = full flow OK.

14. Safety notes (please read)

- **No administrator (UAC) prompt appears.** The program installs only into your user folder, so admin rights aren't required.
 - Hard-to-undo actions require **confirmation**:
 - **Deploy / Redeploy** (publish to internet): type uppercase **YES**.
 - **Take down** (stop a running service): type uppercase **YES**.
 - **Remove**: type uppercase **DELETE**.
 - **Cost notice:** Railway uses usage-based pricing / free credits. Heavy usage may incur charges — check your <https://railway.com> dashboard. **This kit itself has no cost.**
 - Login info (`config.json`) and variables may contain **secret values**. Be careful not to expose them in screenshots or shares.
-

15. License · copyright · commercial use

This section is general information, not legal advice. Verify the originals at each official source before commercial distribution.

This kit

- **License: Apache License 2.0** — © 2026 SoDam AI Studio. Full text in `LICENSE`.
- **Commercial use allowed:** Apache-2.0 permits commercial use, modification, and redistribution, provided you **keep the copyright notice and the `NOTICE` file** and state changes (includes a patent license clause).

Third-party tools installed

- **Railway CLI (`@railway/cli`):** **MIT License** — © 2023 Railway Corp.
 - Verified: the `LICENSE` in the official repo <https://github.com/railwayapp/cli> is MIT (SPDX: `MIT`).
 - Note: the npm package metadata has previously shown `ISC` , but the **authoritative source (the repository `LICENSE`) is MIT**.
 - MIT also permits commercial use; the condition is **keeping the copyright notice**.
- **Node.js:** a trademark of the OpenJS Foundation. <https://nodejs.org>

Trademark · non-affiliation

- This kit is an **independent helper, not affiliated with, endorsed by, or sponsored by** Railway.
- **“Railway”** is a trademark of Railway Corp., used here for identification only.

Service terms (important)

- The kit/CLI licenses (Apache-2.0 / MIT) are **software licenses only**.
- **Commercial use of the Railway service itself** is governed by **Railway Corp.’s Terms of Service and pricing** (not by this kit). See <https://railway.com> .

Warranty disclaimer · liability

- The kit and CLI are provided **“AS IS” with no warranty of any kind** (both Apache-2.0 and MIT disclaim warranty).
- **You are responsible** for any data loss, charges, or service impact during install, deploy, or removal.

16. Need more help?

- Read the step-by-step `사용설명서.md` (Korean) or `GUIDE.en.md` (English) first.
- When stuck: `시작하기.bat` → **[9] Health check**.
- Official Railway docs: menu **[8] Dashboard** or `RUN.bat` 28 (`railway docs`).