

SoDam-Agent

[한국어](#) | **English** · [Beginner Guide \(GUIDE\)](#)

A **beginner-friendly** tool that adds **role-based AI teammate teams** (planner, developer, reviewer, ...) to Claude Code with a **single plugin install** — and lets you **create, train, and manage your own agents even after installing**. No hand-editing config files — **a few commands** inside Claude Code and you're set. This is an **installer tool** for teams. It does **not** run the agents for you.

🔑 **Naming note (so you don't get confused)** - Product / repository name = `SoDam-Agent` (marketplace address: `sodam-ai/SoDam-Agent`) - The `@agentroster` in install commands = the marketplace's internal id. The letters differ from the product name, but that's **normal** — just type it as-is.

Table of Contents

1. [What is SoDam-Agent? \(in plain words\)](#)
 2. [Prerequisites & required programs](#)
 3. [Download & install](#)
 4. [Quick start \(3 steps\)](#)
 5. [What you can install \(3 teams + management tool\)](#)
 6. [How to use it](#)
 7. [Manage your own agents after install \(sodam-agent\)](#)
 8. [Command reference](#)
 9. [Workflow](#)
 10. [File & document locations](#)
 11. [Troubleshooting](#)
 12. [Safety & disclaimer](#)
 13. [License · Copyright · Commercial use](#)
-

1. What is SoDam-Agent? (in plain words)

Claude Code lets you give tasks to an AI — usually you talk to **one AI**. **SoDam-Agent** adds **several AI teammates (subagents) as a "team set"** to Claude Code at once. And **even after installing**, you can **create new agents yourself** and **train them** to behave the way you want.

- Analogy: it "hires" *role-based teammates* — **planner · frontend-dev · backend-dev · reviewer** — for your previously solo AI, and lets you *hire and train more* as needed.
- You **never** create files or edit config by hand. Just pick from menus/commands.

In one line: “A tool that installs AI teammate teams into Claude Code, and lets you create and train your own.”

2. Prerequisites & required programs

Item	Required?	Notes
Claude Code	✅ Required	Teammates are used inside Claude Code. (Install from the official site .)
Internet	✅ Required	To fetch the plugin and download some tools (MCP).
Node.js 18+	🟡 Optional (recommended)	The doc-search tool (context7 MCP) used by <code>web-app-team · research-team</code> runs via <code>npx</code> (= Node). Without Node, the teammates still work; only that tool is unavailable . Get the LTS build from nodejs.org .

Check (optional): type `node -v` in a terminal → a number like `v20.x` means Node is ready.

3. Download & install

There are two methods. **For most people, Method A (marketplace)** is all you need.

★ Method A — Install from the marketplace (recommended, easiest)

A few commands inside Claude Code. No terminal, no folder navigation.

1. **Open Claude Code.**
2. **Add the marketplace** (one time only):

```
/plugin marketplace add sodam-ai/SoDam-Agent
```

🖥️ Success when you see a “marketplace added” message.

3. **Install the team you want:**

```
/plugin install web-app-team@agentroster
```

- Other teams: `docs-team@agentroster` · `research-team@agentroster`

4. (Optional) Install the agent-management tool — to create & train your own agents:

```
/plugin install sodam-agent@agentroster
```

5. Restart Claude Code (quit and reopen).

- ⚠ **The most common gotcha:** right after install, `/agents` · `/sodam-agent:` may **not appear** — plugins are **loaded once when Claude Code starts. Restart and they show up.**

💡 `@agentroster` is the marketplace's internal id — type it as-is (it's fine that it differs from the product name SoDam-Agent).

Method B — Run it from your own folder (inside Claude Code, no terminal)

Instead of the online marketplace, you can **register a downloaded folder as a "store."** 1. Get this repository (`git clone` or download the ZIP from GitHub and unzip). 2. In the Claude Code **input box** (⚠ **no quotes**, prefer a space-free path): `/plugin marketplace add C:\downloaded-folder\SoDam-Agent` 3. Then install teams/tool (skip this and `/agents` will be empty): `/plugin install web-app-team@agentroster` `/plugin install sodam-agent@agentroster` 4. **Restart** to apply. > 💡 If you prefer a terminal: `claude --plugin-dir "<downloaded folder>\plugins\web-app-team"` also works (repeat `--plugin-dir` for multiple teams).

4. Quick start (3 steps)

1. In Claude Code: `/plugin marketplace add sodam-ai/SoDam-Agent` (once).
2. `/plugin install web-app-team@agentroster` → **restart**.
3. Open `/agents` — if you see a name like `web-app-team:reviewer`, you're done → use it: `Have web-app-team:reviewer review this code`.

Expected time: **about 2–3 minutes**. (To also create/train agents, install `sodam-agent` in step 4 above.)

5. What you can install (3 teams + management tool)

① Team plugins (bundles of AI teammates)

Team (install name)	Name	AI teammates (roles)	Bundled tool (MCP)
<code>web-app-team</code>	Web App Build Team	planner · frontend-dev · backend-dev · reviewer	context7 (library-docs search)
<code>docs-team</code>	Docs / Content Team	writer · editor · fact-checker	none

Team (install name)	Name	AI teammates (roles)	Bundled tool (MCP)
research-team	Research Team	researcher · analyst · critic	context7

Each teammate gets **least-privilege tools** (e.g., the reviewer is read-only). Model is `inherit` (follows your default model).

② **Management tool plugin (`sodam-agent`)** — after installing teams, this is the **command set to create and train your own agents**. See [section 7](#).

6. How to use it

After installing, teammates are registered as `team:role` (e.g., `web-app-team:reviewer`).

- **Verify:** type `/agents` → in the list (Library tab) check that `web-app-team:reviewer` etc. appear.
 - The `team:` prefix makes them **unambiguous** versus similarly named agents from elsewhere.
- **How to call one (pick whichever is easiest):**
 1. Natural language: `Ask web-app-team:reviewer to review this code`
 2. Explicit (@-mention): type `@` in the input → pick from the list.
 3. Automatic: Claude may delegate to the right teammate based on the task.
- **Tools (MCP):** installing `web-app-team · research-team` **also connects the context7 (doc search) tool** automatically (no extra setup).

💡 Plugins are visible in **every folder and every session** right away (after one restart) — no need to launch Claude in a specific folder.

7. Manage your own agents after install (sodam-agent)

With `sodam-agent` installed, you can create and manage agents **inside Claude Code with slash commands** — no terminal. (Claude Code’s native `/agents` “Create” is hard for beginners to find, so this replaces it with **one command**.)

Type `/sodam-agent:` to narrow to the 5 commands below. (Don’t see them? → **restart**.)

Command	What it does	One-line note
<code>/sodam-agent:new-agent</code>	Create a new agent	Asks name-job-personality, then creates your agent (<code>.claude/agents/</code>).
<code>/sodam-agent:training-agent</code>	Train an agent	Edits the agent’s instructions to change its behavior. (<i>read “What</i>

Command	What it does	One-line note
		<i>is training?" below)</i>
<code>/sodam-agent:save-agent</code>	Save / reuse an agent	Saves your agent globally (usable in every project) or backs it up.
<code>/sodam-agent:pick-agent</code>	Copy a team agent to yours	Copies a team agent into your own agents.
<code>/sodam-agent:remove-agent</code>	Delete an agent	Safely deletes your agent (<code>.bak</code> backup + "delete for sure?" confirm).

What is "training"? (an honest explanation)

- Here, **training is NOT re-training the AI**. It edits the agent's **instructions (system prompt)** to change behavior. (e.g., "Reviewer, from now on focus on **security**.")
- **Agents you created** → edit them **directly** with `training-agent` (easiest).
- **Team agents** (`web-app-team:reviewer` , etc.) → **cannot be edited directly**. Your edits would be wiped on the next plugin update. Instead, use `pick-agent` to **make a copy**, then train the copy. (Like copying a library book into your own notebook to mark it up, instead of writing in the book.)

Safety when creating

- Names allow **safe characters only** (letters-digits-hyphens) → blocks path tricks.
- **No passwords/API keys written directly** (only the env-var *name* if needed).
- Shows a **preview** before changes; deletion goes through **backup + confirm**.

8. Command reference

All commands below are typed in the **Claude Code input box** (not a black terminal).

Command	What it does
<code>/plugin marketplace add sodam-ai/SoDam-Agent</code>	Register the SoDam-Agent marketplace (first time)
<code>/plugin install web-app-team@agentroster</code>	Install the web app team (swap the team name for others)
<code>/plugin install sodam-agent@agentroster</code>	Install the agent-management tool
<code>/plugin</code>	Plugin manager (installed list · uninstall · enable/disable)
<code>/agents</code>	View/manage installed AI teammates
<code>/sodam-agent:new-agent</code>	Create a new agent

Command	What it does
<code>/sodam-agent:training-agent</code>	Train an agent
<code>/sodam-agent:save-agent</code>	Save / reuse an agent
<code>/sodam-agent:pick-agent</code>	Copy a team agent into yours
<code>/sodam-agent:remove-agent</code>	Delete an agent (backup + confirm)
<code>/reload-plugins</code>	(Method B, during dev) reload after editing files

9. Workflow at a glance

Add marketplace (once) → Install teams/tool (`/plugin install`) → Restart

- Verify with `/agents` (team:role)
- Call a teammate (natural language / @)
- (optional) `/sodam-agent:new-agent` to create → `training-agent` to teach
- Remove via `/sodam-agent:remove-agent` or `/plugin` when done

10. File & document locations

- **Installed plugin cache** (managed automatically by Claude Code): `~/.claude/plugins/cache/`
- **Agents you create:** `<project>/.claude/agents/<name>.md` (global save: `~/.claude/agents/`)
- **This repository's structure:**
 - `.claude-plugin/marketplace.json` — marketplace catalog (3 teams + management tool)
 - `plugins/<team>/.claude-plugin/plugin.json` — team metadata
 - `plugins/<team>/agents/<role>.md` — one AI teammate (description + instructions)
 - `plugins/<team>/.mcp.json` — the team's tool (MCP) config (web-app · research)
 - `plugins/sodam-agent/commands/*.md` — the 5 agent-management commands
- **Docs:** `README.md` (KO) · `README.en.md` (EN, this file) · `GUIDE.md` (KO beginner) · `GUIDE.en.md` (EN) · `docs/*.pdf` (PDF copies) · `LICENSE` · `NOTICE`

11. Troubleshooting (symptom → cause → fix)

Symptom	Cause	Fix
Installed but <code>/agents</code> · <code>/sodam-agent</code> : show nothing	No restart (plugins load at startup)	Quit and reopen Claude Code. Still missing? <code>/reload-plugins</code>
<code>/sodam-agent</code> shows unrelated stuff (team-agents, etc.)	<code>sodam-agent</code> not installed or no restart	<code>/plugin install sodam-agent@agentroster</code> → restart . Type <code>/sodam-agent</code> : with the colon

Symptom	Cause	Fix
<code>marketplace add</code> says Marketplace file not found	The repo's default branch has no marketplace file	The publisher must set the default branch to the marketplace branch (done for this repo). Retry shortly
No <code>/plugin</code> command	Old Claude Code	Update Claude Code to the latest (docs: code.claude.com)
Pasting a path gives Invalid ... format	The path includes quotes ("")	Remove the quotes — path only. Prefer a space-free folder
Marketplace added but <code>/agents</code> shows 0 teammates	You ran <code>marketplace add</code> but not install	Run <code>/plugin install <team>@agentroster</code> separately (adding ≠ installing)
Trained a team agent but it reverts	You edited a team agent directly (overwritten on update)	Use <code>/sodam-agent:pick-agent</code> to make a copy , then train the copy
Names like <code>web-app-team:</code> look confusing	—	That's expected. The team:role naming makes <i>your</i> installs unambiguous
context7 (doc search) errors	No Node.js / network blocked	Install LTS from nodejs.org / try another network
Install fails behind corporate proxy/firewall	Network blocked	Try another network / ask admin to unblock
(Method B) Windows "blocked this app"	SmartScreen / antivirus	Right-click the file → Properties → "Unblock" / add AV exception
MCP asks for an API key	Some tools need a key	Get a key from the provider → store it in an OS environment variable (never in files)
Want to use it on mobile	—	SoDam-Agent is Claude Code (desktop/CLI) only ; standalone mobile use is not supported

12. Safety & disclaimer

- **Removal is safe:** install/uninstall is handled by Claude Code's `/plugin` manager (easy to undo). Agent deletion goes through `.bak` backup + confirm.
- **Secrets are never stored in files:** MCP config and agent creation hold only the key *name*; the actual value stays in your OS environment variable.
- **A limit, honestly:** `sodam-agent`'s safeguards are **prompt-instruction based**, which is weaker than code-enforced. **Always check the preview** before important actions.
- This software is provided **"AS IS" with no warranty**. You are responsible for its use.

- Check the **pricing / terms / data policy of any external tools (MCP) / APIs** you install — yourself.
-

13. License · Copyright · Commercial use (important)

- **License: Apache License 2.0.** Commercial use, modification, copying, and redistribution are **allowed**.
 - Conditions: keep `LICENSE` /copyright notices, **state changes, preserve** `NOTICE`, **no trademark grant, no warranty (AS IS)**. Full text: `LICENSE` · `NOTICE`.
 - **Copyright:** © 2026 SoDam AI Studio. *(Exact legal entity name to be finalized.)*
 - **Trademarks:** "Claude Code", "Claude", "Anthropic" are trademarks of Anthropic; "Context7"/"Upstash" are trademarks of their owners. **SoDam-Agent is unofficial and not affiliated with or endorsed by any of them.** Trademarks are used **nominatively** only (no logos). Also, whether the name "**SoDam-Agent**" itself is registrable as a trademark is undetermined — check for conflicts with same/similar names yourself.
 - **Commercial scope:** under Apache-2.0, **modification, copying, forking, redistribution, selling, running as a service, training material, and client delivery** are mostly allowed. But **the following is your responsibility**.
 - **Your responsibility (must verify separately):** the **pricing, terms of service, model-use policy, and data-handling policy of the MCPs (e.g., context7/Upstash) and external APIs** you install are **not guaranteed by SoDam-Agent** — verify them yourself before commercial use.
 - **Preset / generated-content origin:** team agent instructions and the templates `sodam-agent` creates are **SoDam-Agent's own curation** (no third-party works bundled). Some text may be **AI-generated**; review before sensitive commercial use.
-

 Easier walkthrough: [Beginner Guide \(GUIDE.en.md\)](#) · KR [한국어](#) ·  PDF: `docs/` folder