

SoDam-Agent GUIDE (English)

SoDam-Agent — Beginner Guide (English)

[한국어 가이드](#) · [README \(reference\)](#).

This guide is written so that **someone installing an AI / program for the very first time** can just follow along. Jargon is kept to a minimum, and any term is explained **in one line, right there**.

0. First — what is this? (1 min)

- **Claude Code**: a program that lets you give tasks to an AI. Normally you talk to **one AI**.
- **SoDam-Agent**: a tool that adds **several AI teammates (a team)** to Claude Code at once, and lets you **create and train your own agents even after installing**. e.g., it "hires" a *planner* · *frontend developer* · *backend developer* · *reviewer* all together — and lets you *hire and train more*.
- What you'll do: type **a few commands** into Claude Code. That's it.

💡 **One-line glossary - Plugin**: a *part you snap into* a program. (SoDam-Agent is that part.) - **Marketplace**: a *store that collects parts*. Register it, then you can grab parts. - **Agent (subagent)**: one AI teammate. - **Input box**: the field at the bottom of Claude Code where you type.

🏷️ **Naming note**: the product is named **SoDam-Agent**. But the `@sodamagent-marketplace` after a team name in install commands is the *store's internal id* — the letters differ, but **type it as-is** (it's normal).

📄 **What does this version do? (as of 2026-07-04)**: You can install all 5 teams (web app · docs · research · marketing · data) + the agent-management tool + Codex role translation (beta). For the full change history, see the "Current version status" note at the top of [README.en.md](#).

1. Get ready (just two things)

1. **Claude Code must be installed**. (If not, install it first: search "Claude Code" → official site claude.com/claude-code)
2. **An internet connection**.

(Optional) To also use the *doc-search tool* of `web-app-team · research-team`, you need **Node.js**. Without it the teammates still work; only that tool is missing. If needed, get the “LTS” build from nodejs.org.

2. Install (follow along exactly)

Type the text below into the **Claude Code “input box”**, not a black terminal.

Step 1 · Open Claude Code

- Open it the way you normally do. (When you see the input box, you’re ready.)

Step 2 · Register the store (marketplace) — once only

👉 Type this **exactly** in the input box and press Enter:

```
/plugin marketplace add sodam-ai/SoDam-Agent
```

💻 Success when you see a “marketplace added” message. > ⚠️ If it says `Marketplace file not found`: GitHub may need **1–2 minutes** to propagate. Wait a moment and try again.

Step 3 · Install a team

👉 Type your chosen team and Enter (one is fine):

```
/plugin install web-app-team@sodamagent-marketplace
```

- Docs team: `/plugin install docs-team@sodamagent-marketplace`
- Research team: `/plugin install research-team@sodamagent-marketplace`
- Marketing team: `/plugin install marketing-team@sodamagent-marketplace`
- Data team: `/plugin install data-team@sodamagent-marketplace`

Step 4 · (Optional) Install the management tool

To **create and train your own agents**, also install:

```
/plugin install sodam-agent@sodamagent-marketplace
```

Step 5 · ★ Restart — the most important step!

👉 Type `/exit` to quit, then open `claude` again. (Or fully close and reopen the window.) > **Why?** Plugins are **loaded once when Claude Code starts**. So **before a restart**, the agents/commands you just installed **won’t appear**. (This is the most common gotcha!)

3. Verify it worked

👉 Type and Enter:

```
/agents
```

💻 A list of AI teammates appears. Find a name like `web-app-team:reviewer`. - The name starts with `team:` → *your installed teammates are clearly distinguishable*. (This is the key point!) - If you see it, **success**. (Press **Esc** to exit the list.)

4. Give a teammate a task (example)

The easiest way is **plain language**. In the input box:

```
Ask web-app-team:reviewer to review this code
```

Or for a writing team:

```
Ask docs-team:editor to make this text smoother
```

💻 Claude calls that teammate (subagent), hands off the task, and brings back the result.

💡 Type `@` in the input box to **pick** a teammate from a list.

5. Create & train your own agents (sodam-agent tool)

If you installed `sodam-agent` in Step 4 and restarted, type `/sodam-agent:` to see these commands.

+ Create a new agent

```
/sodam-agent:new-agent
```

💻 It asks for name-job-personality. Answer, and **your agent** is created. (e.g., "a friendly helper that explains things in Korean")

🎓 Train an agent

```
/sodam-agent:training-agent
```

 It edits the agent's **instructions** to change behavior. e.g., `Train the helper I just made to answer more briefly` > **What is "training"?** Not re-training the AI — it **changes the instructions** you give the agent. (Like updating a note that says "from now on, do it this way.")

Copy a team agent into yours

```
/sodam-agent:pick-agent
```

Why copy? Team agents (`web-app-team:reviewer` , etc.) **can't be edited directly** (your edits vanish on update). So you make a **copy** and train that. (Like copying a library book into your own notebook to mark it up.)

Save · Delete an agent

```
/sodam-agent:save-agent    ← save your agent so every project can use it
/sodam-agent:remove-agent  ← delete an agent (backs up first, then asks "delete for sure?")
```

 **Deletion caution:** the list may include agents **you actually use**. To practice, create a **throwaway** agent with `new-agent` and delete that one.

6. When you no longer need it (remove)

 Type and Enter:

```
/plugin
```

 Your installed plugins are listed. Select the team/tool and choose **uninstall**. > Removal is handled safely by Claude Code — if you remove it by mistake, just install it again.

7. When you get stuck (common cases)

If this happens	Why?	Do this
Installed but <code>/agents · /sodam-agent: show</code> nobody	You didn't restart	Quit and reopen Claude Code (<code>/exit</code> → <code>claude</code>). Still missing? <code>/reload-plugins</code>

If this happens	Why?	Do this
<code>/sodam-agent</code> shows unrelated stuff (team-agents, etc.)	<code>sodam-agent</code> not installed or no restart	<code>/plugin install sodam-agent@sodamagent-marketplace</code> → restart . Type <code>/sodam-agent:</code> with the colon
<code>marketplace add</code> says “not found”	GitHub propagation delay / typo	Retry in 1–2 min . Still failing? <code>/plugin marketplace remove sodam-ai</code> then add again
<code>/plugin</code> does nothing	Old Claude Code	Update Claude Code to the latest
Pasting a path gives an <code>Invalid ... format</code> error	The path includes quotes (“)	Remove the quotes — path only. Use a space-free folder
Added but <code>/agents</code> shows nobody	You did <code>marketplace add</code> but not install	Run <code>/plugin install <team>@sodamagent-marketplace</code> once more
Trained a team agent but it reverted	You edited a team agent directly (overwritten on update)	Use <code>/sodam-agent:pick-agent</code> to make a copy , then train the copy
The doc-search tool errors	No Node.js / blocked internet	Install LTS from nodejs.org / try another network
Want to use it on a phone	—	This tool is for Claude Code on a computer (no standalone phone use)
Want to use it on macOS / Linux	—	The <code>/plugin</code> commands work the same on macOS/Linux with Claude Code installed. However, SoDam-Agent is Windows-first for development/testing — minor differences may occur. Report issues at GitHub Issues .

8. Safety & cost (must know)

- **Safe to remove.** Install/uninstall is managed by Claude Code. Agent deletion also goes through backup + confirm.
- **Passwords/keys are not stored in files.** (Tool config & agent creation hold only the key *name*.)
- This tool is provided **“AS IS” with no warranty**. You are responsible for its use.
- For any external tool (e.g., context7 doc search) or service you install, **check its pricing/terms yourself**. (Most have a free tier, but policies can change.)

9. License (short)

- **Apache License 2.0** — commercial use, modification, copying, and redistribution allowed (keep copyright notices, state changes, preserve NOTICE). See `LICENSE · NOTICE`.
 - "Claude Code/Anthropic/Context7" etc. are their companies' names (trademarks); **SoDam-Agent is unofficial and not affiliated**. Whether the name "SoDam-Agent" is registrable as a trademark is undetermined — verify before commercial use.
 - Agent instructions/templates are **self-authored** and some text may be **AI-generated**. Review before sensitive commercial use.
-

(Optional) Using it in Codex too — role translation (beta)

If you also use **Codex** (another AI coding tool), you can build the same team for Codex too. > Honestly: Codex isn't a "several agents working separately as a team" style. So instead of the same team, it **"translates" each role into instructions Codex understands** (beta).

⚠ This **one** thing needs a **black terminal** (unlike plugin install). Codex users are usually comfortable with a terminal.

Prerequisites: ① a downloaded copy of this project (see section 10) ② **Node.js** (LTS from nodejs.org)

How — from the downloaded SoDam-Agent folder, in a terminal, one line (put your Codex project folder in `--dir`):

```
node bin/cli.mjs install web-app-team --target codex --dir "C:\my_codex_project_folder"
```

💻 It previews what will be created and asks → say yes, and that folder gets `AGENTS.md` (role instructions) and `.agents/skills/...` - Swap the team for `docs-team · research-team`. - If you need the doc-search tool (context7), paste the **few TOML lines shown into** `~/.codex/config.toml` **and restart Codex**.

How to use: open **Codex in that folder**; it reads `AGENTS.md` and works by the roles. > If it doesn't work: make sure you opened Codex **in that folder** (elsewhere it can't read `AGENTS.md`). And Codex follows the roles as "instructions" — it's not several agents running at once (that's normal).

10. (Advanced) Instead of the marketplace — run it from your folder

You can **register a downloaded folder as a "store"** (inside Claude Code, no terminal). 1. Download this project (ZIP from GitHub → unzip). 2. In the Claude Code **input box** (⚠ **no quotes**, a space-free path): `/plugin marketplace add C:\downloaded-folder\SoDam-Agent` 3. Then install teams/tool — **skip this and you'll see no teammates:** `/plugin install web-app-team@sodamagent-marketplace` `/plugin install sodam-agent@sodamagent-marketplace` 4. **Restart** to apply. The rest is the same as **Steps 3-4-5** above. > 💡 If you prefer a terminal: `claude --plugin-dir "downloaded-folder\plugins\web-app-team"` also works.

11. Frequently asked questions (FAQ)

Question	Answer
Is SoDam-Agent free?	SoDam-Agent is free (Apache-2.0). Claude Code subscription and connected tools (e.g., context7) have their own pricing — check each service.
Which Claude plan do I need?	Pro or higher is recommended (expected, not yet verified). Free plan behavior is unverified.
Can I use it offline?	Install needs internet. After that, agents work with a Claude API connection. context7 doc-search needs internet.
Do employees always use MCP (e.g. context7) directly?	Usually, but real-world testing shows an employee may not have direct access. When that happens, it says so honestly and the manager looks it up instead — results stay accurate, but the response shows who actually did the work.
How do I update?	In <code>/plugin</code> manager, or remove and re-add the marketplace. Keep custom copies with <code>pick-agent</code> before updating.
Is my data sent anywhere?	No. SoDam-Agent has no server. Everything runs on your computer.
Can I make my own team?	Yes. Use the 5 <code>sodam-agent</code> commands for your own agents. To build a full team, see DEVELOPMENT.md .
What if context7 is missing?	Agents still work — only live library doc lookup is unavailable.
Can I share my agents?	Yes — share the <code>.md</code> file. Check for personal info or API keys first.

Full reference: [README.en.md](#) · KR [한국어 가이드](#) · [FAQ & Architecture](#) →