

AgentRoster

[한국어](#) | [English](#) · [Beginner Guide \(GUIDE\)](#)

A **beginner-friendly** tool that adds **role-based AI teammate teams** (planner, developer, reviewer, ...) to Claude Code with a **single plugin install**. No hand-editing config files — **two commands** inside Claude Code and your team is ready. This is an **installer tool** for teams. It does **not** run the agents for you.

Table of Contents

1. [What is AgentRoster? \(in plain words\)](#)
 2. [Prerequisites & required programs](#)
 3. [Download & install](#)
 4. [Quick start \(3 steps\)](#)
 5. [Installable teams \(3\)](#)
 6. [How to use it](#)
 7. [Command reference](#)
 8. [Workflow](#)
 9. [File & document locations](#)
 10. [Troubleshooting](#)
 11. [Safety & disclaimer](#)
 12. [License · Copyright · Commercial use](#)
-

1. What is AgentRoster? (in plain words)

Claude Code lets you give tasks to an AI — usually you talk to **one AI**. **AgentRoster** adds **several AI teammates (subagents) as a “team set”** to Claude Code at once.

- Analogy: it “hires” *role-based teammates* — **planner · frontend-dev · backend-dev · reviewer** — for your previously solo AI, all in one go.

- You **never** create files or edit config by hand. Just pick a team.

In one line: “**A tool that installs AI teammate teams into Claude Code in a few clicks.**”

2. Prerequisites & required programs

Item	Required?	Notes
Claude Code	✔ Required	Teammates are used inside Claude Code. (Install from the official site .)
Internet	✔ Required	To fetch the plugin and download some tools (MCP).
Node.js 18+	● Optional (recommended)	The doc-search tool (context7 MCP) used by <code>web-app-team · research-team</code> runs via <code>npx</code> (= Node). Without Node, the teammates still work; only that tool is unavailable . Get the LTS build from nodejs.org .

Check (optional): type `node -v` in a terminal → a number like `v20.x` means Node is ready.

3. Download & install

There are two methods. **For most people, Method A (marketplace)** is all you need.

★ Method A — Install from the marketplace (recommended, easiest)

Two commands inside Claude Code. No terminal, no folder navigation, no “open in the right folder” hassle.

1. **Open Claude Code.**
2. **Add the marketplace** (one time only):

```
/plugin marketplace add sodam-ai/AgentRoster
```

3. **Install the team you want:**

```
/plugin install web-app-team@agentroster
```

- Other teams: `docs-team@agentroster` · `research-team@agentroster`

⚠ Important (current status): the marketplace commands above work **after the plugin is on the repository's default branch (i.e., after publishing/merge)**. If it isn't ready yet, use **Method B** first.

Method B — Run locally from a download (preview / development)

1. Get this repository (`git clone` or download the ZIP from GitHub and unzip).
2. In a terminal, launch Claude Code pointing at the team folder:

```
claude --plugin-dir "<downloaded folder>/plugins/web-app-team"
```

- Multiple teams at once: repeat `--plugin-dir ...docs-team --plugin-dir ...research-team`.

4. Quick start (3 steps)

1. In Claude Code: `/plugin marketplace add sodam-ai/AgentRoster` (once).
2. `/plugin install web-app-team@agentroster`.

3. Open `/agents` — if you see a name like `web-app-team:reviewer`, you're done → use it: `Have web-app-team:reviewer review this code.`

Expected time: **about 2–3 minutes.**

5. Installable teams (3)

Team (install name)	Name	AI teammates (roles)	Bundled tool (MCP)
<code>web-app-team</code>	Web App Build Team	planner · frontend-dev · backend-dev · reviewer	context7 (library-docs search)
<code>docs-team</code>	Docs / Content Team	writer · editor · fact-checker	none
<code>research-team</code>	Research Team	researcher · analyst · critic	context7

Each teammate gets **least-privilege tools** (e.g., the reviewer is read-only). Model is `inherit` (follows your default model).

6. How to use it

After installing, teammates are registered as `team:role` (e.g., `web-app-team:reviewer`).

- **Verify:** type `/agents` → in the list (Library tab) check that `web-app-team:reviewer` etc. appear.
 - The `team:` prefix makes them **unambiguous** versus similarly named agents from elsewhere.
- **How to call one (pick whichever is easiest):**
 1. Natural language: `Ask web-app-team:reviewer to review this code`

- 2. Explicit (@-mention): type @ in the input → pick from the list.
- 3. Automatic: Claude may delegate to the right teammate based on the task.
- **Tools (MCP):** installing web-app-team · research-team **also connects the context7 (doc search) tool** automatically (no extra setup).

💡 Plugins are visible in **every folder and every session** right away — no need to launch Claude in a specific folder.

7. Command reference

All commands below are typed in the **Claude Code input box** (not a black terminal).

Command	What it does
<code>/plugin marketplace add sodam-ai/AgentRoster</code>	Register the AgentRoster marketplace (first time)
<code>/plugin install web-app-team@agentroster</code>	Install the web app team (swap the team name for others)
<code>/plugin</code>	Plugin manager (installed list · uninstall · enable/disable)
<code>/agents</code>	View/manage installed AI teammates
<code>/reload-plugins</code>	(Method B, during dev) reload after editing files

8. Workflow at a glance

Add marketplace (once) → Install a team (`/plugin install`) → Verify with `/agents` (team:role) → Call a teammate (natural language / @) → Remove via `/plugin` (uninstall) when done

9. File & document locations

- **Installed plugin cache** (managed automatically by Claude Code): `~/.claude/plugins/cache/`
- **This repository's structure:**
 - `.claude-plugin/marketplace.json` — marketplace catalog (the 3 teams)
 - `plugins/<team>/claude-plugin/plugin.json` — team metadata
 - `plugins/<team>/agents/<role>.md` — one AI teammate (description + instructions)
 - `plugins/<team>/mcp.json` — the team's tool (MCP) config (web-app · research)
- **Docs:** `README.md` (KO) · `README.en.md` (EN, this file) · `GUIDE.md` (KO beginner) · `GUIDE.en.md` (EN) · `docs/*.pdf` (PDF copies) · `LICENSE` · `NOTICE`

10. Troubleshooting (symptom → cause → fix)

Symptom	Cause	Fix
No <code>/plugin</code> command	Old Claude Code	Update Claude Code to the latest (docs: code.claude.com)
<code>marketplace add</code> fails	Not yet on the default branch / typo	Retry after publish (merge) , or use Method B (local <code>--plugin-dir</code>)
Installed but no teammates in <code>/agents</code>	Not loaded yet	Type <code>/reload-plugins</code> ; if still missing, restart Claude Code
Names like <code>web-app-team:</code> look confusing	—	That's expected. The <code>team:role</code> naming makes <i>your</i> installs unambiguous
context7 (doc search) errors	No Node.js / network blocked	Install LTS from nodejs.org / try another network
Install fails behind corporate proxy/firewall	Network blocked	Try another network / ask admin to unblock

Symptom	Cause	Fix
(Method B) Windows "blocked this app"	SmartScreen / antivirus	Right-click the file → Properties → "Unblock" / add AV exception
(Method B) Garbled text on non-ASCII path	Path encoding	Keep files on an ASCII, space-free path
Want to remove it	—	<code>/plugin</code> → select the plugin → uninstall
Claude Code doesn't know the teammate	Claude Code missing/outdated	Install/update and retry
MCP asks for an API key	Some tools need a key	Get a key from the provider → store it in an OS environment variable (never in files)
Want to use it on mobile	—	AgentRoster is Claude Code (desktop/CLI) only ; standalone mobile use is not supported

11. Safety & disclaimer

- **Removal is safe:** install/uninstall is handled by Claude Code's `/plugin` manager (easy to undo).
- **Secrets are never stored in files:** MCP config holds only the key *name*; the actual value stays in your OS environment variable.
- This software is provided **"AS IS" with no warranty**. You are responsible for its use.
- Check the **pricing / terms / data policy of any external tools (MCP) / APIs** you install — yourself.

12. License · Copyright · Commercial use (important)

- **License: Apache License 2.0.** Commercial use, modification, copying, and redistribution are **allowed**.
 - Conditions: keep `LICENSE` /copyright notices, **state changes**, **preserve** `NOTICE`, **no trademark grant**, **no warranty (AS IS)**. Full text: [LICENSE](#) · [NOTICE](#).
- **Copyright:** © 2026 SoDam AI Studio. (*Exact legal entity name to be finalized.*)
- **Trademarks:** "Claude Code", "Claude", "Anthropic" are trademarks of Anthropic; "Context7", "Upstash" are trademarks of their owners. **AgentRoster is unofficial and not affiliated with or endorsed by any of them.** Trademarks are used **nominatively** only (no logos).
- **Commercial scope:** under Apache-2.0, **modification, copying, forking, redistribution, selling, running as a service, training material, and client delivery** are mostly allowed. But **the following is your responsibility**.
- **Your responsibility (must verify separately):** the **pricing, terms of service, model-use policy, and data-handling policy of the MCPs (e.g., context7/Upstash) and external APIs** you install are **not guaranteed by AgentRoster** — verify them yourself before commercial use.
- **Preset (teammate instructions) origin:** authored as **AgentRoster's own curation** (no third-party works bundled). Some text may be AI-generated; review before sensitive commercial use.

 Easier walkthrough: [Beginner Guide \(GUIDE.en.md\)](#) · KR [한국어](#) ·  PDF: `docs/` folder