

SoDamHarness GUIDE (EN)

SoDamHarness User Guide (GUIDE) — For Absolute Beginners

SoDamHarness is a "seatbelt" that helps prevent big accidents when you code with AI (Claude Code). It's built so that someone new to development, AI, and even computers can **just follow along**.

⚠️ **Read this first (an honest promise):** This tool is a "seatbelt" that blocks common dangers — not a "bulletproof shield." "100% safe" **does not exist**. Still, a seatbelt greatly reduces harm.

0. What is this? (understand in 1 minute)

When you tell an AI "do this," it creates, edits, and deletes files on your computer. Convenient — but if the **AI accidentally deletes an important file or folder**, it's hard to undo.

SoDamHarness acts as a **gatekeeper** in between.

- 🚫 **Very dangerous actions** (deleting a whole folder, etc.) are **blocked outright**.
 - 💾 Before **hard-to-undo actions** (deleting/overwriting files), it **auto-backs up** and asks **"Really do this?"**
 - ↶ If you make a mistake, you can **restore from backup**.
 - 🗣️ All guidance is in **plain, easy language**.
-

1. Prerequisites (programs you need)

Just **2 things**, both free.

(1) Node.js — the engine the seatbelt runs on

- **Check:** In the black command window (see tip below), type `node --version`. If you see `v18` or higher (e.g., `v22.19.0`), it's already installed.
- **If missing, install:**
 1. In a web browser, go to <https://nodejs.org>.
 2. Click the big **"LTS"** button to download the installer. (LTS = the stable version.)
 3. Double-click the downloaded file → keep clicking **"Next"** to install → restart your computer/terminal.

(2) Claude Code — the AI coding tool (where this seatbelt attaches)

- If you're reading this inside Claude Code, it's **already installed**.
- Otherwise, follow the official guide (<https://claude.com/claude-code>).



What is the "black command window (terminal)"? A window where you type commands to your computer. **Open it (Windows):** press the **Windows key** → type `powershell` → click **Windows PowerShell**.

2. Installation (step by step)

You only install **once**. Pick **one** of the two methods.

Method A — Install via the `/plugin` screen (recommended for beginners · point and click)

1. In Claude Code, type `/plugin` and press Enter → the plugin manager opens.
2. Choose **Add marketplace**, then enter one of:
 - **If published (recommended):** `sodam-ai/SoDam-Harness-Eng`
 - **From a folder on your computer (dev / sharing with friends):** the full folder path (e.g., `D:\AI_Dev_Work\2026y\26y_06m_22d_SoDam-Harness-Eng`)

3. Pick `sodam-harness` from the list and **Install**.
4. **Fully quit and reopen Claude Code.** (Type `/exit`, then run `claude` again — or close the terminal window and open a new one.)
5. Type `/sodam-harness` and if the **8 commands** (see section 6) appear, **install succeeded**.

Method B — Install via commands (black command window)

Type these **one line at a time**:

```
claude plugin marketplace add "D:\AI_Dev_Work\2026y\26y_06m_22d_SoDam-Harness-Eng"
```

```
claude plugin install sodam-harness@sodamharness-marketplace
```

Then **fully quit and reopen** Claude Code and verify with `/sodam-harness`.

✦ **Important (current status):** If it isn't published to GitHub yet, **Method A's "if published" option won't work**. For now, install via the **computer folder path** (Method A's second option / Method B). Once published, GitHub is the simplest.

3. Quick start (3 minutes)

1. (After install) **reopen** Claude Code fresh.
 2. Type `/sodam-harness-install` → you'll see "the seatbelt is on."
 3. In a **throwaway empty practice folder**, ask the AI to do things as usual.
 - e.g., "create memo.txt" → it's created.
 - e.g., "delete this whole folder" → **blocked** 🚫 (seatbelt works!)
 4. Curious? `/sodam-harness-status` (current state), `/sodam-harness-log` (what it just did).
-

4. How it works (when and how the seatbelt acts)

Normally, just use the AI **as usual**. The seatbelt steps in only at risky moments.

What the AI tries to do	The seatbelt's response
Create a file, read, normal edits	Proceeds (not blocked)
Delete a whole folder , dangerous system commands	 Blocked (not allowed)
Delete / overwrite a file	 Auto-backup first → asks " Really do this? "
Deploy / send out / other hard-to-undo actions	 Asks for confirmation
Passwords / tokens / auth files	 Not touched (and not stored in backups)

- **Backups** auto-save to `~/sodamharness/backups/` on your computer. (See section 7.)
- If you deleted something by mistake, restore with `/sodam-harness-undo`.
-  If you turn on **auto-approve (YOLO) mode**, the "Really do this?" prompt may be skipped. **Backups still happen**. To always see the prompt, use the **default mode**.

5. Workflow (everyday use)

[As usual] Ask the AI to do work

|



[Seatbelt auto-checks]

|

├ Safe action → proceeds 

├ Risky action → backup  + "Really do this?" 

└ Very risky action → blocked  (not done)

|



[Made a mistake?] → `/sodam-harness-undo` to restore 

[What happened?] → /sodam-harness-log to review 📄
[Working OK?] → /sodam-harness-status to check 🩺

5-1. (Optional) Using it with Codex

⚠️ **Honest limit first:** SoDamHarness's **auto-block / backup / undo** are **Claude Code only** — they **do not work in Codex**. In Codex, safety is handled by **Codex's own features (approval prompt + sandbox)**; the method and strength differ. (There is no "100% safe".)

1. **Easy tone** — Copy the plugin's `AGENTS.md` into the project folder you work on in Codex. (If an `AGENTS.md` already exists, **merge/append** — don't overwrite.)
2. **Conservative safety config** — Add/merge the two lines (`approval_policy` , `sandbox_mode`) from the template `codex/config.toml.example` into `~/.codex/config.toml` .
 - ⚠️ **Don't overwrite** existing config · **never touch** `~/.codex/auth.json` (login token) · apply it **yourself**.
 - Value names may differ by Codex version → official docs: <https://developers.openai.com/codex/config-reference>
3. **Verify** — Restart Codex and, in a **throwaway empty folder**, ask for a risky action to confirm the **approval prompt appears**.
4. Detailed steps are also in `codex/CODEX_SETUP.md` . Stuck? In Claude Code, just say **"help me set up Codex safety."**

6. Commands (what to use when)

Type `/sodam-harness` to see these in autocomplete. All are **Claude Code only**.

6 commands

Command	When to use	What happens
<code>/sodam-harness-install</code>	Right after install	Confirms install + getting-started guide
<code>/sodam-harness-status</code>	When unsure it works	Health check + "what to do next"
<code>/sodam-harness-fix</code>	When something breaks	Symptom-based help
<code>/sodam-harness-undo</code>	After an accidental delete	Restore by picking from the backup list
<code>/sodam-harness-trust</code>	To stop being asked for the same action	"Stop asking for this folder/action" — silence it for this session (hard blocks & backups still apply)
<code>/sodam-harness-log</code>	When curious what just happened	Timeline of AI actions (names & time only; secrets masked)

2 skills (auto-helpers)

Name	What it does
<code>/sodam-harness-beginner-tone</code>	Makes all guidance use plain, easy language . (Usually automatic — if it's hard, just say "explain it simply".)
<code>/sodam-harness-self-check</code>	Makes the AI verify it really works (with evidence) before saying "done".

💡 All commands above are **Claude Code only**. To use it with Codex, see "**5-1. (Optional) Using it with Codex**" above.

7. File / document locations

- **Backup folder (auto-created)** — inside your home folder, `.sodamharness/backups/`
 - Windows: `C:\Users\<name>\.sodamharness\backups\`
 - Mac: `/Users/<name>/.sodamharness/backups/`
 - This folder **never stores passwords/tokens**. Only backup files.
- **Activity log (auto)** — in the same `.sodamharness/` folder. View with `/sodam-harness-log`. (Names & time only; secrets masked.)
- **Documents (in the plugin folder)**
 - `README.md` / `README.en.md` — short intro (KO/EN)
 - `GUIDE.md` / `GUIDE.en.md` — this detailed guide (KO/EN)
 - `TESTING.md` / `TESTING.en.md` — how to test/verify (KO/EN)
 - `codex/config.toml.example`, `codex/CODEX_SETUP.md` — Codex setup materials
 - `LICENSE` / `NOTICE` — license & notices
- Same content as **PDF**: `README.pdf` · `README.en.pdf` · `GUIDE.pdf` · `GUIDE.en.pdf`

8. Troubleshooting (Symptom → Why → Do now)

Symptom	Why	Do now
<code>/sodam-harness-...</code> commands don't appear	Didn't restart after install, or not installed	Fully close and reopen Claude Code → check <code>/sodam-harness</code> . If still missing, redo section 2
Risky action wasn't stopped	Plugin off, or an unknown risk pattern	Restart Claude Code → <code>/sodam-harness-status</code>
Asks too often	Safety-first default	For the same action, use <code>/sodam-harness-trust</code> to stop asking this session
"Node.js missing"	The safety hook runs on Node	Install LTS from https://nodejs.org , then restart (section 1)
Run-block warning (SmartScreen/Gatekeeper)	OS asks once for a new program	If from the official source, "Run anyway"

Symptom	Why	Do now
Deleted something by mistake	—	<code>/sodam-harness-undo</code> (pick from the list)
Backup folder error (permission/space)	Disk full / permissions	Free space and retry (if backup fails, the risky action is auto-stopped)
Garbled Korean	Encoding	Usually fine (Node.js); otherwise <code>/sodam-harness-fix</code>
Explanations too hard (tone)	The easy tone is via a Skill and may not always auto-activate	Tell the AI "Explain it simply"
Old names (<code>/install</code> , etc.) / duplicates appear	Leftover from an old install	Fully restart Claude Code. If still there, reinstall

For deeper diagnosis, type `/sodam-harness-fix` .

9. Uninstall

1. In Claude Code, `/plugin` → **Uninstall SoDamHarness**.
 - Or type `claude plugin uninstall sodam-harness@sodamharness-marketplace` .
2. To delete backups too, remove the `.sodamharness/` **folder** in your home directory. (Leave it to keep your backups.)

10. FAQ

- **Q. Is it truly safe?** — It blocks common risks but **cannot block 100% of all cases**. It's a "seatbelt", not a "bulletproof shield".
- **Q. Does it see my passwords/tokens?** — **No**. It doesn't access tokens/auth files and doesn't send data out. Secret files are **excluded** from backups.

- **Q. Do I need the internet?** — Only to install. The safety features run locally on your computer.
 - **Q. I accidentally deleted a folder.** — Folders can't be backed up wholesale, so **folder deletion itself is blocked**. Files can be restored with `/sodam-harness-undo`.
 - **Q. Does it work on Mac?** — It's built to run with the same code, but it's currently **verified on Windows only** (Mac untested). Let us know if you try it on Mac.
 - **Q. Same protection in Codex?** — **No**. Block/backup/undo are **Claude Code only**. Codex relies on its own approval & sandbox (see 5-1).
-

11. License · Copyright · Commercial use (strict notice)

 **This is not legal advice.** The following is guidance for safe use/distribution. Final judgment is your responsibility; consult a professional if needed.

- **License: Apache License 2.0 · Copyright: © 2026 SoDam AI Studio.**
 - **You may (Apache-2.0):** modify · copy · fork · redistribute · **commercial use** · sell · run as a service · educational material · company/client delivery · patent use.
 - **Obligations:** keep the license & copyright notices · state your changes · include the NOTICE file (if present).
 - **Not provided:** no warranty (AS-IS) · no trademark rights granted.
 - **Third-party trademarks:** "Claude", "Claude Code", "Codex", "Anthropic", "OpenAI", "Node.js", etc. belong to their owners. This product is **not affiliated with or endorsed by** them; names are used only **nominatively** to state compatibility.
 - **Liability / disclaimer:** provided "as is"; the user is **responsible for all outcomes** of use. **"100% accident prevention" or "legally 100% safe" is not guaranteed.**
 - **Data/backup disclaimer:** backup/undo are **auxiliary aids**. Backups **may fail** due to disk failure, lack of space, or permission issues; data-loss responsibility lies with the user. **Keep separate backups** of important material.
 - **Check separately:** AI model terms (Anthropic/OpenAI, etc.) · API pricing · third-party service terms · (if used) font/image/icon licenses. These are **outside this license**.
 - **External assets caution:** when adding external code/images/fonts/samples, **verify the rights first**, and **do not borrow incompatible licenses such as AGPL/GPL**.
 - Full text: [LICENSE](#), notices: [NOTICE](#).
-

12. Safety & limits (honest notice)

- This is an **auxiliary safety aid** that reduces common risks. **It is not perfect.**
 - **New or clever risk patterns can be missed.** Always think twice before risky actions.
 - **Verified on Windows; Mac untested.**
 - For truly important data, **don't rely on this tool alone** — keep separate backups.
-

This document (GUIDE.en.md) and its PDF (GUIDE.en.pdf) have identical content. Korean: README.md / GUIDE.md.