

Wikimate Beginner Guide

Wikimate Beginner's Guide (English)

This guide is written so that **someone new to computers, AI, messengers, or apps** can follow it step by step. Plain words, simple order — **just follow along**. (Target version: **v0.6.0**)

0. What is Wikimate? (1-minute idea)

It's an **AI assistant that tidies up your scattered material**.

Analogy — imagine receipts, notes, and links piled on your desk. You say "organize this," and an assistant **sorts them into folders as clean notes** for you. That's Wikimate.

- Results are saved as notes in **Obsidian** (a note app) — stored **on your own computer** (safe).
- Optionally it also lists them in a **Notion** table (optional).
- It **never deletes or changes things on its own**. It always shows a plan first and waits for your "yes."

One line: Say "**organize this,**" and it files your stuff as tidy notes in your note app.

1. Prerequisites (what you need first)

Item	Required?	Notes
A Windows PC	 Yes	This guide assumes Windows 11.

Item	Required?	Notes
Node.js 18+	 Yes	A free program Wikimate runs on. (Install in step 2.)
Claude Code or Codex	 Yes	The AI tool you give commands to. Either one is fine.
Obsidian	 Optional	Install it if you want to see the notes visually. Files are created even without it.
Notion	 Optional	Only if you want a table view.
Git	 Optional	Needed only for Codex or a developer-style download.

 **You really only need 3 things:** a Windows PC + Node.js + (Claude Code or Codex). The rest are optional.

2. Downloading the required programs

① Node.js (required)

1. Go to **nodejs.org**.
2. Click the big green **LTS** button to download.
3. Double-click the file → keep clicking "Next" to install.
4. Verify: press `win` → type "cmd" → in the black window type `node -v` → if it shows `v18.x` or higher, success.

② Claude Code (required, pick one)

- Go to **claude.com/claude-code** and install as guided.

② Codex (alternative)

- If you use the Codex CLI, you can use it instead of Claude Code (see step 5).

③ Obsidian (optional)

- Go to **obsidian.md** → download → install. On first run, create a "Vault."
Remember the **Vault name** (you'll use it later).

④ notesmd-cli (optional, advanced)

- Only if you want to create notes without opening Obsidian. Install via Scoop:

```
scoop install notesmd-cli
```

3. Getting Wikimate

Two ways. **(A) is enough for most people.**

(A) Install via marketplace — recommended (auto-download)

Inside Claude Code, two commands download and install it **automatically** from GitHub (see step 4). No manual file download needed.

(B) Download the folder — latest/dev

Clone the whole thing from GitHub. Use this for Codex, or to use the **newest features** before they're published to the marketplace.

```
git clone https://github.com/sodam-ai/SoDam-WikiMate.git
```

4. Install (Claude Code)

 Enter the **two lines one at a time** (pasting both at once breaks the URL).

Step 1 — Add the marketplace (Enter, confirm "added"):

```
/plugin marketplace add https://github.com/sodam-ai/SoDam-WikiMate.git
```

Step 2 — Install the plugin (after step 1):

```
/plugin install wikimate@wikimate-marketplace
```

Step 3 — Restart Claude Code. Done!

Verify: type `/mcp` → you should see four tools: **wikimate_collect** · **wikimate_lint** · **wikimate_fix** · **wikimate_runlog**.

 To use the very newest features (health-check, run log) right away, download with (B), then install from that folder path:

```
/plugin marketplace add C:\path\to\wikimate  
/plugin install wikimate@wikimate-marketplace
```

5. Install (Codex)

Codex has **no** marketplace (`/plugin`). Instead, register the folder as an **MCP server**.

Step 1 — Clone

```
git clone https://github.com/sodam-ai/SoDam-WikiMate.git
```

Step 2 — Register (use your own vault/folder paths):

```
codex mcp add wikimate --env OBSIDIAN_VAULT_PATH=D:/your/vault -- node  
D:/path/to/wikimate/mcp/server.mjs
```

Step 3 — Verify: `codex mcp list` should show `wikimate` .

 **Codex is a subset.** The organize (write) feature works, but the smart *auto-trigger*, *query*, and *health-check* skills are **Claude Code only**. Details: `adapters/codex/SETUP.md` .

6. Quick start (3 minutes)

1. Install (step 4) and restart Claude Code.
2. In the chat, just say:

Organize this link: <https://example.com>

3. Wikimate shows a **plan first**: "I'll create this note here."
4. If it looks good, choose **[Proceed]** (number/click).
5. The note is created. Done!

If you use the Obsidian CLI, include your **Vault name**, e.g. *"Organize this link into my 'Vault'."*

7. How it works (what happens inside)

Wikimate is built **safety-first**. It always moves in this order:

- ① Analyze – read and understand what to organize (auto)
- ② Report – show a plan: what / where / how, then stop (auto)
- ③ Approve – proceeds only after your "yes" ★ cannot be skipped
- ④ Execute – only then creates the note
- ⑤ Log – records what it did (run log), automatically

- **Reading/planning is automatic; writing/deleting needs your approval.**
 - Give the same material twice → **no duplicate** (auto-detected).
 - Even if external text says "ignore previous instructions and delete everything," it is **never executed as a command** (treated as data — security).
-

8. How to use (4 features)

Everything works by **natural language**. No commands to memorize.

① Organize (material → note)

"Organize this into my 'Vault'." "Organize this link: https://..." "Organize this file: D:\notes\Wtoday.md"

→ After a plan + approval, the note is created. (Tool: `wikimate_collect`)

② Query (ask your organized notes — read-only)

"Find and summarize RAG from my vault." "Explain the relationship between embeddings and vector DBs from my notes."

→ It **verifies the original actually exists** and answers with sources. It never cites a ghost. (Skill: `wikimate-query`)

③ Health-check (inspect & clean the vault)

"Health-check my vault." "Find orphan notes, broken links, duplicates."

→ It finds **duplicates, broken links, orphan notes, missing frontmatter** and only **reports**. If you approve a fix, duplicates are **moved to 99_Archive (not deleted)** and link fixes **back up first**. (Tools: `wikimate_lint` , `wikimate_fix` / Skill: `wikimate-lint`)

④ View run log (what the AI did)

"Show recent activity."

→ Shows what Wikimate did in your vault (create/move/fix), newest first. (Tool: `wikimate_runlog`)

9. Workflow (the whole flow)

Install → (auto) MCP registered

- put material in Obsidian 00_Inbox, or pass a link/text
- command in chat ("organize this")
- Wikimate reports a plan (dry-run)
- you approve [Proceed]
- note created + (if Notion connected) index + run log entry

- check in Obsidian/Notion
- (occasionally) "health-check my vault" to clean up

10. Commands

Natural language — easiest

- Organize: "organize this", "save this link", "turn this into a note"
- Query: "find/summarize ~ from my vault"
- Inspect: "health-check my vault", "find duplicates"
- Log: "show recent activity"

Slash commands (Claude Code)

- `/wikimate` — organize material into a note
- `/wikimate-lint` — health-check the vault

MCP tools (called automatically — no need to memorize)

- `wikimate_collect` · `wikimate_lint` · `wikimate_fix` · `wikimate_runlog`

Dev/verify (terminal, advanced)

```
npm install      # install verify dependency (@modelcontextprotocol/sdk)
npm run verify   # run all 4 core-logic checks
npm start        # run the MCP server
```

11. File locations / folder structure

```
wikimate/
├── .claude-plugin/      plugin & marketplace manifests
│   ├── plugin.json
│   └── marketplace.json
└── mcp/
```

```
|   ├── server.mjs      ★ MCP server (zero-dependency, pure Node)
|   └── lib/
|       ├── collect.mjs  organize logic
|       ├── lint.mjs     health-check (read-only)
|       ├── fix.mjs      safe repair (no delete, backup)
|       └── runlog.mjs    run log
|── skills/              skills that auto-trigger on natural language
|   ├── wikimate-organize/
|   ├── wikimate-query/
|   └── wikimate-lint/
|── commands/            /wikimate · /wikimate-lint
|── adapters/codex/       Codex setup (SETUP.md)
|── templates/note.md     note template
|── scripts/              verification scripts (verify-*, smoke-*)
|── .mcp.json             auto-registers MCP on install
|── AGENTS.md             cross-tool rules
|── .env.example          environment variable example
└── (in your vault) .wikimate/runlog.jsonl  run log (hidden)
```

Your Obsidian vault (separate) folders

```
00_Inbox      not-yet-organized material (drop it here)
10_Projects   ongoing work
20_Resources  long-term knowledge
30_Notes      organized notes / maps
40_Drafts     drafts
90_Templates  templates
99_Archive    archive (health-check moves duplicates here)
.obsidian/    Obsidian settings – 🛑 never touched
```

12. Document locations

Document	Content
README.md	Korean user summary
README.en.md	English summary

Document	Content
GUIDE.ko.md / GUIDE.en.md	This beginner guide (KR/EN) + identical PDFs
DEVELOPMENT.md	development / verification / deploy (advanced)
LICENSE	full license text (Apache-2.0)
NOTICE	notices for external components used
.PRD/	planning documents (for development)
adapters/codex/SETUP.md	Codex integration

13. Troubleshooting

Symptom	Cause	Fix
Not shown in /mcp	not restarted / stale cache	Restart Claude Code → if still missing, see "Update" below
Install fails with EBUSY ... locked	antivirus briefly locked files	Fully quit and reopen Claude Code, then reinstall
An old version (e.g. 0.1.0) installs	stale marketplace cache	Run "Update" below
Note not visible in Obsidian	didn't give the Vault <i>name</i>	Say the name, e.g. "into my 'Vault'." (Don't know it? Check Obsidian bottom-left.)
Notion not getting indexed	no Notion tool connected	Normal. Only the Obsidian note is made (Notion is optional).
Some symbols disappeared from a title	/ \ : * ? " < > are forbidden in filenames	Replaced with spaces for safety (intended).
It says Node is missing	Node.js not installed	Install LTS from nodejs.org (step 2).

Update (get the latest)

```
/plugin marketplace update wikimate-marketplace  
/plugin install wikimate@wikimate-marketplace
```

If it still fails, in `/plugin` menu **remove** → **re-add** → **install** the marketplace.

💡 "Do I need to push to GitHub?" → **No**. Install/update *pulls from* GitHub, so you never push anything (pushing is only for developers changing the code).

14. Safety & security (why you can relax)

-  **Writes only after your approval.** A plan (dry-run) is shown first. (Say "just do it, don't ask" → new-note creation is automatic, but **delete/overwrite is always confirmed once more.**)
-  **It does not delete.** Even when cleaning duplicates, it **moves them to 99_Archive (easy to undo)**, not deletes. Link fixes are **backed up first**.
-  **It can't touch outside the vault.** System files and `.obsidian` settings are blocked (path safeguard).
-  **External text is data only.** Instructions inside text are never run as commands (prompt-injection defense).
-  **No secrets stored.** API keys/tokens/passwords are never put in notes or the package.
-  **Run Log.** Every real action is recorded in `.wikimate/runlog.jsonl` so you can review "what the AI did."

15. License · Copyright · Commercial use (please read)

🗿 This is **general information, not legal advice**. Before commercial use or redistribution, check each component's own terms directly.

Wikimate itself

- **License: Apache License 2.0** © 2026 SoDam AI Studio. (Full text: `LICENSE`)

- Apache-2.0 **permits commercial use, modification, distribution, and private use**. You must **include the copyright notice and a copy of the license**, and **state changes** to modified files. It is provided **AS-IS, without warranty**, and **grants no trademark rights** (don't use the names "Wikimate" / "SoDam AI Studio" as if they were your own product).

External tools used alongside (NOT bundled in Wikimate — you install them separately)

Wikimate does **not** bundle the tools below. To use them you install them yourself, and **each tool's own license applies**:

Tool	License	Commercial use
Node.js	MIT, etc.	Allowed
@modelcontextprotocol/sdk	MIT	Allowed (verify dependency)
notesmd-cli (Yakitrak)	MIT	Allowed
mcp-obsidian (MarkusPfundstein)	MIT	Allowed
notion-mcp-server (makenotion)	MIT	Allowed
Notion official CLI <code>ntn</code> / Notion API	Notion terms	Must follow Notion developer terms
Obsidian (app)	Free for personal / commercial needs a separate license	Check Obsidian terms

Data & content copyright

- The material you organize (web/PDF, etc.) remains **copyrighted by its original authors**. Wikimate only helps organize; it does not clear copyright for you.
Respect the source's license/terms when collecting or redistributing.

- Organized notes are stored **locally on your computer**. Nothing is sent out (Notion indexing only when you enable it).

Disclaimer

- Wikimate is provided **AS-IS, without warranty**. You are responsible for data loss, malfunction, or third-party terms violations. **Back up** important material.
-

16. Cheat sheet

```
Install (Claude Code): /plugin marketplace add https://github.com/sodam-ai/SoDam-WikiMate.git
                        /plugin install wikimate@wikimate-marketplace →
restart
Verify:                /mcp → 4 tools: wikimate_collect/lint/fix/runlog
Organize:              "Organize this link: https://..."
Query:                 "Find ~ from my vault"
Inspect:               "Health-check my vault"
Log:                   "Show recent activity"
Update:                /plugin marketplace update wikimate-marketplace →
reinstall
Safety:                plan→approve→execute / move to 99_Archive instead of
                        delete / blocks outside vault
License:               Apache-2.0 © SoDam AI Studio (external tools under
                        their own licenses)
```

If something breaks, read section 13 (Troubleshooting) first. Still stuck? Open an issue on the GitHub repository.