

Wikimate

Wikimate

Tell an AI agent **“organize this,”** and it files your scattered materials (web links, PDFs, chat logs, text) into **notes in your Obsidian vault** — and optionally **indexes them in Notion**. A **Claude Code plugin**. (Codex has no plugin install (`/plugin`) — instead, clone the repo and register it as an **MCP server** via `codex mcp add` : see [adapters/codex/SETUP.md](#) .)

한국어

■ **New here?** See the step-by-step [Beginner's Guide \(PDF\)](#) — glossary, install, use, troubleshooting, and license, all explained simply.

Status: **v0.7.1** — organize, query, vault health-check, run log, and **vault auto-discovery** (5 MCP tools) are working and verified. Notion indexing works where a Notion tool is connected (see “Current status”).

🖥️ **Device note:** Wikimate is **Windows-PC only (desktop/laptop)**. It is **not installable on phones or tablets**.

What it does

- 🔗 **Organize in plain language** — just say “organize this link” and a note is created. (If auto-trigger misses, run `/wikimate <link>` to fire it 100%.)
- 🔍 **Vault auto-discovery (v0.7.1)** — finds the vaults registered in Obsidian and proposes **“organize into here?”** (you don’t have to say the name; tool `wikimate_vaults`).
- 📁 **Into your real Obsidian vault** — auto-detects whatever Obsidian tool (MCP/CLI) is installed, and falls back to the filesystem if none.
- 📖 **Notion index (optional)** — if a Notion tool is connected, it adds an index row (Obsidian = source of truth, Notion = one-way index).
- 👉 **Always plan first → execute after approval** — never writes on its own.
- 🔄 **Dedup** — the same material is captured once, via `source_hash` .

-  **Safe by design** — blocks paths outside the vault; treats text inside external materials as data, not commands (prompt-injection defense).
-  **Ask your notes** — “find ~ from my vault” answers from your organized notes **with sources** (and says so honestly when something isn't there).
-  **Vault health-check** — finds duplicates, broken `[[links]]`, orphan notes, and missing frontmatter and **reports**; on approval it fixes **without deleting** (archive + backup).
-  **Run log** — auto-records what the AI did in your vault (“show recent activity”).

30-second glossary (for beginners)

Word	Plain meaning
Plugin	A new-feature part you plug into a program (like installing one more app)
Marketplace	The app store you get plugins from
MCP / MCP tool	The pipe connecting AI to tools / a feature button pressed through that pipe
Vault	The folder in Obsidian that holds your notes (it has a name)
dry-run	Showing “the plan” before actually doing it (a preview)

More terms in [Beginner's Guide §1](#).

Install (Claude Code)

 Enter the **two commands one at a time** (don't paste both together, or the URL breaks).

1) Add the marketplace — enter, then confirm “added”:

```
/plugin marketplace add https://github.com/sodam-ai/SoDam-WikiMate.git
```

2) Install the plugin — after step 1 finishes:

```
/plugin install wikimate@wikimate-marketplace
```

Restart Claude Code and you're done. (To verify, check `/mcp` for the 5 tools: `wikimate_collect`, `wikimate_lint`, `wikimate_fix`, `wikimate_runlog`, `wikimate_vaults`.)

How to run

There is nothing separate to “launch.” Once installed, Wikimate starts automatically together with Claude Code. “Running it” just means **opening Claude Code and asking in chat**. (Developers who want to run the server directly: `npm install` then `npm start` in the cloned folder.)

Install (Codex)

Codex has **no** `/plugin` marketplace. Instead, clone the repo and register it as an **MCP server**.

1) Clone

```
git clone https://github.com/sodam-ai/SoDam-WikiMate.git
```

2) Register the MCP server (use your own vault/repo paths):

```
codex mcp add wikimate --env OBSIDIAN_VAULT_PATH=D:/your/vault/path -- node D:/your/cloned/SoDam-WikiMate/mcp/server.mjs
```

→ `codex mcp list` should show `wikimate` .

3) (Optional) Natural-language rules — put the repo's `AGENTS.md` in your Codex working folder so “organize this” works too. **Update:** just `git pull` in the cloned folder (no marketplace-cache trap like Claude Code).

 **Codex is a subset.** It gets the organize (write) MCP tool, but the *auto-trigger*, *ask/query*, and *multi-note synthesis* **skills are Claude Code only**, and Notion indexing needs a **separate Notion MCP** connected in Codex. (Details: [adapters/codex/SETUP.md](#))

When updates don't show up — the most common trap (Claude Code)

When a new version is pushed to GitHub, your local **marketplace cache does NOT update automatically**. So reinstalling alone may keep the old version. To get the latest:

```
/plugin marketplace update wikimate-marketplace
```

```
/plugin install wikimate@wikimate-marketplace
```

If that still fails, in the `/plugin` menu **remove** → **re-add** → **install** the marketplace (this re-fetches a fresh copy).

💡 **“Do I need to push to GitHub?”** → **No**. Install/update *pulls from* GitHub, so you never push anything yourself. (Pushing is only for developers changing the code.) ⚠️ **If install fails with `EBUSY: resource busy or locked`** → Windows antivirus (Defender) briefly locked the just-written files. **Fully quit and reopen Claude Code**, then re-run the commands — that usually clears it.

Usage

Just ask in chat: > “Organize this into my ‘Vault’ vault”

★ **The reliable way (recommended)** — natural “organize this” is the AI’s judgment call, so it **sometimes just summarizes** instead of creating a note. When that happens, use the **slash command** `/wikimate <link/text>` — it fires **100%** (a direct command). e.g. `/wikimate https://example.com`

- 👉 **The “material” can be anything** — a one-line text, a web link (`organize this link: https://...`), or a file path (`organize this file: D:\notes\today.md`). Nothing to prepare.
- 🌀 **You don’t have to name the vault (v0.7.1)** — Wikimate finds your registered vaults and asks “organize into here?”. You can still name it explicitly (e.g. “into my ‘Vault’”; the name is in Obsidian’s vault switcher, bottom-left).
- It shows a plan first (where, which tool, whether to index in Notion), then creates the note on approval.

Ask it too (read — from notes you already organized): > “Find and summarize RAG from my vault”

- It searches the index (Notion) and originals (Obsidian) and answers **with the source**. It **verifies the original actually exists before answering**, and if a note was deleted (dangling index) it says so honestly (never cites a ghost).
- 🔗 **Ask across multiple notes too**: “synthesize the relationship between RAG, embeddings, and vector DBs from my notes” → it gathers the related notes and **synthesizes with per-note sources** (showing which notes it will use first).

Health-check it too (read — on the notes you already organized): > “Health-check my ‘Vault’ vault”

- 🔗 It finds the structural rot that piles up over time — **orphan notes** (linked to nothing), **broken** `[[links]]`, **duplicates**, **missing frontmatter**, and (if you use Notion) **dangling index rows** (original

deleted but the Notion row remains) — and only **reports** them by default. It **won't fix things on its own** — pick what to fix and approve, and only then does it act: duplicates are **moved to 99_Archive (never hard-deleted)**, and link fixes back up the note first (anything irreversible is confirmed once more).

Environment variables (optional)

Variable	Purpose
<code>OBSIDIAN_VAULT_PATH</code>	Absolute path to the vault folder (filesystem fallback + dedup check)
<code>OBSIDIAN_VAULT_NAME</code>	Vault name registered in Obsidian (for the CLI)
<code>NOTION_RESEARCH_DB_ID</code>	Pin the Notion index DB (otherwise it searches or asks)

Copy `.env.example` to `.env`. **Never commit real values (tokens, etc.) to git.**

Folder structure

<code>.claude-plugin/</code>	Plugin & marketplace manifests
<code>mcp/server.mjs</code>	Zero-dependency MCP server (stdio) – 5 tools (<code>collect</code> · <code>lint</code> · <code>fix</code> · <code>runlog</code> · <code>vaults</code>)
<code>mcp/lib/collect.mjs</code>	Collect (name sanitizing, dedup)
<code>mcp/lib/lint.mjs</code>	Health-check (read-only)
<code>mcp/lib/fix.mjs</code>	Safe fix (no delete, backup)
<code>mcp/lib/runlog.mjs</code>	Run log
<code>skills/</code>	Auto-triggering skills (organize, query, lint)
<code>commands/</code>	<code>/wikimate</code> , <code>/wikimate-lint</code>
<code>adapters/codex/</code>	Codex setup guide
<code>templates/</code>	Note template
<code>scripts/</code>	Verification scripts (<code>verify-*</code> , <code>smoke-*</code>)
(in your vault) <code>.wikimate/runlog.jsonl</code>	Run log (hidden)

Safety & security

- ✔ Writes run only **after human approval** (`dry_run` is the default — plan shown first). If approving every time is tedious, say **“just organize it, don't ask”** → new note creation runs automatically (**overwrite/delete are always confirmed**). Approval also appears as a **pick-an-option** prompt, so you can choose instead of typing.

- 📄 **Raw-content-preservation notice** — if the material has a web address but the content looks too short (“did you paste a summary instead of the original?”), or is unusually large, the dry-run plan shown before saving will flag it. This is a **notice, not a block** — you can proceed as-is, or re-prepare the full original and organize again.
- ✅ Note titles/folders have **path separators, forbidden characters, and control characters stripped**, and **paths outside the vault are blocked** (traversal prevention).
- ✅ Instructions inside external materials are treated as **data, not commands** (prompt-injection defense).
- ✅ The Obsidian CLI runs **without a shell** (command-injection safe). Keys/tokens are never stored in notes or the package.
- ✅ The `.obsidian/` folder is never touched. Existing notes are never modified/deleted without approval.
- ⓘ Notion indexing only when a Notion tool is connected. Otherwise it organizes Obsidian only and reports honestly.
- 📄 **Run Log** — every note actually created/moved/fixed is auto-recorded (one line each) in `.wikimate/runlog.jsonl` (hidden). Just say **“show recent activity”** to review what was done (read-only audit log).

Current status (honest)

- ✅ **Obsidian organizing**: verified note creation in a real vault (including natural-language auto-trigger).
- ✅ **Health-check, safe fix, run log**: verified by unit tests + server protocol e2e (duplicate/broken-link/orphan detection, delete-free fixes, auto logging).
- 🟡 **Notion indexing**: works where a Notion tool (MCP/CLI) is connected and authenticated. If not connected, it is skipped automatically.
- 🟡 **Codex**: an adapter lets it use the same MCP core (setup in `adapters/codex/SETUP.md`).
- ⚠️ **Live session not author-verified**: a real Claude Code `/mcp` session against your own vault is recommended (2 min; see Install above).

Troubleshooting

- Said **“organize this”** but it only summarized (no note created) → Natural auto-trigger is unreliable. Use the `/wikimate <link>` slash command to fire it 100% (most reliable).
- `marketplace ... not found` → The marketplace isn’t registered. Not `update` — run `/plugin marketplace add https://github.com/sodam-ai/SoDam-WikiMate.git` first, then `/plugin install wikimate@wikimate-marketplace`.
- **Not showing in `/mcp`** → Restart Claude Code. If still missing, refresh the cache via “When updates don’t show up” above.

- **Note not visible in Obsidian** → Check you said the exact vault *name* (the filesystem fallback writes into the `OBSIDIAN_VAULT_PATH` folder).
- **Notion isn't getting indexed** → Check that a Notion MCP/CLI is connected and authenticated. If not, only the Obsidian note is created (normal fallback).
- **Some symbols disappeared from a title** → Filename-forbidden characters like `/ \ : * ? " < > |` are replaced with spaces for safety (intended behavior).
- **Install fails with `EBUSY ... Locked`** → Antivirus file lock. Quit and reopen Claude Code, then reinstall (see "When updates don't show up"). If it repeats, wait a moment and retry.
- **An old version (e.g. 0.1.0) gets installed** → The marketplace cache is stale. Refresh via `marketplace update` (or remove → re-add) above.

More symptoms and fixes are tabulated in [Beginner's Guide §15](#).

Reference tools

[notesmd-cli](#) · [mcp-obsidian](#) · [notion-mcp-server](#) · [ntn CLI](#)

License · Copyright · Commercial use

⚖️ This is general information, **not legal advice**. The authoritative notices are the `LICENSE` and `NOTICE` files.

- **Wikimate itself: Apache License 2.0** © 2026 SoDam AI Studio. Commercial use, modification, and distribution are allowed, but you must **include the copyright notice + a copy of the license, state changes**, and **keep NOTICE**. Provided **AS-IS, no warranty**, and **no trademark rights** (don't use the names "Wikimate" / "SoDam AI Studio" as your own).
- **External tools are NOT bundled** — Node.js, @modelcontextprotocol/sdk, notesmd-cli, mcp-obsidian, notion-mcp-server are **MIT**; **Notion API/ ntn** follow **Notion's terms**; **Obsidian is free for personal use but needs a separate commercial license**. Check each one's own terms.
- **Content copyright** stays with the original authors. Respect each source's license/terms when collecting or redistributing. Notes are stored **locally on your computer** and not sent out (Notion indexing only when you enable it).
- **The notes Wikimate organizes for you are 100% your own copyright**. Wikimate (SoDam AI Studio) claims no rights over the resulting notes — Wikimate is only software; it is not the author of the notes it helps create.

Full license table + disclaimer in [Beginner's Guide §17](#) or `NOTICE` . For development/testing/deploy, see [DEVELOPMENT.md](#).