








|                               |                       |                           |
|-------------------------------|-----------------------|---------------------------|
| TITLE: Oric OCULA MCU & Power |                       | REV: 1.1                  |
| 嘉立创EDA                        | Company: Your Company | Sheet: 1/1                |
|                               | Date: 2025-02-15      | Drawn By: Sodiumlightbaby |



|                                    |                       |                           |
|------------------------------------|-----------------------|---------------------------|
| TITLE: Oric OCULA - Oric interface |                       | REV: 1.1                  |
|                                    | Company: Your Company | Sheet: 1/1                |
|                                    | Date: 2025-02-15      | Drawn By: Sodiumlightbaby |



- 20 pin FPC connector HDMI Signals
- 18-20 5v
  - 17 Hot Plug/HEC
  - 16 SDA
  - 15 SCL
  - 14 CEC
  - 13 HEC/CEC GND
  - 12 TMDS C shield
  - 11 TMDS C-
  - 10 TMDS C+
  - 9 TMDS D0 shield
  - 8 TMDS D0-
  - 7 TMDS D0+
  - 6 TMDS D1 shield
  - 5 TMDS D1-
  - 4 TMDS D1+
  - 3 TMDS D2 shield
  - 2 TMDS D2-
  - 1 TMDS D2+

|   |                       |                           |
|---|-----------------------|---------------------------|
| TITLE: Oric OCULA - External interface  |                       | REV: 1.1                  |
|  | Company: Your Company | Sheet: 1/1                |
|   | Date: 2025-02-15      | Drawn By: Sodiumlightbaby |