

EDTS APM 2027

Software Requirements Specification

Franchise Application and Review Platform

Draft 0.2 | 1 October 2026 | Prepared by Adi Haditya Nursyam

Contents

- 1.0 Introduction
 - 1.1 Purpose and baseline
 - 1.2 Problem statement and pain-point analysis
 - 1.2.1 Core problem
 - 1.2.2 How gaps were identified
 - 1.2.3 Six headline problems
 - 1.2.4 Applicant pain points
 - 1.2.5 Franchisor pain points
 - 1.2.6 Problems affecting both sides
 - 1.2.7 How findings shaped and built the prototype
 - 1.2.8 Scope boundary
 - 1.3 Terms
- 2.0 Application
 - 2.1 Users and main flows
 - 2.2 Architecture and external services
 - 2.3 Data and storage boundaries
- 3.0 Product Specification
 - 3.1 Functional requirements
 - 3.2 Quality and operational requirements
 - 3.3 Key source paths
- 4.0 Assumptions and Decisions
 - 4.1 Assumptions
 - 4.2 Decisions before production
- 5.0 References
- 6.0 Attachments

1.0 Introduction

1.1 Purpose and baseline

This specification records the intended users, scope, system behavior, quality constraints, and open decisions for EDTS APM 2027. It is an initial baseline for a franchise application and review prototype. Its structure follows the IEEE Computer Society SRS guidance on clear, testable, prioritized requirements and on separating functional requirements from quality constraints [1]. It does not claim formal standards conformance.

Status describes checked repository source, not a live deployment. Source means behavior found in code. Partial means an incomplete workflow. Local only means data remains in this browser. Config means an external service or credentials are required. Gap means no matching capability was found. Evidence labels distinguish visible observations from product inferences.

1.2 Problem statement and pain-point analysis

1.2.1 Core problem

The public form collects applicant information, but the visible experience is centered on one submission. It gives applicants little visible support for preparing information, saving progress, understanding status, or completing follow-up actions. The supplied notes also show that much of the material reviewers need arrives as free text. The resulting product problem is that the form collects data but does little to turn it into a clear application and review process.

This statement describes the public form and the product opportunity. It does not assert that McDonald's internal tools lack status tracking, anti-spam controls, or reviewer workflows.

1.2.2 How gaps were identified

The analysis combines the product owner's observations of the public form with a source review of this prototype. It did not include access to McDonald's internal systems or interviews with its applicants or reviewers.

Pass	Method and result
1. Observe the public form	Record the visible labels, fields, input types, currency, resume instruction, and visible actions. Treat the supplied form notes as the observation record.
2. Map both journeys	Follow applicant steps from program discovery through post-submission actions. Map reviewer needs from intake through triage, revision, proposal, and closure.
3. Separate evidence from inference	Mark page-level observations as visible gaps. Mark reviewer workload, scale effects, and missing internal tools as inferences or unverified risks.
4. Trace the prototype	Inspect route handlers, UI components, domain logic, database schema, and browser storage. Confirm the real behavior and its persistence boundary.

Pass	Method and result
5. Convert gaps into requirements	Map each pain point to a product response, functional requirement, and code status. Keep unbuilt opportunities visible as gaps rather than calling them implemented.

Visible means supported by the public page observations. Inferred means a likely workflow or scale effect that must be validated with intended users. Unverified risk means the available page does not show whether a hidden control or internal tool exists. Prototype status describes source code and storage behavior, not runtime or deployment acceptance.

1.2.3 Six headline problems

1. High application friction. Applicants manually re-enter information already present in a resume.

2. Poor document experience. The visible form asks applicants to paste a resume instead of uploading the original document.

3. No application visibility. The visible flow treats submission as an event and provides no workspace for status or next actions.

4. Unstructured applications create reviewer workload. Education, business experience, comments, and resumes rely heavily on free text.

5. No efficient application triage. Reviewers need search, screening, prioritization, and summaries before detailed review.

6. Application operations are fragmented. Screening, status, revisions, communication, proposals, and approval need a shared process.

1.2.4 Applicant pain points

The evidence label appears in the first column. Each response names the prototype behavior and its current limit. Requirement IDs point to Section 3.1.

Pain point and evidence	Gap or user impact	Prototype response and status
AP-01 [Visible] Too much manual data entry	Visible form asks applicants to type profile, education, and business experience. Re-entry adds effort and can introduce errors.	Resume extraction can prefill supported answers for applicant review. PDF, JPG, and PNG only, up to 5 MB. Status: Config, partial. Related: FR-06.
AP-02 [Visible] Resume handling is poor	The visible form asks applicants to paste a resume into a text field, which loses the original document structure.	The prototype accepts supporting files and can extract from a resume. The original file stays in browser IndexedDB. Status: Config, Local only. Related: FR-06, FR-07.

Pain point and evidence	Gap or user impact	Prototype response and status
AP-03 [Visible] Repeated information	Education and business experience may already appear in a resume, so applicants repeat information.	Resume extraction can reuse supported fields, but there is no complete cross-application profile reuse. Status: Config, partial. Related: FR-05, FR-06.
AP-04 [Visible] No visible applicant account or workspace	The public form shows no applicant workspace for managing a submission.	Google sign-in, an application list, and application details exist in the configured path. Status: Source, Config. Related: FR-02.
AP-05 [Visible] No save and resume workflow	A long submission may require information the applicant does not have in one sitting.	The form saves answers and the current step in browser localStorage. It does not sync drafts across devices. Status: Local only. Related: FR-05.
AP-06 [Visible] No visible progress indicator	The observed form is a single page and does not show progress through application steps.	The prototype uses a multi-step form with progress. Status: Source. Related: FR-04.
AP-07 [Visible] No post-submission status tracking	The visible flow does not show a workspace for checking whether a submission is under review or needs action.	Applicants can see a lifecycle stage and revision or proposal prompts. There is no event timeline. Status: Partial. Related: FR-08, FR-10.
AP-08 [Visible] No action centre	The observed form has no applicant area that collects pending actions after submission.	Revision and proposal actions appear on each application detail. There is no consolidated action centre. Status: Partial. Related: FR-11, FR-13.
AP-09 [Visible] No structured revision flow	The public flow shows no way to reopen specific answers after submission; corrections may require separate contact.	Reviewers can request named fields or documents with notes, and applicants can return the revised application. Status: Source. Related: FR-11.
AP-10 [Visible] Poor document support	The observed form provides no visible upload checklist for a resume, financial evidence, or site photos.	Program forms accept multiple files and show document status. Files remain in the current browser. Status: Local only. Related: FR-07.
AP-11 [Visible] Limited context around questions	Some visible fields provide little guidance about what a complete answer should include.	Program fields support help text, options, and conditional display. Example guidance is not yet complete. Status: Partial. Related: FR-03, FR-04.

Pain point and evidence	Gap or user impact	Prototype response and status
AP-12 [Visible] Weak financial input experience	The form labels investment in USD at section level and presents a single cash-investment field.	Example programs use IDR choices. Final ranges, currency formatting, and eligibility wording still need approval. Status: Partial. Related: FR-17.
AP-13 [Visible] Global rather than localized experience	The visible form asks about country and uses USD, which leaves Indonesian applicants to interpret a global form.	The prototype uses Indonesian labels, IDR options, and local example fields. Business rules need owner approval. Status: Source, pending approval. Related: FR-04, FR-17.
AP-14 [Visible] Little clarity about what happens next	The visible journey ends at submission without a stated review timeline.	The workspace shows application stage and per-application actions. It does not promise a service timeline. Status: Partial. Related: FR-08, FR-10, FR-11.
AP-15 [Visible] No communication history	Follow-up conversations can become detached from the original submission.	An application message panel exists, but messages stay in this browser and no email is sent. Status: Local only. Related: FR-15.
AP-16 [Visible] No application history	The visible form has no central list for returning applicants to review current and past applications.	The applicant workspace lists applications for the signed-in account in the configured path. Status: Source, Config. Related: FR-02, FR-08.
AP-17 [Visible] No program discovery or comparison flow	The observed path begins at the form instead of helping an applicant browse opportunities first.	The prototype has an open-program directory. It does not provide side-by-side program comparison. Status: Partial. Related: FR-01.
AP-18 [Visible] Generic form experience	The public form behaves like a basic web form rather than a guided application process.	A branded Indonesian portal presents program-specific multi-step forms. Status: Source. Related: FR-04.

1.2.5 Franchisor pain points

These operational effects are inferences from the visible form and likely review tasks. They are not claims about McDonald's internal tools. Duplicate and spam controls are explicitly unverified.

Pain point and evidence	Gap or reviewer impact	Prototype response and status
FP-01 [Inferred] No persistent applicant identity in the visible workflow	The public form exposes no authenticated identity layer. Continuity across submissions cannot be confirmed from the form.	Google OAuth assigns applicant or franchisor roles in the configured path. Duplicate linking is not implemented. Status: Partial, Config.
FP-02 [Unverified risk] Duplicate or noisy submission risk	A public entry point can create an operational risk at volume. The supplied review did not inspect hidden spam controls.	Account sign-in adds identity, but duplicate detection and rate controls are absent from this repository. This risk needs validation. Status: Gap.
FP-03 [Inferred] Unstructured resume data	A pasted resume is a large text block that reviewers must interpret consistently.	Gemini can extract supported fields and prepare a review brief. Original files remain browser-local. Status: Config, Partial.
FP-04 [Inferred] Education is difficult to filter	Free-text education summaries do not consistently separate degree, school, or field of study.	The example form includes an education-level choice and resume extraction. School and degree normalization is absent. Status: Partial.
FP-05 [Inferred] Business experience is difficult to compare	Long experience descriptions require manual interpretation across applicants.	The form captures business type and duration plus a narrative answer. AI summaries are optional. A standard rubric is absent. Status: Partial, Config.
FP-06 [Inferred] Limited search and filtering	Questions about investment capacity or experience are hard to answer from raw text.	The list searches name, reference, email, city, and program, and filters by stage. It does not filter by investment or experience. Status: Partial.
FP-07 [Inferred] Every application initially demands human attention	A reviewer may need to open each incomplete or unsuitable record before deciding what to do.	Required-field checks and configured screening rules support initial triage. Rule quality depends on owner approval. Status: Source.
FP-08 [Inferred] No fast prioritization	A queue does not automatically show which applications need attention first.	Rule outcomes feed a deterministic score. The score is not validated as an eligibility measure, and a hard fail can reject automatically. Status: Partial.
FP-09 [Inferred] Repetitive screening work	Reviewers repeatedly read similar profile, finance, and experience information.	An optional Gemini review can summarize answers and supported documents. Manual review remains available. Status: Config.

Pain point and evidence	Gap or reviewer impact	Prototype response and status
FP-10 [Inferred] Missing or contradictory data is hard to detect	Reviewers may have to find omissions or inconsistencies themselves.	Required fields and configured checks flag some missing values. Cross-field contradiction detection is not implemented. Status: Partial.
FP-11 [Inferred] No unified review brief	Relevant facts are spread across fields and long responses.	Application detail presents screening findings and a summary; Gemini can add a review brief. It is not a verified or normalized case file. Status: Partial, Config.
FP-12 [Inferred] No structured pipeline	A response form alone does not show application movement across review stages.	The franchisor has a dashboard, searchable table, and stage board with selector or drag and drop. Status: Source.
FP-13 [Inferred] Spreadsheet-style management scales poorly	Sorting records alone does not assign owners or coordinate work across a team.	The prototype provides a searchable table and board. Bulk actions, export, and reviewer assignment are absent. Status: Partial.
FP-14 [Inferred] No visible workflow state model	Stages such as screening, interview, and proposal need a shared definition.	The code defines eight common stages. Their names and order are not configurable per program. Status: Partial.
FP-15 [Inferred] No clear queue of required work	A reviewer may not know which records are waiting for their action.	The overview shows recent records and stage counts, but has no assigned task queue or service-level timer. Status: Partial.
FP-16 [Inferred] Follow-ups are easy to forget	Staff must remember which applicants have had no recent activity.	A reminder becomes due after five days and can be recorded locally as sent. No reminder is delivered. Status: Local only.
FP-17 [Inferred] Email is detached from application context	Reviewers may switch tools and manually recreate application context for an email.	There is no email integration in the checked source. Status: Gap.
FP-18 [Inferred] Repeated email writing	Common revision or proposal messages may need to be written repeatedly.	There are no email templates or email delivery service. Status: Gap.
FP-19 [Inferred] No shared communication record	A team cannot rely on a browser-local conversation as a common record.	Messages are stored in localStorage and are not synchronized to the database workspace. Status: Local only.

Pain point and evidence	Gap or reviewer impact	Prototype response and status
FP-20 [Inferred] No revision workflow	Requesting one correction by email can create a thread that is hard to reconcile.	Reviewers can request specific fields or documents with notes. Status: Source.
FP-21 [Inferred] Poor document review experience	Pasted text does not preserve document layout, and local files are not shared with other devices.	Reviewers can open locally stored files and optional AI findings. Private shared file storage is absent. Status: Local only, Partial.
FP-22 [Inferred] No structured proposal flow	A review may move to separate documents or email when terms are discussed.	A proposal screen captures terms and applicant responses. Attachments retain names, not file content. Status: Partial.
FP-23 [Inferred] No applicant comparison view	Individual reviews make relative comparison harder.	The repository has a list and pipeline, but no side-by-side candidate comparison. Status: Gap.
FP-24 [Inferred] Limited operational analytics	The public form itself offers no view of volume or stage distribution.	The overview shows active, new, revision, average-score, and stage counts. It is not a full analytics report. Status: Partial.
FP-25 [Inferred] Hard to change application requirements	A fixed form may require code changes when programs ask different questions.	The program editor configures fields, options, visibility conditions, and screening rules per program. Status: Source.
FP-26 [Inferred] Hard to change the review process	Different programs may need stages that do not match a single shared pipeline.	Stages are currently fixed in code and shared by all programs. Status: Gap.

1.2.6 Problems affecting both sides

These shared problems describe the proposed product opportunity, not verified defects in an internal McDonald's workflow.

Pain point and evidence	Shared consequence	Prototype response and status
SP-01 [Inferred] No shared source of truth	Applicants may not see current status while reviewers track work elsewhere. This is a workflow inference, not a claim about McDonald's internal system.	Configured accounts share program and application records through the database. Drafts, files, and messages remain local. Status: Partial.

Pain point and evidence	Shared consequence	Prototype response and status
SP-02 [Inferred] No application lifecycle	A submit-only flow does not explain review, revision, proposal, or closure.	The prototype defines eight stages and applicant status views. Email and configurable stage policy are absent. Status: Partial.
SP-03 [Inferred] No structured communication	Applicants and reviewers may rely on separate channels with no shared context.	A per-application message panel exists but is browser-local and sends no email. Status: Local only.
SP-04 [Inferred] No revision loop	Applicants may resend information while reviewers reconcile versions.	Named revision requests and resubmission create a basic in-app loop. Status: Source.
SP-05 [Inferred] No shared document workspace	Applicants need a reliable upload location and reviewers need access to the same document.	Files are held in browser IndexedDB, not authenticated shared storage. Status: Local only, Partial.
SP-06 [Inferred] No clear status model	Applicants face uncertainty while reviewers use inconsistent labels.	The application has defined stages shown to both sides. Status: Source.
SP-07 [Inferred] No user identity or account	Applicants cannot visibly return to a personal workspace from the public form.	Google OAuth and applicant or franchisor roles exist in the configured path; local demo access is development-only. Status: Config, Source.
SP-08 [Inferred] No structured screening	Repeated checks increase manual effort and make outcomes harder to explain.	Enabled program rules return pass, warning, or reject results with reasons. Rule content and rejection policy need approval. Status: Partial.
SP-09 [Inferred] No reusable applicant profile	Applicants may repeat information already supplied in earlier materials or submissions.	Resume extraction can prefill supported answers. A complete cross-device profile is not implemented. Status: Config, Partial.
SP-10 [Inferred] Static form for different programs	One fixed question set can fail to capture program-specific needs.	Franchisors can configure fields and rules by program. Stages remain shared and fixed. Status: Partial.

1.2.7 How findings shaped and built the prototype

The product response turns the single submission into a sequence: discover a program, complete a guided application, submit and track it, resolve a targeted revision, and respond to a proposal. The reviewer side adds configurable program questions, basic screening, a queue and pipeline, review details, revisions, and proposals. The table traces those choices to source files and keeps incomplete work visible.

Gap area	Built response	Source and remaining limit
Program discovery and localization	A directory presents open example programs before the form. Program labels and sample investment choices use Indonesian and IDR.	app/page.tsx; components/applicant/program-directory.tsx; lib/demo-data.ts. The examples and eligibility rules need business approval. FR-01, FR-04, FR-17.
Guided application and resume support	The form renders program fields as steps, validates answers, saves a local draft, stores files in IndexedDB, and can ask Gemini to prefill supported fields from a resume.	components/applicant/application-form.tsx; lib/demo-files.ts; app/api/application-review/route.ts. Drafts and files are local; extraction is configured and lacks a separate consent step. FR-04 to FR-07.
Identity and workspace	Better Auth defines applicant and franchisor roles. In the configured non-development path, the workspace API loads and saves program and application records with ownership checks.	lib/auth.ts; lib/db-schema.ts; app/api/workspace/route.ts; components/workspace-sync.tsx. OAuth, database, and deployment must be configured and verified. FR-02, FR-16.
Screening and review	Deterministic rules check required fields and configured conditions. An optional Gemini route can prepare a review summary, document findings, and questions.	lib/screening.ts; app/api/application-review/route.ts; components/franchisor/application-review.tsx. Scores and rules need owner approval; AI is not market verification. FR-09, FR-12.
Reviewer operations	A dashboard, searchable table, stage filters, and pipeline show workload and move records through fixed stages.	components/franchisor/overview.tsx; components/franchisor/application-list.tsx; components/franchisor/pipeline.tsx. Stages are not configurable and comparison or assignment queues are absent. FR-10.
Revisions and proposals	Reviewers can request named changes. Applicants can respond to revisions and proposals; approval requires both parties to accept.	components/applicant/application-detail.tsx; components/franchisor/proposal-editor.tsx. Proposal attachments retain names only. FR-11, FR-13, FR-14.
Communication and follow-up	The detail page has a message panel and a reminder control that becomes due after five days.	components/communication-panel.tsx; lib/demo-communication.ts. Messages and reminders stay in localStorage. The control records a reminder and sends no email. FR-15, FR-16.

The prototype therefore addresses the visible form friction and establishes a basic workflow. It does not yet provide shared file storage, delivered email, configurable stages, duplicate detection, or a complete reviewer task queue. These remain gaps for validation and future scope decisions.

1.2.8 Scope boundary

This is an Indonesian concept prototype informed by the public McDonald's franchise form. It is not an official or affiliated McDonald's service. Payments, contracts, final franchise decisions, verified market research, internal-system integration, spam-control verification, and production operation are outside the current baseline.

1.3 Terms

Term	Meaning
Applicant	A person who creates and manages a franchise application.
Franchisor	The organization and authorized reviewers who manage programs and applications.
Program	A franchise opportunity with its own application fields and screening rules.
Application	An applicant's answers, documents, review state, and any proposal for one program.
Screening	An initial rules-based check. A score is not proof of eligibility.
SRS	Software Requirements Specification.
Visible gap	A missing or inconvenient feature on the public form reviewed. It does not prove that internal tools lack the feature.
Inferred pain	A likely workflow problem deduced from the visible form and requiring validation with intended users.
Unverified risk	A concern, such as duplicate or spam submissions, that cannot be confirmed from the public page.

2.0 Application

2.1 Users and main flows

Public visitor. Browse open program descriptions.

Applicant. Sign in, choose a program, complete or save an application, attach requested information, track status, respond to a revision, review a proposal, and cancel before a proposal or approval.

Franchisor reviewer. Configure programs and screening rules, search the application queue, review rule or AI findings, move cases between stages, request revisions, and prepare proposals. The source defines applicant and franchisor roles, with no separate system-administrator role.

Applicant flow: program directory, sign-in, guided application, submission, status tracking, revision or proposal response. Reviewer flow: dashboard, searchable queue or pipeline, review, revision request or proposal, and status update.

2.2 Architecture and external services

The web application uses Next.js, React, TypeScript, Better Auth, Drizzle ORM, and libSQL/Turso. In the configured production path, Google OAuth provides sign-in and the workspace API stores program and application records with role and ownership checks. Development mode also contains seeded demo identities and browser-local records.

Google Gemini is called by a server route for user-initiated resume extraction and optional application review. Missing credentials or failed analysis return to manual entry or rule-based review. Site coordinates can open in Google Maps; no traffic, demographic, competitor, or site-eligibility data is verified. No email, payment, or McDonald's API integration is present in the checked source.

2.3 Data and storage boundaries

The database schema covers users, programs, and applications. Application documents are stored in browser IndexedDB. Application drafts, proposal drafts, messages, and reminder records use browser localStorage. Proposal attachments currently retain file names rather than file content. These local records are not shared across devices or users.

The current program form collects personal, experience, funding, location, legal-identity, and consent information. Production use requires approved purposes, access rules, retention and deletion periods, and clear disclosures for identity data and third-party AI processing.

3.0 Product Specification

3.1 Functional requirements

Each statement is a proposed target. The repository-status column shows the current source baseline, not verified deployment readiness.

ID / priority	Requirement	Status
FR-01 MUST	Applicants shall see open programs with their summary, operating model, target locations, and a route to the matching application.	Source
FR-02 MUST	Production users shall sign in with Google and receive an applicant or franchisor role. Protected pages and records shall follow that role and ownership.	Source
FR-03 MUST	Franchisors shall create, edit, open, close, and remove programs; configure fields, sections, options, basic visibility conditions, and screening rules.	Source
FR-04 MUST	The form shall render Indonesian multi-step sections from the program schema, show progress, validate required and typed values, and label investment options in IDR.	Source

ID / priority	Requirement	Status
FR-05 SHOULD	Applicants shall save answers and the current step, then resume the draft in the same browser. Drafts and selected files currently do not sync across devices.	Local only
FR-06 SHOULD	On user request, the system shall read a PDF, JPG, or PNG resume up to 5 MB, prefill supported fields, and let the applicant verify or correct every value. Manual entry shall remain available.	Config
FR-07 MUST	Applicants shall attach required or optional program documents. The current client allows PDF, DOC, DOCX, XLS, XLSX, JPG, JPEG, PNG, and ZIP files up to 10 MB each. The target is authorized cross-device file access.	Local only
FR-08 MUST	A submission shall require an open program and valid visible fields, then record the answers, program, reference, time, screening result, and lifecycle stage in the applicant workspace.	Source
FR-09 MUST	The system shall evaluate required fields and enabled present, equals, contains, and gte rules as pass, warning, or reject, with an explainable triage score. Current reject rules can set the stage to Rejected automatically.	Source
FR-10 MUST	Franchisors shall review a dashboard, search or filter applications, inspect each record, and move records through the stage pipeline by selector or drag and drop.	Source
FR-11 MUST	A reviewer shall request named fields or documents with notes. The applicant shall update the requested items and return the application to review.	Source
FR-12 SHOULD	With the separate AI review permission enabled, the server may send selected answers and eligible business or financial files to Gemini for a summary, strengths, concerns, questions, and supported document or location findings. Rules and manual review shall remain available.	Config
FR-13 SHOULD	Franchisors shall prepare structured proposals. Applicants shall accept, reject, or request changes. The application shall be approved only after both parties accept.	Partial
FR-14 SHOULD	Applicants shall be able to cancel an application before a proposal or approval. Withdrawal shall remain distinct from a franchisor rejection.	Partial
FR-15 SHOULD	Application messages and follow-up reminders shall persist across authorized sessions and accurately report delivery. Current messages and reminder records are local to the browser; no email is sent.	Local only

ID / priority	Requirement	Status
FR-16 MUST	Production shall persist account, program, and application records in the configured database and enforce applicant ownership and franchisor program ownership. Files, drafts, proposal attachments, and messages shall have defined shared storage.	Partial
FR-17 MUST	The interface shall use Indonesian labels, Rupiah investment options, and user-supplied site information. A map point or AI summary shall not be described as verified market research.	Source

Rule score in the current code is 100 minus 40 for each reject check and 12 for each warning, bounded from 0 to 100. A reject result currently sets the application stage to Rejected at submission. Confirm this policy before treating the score as a final eligibility decision.

3.2 Quality and operational requirements

NFR-01 Access control. The server shall authenticate production sessions and authorize applicant and franchisor access by role and record ownership. Development demo identities shall not be treated as production authentication. Source code includes these controls; deployment was not tested.

NFR-02 Personal data and AI. AI review has a separate permission field and excludes selected identity fields from its review payload. Resume extraction sends the original resume to Gemini when the applicant starts extraction; the current source has no separate extraction-consent step. Production requires a clear notice, explicit consent, and a provider-retention decision.

NFR-03 Human review. AI summaries and scores shall support review only. Source prompts instruct Gemini not to make final decisions. Deterministic hard-fail rules currently move a submission to Rejected, so the owner must confirm whether a reviewer must approve that outcome.

NFR-04 Localization. The current interface is Indonesian and uses IDR program labels. Business owners must approve the actual eligibility questions, monetary tiers, and legal wording before production.

NFR-05 Service levels. Latency, throughput, availability, backup, recovery, audit-log, accessibility, and data-retention targets are not specified in the source. Set measurable targets before production acceptance.

3.3 Key source paths

Authentication and record access: lib/auth.ts and app/api/workspace/route.ts. Applicant form and resume flow: components/applicant/application-form.tsx and app/api/application-review/route.ts. Screening: lib/screening.ts. Local files and communication: lib/demo-files.ts and lib/demo-communication.ts. Reviewer pipeline and proposals: components/franchisor/pipeline.tsx and components/franchisor/proposal-editor.tsx. Program configuration: components/program-admin/program-editor.tsx [3].

4.0 Assumptions and Decisions

4.1 Assumptions

A-01. This is an Indonesian concept prototype informed by the public McDonald's franchise form. It is not an official McDonald's system or a statement of McDonald's internal process.

A-02. The supplied form notes describe visible page behavior only. They do not establish whether hidden spam controls, internal application tracking, or reviewer tools exist.

A-03. The two programs, field schema, financial ranges, and screening rules in the repository are examples until the business owner approves them.

A-04. AI and rules provide support, not independent business, legal, financial, or site-selection decisions. Human review and source-document verification remain necessary.

A-05. MUST and SHOULD priorities are proposed for this initial baseline and require product-owner review.

4.2 Decisions before production

Decision	Owner action
D-01 Screening policy	Confirm whether a failed hard rule closes an application automatically or asks a reviewer to confirm rejection.
D-02 Resume and AI consent	Approve the user notice, separate resume-processing consent, Gemini data terms, retention, and deletion behavior.
D-03 Files and persistence	Choose private server storage, access rules, cross-device behavior, retention, deletion, and backup for applicant and proposal files.
D-04 Messages and reminders	Choose in-app-only or email delivery, who receives reminders, and whether a reminder is actually sent or only recorded.
D-05 Proposal lifecycle	Define proposal withdrawal, applicant cancellation after a proposal, attachments, and the meaning of mutual acceptance.
D-06 Business rules	Approve eligibility criteria, IDR ranges, required identity and tax data, consent wording, and location requirements.
D-07 Operations	Set numeric service, security, accessibility, retention, availability, backup, and recovery targets.

5.0 References

[1] IEEE Computer Society, Software Requirements Specifications.

<https://www.computer.org/resources/software-requirements-specifications> (accessed 30 September 2026).

[2] Product-owner observations and pain-point analysis based on the visible McDonald's corporate franchising form, observed 30 September 2026:

<https://corporate.mcdonalds.com/corpmcd/franchising-overview/franchising-form.html>. Notes cover the public page only.

[3] Repository source reviewed 1 October 2026. Key paths are listed in Sections 1.2.7 and 3.3.

6.0 Attachments

Reserved for supporting material to be supplied by the product owner in a later revision.