Submitted in part fulfilment for the degree of MSc in Software Engineering.

Model-driven software migration between microprocessors

Sophie Wood

Version 0.1, 2018-May-16

Supervisor: Simos Gerasimou

Number of words = o, as counted by wc -w. This includes the body of the report, and Appendices TODO, but not TODO.

Abstract

TODO

Acknowledgements

TODO

Contents

1	Introduction					
	1.1	Background and Motivation	8			
	1.2	Project Goals	10			
	1.3	Project Scope	10			
	1.4	Report Structure	10			
2	Lite	rature Review	11			
	2.1	Technical Background	11			
		2.1.1 Model Driven Engineering	11			
		2.1.2 Microprocessor Background	11			
	2.2	Existing Work	11			
		2.2.1 MDE Approaches	11			
		2.2.2 Other Approaches	11			
	2.3	Tools	11			
3	Meti	nodology	12			
4	Req	uirements	13			
5	Design and Implementation					
6	Evaluation					
7	Con	clusion	16			

1 Introduction

1.1 Background and Motivation

Bartels et al. define obsolescence as "materials, parts, devices, software, services and processes that become non-procurable from their original manufacturer or supplier" [1]. Both software and hardware can be subject to obsolescence problems.

Issues with hardware obsolescence have been driven by the growth of the electronics industry. This has reduced the life cycle of electronic parts as competitors release products with better functionality and features. Existing products are no longer commercially viable and therefore go out of production [1]. This is a particular issue in the defence/aerospace sectors as the typical life cycle of a system is 20-30 years or longer [2]. As such, parts will become unavailable before the system is completed. Singh et al. found that these systems "often encounter obsolescence problems before they are fielded and always during their support life" [3].

Obsolescence is also a concern in the software industry. Businesses must continuously update their products in order to stay ahead. Bill Gates has said:

"The only big companies that succeed will be those that obsolete their own products before someone else does." [1]

There are three main causes of software obsolescence [4]:

- (1) **Logistical**: digital media obsolescence, formatting, or degradation limits or terminates access to software
- **(2) Functional:** hardware, requirements, or other software changes to the system obsolete the functionality of the software
- **(3) Technological:** the sales and/or support for commercial off the shelf (COTS) software terminates

A particular issue is that hardware obsolescence can drive software obsolescence and vice versa. Software obsolescence can also be caused by lack of skills. For example, there may be a limited number of people that are competent in the language the system is written in. If these people leave the company, the system can no longer be maintained [5].

Again avionics/military and other "safety-critical" systems particularly struggle with software obsolescence issues as even small changes may have to go through extensive and costly qualification/certification processes [3]. For example, the US Navy estimates that obsolescence problems can cost up to \$750 million annually [6]. Sandborn and Myers also found that sustainment costs (which include costs related to obsolescence) dominate the system costs in the case of development of an F-16 military aircraft [7].

Strategies for obsolescence mitigation/management have generally focused on hardware obsolescence problems. This is despite software obsolescence costs often equalling or exceeding that of hardware. Proactive measures to mitigate obsolescence (e.g. improving code portability or using open-source software) often require either a large amount of resources or resources that are unavailable. Reactive strategies for tackling obsolescence include software license downgrades (i.e. customers can adapt legacy versions of the software by purchasing a licence for the latest version and applying that to the older product); purchasing the source code and third party support (i.e. a third party will take over maintenance of the legacy software). If these strategies are insufficient, the legacy system may have to be redeveloped or rehosted [4]. However, many such software modernisation projects are abandoned or not completed within the planned timescale/budget [8].

Model-driven software modernisation (MDSM) is a set of strategies that use model-driven engineering (MDE) to address the above issues by (partially) automating the process of modernisation. These approaches have already proved feasible by Kowalczyk and Kwiecińska who demonstrated the modernisation of a project written in Java 1.4 and the Hibernate 2.x framework, which uses XML mappings, into Java 1.5 and Hibernate 3.x which uses Java Persistence API (JPA) annotations [8]. Additionally, a model-driven approach is employed in industry by the Sodifrance company who have migrated a large-scale banking system (at a size of around one million lines of code) to J2EE [9].

The Defence Science and Technology Laboratory (DSTL) at the Ministry of Defence (MoD) have identified several instances of software obsolescence they would like to tackle. A problem of particular interest is "the

1 Introduction

migration of an entire software system from a legacy hardware platform to a modern more powerful platform" [10]. This report will explore how MDSM processes can be used to partially automate the migration of code between microprocessors. A case study implementing the migration of code between a Parallax Propeller Activity Board and an Arduino Uno will be used to demonstrate the approach developed.

1.2 Project Goals

TODO

1.3 Project Scope

TODO

1.4 Report Structure

TODO

2 Literature Review

TODO: write introduction to the literature review chapter

2.1 Technical Background

2.1.1 Model Driven Engineering

Model Driven Engineering (MDE) has been developed in order to address complexity within the problem space of computing. In the past, approaches for enabling programmers to develop code more easily have focused on simplifying the solution space. This was achieved by providing abstractions such as higher-level programming languages or providing operating systems to manage the difficulty of programming hardware directly. However, these solutions are unable to express domain concepts effectively, unlike MDE techniques [11]. The rest of this section will discuss the components of MDE technologies.

- 2.1.2 Microprocessor Background
- 2.2 Existing Work
- 2.2.1 MDE Approaches
- 2.2.2 Other Approaches
- 2.3 Tools

3 Methodology

4 Requirements

5 Design and Implementation

6 Evaluation

7 Conclusion

Bibliography

- [1] B. Bartels, U. Ermel, P. Sandborn and M. G. Pecht, *Strategies to the prediction, mitigation and management of product obsolescence*. John Wiley & Sons, 2012, vol. 87.
- [2] F. J. R. Rojo, R. Roy and E. Shehab, 'Obsolescence management for long-life contracts: State of the art and future trends', *The international journal of advanced manufacturing technology*, vol. 49, no. 9-12, pp. 1235–1250, 2010.
- [3] P. Singh and P. Sandborn, 'Obsolescence driven design refresh planning for sustainment-dominated systems', *The engineering economist*, vol. 51, no. 2, pp. 115–139, 2006.
- [4] P. Sandborn, 'Software obsolescence-complicating the part and technology obsolescence management problem', *Ieee transactions on components and packaging technologies*, vol. 30, no. 4, pp. 886–888, 2007.
- [5] S. Rajagopal, J. Erkoyuncu and R. Roy, 'Software obsolescence in defence', *Procedia cirp*, vol. 22, pp. 76–80, 2014.
- [6] C. Adams, 'Getting a handle on cots obsolescence', *Avionics magazine*, vol. 1, 2005.
- [7] P. Sandborn and J. Myers, 'Designing engineering systems for sustainability', in *Handbook of performability engineering*, Springer, 2008, pp. 81–103.
- [8] K. Kowalczyk and A. Kwiecinska, *Model-driven software modernization*, 2009.
- [9] F. Fleurey, E. Breton, B. Baudry, A. Nicolas and J.-M. Jézéquel, 'Model-driven engineering for software migration in a large industrial context', in *International conference on model driven engineering languages and systems*, Springer, 2007, pp. 482–497.

Bibliography

- [10] S. Gerasimou, D. Kolovos, R. Paige and M. Standish, 'Technical obsolescence management strategies for safety-related software for airborne systems', in *Federation of international conferences on software technologies: Applications and foundations*, Springer, 2017, pp. 385–393.
- [11] D. C. Schmidt, 'Model-driven engineering', *Computer-ieee computer society-*, vol. 39, no. 2, p. 25, 2006.