

SimpleStock

Execution Environment

Host name	Alumno - 192.168.0.110
OS	Windows 8.1 64bit
Katalon version	8.2.0.208
Browser	Chrome 96.0.4664.45

Summary

ID	Test Suites/SimpleStock		
Description	Suit de pruebas de sistema simple stock		
Total	3		
Passed	1	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2021-12-05 23:44:48	End	2021-12-05 23:49:22
Elapsed	4m - 34,211s		

#	ID	Description	Status
1	Test Cases/agregar nuevo producto	agregar un nuevo producto al inventario	PASSED
2	Test Cases/Filtrar ingresando dos letras	Filtrar productos ingresando dos letras en la barra de busqueda	FAILED
3	Test Cases/Guardar sin completar codigo	guardar un producto en inventario sin ingresar un numero de codigo	FAILED

agregar nuevo producto

Information

ID	Test Cases/agregar nuevo producto		
Description	agregar un nuevo producto al inventario		
Tag			
Start	2021-12-05 23:44:50	End	2021-12-05 23:45:35
Elapsed	44,765s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	10,117s	PASSED
2	navigateToUrl("http://localhost/simple-stock-master/login.php") Navigate to 'http://localhost/simple-stock-master/login.php' successfully	4,557s	PASSED
3	setText(findTestObject("Object Repository/Agregar_Producto/Page_Simple Stock Login/input_Iniciar Sesion_user_name"), "admin") Text 'admin' is set on object 'Object Repository/Agregar_Producto/Page_Simple Stock Login/input_Iniciar Sesion_user_name'	3,291s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Agregar_Producto/Page_Simple Stock Login/input_Iniciar Sesion_user_password"), "RAIVpflpDOg=") Text ***** has been set on object 'Object Repository/Agregar_Producto/Page_Simple Stock Login/input_Iniciar Sesion_user_password'	2,514s	PASSED
5	click(findTestObject("Object Repository/Agregar_Producto/Page_Simple Stock Login/button_Iniciar Sesion")) Object: 'Object Repository/Agregar_Producto/Page_Simple Stock Login/button_Iniciar Sesion' is clicked on	3,068s	PASSED
6	delay(2) Delayed 2 second(s)	2,135s	PASSED

agregar nuevo producto

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/button_Agregar")) Object: 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/button_Agregar' is clicked on	1,028s	PASSED
8	delay(1) Delayed 1 second(s)	1,033s	PASSED
9	setText(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/input_Cdigo_codigo"), "3306") Text '3306' is set on object 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/input_Cdigo_codigo'	1,556s	PASSED
10	setText(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/textarea_Nombre_nombre"), "Barniz al agua") Text 'Barniz al agua' is set on object 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/textarea_Nombre_nombre'	1,632s	PASSED
11	selectOptionByValue(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/select_Selecciona una categoriaAccesoriosEqu_01b1af"), "5", true) All options with value '5' are selected in object 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/select_Selecciona una categoriaAccesoriosEqu_01b1af' using regular expression	2,353s	PASSED
12	setText(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/input_Precio_precio"), "550.00") Text '550.00' is set on object 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/input_Precio_precio'	1,359s	PASSED
13	setText(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/input_Stock_stock"), "15") Text '15' is set on object 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/input_Stock_stock'	1,505s	PASSED

agregar nuevo producto

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/button_Guardar datos")) Object: 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/button_Guardar datos' is clicked on	0,995s	PASSED
15	click(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/button_Cerrar")) Object: 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/button_Cerrar' is clicked on	1,301s	PASSED
16	click(findTestObject("Object Repository/Agregar_Producto/Page_Inventario Simple Stock/a_Salir")) Object: 'Object Repository/Agregar_Producto/Page_Inventario Simple Stock/a_Salir' is clicked on	1,733s	PASSED
17	closeBrowser() Browser is closed	2,018s	PASSED

Filtrar ingresando dos letras

Information

ID	Test Cases/Filtrar ingresando dos letras		
Description	Filtrar productos ingresando dos letras en la barra de busqueda		
Tag			
Start	2021-12-05 23:46:35	End	2021-12-05 23:46:57
Elapsed	21,293s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	5,654s	PASSED
2	navigateToUrl("http://localhost/simple-stock-master/login.php") Navigate to 'http://localhost/simple-stock-master/login.php' successfully	4,740s	PASSED
3	setText(findTestObject("Object Repository/Filtrar ingresando dos letras/Page_Simple Stock Login/input_Iniciar Sesi_n_user_name"), "admin") Text 'admin' is set on object 'Object Repository/Filtrar ingresando dos letras/Page_Simple Stock Login/input_Iniciar Sesi_n_user_name'	2,599s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Filtrar ingresando dos letras/Page_Simple Stock Login/input_Iniciar Sesi_n_user_password"), "RAIVpflpDOg=") Text ***** has been set on object 'Object Repository/Filtrar ingresando dos letras/Page_Simple Stock Login/input_Iniciar Sesi_n_user_password'	1,915s	PASSED
5	click(findTestObject("Object Repository/Filtrar ingresando dos letras/Page_Simple Stock Login/button_Iniciar Sesi_n")) Object: 'Object Repository/Filtrar ingresando dos letras/Page_Simple Stock Login/button_Iniciar Sesi_n' is clicked on	2,821s	PASSED


Filtrar ingresando dos letras

#	Description	Elapsed	Status
6	setText(findTestObject("Object Repository/Filtrar ingresando dos letras/Page_Inventario Simple Stock/input_Filtrar por cdigo o nombre_q"), "ba") Text 'ba' is set on object 'Object Repository/Filtrar ingresando dos letras/Page_Inventario Simple Stock/input_Filtrar por cdigo o nombre_q'	1,405s	PASSED
7	click(findTestObject("Object Repository/Filtrar ingresando dos letras/Page_Inventario Simple Stock/div_producto1_clearfix")) Object: 'Object Repository/Filtrar ingresando dos letras/Page_Inventario Simple Stock/div_producto1_clearfix' is clicked on	1,548s	PASSED

Filtrar ingresando dos letras

#	Description	Elapsed	Status
8	<p>waitForElementPresent(findTestObject("Page_Inventario Simple Stock/div_15.00 Barniz brillante en aerosol 3304"), 30)</p> <p>Unable to wait for object to be present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to wait for object to be present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.waitForElementPresent (WaitForElementPresentKeyword.groovy:95) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.execute (WaitForElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.waitForElementPresent (WebUiBuiltInKeywords.groovy:347) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$waitForElementPresent\$6.call (Unknown Source) at Filtrar ingresando dos letras.run (Filtrar ingresando dos letras:37) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1638758663060.run (TempTestSuite1638758663060.groovy:36) Caused by: java.lang.IllegalArgumentException: Object is null at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword\$_waitForElementPresent_closure1.doCall (WaitForElementPresentKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword\$_waitForElementPresent_closure1.call</p>	0,493s	FAILED

Filtrar ingresando dos letras

#	Description	Elapsed	Status
	<pre>(WaitForElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword. waitForElementPresent(WaitForElementPresentKeyword.groovy:95) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword. execute(WaitForElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. waitForElementPresent(WebUiBuiltInKeywords.groovy:347) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$waitForElementPresent\$6.call(Unknown Source) at Script1638757313408.run(Script1638757313408.groovy:37) ... 16 more)</pre>		
			

Guardar sin completar codigo

Information

ID	Test Cases/Guardar sin completar codigo		
Description	guardar un producto en inventario sin ingresar un numero de codigo		
Tag			
Start	2021-12-05 23:48:30	End	2021-12-05 23:48:58
Elapsed	28,219s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	5,504s	PASSED
2	navigateToUrl("http://localhost/simple-stock-master/login.php") Navigate to 'http://localhost/simple-stock-master/login.php' successfully	5,563s	PASSED
3	setText(findTestObject("Object Repository/Guardar producto sin codigo/Page_Simple Stock Login/input_Iniciar Sesin_user_name"), "admin") Text 'admin' is set on object 'Object Repository/Guardar producto sin codigo/Page_Simple Stock Login/input_Iniciar Sesin_user_name'	1,674s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Guardar producto sin codigo/Page_Simple Stock Login/input_Iniciar Sesin_user_password"), "RAIVpflpDOg=") Text ***** has been set on object 'Object Repository/Guardar producto sin codigo/Page_Simple Stock Login/input_Iniciar Sesin_user_password'	1,661s	PASSED
5	click(findTestObject("Object Repository/Guardar producto sin codigo/Page_Simple Stock Login/button_Iniciar Sesin")) Object: 'Object Repository/Guardar producto sin codigo/Page_Simple Stock Login/button_Iniciar Sesin' is clicked on	2,667s	PASSED

Guardar sin completar codigo

#	Description	Elapsed	Status
6	<code>click(findTestObject("Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/span_Agregar_glyphicon glyphicon-plus"))</code> Object: 'Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/span_Agregar_glyphicon glyphicon-plus' is clicked on	0,820s	PASSED
7	<code>setText(findTestObject("Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/textarea_Nombre_nombre"), "Tronillos de 6mm M2")</code> Text 'Tronillos de 6mm M2' is set on object 'Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/textarea_Nombre_nombre'	1,964s	PASSED
8	<code>selectOptionByValue(findTestObject("Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/select_Selecciona una categoriaAccesoriosEqu_01b1af"), "1", true)</code> All options with value '1' are selected in object 'Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/select_Selecciona una categoriaAccesoriosEqu_01b1af' using regular expression	1,877s	PASSED
9	<code>setText(findTestObject("Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/input_Precio_precio"), "1100")</code> Text '1100' is set on object 'Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/input_Precio_precio'	1,638s	PASSED
10	<code>setText(findTestObject("Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/input_Stock_stock"), "2500")</code> Text '2500' is set on object 'Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/input_Stock_stock'	1,501s	PASSED
11	<code>click(findTestObject("Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/button_Guardar datos"))</code> Object: 'Object Repository/Guardar producto sin codigo/Page_Inventario Simple Stock/button_Guardar datos' is clicked on	1,513s	PASSED

Guardar sin completar codigo

#	Description	Elapsed	Status
12	getAlertText() Unable to get alert text (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get alert text at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.GetAlertTextKeyword.getAlertText (GetAlertTextKeyword.groovy:71) at com.kms.katalon.core.webui.keyword.builtin.GetAlertTextKeyword.execute (GetAlertTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getAlertText (WebUiBuiltInKeywords.groovy:1576) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getAlertText\$7.call(Unknown Source) at Guardar sin completar codigo.run(Guardar sin completar codigo:48) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:442) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:433) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:412) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:404) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:281) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:363) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:202) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:164) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:105) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1638758663060.run(TempTestSuite1638758663060.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: No alert found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.GetAlertTextKeyword\$_getAlertText_closure1.doCall(GetAlertTextKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.GetAlertTextKeyword\$_getAlertText_closure1.call(GetAlertTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)	1,587s	FAILED

Guardar sin completar codigo

#	Description	Elapsed	Status
---	-------------	---------	--------

... 22 more

