


# Scanned with CamScanner

Dectaro por minha honra que este diagrama foi realizado apenos pelos elementos que constituem o grupo de projeto. Sofia Paiva 102835

Worker per munho honra que este avagrano fei reducado openas pelos elementos que constituem o grupo do projeto
Henona Herondo 102904



Scanned with CamScanner

# Network extral so conal Version UID: Long + disable Chent Noh (co hons (client Id : String): void + enable client not freations (client Id · string) wid + registerclient (dientia string, name: string, toxid: int), client + show All Clients () void + showClient (diented : Shing) : void + show client Ayments And Delots (ClientId String) · roid + show All communications () wild + show Chentsun th Debots () , void + show clients without belos () rond + Show Communications From Client (client Id: String): void + show communications To client (client Id: String); void + show Termina ( with Positive Balance (): void + show Unused Terminals (): void + Open Menu Terminal Console (): word + register Terminal (terminal Id: String, client Id: string): Terminal

Inducios munho homo que este diagrama foi recuzado aponos pelos elementes que constituem o grupo do projeto Hororo Hirondo 102904

#### Network Manager

- network : Network

+save() : roid

- + save As (filename : String) : void
- + load (fileraine : String) wid
- + importate (filename: stong): wid
- + openFile (filename: Shins): void
- topenmenuclient(): wid
- + open Nenu Laokyps () : wid
- + open KenuTerminals () : void
- + SaveFile (filerane : Shing) : void
- + get Network () : Network

### chent

- name: String
- client Id : String
- -taxId: int
- balance : double
- + dient Bolonce () double
- + client Payments (): double
- + client Debts(): double
- + client Terminals : void
- + clientTupe (1: clientType
- + achiotenon fication (): aid
- tdeachivate Nohheahon(): void

### Scanned with CamScanner

			and the second second second
Margarit Wiles and the second second second	cobst	racts	
	client	Type	
- clientIc	d:String		
		type(): clientT	
+ ccabsh	act >> Cower	type () : wentty	ype
	1 d 1 . 1 . 1	Passate IV: booler	0

H	NormalCLENT		
-	+ uppertype(): clientType		
1	- LawerTypel): clientType		
	+should from ote (): booken		

	GoldClient
+ UP	per Type () culentType
+ 60	wertype(): clientType
+50	nould Promote(): booteon

Platinumclient		
+upperType(): clientType		
+ we erType (): clientType		
+ should Promote () boxlean		

uabstract*	
Terminal	
-terminalId : String -clientId : String - terminalType : String	
+ Add Friend (terminal Id String) void + Remove Friend (terminal Id String) : void	is to
+ Make A Payment (communication Id: int, value: dab	le): void
+ terminal Status (): terminal status + paid (): double	
+ debts(): double + bolonce(): double	

Dedaro por numa honra que este avograme son recurredo quenas polos domentos que constituem o projeto. Monere Mironete 102904

Decide por minhe honce que este cliagrema foi recutació apenes pelos elementos que constituem o grupo do projeto. Soha faira ecalostract ss zealostract sis ecabstract >> communication status interactiveCommunication terminal Status -communication: Eummunication -units : int - terminal : Terminal + ccabstract >> ongoing(): void + and stract >> Busy () ! will + «cabstract >> finished(): wid + ecabstracts Silence (): void + ecabstract >> Off(); wid communication + ccabstracts rate (): void -idsender: String -idreceiver . String text - communication tol int -text: String - communication State; communication State + Send Text (): void + Make Communication (): void + get Text Length (): int + ongoing communication (): boolean + change Units (units: int) : void + change Price (Price : int): roid rayment Plan - TerminalType : TerminalType - communication Type: communication Type -units int + cost (terminal : terminal type, communication : communication type, units : int): double

Declara por minto honra que est avagrana la rentrenda apenas pelas namantas que constituem o grupo do projeto Harana Hiranda tozada