Path Summary

	Property	Value
1	From Node	a[1]
2	To Node	product[14]
3	Launch Clock	virtual_io
4	Latch Clock	virtual_io
5	Data Arrival Time	15.589
6	Data Required Time	100.000
7	Slack	84.411

Statistics

	Property	Value	Count	Total Delay	% of Total	Min	Max
1	Setup Relationship	100.000					
2	Clock Skew	0.000					
3	Data Delay	15.589					
4	Number of Logic Levels		11				
5	Physical Delays						
1	Arrival Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000
2	Data						
1	IC		12	8.811	57	0.000	3.740
2	Cell		13	6.778	43	0.000	2.519
2	Required Path						
1	Clock						
1	Clock Network (Lumped)		1	0.000		0.000	0.000

Data Path

Data Arrival

	Total	Incr	RF	Type	Fanout	Location	Element
1	0.000	0.000					launch edge time

	Total	Incr	RF	Type	Fanout	Location	Element
2	0.000	0.000					clock path
1	0.000	0.000	R				clock network delay
3	0.000	0.000	R	iExt	1	PIN_137	a[1]
4	15.589	15.589					data path
1	0.000	0.000	RR	IC	1	IOIBUF_X1_Y7_N1	a[1]~input|i
2	0.774	0.774	RR	CELL	6	IOIBUF_X1_Y7_N1	a[1]~input|o
3	4.514	3.740	RR	IC	1	LCCOMB_X16_Y9_N18	SECOND_AXC_2|carry|datab
4	4.854	0.340	RR	CELL	2	LCCOMB_X16_Y9_N18	SECOND_AXC_2|carry|combout
5	5.083	0.229	RR	IC	1	LCCOMB_X16_Y9_N4	RESULT_FA_1|cout~0|datab
6	5.458	0.375	RR	CELL	2	LCCOMB_X16_Y9_N4	RESULT_FA_1|cout~0|combout
7	5.688	0.230	RR	IC	1	LCCOMB_X16_Y9_N28	RESULT_FA_2|cout~0|datab
8	6.063	0.375	RR	CELL	2	LCCOMB_X16_Y9_N28	RESULT_FA_2|cout~0|combout
9	6.806	0.743	RR	IC	1	LCCOMB_X15_Y11_N2	RESULT_FA_3|cout~0|datab
10	7.181	0.375	RR	CELL	2	LCCOMB_X15_Y11_N2	RESULT_FA_3|cout~0|combout
11	7.587	0.406	RR	IC	1	LCCOMB_X14_Y11_N12	RESULT_FA_4|cout~0|dataa
12	7.956	0.369	RR	CELL	2	LCCOMB_X14_Y11_N12	RESULT_FA_4|cout~0|combout
13	8.187	0.231	RR	IC	1	LCCOMB_X14_Y11_N22	RESULT_FA_5|cout~0|dataa
14	8.556	0.369	RR	CELL	2	LCCOMB_X14_Y11_N22	RESULT_FA_5|cout~0|combout
15	8.749	0.193	RR	IC	1	LCCOMB_X14_Y11_N14	RESULT_FA_6|cout~0|datac
16	9.021	0.272	RR	CELL	2	LCCOMB_X14_Y11_N14	RESULT_FA_6|cout~0|combout
17	10.025	1.004	RR	IC	1	LCCOMB_X12_Y7_N6	RESULT_FA_7|cout~0|dataa
18	10.394	0.369	RR	CELL	2	LCCOMB_X12_Y7_N6	RESULT_FA_7|cout~0|combout
19	10.627	0.233	RR	IC	1	LCCOMB_X12_Y7_N30	RESULT_FA_8|cout~0|dataa
20	10.996	0.369	RR	CELL	2	LCCOMB_X12_Y7_N30	RESULT_FA_8|cout~0|combout
21	11.188	0.192	RR	IC	1	LCCOMB_X12_Y7_N20	RESULT_FA_9|s~0|datac
22	11.460	0.272	RR	CELL	1	LCCOMB_X12_Y7_N20	RESULT_FA_9|s~0|combout
23	13.070	1.610	RR	IC	1	IOOBUF_X0_Y5_N23	product[14]~output|i
24	15.589	2.519	RR	CELL	1	IOOBUF_X0_Y5_N23	product[14]~output|o
25	15.589	0.000	RR	CELL	0	PIN_26	product[14]

Data Required

	Total	Incr	RF	Type	Fanout	Location	Element
1	100.000	100.000					latch edge time
2	100.000	0.000					clock path
1	100.000	0.000	R				clock network delay
3	100.000	0.000	R	oExt	0	PIN_26	product[14]